

6 N Amarillo

Potter County
5 NNE Amarillo

23

23

1457CST

1505CST

National Weather Service Storm Data and Unusual Weather Phenomena



August 2001 Time Local/ Path Length Path Number of Estimated Width Persons Damage **OKLAHOMA**, Panhandle **Beaver County** 3 N Elmwood **17** 1709CST 0 0 Thunderstorm Wind (G52) Severe thunderstorm with high winds moved across the eastern Oklahoma panhandle during the early evening hours. **Beaver County** 1903CST Beaver 23 0 0 Hail(0.75) An isolated severe thunderstorm developed over the eastern Oklahoma panhandle during the evening hours producing hail **TEXAS, North Panhandle Dallam County** 1 N Dalhart to 0 80K Thunderstorm Wind (G61) .5 ESE Dalhart The high winds blew over a one hundred plus foot radio tower onto a building and fence of the Cow Feed Company in Dalhart. Also damaged was the Junior High School in Dalhart when a one hundred and ten foot communication tower fell on the roof. The high winds took a roof off of a building in Dalhart. Two trees were uprooted and several tree limbs were blown down. A severe thunderstorm with damaging winds moved across the northern and eastern sections of Dalhart during the early evening hours. **Deaf Smith County** 10 W Hereford 12 2027CST 0 Hail(0.88) A severe thunderstorm with large hail moved across the southwest Texas panhandle during the evening hours. **Lipscomb County** 4 SW Darrouzett 17 1808CST Hail(0.88) Lipscomb County 2 W Lipscomb 17 1835CST 0 0 Hail(0.75) **Lipscomb County** 2 W Lipscomb **17** 1835CST 0 Thunderstorm Wind (G56) High winds blew a trampoline against a house. **Lipscomb County** 5 SW Lipscomb **17** 1843CST 0 5K Thunderstorm Wind (G56) 0 High winds blew down several trees. **Lipscomb County** 6 S Lipscomb 1847CST 0 2K Thunderstorm Wind (G56) High winds blew down a tree on State Highway 305. Severe thunderstorms over the northeastern Texas panhandle during the early evening hours produced hail and damaging winds **Donley County** Jericho 23 1428CST 0 0 Hail(0.88) **Potter County** 7 N Amarillo 23 1441CST 0 0 Hail(1.75) **Potter County** 23 1445CST O Hail(1.75) 6 N Amarillo 0 **Potter County**

0

Hail(1.75)

Hail(1.75)



National Weather Service Storm Data and Unusual Weather Phenomena

Number of

Estimated



August 2001

Time Local Path Length Path Width Persons Damage **TEXAS, North Panhandle Carson County** 15 W Conway 23 1510CST 0 0 Thunderstorm Wind (G56) **Donley County** Ashtola 23 1528CST 0 30K Hail(0.75) The hail damaged three hundred to four hundred acres of crops near the Armstrong county line. Cotton was the hardest crop hit...however some hay and watermelons were also damaged. **Donley County** Jericho 23 1529CST 70K Thunderstorm Wind (G61) High winds blew over a cattle truck. **Donley County** Thunderstorm Wind (G69) Clarendon 1530CST 40K High winds at Clarendon High School knocked over the top two-thirds of one of the light poles at Bronco Stadium. The steel pole snapped electric lines and disrupted power in the city for half an hour. The pole fell on top of the south wall of the stadium but did not damage the historic rock wall. **Donley County** Lelia Lake 23 1550CST 0 Hail(0.88) **Donley County** Lelia Lake 23 1605CST Hail(0.88) **Donley County** Lelia Lake 23 1610CST 0 0 Hail(0.88) **Armstrong County** Goodnight 23 1615CST 0 Hail(0.88) **Armstrong County** Goodnight 23 1617CST Hail(0.88) **Donley County** Hedley 23 1637CST Hail(0.88) **Donley County** .5 S Hedley 23 1645CST Thunderstorm Wind (G69) Two inch diameter tree limbs were blown down by the high winds Severe thunderstorms with large and damaging hail along with damaging winds occurred across the south-central and southeastern Texas panhandle during the afternoon and early evening hours. **Donley County** 24 1625CST 0 Hail(1.00) Howardwick 0 **Donley County** 2 S Howardwick 24 1642CST Hail(1.75) **Donley County** 1651CST Hail(0.75) 2 S Howardwick 24 **Donley County** 2 SSE Howardwick 24 1656CST 0 0 Hail(1.00) **Lipscomb County Darrouzett** 1745CST 0 Hail(0.75) 24 **Lipscomb County** 6 E Booker 24 1938CST 0 0 Hail(1.75) Severe thunderstorms with large hail developed over the southeastern and the northeastern Texas panhandle during the early evening

hours.



afternoon hours.

National Weather Service Storm Data and Unusual Weather Phenomena



Location	Date	Time Local/ Standard	Path Length (Miles)	Path Width (Yards)	Numl Per Killed	ber of sons Injured		nated nage Crops	Character of Storm	August 2001
TEXAS, North Panhandle										
Roberts County Miami	25	1510CST			0	0			Hail(0.75)	
Hutchinson County Sanford	25	1536CST			0	0			Hail(1.00)	
Hutchinson County 5 S Stinnett	25	1536CST			0	0			Hail(1.00)	
Armstrong County 8 S Washburn	25 Severe	1650CST e thunderstorms c	ontaining larg	e hail move	0 d across th	0 ne central a	and eastern	sections of	Hail(1.00) of the Texas panhane	dle during the late