

StnID: krhi Model: srefmn Run: 20241121/0300 Cloud RH threshold: 85% Sleet Ratio: 2:1 | CarSnowTool 5.7

Date/hour	FHr	Wind	SfcT	Ptype	SRat	Snow	TotSF	TotSN	QPF	TotQPF	Sleet	TotPL	FZRA	TotZR	S%	I%	L%
241121/0400Z	1	29006KT	29.7F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241121/0500Z	2	30009KT	29.0F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241121/0600Z	3	32010KT	28.7F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241121/0700Z	4	31011KT	29.0F	SNOW	11:1	0.0	0.0	0.0	0.004	0.00	0.00	0.00	0.00	0.00	100	0	0
241121/0800Z	5	31012KT	29.4F	SNOW	14:1	0.1	0.1	0.1	0.007	0.01	0.00	0.00	0.00	0.00	100	0	0
241121/0900Z	6	31013KT	29.9F	SNOW	16:1	0.2	0.3	0.3	0.011	0.02	0.00	0.00	0.00	0.00	100	0	0
241121/1000Z	7	31015KT	30.5F	SNOW	17:1	0.3	0.6	0.6	0.019	0.04	0.00	0.00	0.00	0.00	100	0	0
241121/1100Z	8	31016KT	31.5F	SNOW	15:1	0.4	1.0	0.9	0.026	0.07	0.00	0.00	0.00	0.00	100	0	0
241121/1200Z	9	31018KT	32.1F	SNOW	14:1	0.4	1.4	1.3	0.028	0.10	0.00	0.00	0.00	0.00	100	0	0
241121/1300Z	10	31019KT	32.6F	SNOW	13:1	0.3	1.8	1.5	0.027	0.12	0.00	0.00	0.00	0.00	91	0	9
241121/1400Z	11	32019KT	33.7F	RASN	0:1	0.0	1.8	1.5	0.028	0.15	0.00	0.00	0.00	0.00	63	0	37
241121/1500Z	12	33019KT	35.0F	RASN	0:1	0.0	1.8	1.5	0.027	0.18	0.00	0.00	0.00	0.00	41	0	59
241121/1600Z	13	34019KT	36.4F	RASN	0:1	0.0	1.8	1.5	0.021	0.20	0.00	0.00	0.00	0.00	19	0	81
241121/1700Z	14	34019KT	37.7F	RAIN	0:1	0.0	1.8	1.5	0.013	0.21	0.00	0.00	0.00	0.00	4	0	96
241121/1800Z	15	35017KT	38.6F	RAIN	0:1	0.0	1.8	1.5	0.012	0.22	0.00	0.00	0.00	0.00	0	0	100
241121/1900Z	16	35016KT	39.1F	DZ	0:1	0.0	1.8	1.5	0.009	0.23	0.00	0.00	0.00	0.00	0	0	100
241121/2000Z	17	35015KT	39.3F	DZ	0:1	0.0	1.8	1.5	0.005	0.24	0.00	0.00	0.00	0.00	0	0	100
241121/2100Z	18	34014KT	39.1F	DZ	0:1	0.0	1.8	1.5	0.004	0.24	0.00	0.00	0.00	0.00	0	0	100
241121/2200Z	19	34012KT	38.4F	DZ	0:1	0.0	1.8	1.5	0.006	0.25	0.00	0.00	0.00	0.00	0	0	100
241121/2300Z	20	34012KT	37.8F	DZ	0:1	0.0	1.8	1.5	0.012	0.26	0.00	0.00	0.00	0.00	0	0	100
241122/0000Z	21	34012KT	37.7F	DZ	0:1	0.0	1.8	1.5	0.011	0.27	0.00	0.00	0.00	0.00	0	0	100
241122/0100Z	22	34012KT	37.3F	DZ	0:1	0.0	1.8	1.5	0.007	0.28	0.00	0.00	0.00	0.00	0	0	100
241122/0200Z	23	34011KT	37.1F		0:1	0.0	1.8	1.5	0.000	0.28	0.00	0.00	0.00	0.00	0	0	0
241122/0300Z	24	34011KT	36.9F		0:1	0.0	1.8	1.5	0.000	0.28	0.00	0.00	0.00	0.00	0	0	0
241122/0400Z	25	34011KT	36.9F		0:1	0.0	1.8	1.5	0.000	0.28	0.00	0.00	0.00	0.00	0	0	0
241122/0500Z	26	34011KT	36.8F		0:1	0.0	1.8	1.5	0.000	0.28	0.00	0.00	0.00	0.00	0	0	0
241122/0600Z	27	33011KT	36.4F		0:1	0.0	1.8	1.5	0.000	0.28	0.00	0.00	0.00	0.00	0	0	0
241122/0700Z	28	33011KT	36.2F		0:1	0.0	1.8	1.5	0.000	0.28	0.00	0.00	0.00	0.00	0	0	0
241122/0800Z	29	33011KT	36.2F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241122/0900Z	30	33011KT	36.0F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241122/1000Z	31	33011KT	35.9F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241122/1100Z	32	33011KT	35.7F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241122/1200Z	33	33011KT	35.7F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241122/1300Z	34	33011KT	35.5F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241122/1400Z	35	33011KT	35.7F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241122/1500Z	36	33011KT	36.2F		0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0

Date/hour FHr Wind SfcT Ptype SRat Snow TotSF TotSN QPF TotQPF Sleet TotPL FZRA TotZR S% I% L%

241122/1600Z	37	33011KT	36.9F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241122/1700Z	38	33011KT	37.7F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241122/1800Z	39	32011KT	38.2F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241122/1900Z	40	32011KT	38.4F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241122/2000Z	41	32011KT	38.4F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241122/2100Z	42	32011KT	37.8F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241122/2200Z	43	32010KT	36.9F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241122/2300Z	44	32010KT	36.0F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/0000Z	45	32009KT	35.3F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/0100Z	46	32009KT	34.6F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/0200Z	47	31009KT	33.9F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/0300Z	48	31009KT	33.3F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/0400Z	49	31009KT	32.6F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/0500Z	50	31009KT	32.1F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/0600Z	51	31009KT	31.4F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/0700Z	52	31008KT	31.0F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/0800Z	53	31008KT	30.6F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/0900Z	54	31008KT	30.1F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/1000Z	55	31008KT	29.9F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/1100Z	56	31008KT	29.6F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/1200Z	57	31007KT	29.4F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/1300Z	58	31007KT	29.0F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/1400Z	59	31006KT	29.6F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/1500Z	60	31007KT	30.6F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/1600Z	61	31006KT	32.1F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/1700Z	62	31006KT	33.7F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/1800Z	63	31006KT	34.8F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/1900Z	64	30006KT	35.9F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/2000Z	65	30006KT	36.4F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/2100Z	66	30005KT	36.2F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/2200Z	67	30004KT	35.1F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241123/2300Z	68	30003KT	33.7F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241124/0000Z	69	VRB02KT	33.0F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241124/0100Z	70	VRB02KT	32.3F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241124/0200Z	71	VRB01KT	31.9F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
241124/0300Z	72	VRB01KT	31.5F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0	
Date/hour	FHr	Wind	SfcT	Ptype	SRat	Snow	TotSF	TotSN	QPF	TotQPF	Sleet	TotPL	FZRA	TotZR	S%	I%	L%
241124/0400Z	73	VRB01KT	31.2F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
241124/0500Z	74	VRB02KT	31.2F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
241124/0600Z	75	VRB02KT	31.2F		0:1	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0

241124/0700Z	76	16003KT	31.0F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241124/0800Z	77	16003KT	31.2F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241124/0900Z	78	15004KT	31.2F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----																
241124/1000Z	79	15005KT	31.2F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241124/1100Z	80	15005KT	31.2F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241124/1200Z	81	15006KT	31.0F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241124/1300Z	82	15007KT	31.2F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241124/1400Z	83	15007KT	31.9F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
241124/1500Z	84	15008KT	33.7F	0:1	0.0	0.0	0.0	0.000	0.00	0.00	0.00	0.00	0.00	0	0	0
=====																