

RHINELANDER WEATHER RECORDS (BOOK 2 of 2)

Updated: 10/04/24

| | |
|---------------|--|
| Page # | Temperature Data |
| 181-190 | Monthly Temperatures (Max / Min / Mean) |
| 191 | Winter Temperatures (Max / Min / Mean) |
| 192 | Spring Temperatures (Max / Min / Mean) |
| 193 | Summer Temperatures (Max / Min / Mean) |
| 194 | Fall Temperatures (Max / Min / Mean) |
| 195 | Yearly Temperatures (Max / Min / Mean) |
| 196-203 | Monthly / Yearly Temperature Extremes |
| Page # | Heating and Cooling Degree Days |
| 204-207 | Monthly / Seasonal Heating Degree Days |
| 208-210 | Heating Degree Days by Season |
| 211-213 | Monthly / Yearly Cooling Degree Days |
| 214-216 | Cooling Degree Days by Season |
| Page # | Precipitation Data |
| 218-219 | Monthly / Yearly Precipitation Totals 7 |
| 220-222 | Seasonal Precipitation Totals |
| 223-226 | Greatest 24 Hour Precipitation by Month / Year |

RHINELANDER WEATHER RECORDS

(BOOK 2 OF 2)

| | |
|---------------|---|
| Page # | Snowfall Data |
| 227 | Top 25 Seasonal Snowfall Totals (September to May) |
| 228-231 | Snowfall Totals by Season (September to May) |
| 232-235 | Snowfall Totals by Calendar Year |
| 236-238 | Snowfall Totals by Season (Fall / Winter / Spring) |
| 239-245 | Greatest Calendar Day Snowfall Totals By Month / Year |
| 246-252 | Greatest Snowstorms in History (1-2 Day Totals) |
| 253-259 | Greatest Snow Depth on Record by Month / Year |
| 260-263 | Consecutive Days with Snow on the Ground (1, 6, 12 inches & 24 inches) |
| 264-267 | Number of Days with Snow Cover (1.0, 6.0, 12.0 inches, 18.0 inches & 24.0 inches) |
| 268-271 | Most / Least Day with Snow Cover (1.0, 6.0, 12.0 inches, 18.0 inches & 24.0 inches) |
| 272-273 | Earliest / Latest Measureable Snowfall - (Trace / 0.1 / 1.0 inches) |
| 274-277 | Date of First and Last 0.1/1.0 inches Of Snow |
| Page # | Wind Data |
| 279-283 | Rhinelanders Peak Wind Gust Data by Month |
| 284-285 | Average Wind Speed Data (Month / Year) |
| 286-298 | Rhinelanders Airport Wind Rose (Month / Year) |
| Page # | Pressure Data |
| 299-305 | Maximum / Minimum Monthly & Yearly Pressure Records |
| 306-309 | Maximum / Minimum Pressure By Month / Year |
| Page # | Droughts Since 1900 |
| 310-319 | Droughts Since 1900 |

Note: The 1991-2020 climate normal were added to the climate books. The Rhinelanders ASOS temperature climate normals were used. The WJFW-TV precipitation and snowfall climate normals were used.

RHINELANDER MONTHLY TEMPERATURES

| Normal | 91-20 | 13.1 | 16.3 | 27.9 | 40.6 | 53.5 | 62.9 | | 67.1 | 64.9 | 56.9 | 44.3 | 30.9 | 18.9 | | 41.4 |
|--------|-------|-------|-------|------|------|------|------|--|------|------|------|------|------|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 1908 | High | 27.6 | 27.6 | 36.9 | 56.6 | 65.8 | 76.0 | | 79.1 | 78.3 | 78.4 | 58.5 | 40.0 | 25.6 | | 54.2 |
| | Low | 7.0 | 8.7 | 15.5 | 30.3 | 42.3 | 49.1 | | 55.6 | 53.3 | 50.5 | 38.7 | 25.2 | 8.6 | | 32.1 |
| | Mean | 17.3 | 18.2 | 26.2 | 43.5 | 54.1 | 62.6 | | 67.4 | 65.8 | 64.5 | 48.6 | 32.6 | 17.1 | | 43.2 |
| 1909 | High | 25.4 | 26.3 | 35.2 | 44.1 | 64.2 | 78.7 | | 80.2 | 79.5 | 69.3 | 53.4 | 45.3 | 23.3 | | 52.1 |
| | Low | 5.3 | 8.8 | 14.8 | 23.6 | 38.9 | 51.7 | | 52.9 | 56.1 | 45.5 | 32.6 | 28.7 | 9.3 | | 30.7 |
| | Mean | 15.4 | 17.6 | 25.0 | 33.9 | 51.6 | 65.2 | | 66.6 | 67.8 | 57.4 | 43.0 | 37.0 | 16.3 | | 41.4 |
| 1910 | High | 23.9 | 23.5 | 54.7 | 61.6 | 62.5 | 82.0 | | 84.7 | 78.8 | 68.7 | 60.9 | 31.5 | 24.1 | | 54.7 |
| | Low | 3.7 | -0.7 | 25.4 | 33.3 | 36.0 | 49.4 | | 53.6 | 52.7 | 43.7 | 36.6 | 19.9 | 7.7 | | 30.1 |
| | Mean | 13.8 | 11.4 | 40.1 | 47.5 | 49.3 | 65.7 | | 69.2 | 65.8 | 56.2 | 48.8 | 25.7 | 15.9 | | 42.4 |
| 1911 | High | 23.7 | 30.4 | 40.7 | 52.9 | 73.2 | 83.2 | | 80.9 | 75.9 | 68.0 | 52.8 | 33.2 | 32.3 | | 53.9 |
| | Low | 1.2 | 10.3 | 19.9 | 31.1 | 45.6 | 56.1 | | 54.6 | 51.6 | 45.1 | 34.0 | 15.6 | 17.5 | | 31.9 |
| | Mean | 12.5 | 20.4 | 30.3 | 42.0 | 59.4 | 69.7 | | 67.8 | 63.8 | 56.6 | 43.4 | 24.4 | 24.9 | | 42.9 |
| 1912 | High | 5.0 | 21.6 | 33.5 | 55.9 | 68.2 | 75.9 | | 79.1 | 72.0 | 69.0 | 60.1 | 42.6 | 30.9 | | 51.2 |
| | Low | -15.7 | 1.3 | 6.2 | 28.3 | 42.2 | 47.2 | | 55.1 | 51.6 | 47.8 | 35.9 | 23.6 | 12.4 | | 28.0 |
| | Mean | -5.4 | 11.5 | 19.9 | 42.1 | 55.2 | 61.6 | | 67.1 | 61.8 | 58.4 | 48.0 | 33.1 | 21.7 | | 39.6 |
| 1913 | High | 24.6 | 19.5 | 33.6 | 56.3 | 64.9 | 79.4 | | 77.9 | 79.4 | 69.8 | 55.0 | 45.5 | 38.2 | | 53.7 |
| | Low | 3.5 | -2.8 | 9.8 | 31.3 | 39.1 | 52.3 | | 53.2 | 53.3 | 44.0 | 34.4 | 28.0 | 18.4 | | 30.4 |
| | Mean | 14.1 | 8.4 | 21.7 | 43.8 | 52.0 | 65.9 | | 65.6 | 66.4 | 56.9 | 44.7 | 36.8 | 28.3 | | 42.1 |
| 1914 | High | 28.0 | 20.5 | 35.8 | 50.3 | 69.7 | 74.6 | | 83.3 | 76.4 | 70.5 | 64.7 | 41.3 | 21.0 | | 53.0 |
| | Low | 11.5 | -7.2 | 13.2 | 26.7 | 43.3 | 48.9 | | 58.9 | 52.9 | 46.0 | 38.9 | 22.1 | 3.3 | | 29.9 |
| | Mean | 19.8 | 6.7 | 24.5 | 38.5 | 56.5 | 61.8 | | 71.1 | 64.7 | 58.3 | 51.8 | 31.7 | 12.2 | | 41.5 |
| 1915 | High | 21.9 | 32.8 | 36.5 | 64.9 | 62.2 | 71.0 | | 76.4 | 73.9 | 69.6 | 57.9 | 40.1 | 28.8 | | 53.0 |
| | Low | 2.9 | 16.1 | 13.3 | 37.2 | 37.3 | 46.0 | | 51.0 | 45.9 | 45.0 | 35.9 | 24.8 | 10.2 | | 30.5 |
| | ME | 12.4 | 24.5 | 24.9 | 51.1 | 49.8 | 58.5 | | 63.7 | 59.9 | 57.3 | 46.9 | 32.5 | 19.5 | | 41.5 |
| 1916 | High | 23.5 | 22.2 | 34.3 | 48.3 | 63.5 | 69.1 | | 87.5 | 80.4 | 65.7 | 54.7 | 37.4 | 21.4 | | 50.7 |
| | Low | 0.6 | -0.3 | 9.3 | 28.7 | 38.5 | 47.6 | | 59.4 | 59.4 | 43.5 | 32.9 | 19.1 | 0.2 | | 28.2 |
| | Mean | 12.1 | 11.0 | 21.8 | 38.5 | 51.0 | 58.4 | | 73.5 | 69.9 | 54.6 | 43.8 | 28.3 | 10.8 | | 39.5 |
| 1917 | High | 17.4 | 13.0 | 33.8 | 48.0 | 63.2 | 69.8 | | 80.0 | 72.3 | 68.5 | 43.0 | 43.3 | 18.1 | | 47.5 |
| | Low | -7.7 | -10.5 | 11.2 | 26.0 | 33.3 | 45.0 | | 54.2 | 48.7 | 43.5 | 27.5 | 22.6 | -2.2 | | 24.3 |
| | Mean | 4.9 | 1.3 | 22.5 | 37.0 | 48.3 | 57.4 | | 67.1 | 60.5 | 56.0 | 35.3 | 33.0 | 8.0 | | 35.9 |
| 1918 | High | 10.6 | 24.2 | 45.1 | 52.6 | 69.2 | 73.1 | | 77.7 | 78.4 | 62.0 | 55.2 | 40.4 | 32.1 | | 51.7 |
| | Low | -8.9 | -4.1 | 17.6 | 23.8 | 38.1 | 46.5 | | 52.8 | 51.5 | 37.3 | 33.7 | 25.6 | 15.8 | | 27.5 |
| | Mean | 0.9 | 10.1 | 31.4 | 38.2 | 53.7 | 59.8 | | 65.3 | 65.0 | 49.7 | 44.6 | 33.0 | 24.0 | | 39.6 |
| 1919 | High | 28.0 | 24.4 | 37.0 | 51.1 | 66.0 | 78.8 | | 79.5 | 74.0 | 69.6 | 50.5 | 33.3 | 15.0 | | 50.6 |
| | Low | 9.7 | 5.2 | 14.2 | 28.9 | 38.9 | 56.9 | | 54.5 | 50.4 | 43.8 | 31.1 | 18.2 | -4.7 | | 28.9 |
| | Mean | 18.9 | 14.8 | 25.6 | 40.0 | 52.5 | 67.9 | | 67.0 | 62.2 | 56.7 | 40.8 | 25.8 | 5.2 | | 39.8 |

RHINELANDER MONTHLY TEMPERATURES

| Normal | 91-20 | 13.1 | 16.3 | 27.9 | 40.6 | 53.5 | 62.9 | | 67.1 | 64.9 | 56.9 | 44.3 | 30.9 | 18.9 | | 41.4 |
|--------|-------|-------|-------|------|------|------|------|--|------|------|------|------|------|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 1920 | High | 12.5 | 22.3 | 38.2 | 43.8 | 67.5 | 76.2 | | 76.3 | 75.8 | 71.9 | 64.9 | 34.1 | 26.8 | | 50.9 |
| | Low | -9.3 | 0.8 | 13.0 | 23.8 | 38.1 | 50.3 | | 51.1 | 49.9 | 44.8 | 40.3 | 21.2 | 13.1 | | 28.1 |
| | Mean | 1.6 | 11.6 | 25.6 | 33.8 | 52.8 | 63.3 | | 63.7 | 62.9 | 58.4 | 52.6 | 27.7 | 20.0 | | 39.5 |
| 1921 | High | 25.6 | 28.5 | 36.1 | 58.5 | 69.3 | 80.8 | | 84.8 | 77.2 | 71.3 | 55.5 | 31.1 | 24.0 | | 53.6 |
| | Low | 8.9 | 8.6 | 17.3 | 33.9 | 42.6 | 55.2 | | 61.0 | 52.9 | 48.8 | 36.1 | 16.7 | 7.8 | | 32.5 |
| | Mean | 17.3 | 18.6 | 26.7 | 46.2 | 56.0 | 68.0 | | 72.9 | 65.1 | 60.1 | 45.8 | 23.9 | 15.9 | | 43.1 |
| 1922 | High | 18.7 | 20.2 | 37.7 | 51.0 | 72.7 | 74.9 | | 76.6 | 77.6 | 72.3 | 57.4 | 40.5 | 21.5 | | 51.8 |
| | Low | -3.5 | -2.7 | 13.7 | 29.3 | 48.0 | 51.2 | | 52.7 | 52.6 | 46.1 | 33.1 | 27.8 | 1.2 | | 29.1 |
| | ME | 7.6 | 8.8 | 25.7 | 40.2 | 60.4 | 63.1 | | 64.7 | 65.1 | 59.2 | 45.3 | 34.2 | 11.4 | | 40.5 |
| 1923 | High | 22.7 | 16.3 | 26.8 | 48.3 | 67.9 | 78.4 | | 81.2 | 73.0 | 70.0 | 54.7 | 42.8 | 33.4 | | 51.3 |
| | Low | 1.5 | -10.0 | 1.0 | 22.8 | 38.3 | 54.5 | | 57.3 | 48.9 | 45.5 | 29.7 | 22.6 | 16.0 | | 27.3 |
| | Mean | 12.1 | 3.2 | 13.9 | 35.6 | 53.1 | 66.5 | | 69.3 | 61.0 | 57.8 | 42.2 | 32.7 | 24.7 | | 39.3 |
| 1924 | High | 13.6 | 26.2 | 33.1 | 46.9 | 55.8 | 71.2 | | 75.8 | 73.8 | 64.0 | 64.5 | 37.8 | 14.6 | | 48.1 |
| | Low | -10.9 | 2.8 | 13.5 | 27.1 | 33.3 | 44.9 | | 51.5 | 50.7 | 40.6 | 37.6 | 20.6 | -4.6 | | 25.6 |
| | Mean | 1.4 | 14.5 | 23.3 | 37.0 | 44.6 | 58.1 | | 63.7 | 62.3 | 52.3 | 51.1 | 29.2 | 5.0 | | 36.9 |
| 1925 | High | 21.1 | 25.9 | 39.3 | 60.3 | 62.4 | 74.6 | | 78.2 | 80.0 | 69.8 | 42.4 | 36.7 | 21.7 | | 51.0 |
| | Low | 0.5 | 5.5 | 14.3 | 32.0 | 35.0 | 52.8 | | 53.6 | 53.0 | 46.2 | 26.5 | 16.4 | 5.9 | | 28.5 |
| | Mean | 10.8 | 15.7 | 26.8 | 46.2 | 48.7 | 63.7 | | 65.9 | 66.5 | 58.0 | 34.5 | 26.6 | 13.8 | | 39.8 |
| 1926 | High | 20.9 | 25.6 | 29.6 | 48.1 | 68.8 | 71.0 | | 78.4 | 74.7 | 62.9 | 50.1 | 32.2 | 22.5 | | 48.7 |
| | Low | -0.3 | 4.3 | 7.3 | 22.6 | 39.3 | 45.4 | | 53.6 | 52.5 | 41.4 | 31.9 | 15.5 | 0.8 | | 26.2 |
| | Mean | 10.3 | 15.0 | 18.5 | 35.4 | 54.1 | 58.2 | | 66.0 | 63.6 | 52.2 | 41.0 | 23.9 | 11.7 | | 37.5 |
| 1927 | High | 19.5 | 30.1 | 42.3 | 52.2 | 58.8 | 73.0 | | 77.4 | 73.4 | 70.3 | 58.1 | 35.6 | 18.3 | | 50.8 |
| | Low | -6.5 | 4.9 | 20.4 | 27.4 | 38.4 | 46.2 | | 51.3 | 45.8 | 45.5 | 34.0 | 19.0 | -3.3 | | 26.9 |
| | Mean | 6.5 | 17.5 | 31.4 | 39.8 | 48.6 | 59.6 | | 64.4 | 59.6 | 57.9 | 46.1 | 27.3 | 7.5 | | 38.9 |
| 1928 | High | 22.4 | 26.4 | 37.7 | 44.9 | 67.9 | 69.0 | | 79.5 | 76.9 | 64.5 | 56.1 | 40.1 | 29.5 | | 51.2 |
| | Low | 1.8 | 0.4 | 9.3 | 22.0 | 40.4 | 45.4 | | 55.5 | 52.9 | 40.1 | 34.0 | 24.1 | 11.9 | | 28.2 |
| | Mean | 12.1 | 13.4 | 23.5 | 33.5 | 54.2 | 57.2 | | 67.5 | 64.9 | 52.3 | 45.1 | 32.1 | 20.7 | | 39.7 |
| 1929 | High | 9.2 | 19.6 | 39.1 | 54.9 | 61.8 | 73.2 | | 81.2 | 76.1 | 68.7 | 55.1 | 33.9 | 24.9 | | 49.8 |
| | Low | -14.4 | -7.1 | 17.8 | 29.2 | 37.7 | 46.9 | | 56.2 | 51.5 | 42.4 | 30.9 | 16.7 | 7.8 | | 26.3 |
| | Mean | -2.6 | 6.3 | 28.5 | 42.1 | 49.8 | 60.1 | | 68.7 | 63.8 | 55.6 | 43.0 | 25.3 | 16.4 | | 38.1 |
| 1930 | High | 14.1 | 32.1 | 36.3 | 59.0 | 70.9 | Msg | | 81.4 | 79.8 | 64.6 | 53.0 | 48.2 | 29.9 | | 47.4 |
| | Low | -5.9 | 8.1 | 15.2 | 28.3 | 45.6 | Msg | | 53.9 | 51.7 | 44.2 | 34.2 | 24.0 | 11.3 | | 25.9 |
| | Mean | 4.1 | 20.1 | 25.8 | 43.7 | 58.3 | Msg | | 67.7 | 65.8 | 54.4 | 43.6 | 36.1 | 20.6 | | 36.7 |
| 1931 | High | 31.5 | 37.5 | 38.7 | 61.3 | 63.0 | 78.1 | | 81.9 | 74.5 | 73.3 | 58.8 | 44.6 | 32.1 | | 56.3 |
| | Low | 8.8 | 9.9 | 16.6 | 29.3 | 38.4 | 54.3 | | 57.3 | 51.5 | 50.6 | 41.0 | 28.9 | 19.1 | | 33.8 |
| | Mean | 20.2 | 23.7 | 27.7 | 45.3 | 50.7 | 66.2 | | 69.6 | 63.0 | 62.0 | 49.9 | 36.8 | 25.6 | | 45.1 |

RHINELANDER MONTHLY TEMPERATURES

| Normal | 91-20 | 13.1 | 16.3 | 27.9 | 40.6 | 53.5 | 62.9 | | 67.1 | 64.9 | 56.9 | 44.3 | 30.9 | 18.9 | | 41.4 |
|--------|-------|------|-------|------|------|------|------|--|------|------|------|------|------|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 1932 | High | 26.4 | 26.9 | 29.0 | 50.9 | 65.3 | 79.1 | | 80.6 | 78.5 | 69.7 | 50.8 | 34.1 | 23.1 | | 51.2 |
| | Low | 11.5 | 2.2 | 7.7 | 26.5 | 41.1 | 53.7 | | 56.0 | 53.2 | 41.2 | 31.1 | 16.2 | 3.2 | | 28.6 |
| | Mean | 19.0 | 14.6 | 18.4 | 38.7 | 53.2 | 66.4 | | 68.3 | 65.9 | 55.5 | 41.0 | 25.2 | 13.2 | | 39.9 |
| 1933 | High | 27.2 | 17.4 | 31.8 | 48.1 | 66.6 | 84.6 | | 83.9 | 80.2 | 75.4 | 53.5 | 33.6 | 19.2 | | 51.8 |
| | Low | 7.8 | -6.1 | 15.0 | 28.1 | 43.3 | 57.1 | | 56.8 | 47.8 | 46.3 | 30.0 | 18.1 | 0.9 | | 28.8 |
| | Mean | 17.5 | 5.7 | 23.4 | 38.1 | 55.0 | 70.9 | | 70.4 | 64.0 | 60.9 | 41.7 | 25.9 | 10.1 | | 40.3 |
| 1934 | High | 29.7 | 20.8 | 33.9 | 48.5 | 75.4 | 78.5 | | 82.5 | 76.6 | 66.2 | 59.5 | 41.9 | 25.8 | | 53.3 |
| | Low | 13.2 | -4.0 | 9.6 | 29.0 | 44.9 | 52.5 | | 55.4 | 49.4 | 44.6 | 37.1 | 27.3 | 5.8 | | 30.4 |
| | Mean | 21.5 | 8.4 | 21.8 | 38.8 | 60.2 | 65.5 | | 69.0 | 63.0 | 55.4 | 48.3 | 34.6 | 15.8 | | 41.9 |
| 1935 | High | 20.2 | 30.2 | 42.4 | 53.5 | 63.4 | 71.9 | | 85.3 | 79.5 | 67.2 | 56.3 | 35.2 | 23.9 | | 52.4 |
| | Low | -4.1 | 5.8 | 19.5 | 29.5 | 38.2 | 47.3 | | 62.0 | 56.1 | 44.2 | 37.1 | 21.6 | 9.1 | | 30.5 |
| | Mean | 8.1 | 18.0 | 31.0 | 41.5 | 50.8 | 59.6 | | 73.7 | 67.8 | 55.7 | 46.7 | 28.4 | 16.5 | | 41.5 |
| 1936 | High | 16.4 | 13.1 | 36.7 | 43.7 | 69.9 | 73.9 | | 88.6 | 79.1 | 72.1 | 50.1 | 35.2 | 29.3 | | 50.7 |
| | Low | -1.6 | -14.7 | 16.5 | 23.7 | 44.8 | 46.9 | | 58.0 | 53.9 | 49.1 | 31.3 | 17.1 | 9.5 | | 27.9 |
| | Mean | 7.4 | -0.8 | 26.6 | 33.7 | 57.4 | 60.4 | | 73.3 | 66.5 | 60.6 | 40.7 | 26.2 | 19.4 | | 39.3 |
| 1937 | High | 19.1 | 23.8 | 33.9 | 47.4 | 67.5 | 75.8 | | 83.8 | 83.1 | 68.8 | 49.4 | 36.1 | 22.5 | | 50.9 |
| | Low | -6.3 | 2.2 | 7.9 | 27.8 | 41.2 | 50.4 | | 58.1 | 58.0 | 45.1 | 32.2 | 21.1 | 4.8 | | 28.5 |
| | Mean | 6.4 | 13.0 | 20.9 | 37.6 | 54.4 | 63.1 | | 71.0 | 70.6 | 57.0 | 40.8 | 28.6 | 13.7 | | 39.7 |
| 1938 | High | 16.6 | 29.0 | 43.7 | 52.5 | 63.6 | 72.3 | | 78.3 | 78.2 | 65.9 | 59.7 | 37.6 | 24.5 | | 51.8 |
| | Low | 1.3 | 7.8 | 19.0 | 31.2 | 42.5 | 50.0 | | 57.2 | 56.3 | 45.1 | 38.9 | 24.0 | 9.2 | | 31.9 |
| | Mean | 9.0 | 18.4 | 31.4 | 41.9 | 53.1 | 61.2 | | 67.8 | 67.3 | 55.5 | 49.3 | 30.8 | 16.9 | | 41.9 |
| 1939 | High | 25.3 | 21.1 | 34.1 | 46.8 | 69.5 | 72.3 | | 81.4 | 78.0 | 70.0 | 56.0 | 45.2 | 34.0 | | 52.8 |
| | Low | 6.9 | -4.0 | 12.2 | 24.8 | 43.5 | 53.4 | | 56.5 | 54.6 | 45.9 | 35.1 | 22.5 | 19.0 | | 30.9 |
| | Mean | 16.1 | 8.6 | 23.2 | 35.8 | 56.5 | 62.9 | | 69.0 | 66.3 | 58.0 | 45.6 | 33.9 | 26.5 | | 41.9 |
| 1940 | High | 17.5 | 27.2 | 29.2 | 47.3 | 60.8 | 71.8 | | 79.8 | 72.8 | 70.1 | 56.6 | 34.6 | 27.1 | | 49.6 |
| | Low | -1.2 | 10.9 | 7.8 | 25.4 | 38.9 | 51.0 | | 56.7 | 55.1 | 48.1 | 38.1 | 20.4 | 11.8 | | 30.3 |
| | Mean | 8.2 | 19.1 | 18.5 | 36.4 | 49.9 | 61.4 | | 68.3 | 64.0 | 59.1 | 47.4 | 27.5 | 19.5 | | 40.0 |
| 1941 | High | 23.5 | 25.8 | 33.7 | 59.7 | 68.3 | 76.2 | | 78.7 | 75.7 | 68.0 | 54.2 | 40.2 | 31.5 | | 53.0 |
| | Low | 5.5 | 3.7 | 10.1 | 34.9 | 45.5 | 53.4 | | 57.2 | 51.5 | 49.0 | 36.9 | 26.3 | 18.2 | | 32.7 |
| | Mean | 14.5 | 14.8 | 21.9 | 47.3 | 56.9 | 64.8 | | 68.0 | 63.6 | 58.5 | 45.6 | 33.3 | 24.9 | | 42.9 |
| 1942 | High | 23.8 | 24.3 | 38.3 | 59.7 | 61.5 | 72.1 | | 76.0 | 74.5 | 62.8 | 58.6 | 38.8 | 20.5 | | 50.9 |
| | Low | 6.5 | 4.3 | 19.9 | 33.9 | 40.6 | 51.2 | | 54.6 | 53.9 | 44.6 | 35.2 | 20.7 | 7.5 | | 31.1 |
| | Mean | 15.2 | 14.3 | 29.1 | 46.8 | 51.1 | 61.7 | | 65.3 | 64.2 | 53.7 | 46.9 | 29.8 | 14.0 | | 41.0 |
| 1943 | High | 17.7 | 27.6 | 29.3 | 47.4 | 63.2 | 75.2 | | 81.4 | 76.1 | 62.6 | 56.8 | 34.0 | 29.4 | | 50.1 |
| | Low | -1.5 | 1.9 | 7.1 | 26.1 | 41.2 | 54.3 | | 57.8 | 56.0 | 42.7 | 35.8 | 20.2 | 11.0 | | 29.4 |
| | Mean | 8.1 | 14.8 | 18.2 | 36.8 | 52.2 | 64.8 | | 69.6 | 66.1 | 52.7 | 46.3 | 27.1 | 20.2 | | 39.8 |

RHINELANDER MONTHLY TEMPERATURES

| Normal | 91-20 | 13.1 | 16.3 | 27.9 | 40.6 | 53.5 | 62.9 | | 67.1 | 64.9 | 56.9 | 44.3 | 30.9 | 18.9 | | 41.4 |
|--------|-------|------|------|------|------|------|------|--|------|------|------|------|------|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 1944 | High | 32.4 | 27.7 | 31.8 | 50.0 | 69.5 | 74.7 | | 77.0 | 78.7 | 66.5 | 57.5 | 42.8 | 23.6 | | 52.7 |
| | Low | 15.2 | 9.1 | 13.4 | 26.4 | 46.2 | 53.5 | | 55.7 | 55.4 | 48.2 | 35.4 | 30.6 | 8.9 | | 33.2 |
| | Mean | 23.8 | 18.4 | 22.6 | 38.2 | 57.9 | 64.1 | | 66.4 | 67.1 | 57.4 | 46.5 | 36.7 | 16.3 | | 43.0 |
| 1945 | High | 17.9 | 28.0 | 49.6 | 54.1 | 61.0 | 70.7 | | 75.6 | 77.7 | 67.5 | 55.5 | 37.6 | 21.9 | | 51.4 |
| | Low | 0.1 | 3.5 | 24.1 | 30.7 | 37.2 | 47.2 | | 53.7 | 54.4 | 45.3 | 33.8 | 22.7 | 5.9 | | 29.9 |
| | Mean | 9.0 | 15.8 | 36.9 | 42.4 | 49.1 | 59.0 | | 64.7 | 66.1 | 56.4 | 44.7 | 30.2 | 13.9 | | 40.7 |
| 1946 | High | 24.3 | 25.3 | 49.8 | 57.3 | 65.0 | 73.3 | | 78.3 | 74.8 | 69.0 | 59.9 | 40.9 | 28.0 | | 53.8 |
| | Low | 5.8 | 2.8 | 26.9 | 31.7 | 38.6 | 50.5 | | 55.5 | 51.7 | 44.6 | 38.4 | 23.2 | 9.4 | | 31.6 |
| | Mean | 15.1 | 14.1 | 38.4 | 44.5 | 51.8 | 61.9 | | 66.9 | 63.3 | 56.8 | 49.2 | 32.1 | 18.7 | | 42.7 |
| 1947 | High | 27.1 | 23.4 | 34.0 | 48.6 | 60.1 | 72.4 | | 79.1 | 85.3 | 69.9 | 68.1 | 33.8 | 26.5 | | 52.4 |
| | Low | 6.7 | 3.3 | 11.7 | 27.5 | 38.0 | 48.2 | | 55.7 | 60.6 | 48.1 | 45.4 | 20.5 | 10.5 | | 31.4 |
| | Mean | 16.9 | 13.4 | 22.9 | 38.1 | 49.1 | 60.3 | | 67.4 | 73.0 | 59.0 | 56.8 | 27.2 | 18.5 | | 41.9 |
| 1948 | High | 20.0 | 26.0 | 36.8 | 60.1 | 66.2 | 74.0 | | 78.4 | 79.3 | 75.5 | 58.2 | 38.9 | 27.6 | | 53.4 |
| | Low | -7.0 | 0.4 | 11.3 | 33.2 | 39.6 | 50.2 | | 55.7 | 55.1 | 46.9 | 34.1 | 27.0 | 8.8 | | 29.6 |
| | Mean | 6.5 | 13.2 | 24.1 | 46.7 | 52.9 | 62.1 | | 67.1 | 67.2 | 61.2 | 46.2 | 33.0 | 18.2 | | 41.5 |
| 1949 | High | 26.0 | 25.5 | 35.0 | 56.7 | 69.1 | 78.6 | | 79.3 | 79.7 | 65.6 | 60.5 | 38.7 | 26.3 | | 53.4 |
| | Low | 6.5 | 2.4 | 15.8 | 30.1 | 41.1 | 54.6 | | 58.7 | 54.5 | 43.6 | 38.1 | 23.2 | 9.5 | | 31.5 |
| | Mean | 16.3 | 14.0 | 25.4 | 43.4 | 55.1 | 66.6 | | 69.0 | 67.1 | 54.6 | 49.3 | 31.0 | 17.9 | | 42.5 |
| 1950 | High | 21.7 | 25.7 | 30.3 | 40.0 | 64.0 | 74.6 | | 74.8 | 73.1 | 67.3 | 60.8 | 33.5 | 20.6 | | 48.9 |
| | Low | -5.2 | 1.0 | 7.7 | 20.9 | 38.4 | 50.0 | | 53.3 | 47.9 | 46.1 | 38.7 | 17.5 | 2.4 | | 26.6 |
| | Mean | 8.3 | 13.4 | 19.0 | 30.5 | 51.2 | 62.3 | | 64.1 | 60.5 | 56.7 | 49.8 | 25.5 | 11.5 | | 37.8 |
| 1951 | High | 19.9 | 25.1 | 31.3 | 49.6 | 68.9 | 71.0 | | 76.2 | 71.2 | 64.6 | 52.2 | 32.5 | 22.5 | | 48.8 |
| | Low | -2.2 | 1.8 | 12.2 | 29.8 | 44.6 | 47.9 | | 55.1 | 50.1 | 42.0 | 34.3 | 15.4 | 6.3 | | 28.1 |
| | Mean | 8.9 | 13.5 | 21.8 | 39.7 | 56.8 | 59.5 | | 65.7 | 60.7 | 53.3 | 43.3 | 24.0 | 14.4 | | 38.5 |
| 1952 | High | 24.2 | 32.2 | 33.9 | 58.4 | 65.0 | 76.0 | | 78.8 | 74.3 | 69.4 | 51.5 | 41.5 | 29.4 | | 52.9 |
| | Low | 1.7 | 10.3 | 15.0 | 31.1 | 40.0 | 53.6 | | 57.5 | 52.1 | 45.1 | 27.8 | 24.1 | 17.0 | | 31.3 |
| | Mean | 13.0 | 21.3 | 24.5 | 44.8 | 52.5 | 64.8 | | 68.2 | 63.2 | 57.3 | 39.7 | 32.8 | 23.2 | | 42.1 |
| 1953 | High | 25.2 | 25.6 | 36.7 | 47.8 | 69.8 | 76.7 | | 75.8 | 77.5 | 67.1 | 63.0 | 44.5 | 29.0 | | 53.2 |
| | Low | 8.9 | 5.9 | 19.7 | 28.2 | 40.3 | 52.2 | | 54.5 | 55.9 | 45.4 | 38.7 | 27.1 | 11.9 | | 32.4 |
| | Mean | 17.1 | 15.8 | 28.2 | 38.0 | 55.1 | 64.5 | | 65.2 | 66.7 | 56.3 | 50.9 | 35.8 | 20.5 | | 42.8 |
| 1954 | High | 20.5 | 34.4 | 32.1 | 52.6 | 57.1 | 74.8 | | 77.8 | 73.8 | 62.9 | 53.0 | 40.8 | 26.8 | | 50.6 |
| | Low | 0.7 | 13.6 | 12.6 | 29.8 | 36.7 | 54.4 | | 56.1 | 52.1 | 45.4 | 36.2 | 27.8 | 13.1 | | 31.5 |
| | Mean | 10.6 | 24.0 | 22.4 | 41.2 | 46.9 | 64.6 | | 67.0 | 63.0 | 54.2 | 44.6 | 34.3 | 20.0 | | 41.1 |
| 1955 | High | 21.1 | 24.8 | 34.7 | 61.7 | 73.1 | 75.8 | | 85.9 | 82.0 | 69.4 | 58.5 | 34.1 | 22.2 | | 53.6 |
| | Low | 1.4 | 5.0 | 11.7 | 37.0 | 45.0 | 52.7 | | 62.0 | 59.2 | 47.1 | 38.4 | 18.1 | 5.0 | | 31.9 |
| | Mean | 11.3 | 14.9 | 23.2 | 49.4 | 59.1 | 64.3 | | 74.0 | 70.6 | 58.3 | 48.5 | 26.1 | 13.6 | | 42.8 |

RHINELANDER MONTHLY TEMPERATURES

| Normal | 91-20 | 13.1 | 16.3 | 27.9 | 40.6 | 53.5 | 62.9 | | 67.1 | 64.9 | 56.9 | 44.3 | 30.9 | 18.9 | | 41.4 |
|--------|-------|------|------|------|------|------|------|--|------|------|------|------|------|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 1956 | High | 26.3 | 27.0 | 35.2 | 49.8 | 67.5 | 79.3 | | 75.7 | 76.8 | 66.5 | 65.3 | 39.0 | 29.1 | | 53.1 |
| | Low | 4.3 | 2.9 | 12.0 | 29.0 | 41.0 | 55.0 | | 54.0 | 55.5 | 43.2 | 41.1 | 24.3 | 12.6 | | 31.2 |
| | Mean | 15.3 | 15.0 | 23.6 | 39.4 | 54.3 | 67.2 | | 64.9 | 66.2 | 54.9 | 53.2 | 31.7 | 20.9 | | 42.2 |
| 1957 | High | 15.9 | 28.5 | 38.2 | 55.5 | 67.9 | 75.7 | | 82.7 | 78.1 | 67.9 | 56.4 | 36.6 | 28.3 | | 52.6 |
| | Low | -1.9 | 6.2 | 15.5 | 31.9 | 41.3 | 52.4 | | 58.6 | 54.7 | 44.3 | 36.3 | 24.7 | 12.0 | | 31.3 |
| | Mean | 7.0 | 17.4 | 26.9 | 43.7 | 54.6 | 64.1 | | 70.7 | 66.4 | 56.1 | 46.4 | 30.7 | 20.2 | | 42.0 |
| 1958 | High | 25.9 | 23.1 | 38.4 | 57.1 | 68.9 | 72.1 | | 78.2 | 78.5 | 69.5 | 57.5 | 40.8 | 20.0 | | 52.5 |
| | Low | 11.7 | 3.1 | 17.3 | 31.8 | 40.4 | 46.9 | | 54.9 | 54.3 | 49.0 | 40.0 | 25.5 | 1.0 | | 31.3 |
| | Mean | 18.8 | 13.1 | 27.9 | 44.5 | 54.7 | 59.5 | | 66.6 | 66.4 | 59.3 | 48.8 | 33.2 | 10.5 | | 41.9 |
| 1959 | High | 16.5 | 24.7 | 38.2 | 53.5 | 72.6 | 77.6 | | 79.9 | 80.9 | 71.3 | 50.6 | 30.1 | 32.2 | | 52.3 |
| | Low | -4.2 | 0.6 | 15.4 | 31.7 | 46.1 | 54.1 | | 56.7 | 59.9 | 48.3 | 34.7 | 15.6 | 19.9 | | 31.6 |
| | ME | 6.2 | 12.7 | 26.8 | 42.6 | 59.4 | 65.9 | | 68.3 | 70.4 | 59.8 | 42.7 | 22.9 | 26.1 | | 42.0 |
| 1960 | High | 23.6 | 27.1 | 33.7 | 53.2 | 65.0 | 74.7 | | 80.4 | 80.1 | 69.7 | 57.3 | 41.8 | 24.7 | | 52.6 |
| | Low | 7.5 | 7.6 | 4.0 | 33.2 | 42.6 | 49.4 | | 54.2 | 56.5 | 48.6 | 36.6 | 26.9 | 7.4 | | 31.2 |
| | Mean | 15.6 | 17.4 | 18.9 | 43.2 | 53.8 | 62.1 | | 67.3 | 68.3 | 59.2 | 47.0 | 34.4 | 16.1 | | 41.9 |
| 1961 | High | 22.1 | 33.3 | 40.4 | 50.0 | 65.2 | 79.1 | | 79.7 | 79.9 | 69.0 | 59.3 | 38.2 | 24.4 | | 53.4 |
| | Low | 2.7 | 11.3 | 21.1 | 28.6 | 38.3 | 52.2 | | 57.0 | 56.3 | 49.0 | 39.2 | 23.9 | 8.9 | | 32.4 |
| | Mean | 12.4 | 22.3 | 30.8 | 39.3 | 51.8 | 65.7 | | 68.4 | 68.1 | 59.0 | 49.3 | 31.1 | 16.7 | | 42.9 |
| 1962 | High | 17.5 | 22.8 | 39.3 | 52.3 | 70.4 | 75.7 | | 78.0 | 78.9 | 65.5 | 58.3 | 39.3 | 24.7 | | 51.9 |
| | Low | 0.7 | 1.5 | 17.6 | 29.6 | 48.1 | 50.7 | | 53.8 | 53.9 | 44.4 | 39.5 | 27.1 | 8.5 | | 31.3 |
| | Mean | 9.1 | 12.2 | 28.5 | 41.0 | 59.3 | 63.2 | | 65.9 | 66.4 | 55.0 | 48.9 | 33.2 | 16.6 | | 41.6 |
| 1963 | High | 11.2 | 20.1 | 41.0 | 57.7 | 65.4 | 79.9 | | 82.8 | 77.3 | 71.0 | 68.8 | 45.5 | 20.5 | | 53.4 |
| | Low | -4.5 | -4.1 | 17.7 | 32.0 | 40.5 | 52.8 | | 56.3 | 52.3 | 47.7 | 45.0 | 29.3 | 2.9 | | 30.7 |
| | Mean | 3.4 | 8.0 | 29.4 | 44.9 | 53.0 | 66.4 | | 69.6 | 64.8 | 59.4 | 56.9 | 37.4 | 11.7 | | 42.1 |
| 1964 | High | 28.6 | 30.7 | 35.3 | 56.4 | 73.0 | 78.0 | | 83.6 | 74.7 | 66.5 | 55.2 | 43.8 | 22.6 | | 54.0 |
| | Low | 10.2 | 5.6 | 14.7 | 31.0 | 46.9 | 51.2 | | 58.3 | 52.4 | 46.8 | 35.6 | 26.8 | 4.9 | | 32.0 |
| | Mean | 19.4 | 18.2 | 25.0 | 43.7 | 60.0 | 64.6 | | 71.0 | 63.6 | 56.7 | 45.4 | 35.3 | 13.8 | | 43.0 |
| 1965 | High | 20.5 | 24.1 | 30.7 | 49.2 | 72.4 | 76.1 | | 78.1 | 75.8 | 62.1 | 58.0 | 38.6 | 30.4 | | 51.3 |
| | Low | 0.4 | -0.4 | 9.1 | 29.2 | 46.1 | 50.5 | | 54.0 | 53.8 | 43.2 | 37.5 | 24.3 | 18.6 | | 30.5 |
| | Mean | 10.5 | 11.9 | 19.9 | 39.2 | 59.3 | 63.3 | | 66.1 | 64.8 | 52.7 | 47.8 | 31.5 | 24.5 | | 40.9 |
| 1966 | High | 17.9 | 26.8 | 40.4 | 48.3 | 62.9 | 79.7 | | 85.4 | 74.3 | 69.8 | 56.5 | 37.0 | 26.2 | | 52.1 |
| | Low | -5.4 | 7.7 | 21.3 | 29.1 | 37.6 | 53.5 | | 58.9 | 53.0 | 45.7 | 35.3 | 24.3 | 10.6 | | 31.0 |
| | Mean | 6.3 | 17.3 | 30.9 | 38.7 | 50.3 | 66.6 | | 72.2 | 63.7 | 57.8 | 45.9 | 30.7 | 18.4 | | 41.5 |
| 1967 | High | 25.5 | 21.6 | 38.7 | 54.4 | 63.0 | 76.6 | | 78.4 | 75.9 | 70.1 | 54.9 | 34.6 | 27.8 | | 51.8 |
| | Low | 8.1 | -2.2 | 16.7 | 30.7 | 36.0 | 53.4 | | 53.9 | 50.7 | 44.7 | 36.7 | 21.2 | 10.8 | | 30.1 |
| | Mean | 16.8 | 9.7 | 27.7 | 42.6 | 49.5 | 65.0 | | 66.2 | 63.3 | 57.4 | 45.8 | 27.9 | 19.3 | | 41.0 |

RHINELANDER MONTHLY TEMPERATURES

| Normal | 91-20 | 13.1 | 16.3 | 27.9 | 40.6 | 53.5 | 62.9 | | 67.1 | 64.9 | 56.9 | 44.3 | 30.9 | 18.9 | | 41.4 |
|--------|-------|-------|------|------|------|------|------|--|------|------|------|------|------|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 1968 | High | 22.4 | 24.3 | 47.1 | 58.6 | 65.3 | 74.4 | | 79.0 | 79.6 | 68.5 | 58.9 | 38.9 | 25.7 | | 53.6 |
| | Low | 2.8 | 1.4 | 23.3 | 33.6 | 40.3 | 52.2 | | 56.2 | 54.3 | 49.3 | 40.9 | 25.7 | 10.0 | | 32.5 |
| | Mean | 12.6 | 12.9 | 35.2 | 46.1 | 52.8 | 63.3 | | 67.6 | 67.0 | 58.9 | 49.9 | 32.3 | 17.9 | | 43.1 |
| 1969 | High | 22.2 | 29.0 | 35.7 | 57.6 | 69.5 | 66.8 | | 80.2 | 83.4 | 70.1 | 50.0 | 38.1 | 26.5 | | 52.4 |
| | Low | 4.6 | 6.3 | 10.3 | 32.9 | 43.5 | 46.8 | | 55.6 | 56.9 | 47.4 | 34.3 | 20.6 | 8.6 | | 30.7 |
| | Mean | 13.4 | 17.7 | 23.0 | 45.3 | 56.5 | 56.8 | | 67.9 | 70.2 | 58.8 | 42.2 | 29.4 | 17.6 | | 41.6 |
| 1970 | High | 16.7 | 24.5 | 35.2 | 52.5 | 62.0 | 76.3 | | 80.2 | 78.8 | 66.5 | 55.9 | 36.9 | 25.3 | | 50.9 |
| | Low | -6.8 | -2.7 | 10.0 | 30.9 | 41.7 | 52.9 | | 57.5 | 53.6 | 46.7 | 38.0 | 22.4 | 6.7 | | 29.2 |
| | Mean | 5.0 | 10.9 | 22.6 | 41.7 | 51.9 | 64.6 | | 68.9 | 66.2 | 56.6 | 47.0 | 29.7 | 16.0 | | 40.1 |
| 1971 | High | 14.2 | 24.8 | 33.5 | 52.4 | 61.8 | 77.7 | | 74.5 | 74.1 | 67.6 | 59.4 | 38.4 | 26.3 | | 50.4 |
| | Low | -6.1 | 1.8 | 11.7 | 27.5 | 37.5 | 55.1 | | 52.6 | 51.1 | 48.0 | 44.0 | 25.1 | 8.9 | | 29.8 |
| | Mean | 4.1 | 13.3 | 22.6 | 40.0 | 49.7 | 66.4 | | 63.6 | 62.6 | 57.8 | 51.7 | 31.8 | 17.6 | | 40.1 |
| 1972 | High | 16.4 | 21.7 | 34.2 | 47.6 | 71.8 | 73.7 | | 75.4 | 75.2 | 64.8 | 49.1 | 34.9 | 20.1 | | 48.7 |
| | Low | -10.8 | -3.8 | 10.6 | 25.2 | 43.9 | 48.6 | | 54.8 | 54.7 | 44.2 | 32.5 | 23.2 | 3.6 | | 27.2 |
| | Mean | 2.8 | 9.0 | 22.4 | 36.4 | 57.9 | 61.2 | | 65.1 | 65.0 | 54.5 | 40.8 | 29.1 | 11.9 | | 38.0 |
| 1973 | High | 26.2 | 27.6 | 44.9 | 48.5 | 58.6 | 74.8 | | 78.9 | 77.7 | 65.6 | 59.8 | 37.3 | 24.1 | | 52.0 |
| | Low | 3.1 | 4.8 | 25.7 | 30.2 | 38.6 | 52.1 | | 54.7 | 55.9 | 44.7 | 40.3 | 23.6 | 6.5 | | 31.7 |
| | Mean | 14.7 | 16.2 | 35.3 | 39.4 | 48.6 | 63.5 | | 66.8 | 66.8 | 55.2 | 50.1 | 30.5 | 15.3 | | 41.9 |
| 1974 | High | 20.9 | 25.6 | 34.6 | 52.1 | 60.4 | 70.5 | | 81.0 | 74.7 | 60.3 | 53.3 | 40.7 | 31.7 | | 50.5 |
| | Low | 0.2 | -6.1 | 15.0 | 28.6 | 37.3 | 46.6 | | 55.7 | 51.0 | 37.6 | 32.5 | 24.3 | 11.8 | | 27.9 |
| | Mean | 10.6 | 9.8 | 24.8 | 40.4 | 48.9 | 58.6 | | 68.4 | 62.9 | 49.0 | 42.9 | 32.5 | 21.8 | | 39.2 |
| 1975 | High | 24.0 | 26.7 | 33.1 | 47.5 | 70.4 | 73.3 | | 82.2 | 78.1 | 63.4 | 61.1 | 46.7 | 26.0 | | 52.7 |
| | Low | 1.8 | 4.0 | 8.0 | 22.6 | 43.9 | 53.2 | | 58.3 | 53.7 | 41.4 | 36.5 | 25.9 | 6.6 | | 29.7 |
| | Mean | 12.9 | 15.4 | 20.6 | 35.1 | 57.2 | 63.3 | | 70.3 | 65.9 | 52.4 | 48.8 | 36.3 | 16.3 | | 41.2 |
| 1976 | High | 21.0 | 34.1 | 35.9 | 57.4 | 66.2 | 79.3 | | 84.5 | 80.3 | 70.8 | 52.4 | 33.1 | 19.7 | | 52.9 |
| | Low | -3.5 | 10.9 | 13.6 | 31.4 | 37.6 | 51.8 | | 54.1 | 50.8 | 39.7 | 27.8 | 13.3 | -6.5 | | 26.8 |
| | Mean | 8.8 | 22.5 | 24.8 | 44.4 | 51.9 | 65.6 | | 69.3 | 65.6 | 55.3 | 40.1 | 23.2 | 6.6 | | 39.9 |
| 1977 | High | 14.2 | 30.3 | 44.2 | 60.1 | 78.0 | 74.3 | | 81.4 | 72.1 | 63.9 | 55.6 | 38.8 | 23.8 | | 53.1 |
| | Low | -10.9 | 4.9 | 22.7 | 32.1 | 48.4 | 49.0 | | 57.7 | 48.7 | 48.1 | 33.9 | 22.1 | 5.6 | | 30.2 |
| | Mean | 1.7 | 17.6 | 33.5 | 46.1 | 63.2 | 61.7 | | 69.6 | 60.4 | 56.0 | 44.8 | 30.5 | 14.7 | | 41.7 |
| 1978 | High | 20.7 | 24.2 | 38.1 | 49.3 | 69.0 | 73.5 | | 75.0 | 77.5 | 69.8 | 53.7 | 38.2 | 22.4 | | 51.0 |
| | Low | -1.5 | -5.2 | 9.6 | 26.3 | 42.8 | 49.3 | | 54.1 | 54.4 | 48.2 | 35.7 | 20.0 | 2.7 | | 28.0 |
| | Mean | 9.6 | 9.5 | 23.9 | 37.8 | 55.9 | 61.4 | | 64.6 | 66.0 | 59.0 | 44.7 | 29.1 | 12.6 | | 39.5 |
| 1979 | High | 13.8 | 21.5 | 37.4 | 48.1 | 60.6 | 73.6 | | 79.6 | 74.2 | 69.4 | 50.7 | 36.8 | 31.4 | | 49.8 |
| | Low | -7.3 | -3.9 | 16.7 | 26.0 | 38.1 | 47.4 | | 55.4 | 53.1 | 46.5 | 33.2 | 20.9 | 12.6 | | 28.2 |
| | Mean | 3.3 | 8.8 | 27.1 | 37.1 | 49.4 | 60.5 | | 67.5 | 63.7 | 58.0 | 42.0 | 28.9 | 22.0 | | 39.0 |

RHINELANDER MONTHLY TEMPERATURES

| Normal | 91-20 | 13.1 | 16.3 | 27.9 | 40.6 | 53.5 | 62.9 | | 67.1 | 64.9 | 56.9 | 44.3 | 30.9 | 18.9 | | 41.4 |
|--------|-------|-------|------|------|------|------|------|--|------|------|------|------|------|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 1980 | High | 22.1 | 24.7 | 35.0 | 56.3 | 71.4 | 73.1 | | 80.3 | 74.7 | 65.1 | 49.9 | 39.7 | 23.8 | | 51.3 |
| | Low | 0.9 | -0.3 | 12.1 | 31.0 | 42.5 | 49.8 | | 56.3 | 55.2 | 43.7 | 29.7 | 23.0 | 2.9 | | 28.9 |
| | Mean | 11.5 | 12.2 | 23.6 | 43.7 | 57.0 | 61.5 | | 68.3 | 65.0 | 54.4 | 39.8 | 31.4 | 13.4 | | 40.1 |
| 1981 | High | 24.6 | 29.7 | 41.3 | 55.2 | 65.6 | 73.1 | | 77.1 | 77.7 | 65.8 | 51.6 | 44.4 | 26.4 | | 52.7 |
| | Low | -2.5 | 7.7 | 18.4 | 30.2 | 38.3 | 51.4 | | 54.7 | 55.5 | 41.4 | 29.8 | 24.3 | 5.4 | | 29.6 |
| | Mean | 11.1 | 18.7 | 29.9 | 42.7 | 52.0 | 62.3 | | 65.9 | 66.6 | 53.6 | 40.7 | 34.4 | 15.9 | | 41.2 |
| 1982 | High | 15.7 | 25.4 | 34.9 | 48.2 | 70.8 | 70.3 | | 80.2 | 73.3 | 64.7 | 56.5 | 37.2 | 30.9 | | 50.7 |
| | Low | -12.6 | -0.4 | 13.6 | 25.0 | 46.9 | 44.3 | | 57.6 | 51.1 | 45.4 | 36.4 | 21.6 | 14.3 | | 28.6 |
| | Mean | 1.6 | 12.5 | 24.3 | 36.6 | 58.9 | 57.3 | | 68.9 | 62.2 | 55.1 | 46.5 | 29.4 | 22.6 | | 39.7 |
| 1983 | High | 26.6 | 32.1 | 38.0 | 47.6 | 59.7 | 75.8 | | 83.2 | 81.3 | 68.9 | 55.0 | 39.7 | 14.7 | | 51.9 |
| | Low | 6.4 | 16.2 | 21.0 | 27.9 | 36.9 | 50.4 | | 59.6 | 57.5 | 46.9 | 33.3 | 21.9 | -8.3 | | 30.8 |
| | Mean | 16.5 | 24.2 | 29.5 | 37.8 | 48.3 | 63.1 | | 71.4 | 69.4 | 57.9 | 44.2 | 30.8 | 3.2 | | 41.4 |
| 1984 | High | 19.1 | 35.0 | 32.9 | 55.3 | 63.5 | 72.6 | | 79.2 | 79.0 | 65.0 | 57.2 | 39.1 | 25.9 | | 52.0 |
| | Low | -5.2 | 13.3 | 7.3 | 32.9 | 37.8 | 53.6 | | 54.7 | 56.5 | 42.0 | 39.2 | 18.1 | 6.1 | | 29.7 |
| | Mean | 7.0 | 24.2 | 20.1 | 44.1 | 50.7 | 63.1 | | 67.0 | 67.8 | 53.5 | 48.2 | 28.6 | 16.0 | | 40.9 |
| 1985 | High | 19.4 | 25.0 | 42.1 | 56.6 | 68.8 | 72.1 | | 78.6 | 74.0 | 65.1 | 55.2 | 31.5 | 16.0 | | 50.4 |
| | Low | -3.9 | -1.8 | 19.2 | 33.1 | 44.0 | 47.6 | | 52.1 | 52.0 | 43.2 | 31.1 | 13.4 | -7.9 | | 26.8 |
| | Mean | 7.8 | 11.6 | 30.7 | 44.9 | 56.4 | 59.9 | | 65.4 | 63.0 | 54.2 | 43.2 | 22.5 | 4.1 | | 38.6 |
| 1986 | High | 24.0 | 25.1 | 41.0 | 57.4 | 70.4 | 73.6 | | 79.1 | 72.9 | 65.0 | 53.2 | 34.7 | 27.5 | | 52.0 |
| | Low | -3.2 | -1.4 | 15.8 | 34.4 | 43.8 | 48.0 | | 56.7 | 50.0 | 44.8 | 32.5 | 14.7 | 8.4 | | 29.7 |
| | Mean | 10.4 | 11.9 | 28.4 | 45.9 | 57.1 | 60.8 | | 67.9 | 61.5 | 54.9 | 42.9 | 24.7 | 18.0 | | 40.9 |
| 1987 | High | 27.3 | 36.4 | 45.8 | 62.5 | 71.3 | 79.1 | | 82.1 | 76.6 | 70.8 | 48.8 | 42.5 | 29.9 | | 56.1 |
| | Low | 5.9 | 8.1 | 19.7 | 31.9 | 41.1 | 51.8 | | 58.1 | 52.9 | 44.1 | 28.6 | 23.0 | 15.6 | | 31.7 |
| | Mean | 16.6 | 22.3 | 32.8 | 47.2 | 56.2 | 65.5 | | 70.1 | 64.8 | 57.5 | 38.7 | 32.8 | 22.8 | | 43.9 |
| 1988 | High | 20.0 | 22.9 | 37.8 | 55.6 | 74.0 | 80.4 | | 84.4 | 79.4 | 67.4 | 48.3 | 37.5 | 26.1 | | 52.8 |
| | Low | -10.2 | -4.2 | 16.9 | 29.0 | 42.6 | 51.5 | | 57.0 | 58.1 | 47.2 | 30.6 | 26.3 | 7.0 | | 29.3 |
| | Mean | 4.9 | 9.4 | 27.4 | 42.3 | 58.3 | 66.0 | | 70.7 | 68.8 | 57.3 | 39.5 | 31.9 | 16.6 | | 41.1 |
| 1989 | High | 29.4 | 20.0 | 32.7 | 51.0 | Msg | 72.8 | | 82.2 | 77.9 | 69.6 | 58.8 | 33.7 | 15.3 | | Msg |
| | Low | 8.3 | -4.8 | 9.9 | 27.0 | Msg | 49.0 | | 56.5 | 54.8 | 43.8 | 34.8 | 17.7 | -4.5 | | Msg |
| | Mean | 18.9 | 7.6 | 21.3 | 39.0 | Msg | 60.9 | | 69.4 | 66.4 | 56.7 | 46.8 | 25.7 | 5.4 | | Msg |
| 1990 | High | 32.0 | 29.6 | 41.1 | 56.2 | 63.5 | 73.5 | | 76.7 | 75.4 | 68.7 | 54.5 | 43.9 | 25.8 | | 53.4 |
| | Low | 11.6 | 4.5 | 17.0 | 33.6 | 38.7 | 51.0 | | 54.9 | 54.1 | 48.3 | 32.5 | 26.4 | 6.8 | | 31.6 |
| | Mean | 21.8 | 17.1 | 29.1 | 44.9 | 51.1 | 62.3 | | 65.8 | 64.8 | 58.5 | 43.5 | 35.2 | 16.3 | | 42.5 |
| 1991 | High | 19.0 | 31.4 | 40.0 | 57.1 | 69.2 | 78.7 | | 76.5 | 78.2 | 65.1 | 53.4 | 33.6 | 27.6 | | 52.5 |
| | Low | -1.7 | 8.4 | 18.2 | 33.0 | 48.0 | 55.7 | | 56.3 | 56.4 | 44.6 | 32.7 | 17.6 | 9.9 | | 31.6 |
| | Mean | 8.7 | 19.9 | 29.1 | 45.1 | 58.6 | 67.2 | | 66.4 | 67.3 | 54.9 | 43.1 | 25.6 | 18.8 | | 42.1 |

RHINELANDER MONTHLY TEMPERATURES

| Normal | 91-20 | 13.1 | 16.3 | 27.9 | 40.6 | 53.5 | 62.9 | | 67.1 | 64.9 | 56.9 | 44.3 | 30.9 | 18.9 | | 41.4 |
|--------|-------|------|------|------|------|------|------|--|------|------|------|------|------|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 1992 | High | 25.4 | 30.3 | 37.1 | 46.5 | 69.0 | 71.4 | | 72.2 | 73.6 | 64.9 | 53.6 | 33.2 | 26.0 | | 50.3 |
| | Low | 6.8 | 11.4 | 15.1 | 29.3 | 42.1 | 47.5 | | 51.1 | 50.4 | 45.8 | 33.8 | 21.7 | 11.6 | | 30.6 |
| | Mean | 16.1 | 20.9 | 26.1 | 37.9 | 55.6 | 59.5 | | 61.7 | 62.0 | 55.4 | 43.7 | 27.5 | 18.8 | | 40.5 |
| 1993 | High | 23.7 | 25.4 | 40.3 | 47.9 | 63.5 | 70.5 | | 76.0 | 76.4 | 61.9 | 52.1 | 34.3 | 26.8 | | 49.9 |
| | Low | 3.5 | 3.1 | 14.6 | 27.5 | 42.6 | 49.6 | | 56.5 | 56.9 | 41.0 | 32.3 | 19.3 | 13.2 | | 30.0 |
| | Mean | 13.6 | 14.3 | 27.5 | 37.7 | 53.1 | 60.1 | | 66.3 | 66.7 | 51.5 | 42.2 | 26.8 | 20.0 | | 40.0 |
| 1994 | High | 11.8 | 21.8 | 41.0 | 52.8 | 68.8 | 76.8 | | 74.7 | 72.8 | 69.7 | 58.0 | 43.0 | 33.1 | | 52.0 |
| | Low | -9.0 | -0.5 | 18.9 | 28.5 | 40.9 | 53.5 | | 56.0 | 53.2 | 49.7 | 39.0 | 26.1 | 14.8 | | 30.9 |
| | Mean | 1.4 | 10.7 | 30.0 | 40.7 | 54.9 | 65.2 | | 65.4 | 63.0 | 59.7 | 48.5 | 34.6 | 24.0 | | 41.5 |
| 1995 | High | 24.4 | 24.7 | 41.2 | 45.7 | 65.1 | 81.1 | | 79.5 | 78.6 | 67.2 | 54.0 | 29.1 | 22.2 | | 51.1 |
| | Low | 7.3 | 5.3 | 20.0 | 25.4 | 41.1 | 54.8 | | 57.5 | 60.4 | 42.7 | 36.9 | 12.7 | 4.3 | | 30.7 |
| | Mean | 15.9 | 15.0 | 30.6 | 35.6 | 53.1 | 68.0 | | 68.5 | 69.5 | 55.0 | 45.5 | 20.9 | 13.3 | | 40.9 |
| 1996 | High | 19.2 | 24.8 | 30.9 | 46.2 | 63.3 | 73.3 | | 73.2 | 78.2 | 66.2 | 55.9 | 32.2 | 23.6 | | 48.9 |
| | Low | -6.7 | 0.7 | 8.9 | 23.6 | 38.6 | 52.9 | | 53.2 | 54.5 | 47.1 | 32.7 | 18.3 | 10.7 | | 27.9 |
| | Mean | 6.3 | 12.8 | 19.9 | 34.9 | 51.0 | 63.1 | | 63.2 | 66.4 | 56.7 | 44.3 | 25.3 | 17.2 | | 38.4 |
| 1997 | High | 19.7 | 28.4 | 35.0 | 51.7 | 59.2 | 77.8 | | 76.5 | 72.6 | 68.4 | 56.9 | 34.9 | 31.7 | | 51.1 |
| | Low | 0.2 | 7.0 | 15.0 | 26.2 | 36.7 | 53.8 | | 55.9 | 53.4 | 48.4 | 36.1 | 21.9 | 18.6 | | 31.1 |
| | Mean | 10.0 | 17.7 | 25.0 | 39.0 | 48.0 | 65.8 | | 66.2 | 63.0 | 58.4 | 46.5 | 28.4 | 25.2 | | 41.1 |
| 1998 | High | 25.3 | 38.2 | 38.4 | 60.4 | 73.8 | 72.8 | | 81.0 | 80.7 | 76.4 | 59.3 | 42.6 | 34.0 | | 56.9 |
| | Low | 11.3 | 21.8 | 18.9 | 33.7 | 47.5 | 51.9 | | 56.1 | 57.4 | 50.2 | 37.9 | 28.5 | 13.1 | | 35.7 |
| | Mean | 18.3 | 30.0 | 28.7 | 47.1 | 60.7 | 62.4 | | 68.6 | 69.1 | 63.3 | 48.6 | 35.6 | 23.6 | | 46.3 |
| 1999 | High | 20.4 | 33.5 | 42.6 | 57.7 | 68.8 | 75.5 | | 82.8 | 75.9 | 68.6 | 54.9 | 48.3 | 30.0 | | 54.9 |
| | Low | 1.5 | 12.6 | 17.9 | 33.8 | 45.2 | 53.8 | | 61.2 | 55.4 | 46.5 | 34.8 | 28.8 | 11.2 | | 33.6 |
| | Mean | 11.0 | 23.1 | 30.3 | 45.8 | 57.0 | 64.7 | | 72.0 | 65.7 | 57.6 | 44.9 | 38.6 | 20.6 | | 44.3 |
| 2000 | High | 24.1 | 34.5 | 48.3 | 52.8 | 67.8 | 71.7 | | 75.2 | 75.7 | 65.7 | 57.9 | 35.4 | 15.9 | | 52.1 |
| | Low | 0.7 | 11.4 | 26.1 | 29.3 | 45.0 | 50.8 | | 53.0 | 51.6 | 42.8 | 35.3 | 23.3 | -4.2 | | 30.4 |
| | Mean | 12.4 | 23.0 | 37.2 | 41.1 | 56.4 | 61.3 | | 64.1 | 63.7 | 54.3 | 46.6 | 29.4 | 5.9 | | 41.3 |
| 2001 | High | 27.0 | 21.4 | 34.8 | 55.3 | 66.1 | 74.0 | | 79.2 | 78.0 | 65.2 | 53.2 | 48.3 | 31.1 | | 52.8 |
| | Low | 8.3 | 1.5 | 15.8 | 32.8 | 42.5 | 51.5 | | 53.9 | 53.7 | 43.2 | 32.4 | 30.5 | 16.1 | | 31.9 |
| | Mean | 17.7 | 11.5 | 25.3 | 44.1 | 54.3 | 62.8 | | 66.6 | 65.9 | 54.2 | 42.8 | 39.4 | 23.6 | | 42.4 |
| 2002 | High | 29.2 | 31.7 | 29.0 | 48.1 | 59.2 | 73.7 | | 81.5 | 75.7 | 68.2 | 45.8 | 35.3 | 28.9 | | 50.5 |
| | Low | 13.1 | 12.3 | 8.6 | 27.5 | 35.6 | 53.2 | | 57.3 | 52.7 | 47.8 | 28.7 | 19.1 | 13.1 | | 30.8 |
| | Mean | 21.2 | 22.0 | 18.8 | 37.8 | 47.4 | 63.5 | | 69.4 | 64.2 | 58.0 | 37.3 | 27.2 | 21.0 | | 40.7 |
| 2003 | High | 19.2 | 20.9 | 36.1 | 50.1 | 63.4 | 73.0 | | 78.6 | 79.5 | 67.3 | 54.1 | 36.4 | 29.9 | | 50.7 |
| | Low | 0.3 | -3.1 | 13.6 | 26.3 | 37.0 | 47.0 | | 52.0 | 54.1 | 45.6 | 32.3 | 22.7 | 12.7 | | 28.4 |
| | Mean | 9.8 | 8.9 | 24.9 | 38.2 | 50.2 | 60.0 | | 65.3 | 66.8 | 56.5 | 43.2 | 29.6 | 21.3 | | 39.6 |

RHINELANDER MONTHLY TEMPERATURES

| Normal | 91-20 | 13.1 | 16.3 | 27.9 | 40.6 | 53.5 | 62.9 | | 67.1 | 64.9 | 56.9 | 44.3 | 30.9 | 18.9 | | 41.4 |
|--------|-------|------|------|------|------|------|------|--|------|------|------|------|------|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 2004 | High | 15.4 | 29.3 | 37.4 | 52.7 | 61.6 | 71.8 | | 76.3 | 70.5 | 73.5 | 54.8 | 41.9 | 25.0 | | 50.9 |
| | Low | -2.7 | 7.8 | 20.2 | 29.7 | 38.7 | 48.3 | | 52.2 | 48.2 | 48.5 | 36.0 | 25.5 | 8.2 | | 30.1 |
| | Mean | 6.4 | 18.6 | 28.8 | 41.2 | 50.2 | 60.1 | | 64.3 | 59.4 | 61.0 | 45.4 | 33.7 | 16.6 | | 40.5 |
| 2005 | High | 19.4 | 30.0 | 35.2 | 58.1 | 62.1 | 79.7 | | 82.7 | 78.1 | 74.0 | 57.8 | 39.8 | 23.7 | | 53.4 |
| | Low | 2.8 | 10.5 | 11.8 | 32.8 | 40.7 | 56.0 | | 56.1 | 54.6 | 47.5 | 38.1 | 23.5 | 10.4 | | 32.1 |
| | Mean | 11.1 | 20.3 | 23.5 | 45.5 | 51.4 | 67.9 | | 69.4 | 66.4 | 60.8 | 48.0 | 31.7 | 17.1 | | 42.8 |
| 2006 | High | 30.6 | 23.9 | 38.2 | 59.6 | 65.5 | 76.7 | | 85.4 | 76.7 | 64.9 | 49.7 | 41.1 | 30.7 | | 53.6 |
| | Low | 17.4 | 2.8 | 17.7 | 34.1 | 44.2 | 48.8 | | 56.6 | 53.0 | 42.6 | 30.1 | 26.9 | 16.9 | | 32.6 |
| | Mean | 24.0 | 13.4 | 28.0 | 46.9 | 54.9 | 62.8 | | 71.0 | 64.9 | 53.8 | 39.9 | 34.0 | 23.8 | | 43.1 |
| 2007 | High | 24.2 | 18.0 | 41.7 | 51.4 | 69.8 | 78.2 | | 79.5 | 77.4 | 70.0 | 59.5 | 36.6 | 23.5 | | 52.5 |
| | Low | 8.8 | -0.5 | 21.1 | 29.5 | 43.7 | 51.9 | | 55.4 | 54.4 | 49.3 | 40.9 | 22.2 | 6.9 | | 32.0 |
| | Mean | 16.5 | 8.8 | 31.4 | 40.5 | 56.8 | 65.1 | | 67.5 | 65.9 | 59.7 | 50.2 | 29.4 | 15.2 | | 42.3 |
| 2008 | High | 21.4 | 22.4 | 33.2 | 50.4 | 62.6 | 73.5 | | 79.4 | 78.6 | 68.8 | 54.3 | 37.4 | 20.8 | | 50.2 |
| | Low | 4.3 | 0.7 | 11.8 | 30.0 | 35.6 | 51.6 | | 54.7 | 49.5 | 47.8 | 34.6 | 22.8 | 0.8 | | 28.7 |
| | Mean | 12.9 | 11.6 | 22.5 | 40.2 | 49.1 | 62.6 | | 67.1 | 64.1 | 58.3 | 44.5 | 30.1 | 10.8 | | 39.5 |
| 2009 | High | 15.6 | 27.0 | 37.8 | 51.3 | 64.9 | 72.8 | | 73.9 | 74.4 | 73.2 | 46.8 | 47.1 | 23.1 | | 50.7 |
| | Low | -6.5 | 8.0 | 17.9 | 30.1 | 40.2 | 48.8 | | 49.1 | 50.9 | 45.8 | 33.1 | 29.3 | 8.0 | | 29.6 |
| | Mean | 4.6 | 17.0 | 27.9 | 40.7 | 52.6 | 60.8 | | 61.5 | 62.7 | 59.5 | 40.0 | 38.2 | 15.6 | | 40.2 |
| 2010 | High | 22.3 | 28.4 | 50.1 | 61.2 | 69.3 | 72.2 | | 79.9 | 79.9 | 64.6 | 58.6 | 40.3 | 23.3 | | 54.2 |
| | Low | 7.4 | 10.6 | 23.6 | 35.7 | 43.3 | 52.2 | | 58.9 | 58.2 | 41.9 | 34.3 | 23.2 | 9.5 | | 33.2 |
| | Mean | 14.9 | 19.5 | 36.9 | 48.5 | 56.3 | 62.2 | | 69.4 | 69.1 | 53.3 | 46.5 | 31.8 | 16.4 | | 43.7 |
| 2011 | High | 17.8 | 26.2 | 35.4 | 48.0 | 63.5 | 73.8 | | 82.6 | 77.6 | 65.8 | 58.7 | 41.6 | 28.9 | | 51.7 |
| | Low | 2.6 | 8.5 | 14.2 | 28.1 | 41.7 | 49.4 | | 58.7 | 53.5 | 43.9 | 38.0 | 26.8 | 14.1 | | 31.6 |
| | Mean | 10.2 | 17.4 | 24.8 | 38.1 | 52.6 | 61.6 | | 70.7 | 65.6 | 54.9 | 48.4 | 34.2 | 21.5 | | 41.7 |
| 2012 | High | 27.0 | 31.6 | 52.7 | 54.4 | 70.3 | 77.3 | | 83.7 | 77.5 | 68.0 | 52.2 | 39.7 | 29.1 | | 55.3 |
| | Low | 8.0 | 12.8 | 33.0 | 30.1 | 42.2 | 51.3 | | 57.2 | 50.7 | 39.7 | 32.8 | 23.2 | 15.9 | | 33.1 |
| | Mean | 17.5 | 22.2 | 42.9 | 42.3 | 56.3 | 64.3 | | 70.5 | 64.1 | 53.9 | 42.5 | 31.5 | 22.5 | | 44.2 |
| 2013 | High | 23.4 | 24.0 | 31.7 | 44.2 | 66.9 | 71.4 | | 77.5 | 76.7 | 69.6 | 53.1 | 34.9 | 16.4 | | 48.9 |
| | Low | 4.7 | 5.6 | 12.1 | 26.6 | 45.7 | 49.1 | | 55.1 | 51.1 | 43.5 | 34.4 | 19.7 | -1.5 | | 28.4 |
| | Mean | 14.1 | 14.8 | 21.9 | 35.4 | 56.3 | 60.3 | | 66.3 | 63.9 | 56.6 | 43.8 | 27.3 | 7.5 | | 38.7 |
| 2014 | High | 11.9 | 15.4 | 29.7 | 45.3 | 65.4 | 74.4 | | 73.6 | 74.4 | 66.5 | 51.3 | 28.2 | 25.6 | | 46.8 |
| | Low | -7.3 | -6.8 | 7.4 | 24.2 | 40.6 | 53.0 | | 51.1 | 52.1 | 42.0 | 34.0 | 13.1 | 11.5 | | 26.2 |
| | Mean | 2.3 | 4.3 | 18.3 | 34.8 | 53.0 | 63.7 | | 62.4 | 63.2 | 54.3 | 42.6 | 20.6 | 18.5 | | 36.5 |
| 2015 | High | 18.9 | 14.0 | 39.4 | 54.2 | 67.2 | 72.7 | | 79.4 | 73.8 | 73.0 | 55.7 | 46.0 | 34.0 | | 52.4 |
| | Low | 3.5 | -8.0 | 17.3 | 29.8 | 42.1 | 48.2 | | 53.1 | 53.8 | 51.5 | 35.9 | 27.1 | 24.1 | | 31.5 |
| | Mean | 11.2 | 3.0 | 28.3 | 42.0 | 54.6 | 60.4 | | 66.2 | 63.8 | 62.2 | 45.8 | 36.5 | 29.0 | | 41.9 |

RHINELANDER MONTHLY TEMPERATURES

| Normal | 91-20 | 13.1 | 16.3 | 27.9 | 40.6 | 53.5 | 62.9 | | 67.1 | 64.9 | 56.9 | 44.3 | 30.9 | 18.9 | | 41.4 |
|--------|-------|------|------|------|------|------|------|--|------|------|------|------|------|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 2016 | High | 22.5 | 27.9 | 43.8 | 50.6 | 67.8 | 75.6 | | 79.5 | 78.2 | 70.3 | 58.5 | 49.5 | 24.6 | | 54.1 |
| | Low | 7.2 | 11.3 | 25.0 | 29.8 | 40.6 | 51.3 | | 56.2 | 56.6 | 49.5 | 37.7 | 30.3 | 11.5 | | 33.9 |
| | Mean | 14.8 | 19.6 | 34.4 | 40.2 | 54.2 | 63.4 | | 67.9 | 67.4 | 59.9 | 48.1 | 39.9 | 18.0 | | 44.0 |
| 2017 | High | 25.3 | 34.4 | 37.6 | 55.6 | 63.7 | 75.5 | | 80.0 | 72.4 | 71.6 | 57.2 | 36.7 | 21.2 | | 52.6 |
| | Low | 9.6 | 15.6 | 17.7 | 32.8 | 40.6 | 51.6 | | 52.5 | 49.8 | 47.7 | 38.2 | 21.4 | 4.9 | | 31.9 |
| | Mean | 17.6 | 25.0 | 27.6 | 44.2 | 52.1 | 63.6 | | 66.3 | 61.1 | 59.7 | 47.7 | 29.1 | 13.0 | | 42.3 |
| 2018 | High | 23.3 | 24.8 | 36.5 | 43.4 | 77.3 | 79.0 | | 82.1 | 80.3 | 71.4 | 50.9 | 31.9 | 30.9 | | 54.6 |
| | Low | 5.0 | 2.8 | 13.0 | 19.8 | 48.0 | 54.5 | | 56.2 | 56.9 | 50.2 | 33.8 | 19.5 | 17.7 | | 32.7 |
| | Mean | 14.1 | 13.8 | 24.7 | 31.6 | 62.7 | 66.8 | | 69.1 | 68.6 | 60.8 | 42.4 | 25.7 | 24.3 | | 43.7 |
| 2019 | High | 19.4 | 23.2 | 35.6 | 50.2 | 63.5 | 77.0 | | 81.4 | 74.4 | 67.9 | 50.1 | 31.7 | 26.8 | | 50.1 |
| | Low | 2.1 | 0.9 | 11.6 | 30.5 | 40.2 | 51.3 | | 56.1 | 50.6 | 50.3 | 33.1 | 19.7 | 12.5 | | 29.9 |
| | Mean | 10.7 | 12.0 | 23.6 | 40.3 | 51.9 | 64.1 | | 68.7 | 62.5 | 59.1 | 41.6 | 25.7 | 19.6 | | 40.0 |
| 2020 | High | 25.8 | 26.7 | 38.6 | 48.3 | 63.0 | 76.6 | | 81.3 | 77.4 | 64.7 | 45.7 | 44.9 | 29.1 | | 51.8 |
| | Low | 11.8 | 2.5 | 22.8 | 24.7 | 40.2 | 50.9 | | 57.7 | 53.3 | 43.9 | 28.7 | 27.2 | 14.2 | | 31.5 |
| | Mean | 18.8 | 14.6 | 30.7 | 36.5 | 51.6 | 63.8 | | 69.5 | 65.3 | 54.3 | 37.2 | 36.0 | 21.6 | | 41.7 |
| 2021 | High | 25.8 | 19.3 | 45.0 | 53.2 | 64.1 | 79.4 | | 80.0 | 78.7 | 71.2 | 60.4 | 39.7 | 29.9 | | 53.9 |
| | Low | 10.0 | -4.3 | 21.8 | 31.0 | 39.7 | 54.4 | | 53.7 | 54.3 | 44.7 | 41.2 | 21.1 | 11.0 | | 31.5 |
| | Mean | 17.9 | 7.5 | 33.4 | 42.1 | 51.9 | 66.9 | | 66.9 | 66.5 | 58.0 | 50.8 | 30.4 | 20.5 | | 42.7 |
| 2022 | High | 17.2 | 21.4 | 33.7 | 44.3 | 67.0 | 75.7 | | 79.4 | 76.5 | 68.9 | 56.5 | 40.7 | 25.0 | | 50.6 |
| | Low | -4.0 | -1.5 | 15.1 | 27.1 | 43.9 | 49.1 | | 54.7 | 54.2 | 45.6 | 34.5 | 23.6 | 10.0 | | 29.3 |
| | Mean | 6.6 | 9.9 | 24.4 | 35.7 | 55.4 | 62.4 | | 67.0 | 65.3 | 57.3 | 45.5 | 32.2 | 17.5 | | 39.9 |
| 2023 | High | 25.5 | 29.5 | 35.2 | 48.9 | 69.9 | 77.8 | | 78.5 | 77.0 | 70.4 | 53.5 | 40.8 | 36.5 | | 53.6 |
| | Low | 14.7 | 9.9 | 15.3 | 29.6 | 40.9 | 50.8 | | 52.1 | 51.8 | 51.3 | 36.7 | 23.0 | 22.7 | | 33.2 |
| | Mean | 20.1 | 19.7 | 25.3 | 39.3 | 55.4 | 64.3 | | 65.3 | 64.4 | 60.9 | 45.1 | 31.9 | 29.6 | | 43.4 |
| 2024 | High | 24.6 | 39.2 | 42.4 | 53.5 | 68.2 | 73.6 | | 79.5 | 77.0 | 76.1 | | | | | |
| | Low | 15.8 | 15.2 | 21.0 | 32.2 | 42.7 | 52.1 | | 54.0 | 54.4 | 46.7 | | | | | |
| | Mean | 19.8 | 27.2 | 31.7 | 42.8 | 55.4 | 62.9 | | 66.7 | 65.7 | 61.4 | | | | | |
| 2025 | High | | | | | | | | | | | | | | | |
| | Low | | | | | | | | | | | | | | | |
| | Mean | | | | | | | | | | | | | | | |
| 2026 | High | | | | | | | | | | | | | | | |
| | Low | | | | | | | | | | | | | | | |
| | Mean | | | | | | | | | | | | | | | |
| 2027 | High | | | | | | | | | | | | | | | |
| | Low | | | | | | | | | | | | | | | |
| | Mean | | | | | | | | | | | | | | | |

RHINELANDER WINTER TEMPERATURES

| 1991-2020 Normal High 25.6 Normal Low 6.6 Normal Mean 16.1 | | | | | | | | | | | | |
|--|----------|---------|------|---------|----------|---------|------|---------|----------|---------|------|--|
| Year(s) | Ave High | Ave Low | Mean | Year(s) | Ave High | Ave Low | Mean | Year(s) | Ave High | Ave Low | Mean | |
| 1908-09 | 25.8 | 7.6 | 16.7 | | | | | | | | | |
| 1909-10 | 23.6 | 4.1 | 13.9 | | | | | | | | | |
| 1910-11 | 26.1 | 6.4 | 16.3 | 1950-51 | 21.9 | 0.7 | 11.3 | 1990-91 | 25.4 | 4.5 | 15.0 | |
| 1911-12 | 19.6 | 1.0 | 10.3 | 1951-52 | 26.3 | 6.1 | 16.2 | 1991-92 | 27.8 | 9.4 | 18.6 | |
| 1912-13 | 25.0 | 4.4 | 14.7 | 1952-53 | 26.7 | 10.6 | 18.7 | 1992-93 | 25.0 | 6.1 | 15.6 | |
| 1913-14 | 28.9 | 7.6 | 18.3 | 1953-54 | 28.0 | 8.8 | 18.4 | 1993-94 | 20.1 | 1.2 | 10.7 | |
| 1914-15 | 25.2 | 7.4 | 16.3 | 1954-55 | 24.2 | 6.5 | 15.4 | 1994-95 | 27.4 | 9.1 | 18.3 | |
| | | | | | | | | | | | | |
| 1915-16 | 24.8 | 3.5 | 14.2 | 1955-56 | 25.2 | 4.1 | 14.7 | 1995-96 | 22.1 | -0.6 | 10.8 | |
| 1916-17 | 17.3 | -6.0 | 5.7 | 1956-57 | 24.5 | 5.6 | 15.1 | 1996-97 | 23.9 | 6.0 | 15.5 | |
| 1917-18 | 17.6 | -5.1 | 6.3 | 1957-58 | 25.8 | 8.9 | 17.4 | 1997-98 | 31.7 | 17.2 | 24.5 | |
| 1918-19 | 28.2 | 10.2 | 19.2 | 1958-59 | 20.4 | -0.9 | 9.8 | 1998-99 | 29.3 | 9.1 | 19.2 | |
| 1919-20 | 16.6 | -4.4 | 6.1 | 1959-60 | 27.6 | 11.7 | 19.7 | 1999-00 | 29.5 | 7.8 | 18.7 | |
| | | | | | | | | | | | | |
| 1920-21 | 27.0 | 10.2 | 18.6 | 1960-61 | 26.7 | 7.1 | 16.9 | 2000-01 | 21.4 | 1.9 | 11.7 | |
| 1921-22 | 21.0 | 0.5 | 10.8 | 1961-62 | 21.6 | 3.7 | 12.7 | 2001-02 | 30.7 | 13.8 | 22.3 | |
| 1922-23 | 20.2 | -2.4 | 8.9 | 1962-63 | 18.7 | 0.0 | 9.4 | 2002-03 | 23.0 | 3.4 | 13.2 | |
| 1923-24 | 24.4 | 2.6 | 13.5 | 1963-64 | 26.6 | 6.2 | 16.4 | 2003-04 | 24.9 | 5.9 | 15.4 | |
| 1924-25 | 20.5 | 0.5 | 10.5 | 1964-65 | 22.4 | 1.6 | 12.0 | 2004-05 | 24.8 | 7.2 | 16.0 | |
| | | | | | | | | | | | | |
| 1925-26 | 22.7 | 3.3 | 13.0 | 1965-66 | 25.0 | 7.0 | 16.0 | 2005-06 | 26.1 | 10.2 | 18.2 | |
| 1926-27 | 24.0 | -0.3 | 11.9 | 1966-67 | 24.4 | 5.5 | 15.5 | 2006-07 | 24.3 | 8.4 | 16.4 | |
| 1927-28 | 22.4 | -0.4 | 11.0 | 1967-68 | 24.8 | 5.0 | 14.9 | 2007-08 | 22.4 | 4.0 | 13.2 | |
| 1928-29 | 19.4 | -3.2 | 8.1 | 1968-69 | 25.6 | 7.0 | 16.3 | 2008-09 | 21.1 | 0.8 | 11.0 | |
| 1929-30 | 23.7 | 3.3 | 13.5 | 1969-70 | 22.6 | -0.3 | 11.2 | 2009-10 | 24.6 | 8.7 | 16.7 | |
| | | | | | | | | | | | | |
| 1930-31 | 33.0 | 10.0 | 21.5 | 1970-71 | 21.4 | 0.8 | 11.1 | 2010-11 | 22.4 | 6.9 | 14.7 | |
| 1931-32 | 28.5 | 10.9 | 19.7 | 1971-72 | 21.5 | -1.9 | 9.8 | 2011-12 | 29.2 | 11.6 | 20.4 | |
| 1932-33 | 22.6 | 1.6 | 12.1 | 1972-73 | 24.6 | 3.8 | 14.2 | 2012-13 | 25.5 | 8.7 | 17.1 | |
| 1933-34 | 23.2 | 3.4 | 13.3 | 1973-74 | 23.5 | 0.2 | 11.9 | 2013-14 | 14.5 | -5.1 | 4.7 | |
| 1934-35 | 25.4 | 2.5 | 14.0 | 1974-75 | 27.5 | 5.9 | 16.7 | 2014-15 | 19.5 | 2.3 | 10.9 | |
| | | | | | | | | | | | | |
| 1935-36 | 17.8 | -2.4 | 7.7 | 1975-76 | 27.0 | 4.7 | 15.9 | 2015-16 | 28.1 | 14.2 | 21.2 | |
| 1936-37 | 24.1 | 1.8 | 13.0 | 1976-77 | 21.4 | -4.2 | 8.6 | 2016-17 | 28.1 | 12.4 | 20.3 | |
| 1937-38 | 22.7 | 4.6 | 13.7 | 1977-78 | 22.9 | -0.4 | 12.3 | 2017-18 | 23.1 | 4.2 | 13.7 | |
| 1938-39 | 23.6 | 4.0 | 13.8 | 1978-79 | 19.2 | -2.8 | 8.2 | 2018-19 | 24.5 | 6.9 | 15.7 | |
| 1939-40 | 26.2 | 9.6 | 17.9 | 1979-80 | 26.1 | 4.4 | 15.3 | 2019-20 | 26.4 | 8.9 | 17.7 | |
| | | | | | | | | | | | | |
| 1940-41 | 25.5 | 7.0 | 16.3 | 1980-81 | 26.0 | 2.7 | 14.4 | 2020-21 | 24.7 | 6.6 | 15.7 | |
| 1941-42 | 26.5 | 9.7 | 18.1 | 1981-82 | 22.5 | -2.5 | 10.0 | 2021-22 | 22.8 | 1.8 | 12.3 | |
| 1942-43 | 21.9 | 2.6 | 12.3 | 1982-83 | 29.9 | 12.3 | 21.1 | 2022-23 | 26.6 | 11.5 | 19.1 | |
| 1943-44 | 29.8 | 11.8 | 20.8 | 1983-84 | 22.9 | -0.1 | 11.4 | 2023-24 | 33.5 | 17.6 | 25.5 | |
| 1944-45 | 23.2 | 4.2 | 13.7 | 1984-85 | 23.4 | 0.1 | 11.8 | 2024-25 | | | | |
| | | | | | | | | | | | | |
| 1945-46 | 23.8 | 4.8 | 14.3 | 1985-86 | 21.7 | -4.2 | 8.8 | 2025-26 | | | | |
| 1946-47 | 26.2 | 6.5 | 16.4 | 1986-87 | 30.4 | 7.5 | 19.0 | 2026-27 | | | | |
| 1947-48 | 24.2 | 1.3 | 12.8 | 1987-88 | 24.3 | 0.4 | 12.4 | 2027-28 | | | | |
| 1948-49 | 26.4 | 5.9 | 16.2 | 1988-89 | 25.2 | 3.5 | 14.4 | 2028-29 | | | | |
| 1949-50 | 24.6 | 1.8 | 13.2 | 1989-90 | 25.6 | 3.9 | 14.8 | 2029-30 | | | | |

RHINELANDER SPRING TEMPERATURES

| 1991-2020 Normal High 52.5 Normal Low 28.9 Normal Mean 40.7 | | | | | | | | | | | | | |
|---|------|------|------|--|------|------|------|------|--|------|------|------|------|
| | Ave | Ave | | | | Ave | Ave | | | | Ave | Ave | |
| Year | High | Low | Mean | | Year | High | Low | Mean | | Year | High | Low | Mean |
| 1908 | 53.1 | 29.4 | 41.3 | | | | | | | | | | |
| 1909 | 47.8 | 25.8 | 36.8 | | | | | | | | | | |
| 1910 | 59.6 | 31.6 | 45.6 | | 1950 | 44.8 | 22.3 | 33.6 | | 1990 | 53.6 | 29.8 | 41.7 |
| 1911 | 55.6 | 35.2 | 45.4 | | 1951 | 49.9 | 28.9 | 39.4 | | 1991 | 55.4 | 33.1 | 44.3 |
| 1912 | 52.5 | 25.6 | 39.1 | | 1952 | 52.4 | 28.7 | 40.6 | | 1992 | 50.9 | 28.8 | 39.9 |
| 1913 | 51.6 | 26.7 | 39.2 | | 1953 | 51.4 | 29.4 | 40.4 | | 1993 | 50.6 | 28.2 | 39.4 |
| 1914 | 51.9 | 27.7 | 39.8 | | 1954 | 47.3 | 26.4 | 36.9 | | 1994 | 54.2 | 29.4 | 41.8 |
| | | | | | | | | | | | | | |
| 1915 | 54.5 | 29.3 | 41.9 | | 1955 | 56.5 | 31.2 | 43.9 | | 1995 | 50.7 | 28.8 | 39.8 |
| 1916 | 48.7 | 25.5 | 37.1 | | 1956 | 50.8 | 27.3 | 39.1 | | 1996 | 46.8 | 23.7 | 35.3 |
| 1917 | 48.3 | 23.5 | 35.9 | | 1957 | 53.9 | 29.6 | 41.8 | | 1997 | 48.6 | 26.0 | 37.3 |
| 1918 | 55.6 | 26.5 | 41.1 | | 1958 | 54.8 | 29.8 | 42.3 | | 1998 | 57.5 | 33.4 | 45.5 |
| 1919 | 51.4 | 27.3 | 39.4 | | 1959 | 54.8 | 31.1 | 43.0 | | 1999 | 56.4 | 32.3 | 44.4 |
| | | | | | | | | | | | | | |
| 1920 | 49.8 | 25.0 | 37.4 | | 1960 | 50.6 | 26.6 | 38.6 | | 2000 | 56.3 | 33.5 | 44.9 |
| 1921 | 54.6 | 31.3 | 43.0 | | 1961 | 51.9 | 29.3 | 40.6 | | 2001 | 52.1 | 30.4 | 41.3 |
| 1922 | 53.8 | 30.3 | 42.1 | | 1962 | 54.0 | 31.8 | 42.9 | | 2002 | 45.4 | 23.9 | 34.7 |
| 1923 | 47.7 | 20.7 | 34.2 | | 1963 | 54.7 | 30.1 | 42.4 | | 2003 | 49.9 | 25.6 | 37.8 |
| 1924 | 45.3 | 24.6 | 35.0 | | 1964 | 54.9 | 30.9 | 42.9 | | 2004 | 50.6 | 29.5 | 40.1 |
| | | | | | | | | | | | | | |
| 1925 | 54.0 | 27.1 | 40.6 | | 1965 | 50.8 | 28.1 | 39.5 | | 2005 | 51.8 | 28.4 | 40.1 |
| 1926 | 48.8 | 23.1 | 36.0 | | 1966 | 50.5 | 29.3 | 39.9 | | 2006 | 54.4 | 32.0 | 43.2 |
| 1927 | 51.1 | 28.7 | 39.9 | | 1967 | 52.0 | 27.8 | 39.9 | | 2007 | 54.3 | 31.4 | 42.9 |
| 1928 | 50.2 | 23.9 | 37.1 | | 1968 | 57.0 | 32.4 | 44.7 | | 2008 | 48.7 | 25.8 | 37.3 |
| 1929 | 51.9 | 28.2 | 40.1 | | 1969 | 54.3 | 28.9 | 41.6 | | 2009 | 51.3 | 29.4 | 40.4 |
| | | | | | | | | | | | | | |
| 1930 | 55.4 | 29.7 | 42.6 | | 1970 | 49.9 | 27.5 | 38.7 | | 2010 | 60.2 | 34.2 | 47.2 |
| 1931 | 54.3 | 28.1 | 41.2 | | 1971 | 49.2 | 25.6 | 37.4 | | 2011 | 49.0 | 28.0 | 38.5 |
| 1932 | 48.4 | 25.1 | 36.8 | | 1972 | 51.2 | 26.6 | 38.9 | | 2012 | 59.1 | 35.1 | 47.1 |
| 1933 | 48.8 | 28.8 | 38.8 | | 1973 | 50.7 | 31.5 | 41.1 | | 2013 | 46.8 | 26.2 | 36.5 |
| 1934 | 52.6 | 27.8 | 40.2 | | 1974 | 49.0 | 27.0 | 38.0 | | 2014 | 46.7 | 24.1 | 35.4 |
| | | | | | | | | | | | | | |
| 1935 | 53.1 | 29.1 | 42.6 | | 1975 | 50.3 | 24.8 | 37.6 | | 2015 | 53.6 | 29.7 | 41.7 |
| 1936 | 50.1 | 28.3 | 41.2 | | 1976 | 53.2 | 27.5 | 40.4 | | 2016 | 54.1 | 31.8 | 42.9 |
| 1937 | 49.6 | 25.6 | 36.8 | | 1977 | 60.8 | 34.4 | 47.6 | | 2017 | 52.2 | 30.3 | 41.3 |
| 1938 | 53.3 | 30.9 | 38.8 | | 1978 | 52.1 | 26.2 | 39.2 | | 2018 | 52.4 | 26.9 | 39.7 |
| 1939 | 50.1 | 26.8 | 40.2 | | 1979 | 48.7 | 26.9 | 37.8 | | 2019 | 49.7 | 27.4 | 38.6 |
| | | | | | | | | | | | | | |
| 1940 | 45.8 | 24.0 | 34.9 | | 1980 | 54.2 | 28.5 | 41.4 | | 2020 | 50.0 | 29.2 | 39.6 |
| 1941 | 53.9 | 30.2 | 42.1 | | 1981 | 54.0 | 29.0 | 41.5 | | 2021 | 54.1 | 30.8 | 42.5 |
| 1942 | 53.2 | 31.5 | 42.4 | | 1982 | 51.3 | 28.5 | 39.9 | | 2022 | 48.3 | 28.7 | 38.5 |
| 1943 | 46.6 | 24.8 | 35.7 | | 1983 | 48.4 | 28.6 | 38.5 | | 2023 | 51.4 | 28.6 | 40.0 |
| 1944 | 50.4 | 28.7 | 39.6 | | 1984 | 50.6 | 26.0 | 38.3 | | 2024 | 54.7 | 31.9 | 43.3 |
| | | | | | | | | | | | | | |
| 1945 | 54.9 | 30.7 | 42.8 | | 1985 | 55.8 | 32.1 | 44.0 | | 2025 | | | |
| 1946 | 57.4 | 32.4 | 44.9 | | 1986 | 56.3 | 31.3 | 43.8 | | 2026 | | | |
| 1947 | 47.6 | 25.7 | 36.7 | | 1987 | 59.9 | 30.9 | 45.4 | | 2027 | | | |
| 1948 | 54.4 | 28.0 | 41.2 | | 1988 | 55.8 | 29.5 | 42.7 | | 2028 | | | |
| 1949 | 53.6 | 29.0 | 41.3 | | 1989 | Msg | Msg | Msg | | 2029 | | | |

RHINELANDER SUMMER TEMPERATURES

| 1991-2020 Normal High 77.5 Normal Low 52.4 Normal Mean 64.9 | | | | | | | | | | | | |
|---|----------|---------|------|------|----------|---------|------|------|----------|---------|------|--|
| Year | Ave High | Ave Low | Mean | Year | Ave High | Ave Low | Mean | Year | Ave High | Ave Low | Mean | |
| 1908 | 77.8 | 52.7 | 65.3 | | | | | | | | | |
| 1909 | 79.5 | 53.6 | 66.6 | | | | | | | | | |
| 1910 | 81.8 | 51.9 | 66.9 | 1950 | 74.2 | 50.4 | 62.3 | 1990 | 75.2 | 53.3 | 64.3 | |
| 1911 | 80.0 | 54.1 | 67.1 | 1951 | 72.8 | 51.0 | 61.9 | 1991 | 77.8 | 56.1 | 67.0 | |
| 1912 | 75.7 | 51.3 | 63.5 | 1952 | 76.4 | 54.4 | 65.4 | 1992 | 72.4 | 49.7 | 61.1 | |
| 1913 | 78.9 | 52.9 | 65.9 | 1953 | 76.7 | 54.2 | 65.5 | 1993 | 74.3 | 54.3 | 64.3 | |
| 1914 | 78.1 | 53.6 | 65.9 | 1954 | 75.5 | 54.2 | 64.9 | 1994 | 74.8 | 54.2 | 64.5 | |
| | | | | | | | | | | | | |
| 1915 | 73.8 | 47.6 | 60.7 | 1955 | 81.2 | 58.0 | 69.6 | 1995 | 79.7 | 54.1 | 66.9 | |
| 1916 | 79.0 | 55.5 | 67.3 | 1956 | 77.3 | 54.8 | 66.1 | 1996 | 74.9 | 53.5 | 64.2 | |
| 1917 | 74.0 | 49.3 | 61.7 | 1957 | 78.8 | 55.2 | 67.0 | 1997 | 75.6 | 54.4 | 65.0 | |
| 1918 | 76.4 | 50.3 | 63.4 | 1958 | 76.3 | 52.0 | 64.2 | 1998 | 78.2 | 55.1 | 66.7 | |
| 1919 | 77.4 | 53.9 | 65.7 | 1959 | 79.5 | 56.9 | 68.2 | 1999 | 78.1 | 56.8 | 67.5 | |
| | | | | | | | | | | | | |
| 1920 | 76.1 | 50.4 | 63.3 | 1960 | 78.4 | 53.4 | 65.9 | 2000 | 74.2 | 51.8 | 63.0 | |
| 1921 | 80.9 | 56.4 | 68.7 | 1961 | 79.6 | 55.2 | 67.4 | 2001 | 77.1 | 53.0 | 65.1 | |
| 1922 | 76.4 | 52.2 | 64.3 | 1962 | 77.5 | 52.8 | 65.2 | 2002 | 77.0 | 54.4 | 65.7 | |
| 1923 | 77.5 | 53.6 | 65.6 | 1963 | 80.0 | 53.8 | 66.9 | 2003 | 77.0 | 51.0 | 64.0 | |
| 1924 | 73.6 | 49.0 | 61.3 | 1964 | 78.9 | 54.0 | 66.5 | 2004 | 72.9 | 49.6 | 61.3 | |
| | | | | | | | | | | | | |
| 1925 | 77.6 | 53.1 | 65.4 | 1965 | 76.7 | 52.8 | 64.8 | 2005 | 80.2 | 55.6 | 67.9 | |
| 1926 | 74.7 | 50.5 | 62.6 | 1966 | 79.8 | 55.1 | 67.5 | 2006 | 79.6 | 52.8 | 66.2 | |
| 1927 | 74.6 | 47.8 | 61.2 | 1967 | 77.0 | 52.7 | 64.9 | 2007 | 78.4 | 53.9 | 66.2 | |
| 1928 | 75.1 | 51.3 | 63.2 | 1968 | 77.7 | 54.2 | 66.0 | 2008 | 77.2 | 51.9 | 64.6 | |
| 1929 | 76.8 | 51.5 | 64.2 | 1969 | 76.8 | 53.1 | 65.0 | 2009 | 73.7 | 49.6 | 61.7 | |
| | | | | | | | | | | | | |
| 1930 | Msg | Msg | Msg | 1970 | 78.4 | 54.7 | 66.6 | 2010 | 77.3 | 56.4 | 66.9 | |
| 1931 | 78.2 | 54.4 | 66.3 | 1971 | 75.4 | 52.9 | 64.2 | 2011 | 78.0 | 53.9 | 66.0 | |
| 1932 | 79.4 | 54.3 | 66.9 | 1972 | 74.8 | 52.7 | 63.8 | 2012 | 79.5 | 53.1 | 66.3 | |
| 1933 | 82.9 | 53.9 | 68.4 | 1973 | 77.1 | 54.2 | 65.7 | 2013 | 75.2 | 51.8 | 63.5 | |
| 1934 | 79.2 | 52.4 | 65.8 | 1974 | 75.4 | 51.1 | 63.3 | 2014 | 74.1 | 52.1 | 63.1 | |
| | | | | | | | | | | | | |
| 1935 | 78.9 | 55.1 | 67.0 | 1975 | 77.9 | 55.1 | 66.5 | 2015 | 75.3 | 51.7 | 63.5 | |
| 1936 | 80.5 | 52.9 | 66.7 | 1976 | 81.4 | 52.2 | 66.8 | 2016 | 77.8 | 54.7 | 66.2 | |
| 1937 | 80.9 | 55.5 | 68.2 | 1977 | 75.9 | 51.8 | 63.9 | 2017 | 76.0 | 51.3 | 63.6 | |
| 1938 | 76.3 | 54.5 | 65.4 | 1978 | 75.3 | 52.6 | 64.0 | 2018 | 80.5 | 55.9 | 68.2 | |
| 1939 | 77.2 | 54.8 | 66.0 | 1979 | 75.8 | 52.0 | 63.9 | 2019 | 77.6 | 52.6 | 65.1 | |
| | | | | | | | | | | | | |
| 1940 | 74.8 | 54.3 | 64.6 | 1980 | 76.0 | 53.8 | 64.9 | 2020 | 78.4 | 53.9 | 66.2 | |
| 1941 | 76.9 | 54.0 | 65.5 | 1981 | 76.0 | 53.9 | 65.0 | 2021 | 79.4 | 54.1 | 66.7 | |
| 1942 | 74.7 | 53.2 | 64.0 | 1982 | 74.6 | 51.0 | 62.8 | 2022 | 77.2 | 52.7 | 64.9 | |
| 1943 | 77.6 | 56.0 | 66.8 | 1983 | 80.1 | 55.8 | 68.0 | 2023 | 77.8 | 51.6 | 64.7 | |
| 1944 | 76.8 | 54.9 | 65.9 | 1984 | 76.9 | 54.9 | 65.9 | 2024 | 76.7 | 53.5 | 65.1 | |
| | | | | | | | | | | | | |
| 1945 | 74.7 | 51.8 | 63.3 | 1985 | 74.9 | 50.6 | 62.8 | 2025 | | | | |
| 1946 | 75.5 | 52.6 | 64.1 | 1986 | 75.2 | 51.6 | 63.4 | 2026 | | | | |
| 1947 | 78.9 | 54.8 | 66.9 | 1987 | 79.3 | 54.3 | 66.8 | 2027 | | | | |
| 1948 | 77.2 | 54.7 | 66.0 | 1988 | 81.4 | 55.5 | 68.5 | 2028 | | | | |
| 1949 | 79.2 | 55.9 | 67.6 | 1989 | 77.6 | 53.4 | 65.5 | 2029 | | | | |

RHINELANDER FALL TEMPERATURES

| 1991-2020 Normal High 54.4 Normal Low 33.7 Normal Mean 44.0 | | | | | | | | | | | | |
|---|----------|---------|------|------|----------|---------|------|------|----------|---------|------|--|
| Year | Ave High | Ave Low | Mean | Year | Ave High | Ave Low | Mean | Year | Ave High | Ave Low | Mean | |
| 1908 | 58.9 | 38.1 | 48.5 | | | | | | | | | |
| 1909 | 56.0 | 35.6 | 45.8 | | | | | | | | | |
| 1910 | 53.7 | 33.4 | 43.6 | 1950 | 53.9 | 34.1 | 44.0 | 1990 | 55.7 | 35.7 | 45.7 | |
| 1911 | 51.3 | 31.6 | 41.5 | 1951 | 49.8 | 30.6 | 40.2 | 1991 | 50.7 | 31.6 | 48.5 | |
| 1912 | 57.2 | 35.8 | 46.5 | 1952 | 54.1 | 32.3 | 43.2 | 1992 | 50.6 | 33.8 | 42.2 | |
| 1913 | 56.8 | 35.5 | 46.2 | 1953 | 58.2 | 37.1 | 47.7 | 1993 | 49.4 | 30.9 | 40.2 | |
| 1914 | 58.8 | 35.7 | 47.3 | 1954 | 52.2 | 36.5 | 44.4 | 1994 | 56.9 | 38.3 | 47.6 | |
| | | | | | | | | | | | | |
| 1915 | 55.9 | 35.2 | 45.6 | 1955 | 54.0 | 34.5 | 44.3 | 1995 | 50.1 | 30.8 | 40.5 | |
| 1916 | 52.6 | 31.8 | 42.2 | 1956 | 56.9 | 36.2 | 46.6 | 1996 | 51.4 | 32.7 | 42.1 | |
| 1917 | 51.6 | 31.2 | 41.4 | 1957 | 53.6 | 35.1 | 44.4 | 1997 | 53.4 | 35.5 | 44.5 | |
| 1918 | 52.5 | 32.2 | 42.4 | 1958 | 55.9 | 38.2 | 47.1 | 1998 | 59.4 | 38.9 | 49.2 | |
| 1919 | 51.1 | 31.0 | 41.1 | 1959 | 50.7 | 32.9 | 41.8 | 1999 | 57.3 | 36.7 | 47.0 | |
| | | | | | | | | | | | | |
| 1920 | 57.0 | 35.4 | 46.2 | 1960 | 56.3 | 37.4 | 46.9 | 2000 | 53.0 | 33.8 | 43.4 | |
| 1921 | 52.6 | 33.9 | 43.3 | 1961 | 55.5 | 37.4 | 46.5 | 2001 | 55.6 | 35.4 | 45.5 | |
| 1922 | 56.7 | 35.7 | 46.2 | 1962 | 54.4 | 37.0 | 45.7 | 2002 | 49.8 | 31.9 | 40.9 | |
| 1923 | 55.8 | 32.6 | 44.2 | 1963 | 61.8 | 40.7 | 51.3 | 2003 | 52.6 | 33.5 | 43.1 | |
| 1924 | 55.4 | 32.9 | 44.2 | 1964 | 55.2 | 36.4 | 45.8 | 2004 | 56.7 | 36.7 | 46.7 | |
| | | | | | | | | | | | | |
| 1925 | 49.6 | 29.7 | 39.7 | 1965 | 52.9 | 35.0 | 44.0 | 2005 | 57.2 | 36.4 | 46.8 | |
| 1926 | 48.4 | 29.6 | 39.0 | 1966 | 54.4 | 35.1 | 44.8 | 2006 | 51.9 | 33.2 | 42.6 | |
| 1927 | 54.7 | 32.8 | 43.8 | 1967 | 53.2 | 34.2 | 43.7 | 2007 | 55.4 | 37.5 | 46.5 | |
| 1928 | 53.6 | 32.7 | 43.2 | 1968 | 55.4 | 38.6 | 47.0 | 2008 | 53.5 | 35.1 | 44.3 | |
| 1929 | 52.6 | 30.0 | 41.3 | 1969 | 52.7 | 34.1 | 43.4 | 2009 | 55.7 | 36.1 | 45.9 | |
| | | | | | | | | | | | | |
| 1930 | 55.3 | 34.1 | 44.7 | 1970 | 53.1 | 35.7 | 44.4 | 2010 | 54.5 | 33.1 | 43.8 | |
| 1931 | 58.9 | 40.2 | 49.6 | 1971 | 55.2 | 39.0 | 47.1 | 2011 | 55.4 | 36.2 | 45.8 | |
| 1932 | 51.5 | 29.5 | 40.5 | 1972 | 49.6 | 33.3 | 41.5 | 2012 | 53.3 | 31.9 | 42.6 | |
| 1933 | 54.2 | 31.5 | 42.9 | 1973 | 54.2 | 36.2 | 45.2 | 2013 | 52.5 | 32.5 | 42.5 | |
| 1934 | 55.9 | 36.3 | 46.1 | 1974 | 51.4 | 31.5 | 41.5 | 2014 | 48.7 | 29.7 | 39.2 | |
| | | | | | | | | | | | | |
| 1935 | 52.9 | 34.3 | 43.6 | 1975 | 57.1 | 34.6 | 45.9 | 2015 | 58.2 | 38.2 | 48.2 | |
| 1936 | 52.5 | 32.5 | 42.5 | 1976 | 52.1 | 26.9 | 39.5 | 2016 | 59.4 | 39.2 | 49.3 | |
| 1937 | 51.4 | 32.8 | 42.1 | 1977 | 52.8 | 34.7 | 43.8 | 2017 | 55.2 | 35.9 | 45.5 | |
| 1938 | 54.4 | 36.0 | 45.2 | 1978 | 53.9 | 34.6 | 44.3 | 2018 | 51.4 | 34.5 | 43.0 | |
| 1939 | 57.1 | 34.5 | 45.8 | 1979 | 52.3 | 33.5 | 42.9 | 2019 | 49.9 | 34.4 | 42.1 | |
| | | | | | | | | | | | | |
| 1940 | 53.8 | 35.5 | 44.7 | 1980 | 51.6 | 32.1 | 41.9 | 2020 | 52.0 | 33.4 | 42.7 | |
| 1941 | 54.1 | 37.4 | 45.8 | 1981 | 53.9 | 31.8 | 42.9 | 2021 | 57.1 | 35.6 | 46.4 | |
| 1942 | 53.4 | 33.5 | 43.5 | 1982 | 52.8 | 34.5 | 43.7 | 2022 | 55.4 | 34.6 | 45.0 | |
| 1943 | 51.1 | 32.9 | 42.0 | 1983 | 54.5 | 34. | 44.3 | 2023 | 54.9 | 37.0 | 45.9 | |
| 1944 | 55.6 | 38.1 | 46.9 | 1984 | 53.8 | 33.1 | 43.5 | 2024 | | | | |
| | | | | | | | | | | | | |
| 1945 | 53.5 | 33.9 | 43.7 | 1985 | 50.6 | 29.2 | 39.9 | 2025 | | | | |
| 1946 | 56.6 | 35.4 | 46.0 | 1986 | 51.0 | 30.7 | 40.9 | 2026 | | | | |
| 1947 | 57.3 | 38.0 | 47.7 | 1987 | 54.0 | 31.9 | 43.0 | 2027 | | | | |
| 1948 | 57.5 | 36.0 | 46.8 | 1988 | 51.1 | 34.7 | 42.9 | 2028 | | | | |
| 1949 | 54.9 | 35.0 | 45.0 | 1989 | 54.0 | 32.1 | 43.1 | 2029 | | | | |

RHINELANDER YEARLY TEMPERATURES

| 1991-2020 Normal High 52.5 Normal Low 30.4 Normal Mean 41.4 | | | | | | | | | | | | |
|---|----------|---------|------|------|----------|---------|------|------|----------|---------|------|--|
| Year | Ave High | Ave Low | Mean | Year | Ave High | Ave Low | Mean | Year | Ave High | Ave Low | Mean | |
| 1908 | 54.2 | 32.1 | 43.2 | | | | | | | | | |
| 1909 | 52.1 | 30.7 | 41.4 | | | | | | | | | |
| 1910 | 54.7 | 30.1 | 42.4 | 1950 | 48.9 | 26.6 | 37.8 | 1990 | 53.4 | 31.6 | 42.5 | |
| 1911 | 53.9 | 31.9 | 42.9 | 1951 | 48.8 | 28.1 | 38.5 | 1991 | 52.5 | 31.6 | 42.1 | |
| 1912 | 51.2 | 28.0 | 39.6 | 1952 | 52.9 | 31.3 | 42.1 | 1992 | 50.3 | 30.6 | 40.5 | |
| 1913 | 53.7 | 30.4 | 42.1 | 1953 | 53.2 | 32.4 | 42.8 | 1993 | 49.9 | 30.0 | 40.0 | |
| 1914 | 53.0 | 29.9 | 41.5 | 1954 | 50.6 | 31.5 | 41.1 | 1994 | 52.0 | 30.9 | 41.5 | |
| 1915 | 53.0 | 30.5 | 41.5 | 1955 | 53.6 | 31.9 | 42.8 | 1995 | 51.1 | 30.7 | 40.9 | |
| 1916 | 50.7 | 28.2 | 39.5 | 1956 | 53.1 | 31.2 | 42.2 | 1996 | 48.9 | 27.9 | 38.4 | |
| 1917 | 47.5 | 24.3 | 35.9 | 1957 | 52.6 | 31.3 | 42.0 | 1997 | 51.1 | 31.1 | 41.1 | |
| 1918 | 51.7 | 27.5 | 39.6 | 1958 | 52.5 | 31.3 | 41.9 | 1998 | 56.9 | 35.7 | 46.3 | |
| 1919 | 50.6 | 28.9 | 39.8 | 1959 | 52.3 | 31.6 | 42.0 | 1999 | 54.9 | 33.6 | 44.3 | |
| 1920 | 50.9 | 28.1 | 39.5 | 1960 | 52.6 | 31.2 | 41.9 | 2000 | 52.1 | 30.4 | 41.3 | |
| 1921 | 53.6 | 32.5 | 43.1 | 1961 | 53.4 | 32.4 | 42.9 | 2001 | 52.8 | 31.9 | 42.4 | |
| 1922 | 51.8 | 29.1 | 40.5 | 1962 | 51.9 | 31.3 | 41.6 | 2002 | 50.5 | 30.8 | 40.7 | |
| 1923 | 51.3 | 27.3 | 39.3 | 1963 | 53.4 | 30.7 | 42.1 | 2003 | 50.7 | 28.4 | 39.6 | |
| 1924 | 48.1 | 25.6 | 36.9 | 1964 | 54.0 | 32.0 | 43.0 | 2004 | 50.9 | 30.1 | 40.5 | |
| 1925 | 51.0 | 28.5 | 39.8 | 1965 | 51.3 | 30.5 | 40.9 | 2005 | 53.4 | 32.1 | 42.8 | |
| 1926 | 48.7 | 26.2 | 37.5 | 1966 | 52.1 | 31.0 | 41.5 | 2006 | 53.6 | 32.6 | 43.1 | |
| 1927 | 50.8 | 26.9 | 38.9 | 1967 | 51.8 | 30.1 | 41.0 | 2007 | 52.5 | 32.0 | 42.3 | |
| 1928 | 51.2 | 28.2 | 39.7 | 1968 | 53.6 | 32.5 | 43.1 | 2008 | 50.2 | 28.7 | 39.5 | |
| 1929 | 49.8 | 26.3 | 38.1 | 1969 | 52.4 | 30.7 | 41.6 | 2009 | 50.7 | 29.6 | 40.2 | |
| 1930 | 47.4 | 25.9 | 36.7 | 1970 | 50.9 | 29.2 | 40.1 | 2010 | 54.2 | 33.2 | 43.7 | |
| 1931 | 56.3 | 33.8 | 45.1 | 1971 | 50.4 | 29.8 | 40.1 | 2011 | 51.7 | 31.6 | 41.7 | |
| 1932 | 51.2 | 28.6 | 39.9 | 1972 | 48.7 | 27.2 | 38.0 | 2012 | 55.3 | 33.1 | 44.2 | |
| 1933 | 51.8 | 28.8 | 40.3 | 1973 | 52.0 | 31.7 | 41.9 | 2013 | 48.9 | 28.4 | 38.7 | |
| 1934 | 53.3 | 30.4 | 41.9 | 1974 | 50.5 | 27.9 | 39.2 | 2014 | 46.8 | 26.2 | 36.5 | |
| 1935 | 52.4 | 30.5 | 41.5 | 1975 | 52.7 | 29.7 | 41.2 | 2015 | 52.4 | 31.5 | 41.9 | |
| 1936 | 50.7 | 27.9 | 39.3 | 1976 | 52.9 | 26.8 | 39.9 | 2016 | 54.1 | 33.9 | 44.0 | |
| 1937 | 50.9 | 28.5 | 39.7 | 1977 | 53.1 | 30.2 | 41.7 | 2017 | 52.6 | 31.9 | 42.3 | |
| 1938 | 51.8 | 31.9 | 41.9 | 1978 | 51.0 | 28.0 | 39.5 | 2018 | 54.6 | 32.7 | 43.7 | |
| 1939 | 52.8 | 30.9 | 41.9 | 1979 | 49.8 | 28.2 | 39.0 | 2019 | 50.1 | 29.9 | 40.0 | |
| 1940 | 49.6 | 30.3 | 40.0 | 1980 | 51.3 | 28.9 | 40.1 | 2020 | 51.8 | 31.5 | 41.7 | |
| 1941 | 53.0 | 32.7 | 42.9 | 1981 | 52.7 | 29.6 | 41.2 | 2021 | 53.9 | 31.5 | 42.7 | |
| 1942 | 50.9 | 31.1 | 41.0 | 1982 | 50.7 | 28.6 | 39.7 | 2022 | 50.6 | 29.3 | 39.9 | |
| 1943 | 50.1 | 29.4 | 39.8 | 1983 | 51.9 | 30.8 | 41.4 | 2023 | 53.6 | 33.2 | 43.4 | |
| 1944 | 52.7 | 33.2 | 43.0 | 1984 | 52.0 | 29.7 | 40.9 | 2024 | | | | |
| 1945 | 51.4 | 29.9 | 40.7 | 1985 | 50.4 | 26.8 | 38.6 | 2025 | | | | |
| 1946 | 53.8 | 31.6 | 42.7 | 1986 | 52.0 | 29.7 | 40.9 | 2026 | | | | |
| 1947 | 52.4 | 31.4 | 41.9 | 1987 | 56.1 | 31.7 | 43.9 | 2027 | | | | |
| 1948 | 53.4 | 29.6 | 41.5 | 1988 | 52.8 | 29.3 | 41.1 | 2028 | | | | |
| 1949 | 53.4 | 31.5 | 42.5 | 1989 | Msg | Msg | Msg | 2029 | | | | |

RHINELANDER MONTHLY EXTREMES

| Year | | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Year |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| 1908 | Max | 51 | 47 | 58 | 83 | 82 | 87 | 92 | 88 | 98 | 79 | 58 | 38 | 98 |
| 1908 | Min | -31 | -25 | -6 | 10 | 22 | 31 | 40 | 34 | 29 | 23 | 8 | -8 | -31 |
| 1909 | Max | 43 | 44 | 48 | 58 | 83 | 91 | 88 | 92 | 82 | 80 | 61 | 52 | 92 |
| 1909 | Min | -37 | -16 | -13 | 1 | 19 | 36 | 40 | 43 | 27 | 23 | 8 | -12 | -37 |
| 1910 | Max | 38 | 40 | 79 | 74 | 76 | 98 | 96 | 89 | 81 | 81 | 45 | 40 | 98 |
| 1910 | Min | -23 | -27 | -1 | 20 | 22 | 33 | 39 | 40 | 35 | 16 | 13 | -10 | -27 |
| 1911 | Max | 41 | 46 | 67 | 75 | 90 | 98 | 98 | 88 | 82 | 71 | 58 | 47 | 98 |
| 1911 | Min | -29 | -15 | -4 | 5 | 18 | 40 | 41 | 35 | 30 | 15 | -5 | -12 | -29 |
| 1912 | Max | 31 | 43 | 54 | 72 | 84 | 93 | 93 | 88 | 92 | 82 | 61 | 44 | 93 |
| 1912 | Min | -40 | -33 | -18 | 14 | 28 | 31 | 36 | 35 | 26 | 19 | 6 | -12 | -40 |
| 1913 | Max | 42 | 40 | 52 | 80 | 83 | 93 | 90 | 91 | 91 | 78 | 58 | 54 | 93 |
| 1913 | Min | -18 | -23 | -27 | 17 | 24 | 30 | 40 | 40 | 26 | 14 | 9 | 2 | -27 |
| 1914 | Max | 42 | 47 | 56 | 71 | 89 | 88 | 92 | 88 | 86 | 79 | 62 | 48 | 92 |
| 1914 | Min | -18 | -31 | -10 | 10 | 26 | 37 | 44 | 37 | 30 | 18 | -1 | -19 | -31 |
| 1915 | Max | 38 | 45 | 52 | 85 | 80 | 84 | 88 | 84 | 88 | 70 | 62 | 39 | 88 |
| 1915 | MIN | -41 | -6 | -10 | 18 | 25 | 33 | 37 | 28 | 30 | 25 | 7 | -12 | -41 |
| 1916 | Max | 45 | 49 | 63 | 67 | 80 | 81 | 95 | 94 | 82 | 83 | 64 | 56 | 95 |
| 1916 | Min | -34 | -20 | -21 | 11 | 25 | 34 | 48 | 35 | 26 | 16 | -3 | -23 | -34 |
| 1917 | Max | 38 | 38 | 53 | 72 | 84 | 86 | 98 | 87 | 82 | 67 | 68 | 40 | 98 |
| 1917 | Min | -30 | -32 | -31 | 10 | 22 | 33 | 37 | 31 | 25 | 14 | 12 | -29 | -32 |
| 1918 | Max | 21 | 50 | 67 | 76 | 88 | 85 | 93 | 88 | 81 | 78 | 57 | 45 | 93 |
| 1918 | Min | -30 | -29 | -5 | 9 | 21 | 30 | 39 | 41 | 21 | 24 | 7 | -5 | -30 |
| 1919 | Max | 45 | 37 | 57 | 74 | 92 | 88 | 91 | 84 | 86 | 80 | 57 | 35 | 92 |
| 1919 | Min | -25 | -23 | -16 | 11 | 28 | 40 | 40 | 40 | 29 | 16 | -4 | -28 | -28 |
| 1920 | Max | 35 | 34 | 69 | 62 | 85 | 91 | 85 | 85 | 89 | 77 | 50 | 47 | 91 |
| 1920 | Min | -26 | -23 | -21 | 2 | 22 | 38 | 41 | 35 | 34 | 16 | 5 | -23 | -26 |
| 1921 | Max | 43 | 50 | 61 | 81 | 88 | 93 | 96 | 87 | 88 | 68 | 47 | 38 | 96 |
| 1921 | Min | -12 | -10 | -7 | 18 | 24 | 30 | 46 | 37 | 34 | 26 | -10 | -21 | -21 |
| 1922 | Max | 36 | 39 | 55 | 72 | 89 | 91 | 85 | 93 | 89 | 84 | 58 | 37 | 93 |
| 1922 | Min | -37 | -24 | -15 | 17 | 39 | 37 | 44 | 37 | 29 | 17 | 17 | -24 | -37 |
| 1923 | Max | 38 | 41 | 59 | 76 | 86 | 89 | 92 | 84 | 83 | 76 | 60 | 45 | 92 |
| 1923 | Min | -15 | -31 | -17 | -3 | 25 | 39 | 45 | 35 | 27 | 15 | 7 | 2 | -31 |

RHINELANDER MONTHLY EXTREMES

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| 1924 | Max | 40 | 44 | 42 | 65 | 67 | 82 | | 86 | 87 | 79 | 77 | 65 | 35 | | 87 |
| 1924 | Min | -30 | -19 | -7 | -11 | 22 | 30 | | 37 | 36 | 27 | 21 | 5 | -34 | | -34 |
| 1925 | Max | 35 | 50 | 66 | 84 | 89 | 89 | | 92 | 89 | 88 | 64 | 59 | 37 | | 92 |
| 1925 | Min | -30 | -23 | -20 | 15 | 23 | 33 | | 39 | 41 | 28 | 2 | -4 | -14 | | -30 |
| 1926 | Max | 41 | 38 | 54 | 78 | 87 | 85 | | 92 | 87 | 80 | 73 | 49 | 35 | | 92 |
| 1926 | Min | -24 | -12 | -21 | 6 | 19 | 32 | | 39 | 44 | 23 | 12 | -3 | -27 | | -27 |
| 1927 | Max | 41 | 44 | 68 | 77 | 77 | 90 | | 88 | 83 | 90 | 78 | 54 | 37 | | 90 |
| 1927 | Min | -34 | -13 | -7 | 18 | 25 | 28 | | 38 | 36 | 30 | 22 | 4 | -26 | | -34 |
| 1928 | Max | 44 | 40 | 64 | 77 | 87 | 82 | | 89 | 92 | 77 | 81 | 54 | 45 | | 92 |
| 1928 | Min | -23 | -35 | -14 | -3 | 28 | 32 | | 32 | 37 | 26 | 10 | 8 | -14 | | -35 |
| 1929 | Max | 31 | 44 | 58 | 76 | 86 | 83 | | 93 | 88 | 92 | 79 | 53 | 46 | | 93 |
| 1929 | Min | -30 | -37 | -5 | 17 | 22 | 36 | | 37 | 41 | 29 | 19 | -13 | -11 | | -37 |
| 1930 | Max | 41 | 58 | 62 | 79 | 93 | MSG | | 92 | 92 | 81 | 81 | 70 | 50 | | 93 |
| 1930 | Min | -30 | -26 | -3 | 14 | 25 | MSG | | 31 | 37 | 28 | 14 | -7 | -8 | | -30 |
| 1931 | Max | 46 | 60 | 58 | 83 | 84 | 104 | | 96 | 92 | 93 | 77 | 69 | 45 | | 104 |
| 1931 | Min | -10 | -17 | 2 | 17 | 23 | 38 | | 43 | 36 | 33 | 24 | 11 | -11 | | -17 |
| 1932 | Max | 40 | 52 | 49 | 74 | 88 | 89 | | 96 | 89 | 83 | 78 | 57 | 47 | | 96 |
| 1932 | Min | -23 | -20 | -16 | 14 | 24 | 41 | | 43 | 41 | 29 | 20 | -9 | -25 | | -25 |
| 1933 | Max | 41 | 41 | 45 | 68 | 83 | 95 | | 96 | 88 | 90 | 70 | 74 | 41 | | 96 |
| 1933 | Min | -16 | -36 | -15 | 15 | 24 | 33 | | 45 | 39 | 30 | 9 | -6 | -31 | | -36 |
| 1934 | Max | 44 | 42 | 47 | 85 | 99 | 92 | | 99 | 96 | 79 | 81 | 59 | 46 | | 99 |
| 1934 | Min | -17 | -31 | -11 | 20 | 28 | 37 | | 44 | 33 | 33 | 21 | 16 | -17 | | -31 |
| 1935 | Max | 40 | 47 | 65 | 84 | 81 | 89 | | 95 | 92 | 87 | 75 | 68 | 35 | | 95 |
| 1935 | Min | -38 | -30 | 3 | 15 | 26 | 34 | | 50 | 37 | 31 | 25 | 8 | -17 | | -38 |
| 1936 | Max | 33 | 54 | 56 | 69 | 88 | 87 | | 108 | 93 | 86 | 75 | 65 | 48 | | 108 |
| 1936 | Min | -31 | -41 | -12 | 5 | 29 | 36 | | 47 | 40 | 34 | 11 | -7 | -23 | | -41 |
| 1937 | Max | 33 | 42 | 57 | 62 | 86 | 95 | | 100 | 94 | 90 | 71 | 60 | 44 | | 100 |
| 1937 | Min | -29 | -28 | -10 | 13 | 23 | 33 | | 47 | 37 | 32 | 21 | -1 | -19 | | -29 |
| 1938 | Max | 44 | 42 | 67 | 78 | 79 | 91 | | 86 | 89 | 78 | 81 | 68 | 33 | | 91 |
| 1938 | Min | -29 | -37 | -8 | 13 | 26 | 40 | | 46 | 43 | 33 | 26 | 0 | -24 | | -37 |
| 1939 | Max | 43 | 38 | 65 | 80 | 90 | 88 | | 92 | 88 | 90 | 80 | 67 | 61 | | 92 |
| 1939 | Min | -24 | -31 | -28 | 7 | 25 | 41 | | 40 | 44 | 26 | 21 | 12 | -8 | | -31 |

RHINELANDER MONTHLY EXTREMES

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| | | | | | | | | | | | | | | | | |
| 1940 | Max | 28 | 42 | 42 | 65 | 81 | 88 | | 93 | 86 | 85 | 75 | 53 | 43 | | 93 |
| 1940 | Min | -24 | -11 | -20 | 8 | 24 | 36 | | 42 | 36 | 31 | 28 | -2 | -20 | | -24 |
| | | | | | | | | | | | | | | | | |
| 1941 | Max | 33 | 45 | 53 | 77 | 81 | 89 | | 92 | 87 | 83 | 70 | 64 | 51 | | 92 |
| 1941 | Min | -20 | -16 | -16 | 20 | 26 | 35 | | 43 | 36 | 31 | 21 | 8 | -4 | | -20 |
| | | | | | | | | | | | | | | | | |
| 1942 | Max | 52 | 36 | 50 | 80 | 80 | 82 | | 90 | 90 | 83 | 76 | 57 | 30 | | 90 |
| 1942 | Min | -28 | -32 | -9 | 19 | 32 | 37 | | 44 | 36 | 24 | 16 | -1 | -14 | | -32 |
| | | | | | | | | | | | | | | | | |
| 1943 | Max | 33 | 47 | 66 | 71 | 78 | 87 | | 89 | 87 | 80 | 76 | 45 | 41 | | 89 |
| 1943 | Min | -23 | -29 | -27 | 10 | 27 | 39 | | 47 | 42 | 28 | 22 | 1 | -15 | | -29 |
| | | | | | | | | | | | | | | | | |
| 1944 | Max | 51 | 45 | 48 | 71 | 85 | 88 | | 85 | 91 | 81 | 69 | 72 | 35 | | 91 |
| 1944 | Min | -7 | -10 | -24 | 7 | 27 | 36 | | 47 | 39 | 31 | 20 | 18 | -17 | | -24 |
| | | | | | | | | | | | | | | | | |
| 1945 | Max | 31 | 40 | 72 | 75 | 76 | 84 | | 91 | 86 | 87 | 77 | 58 | 40 | | 91 |
| 1945 | Min | -24 | -23 | -24 | 20 | 26 | 30 | | 41 | 39 | 24 | 22 | 8 | -24 | | -24 |
| | | | | | | | | | | | | | | | | |
| 1946 | Max | 42 | 45 | 74 | 75 | 81 | 86 | | 86 | 87 | 80 | 76 | 55 | 54 | | 87 |
| 1946 | Min | -24 | -30 | 8 | 15 | 29 | 32 | | 39 | 39 | 29 | 20 | 4 | -26 | | -30 |
| | | | | | | | | | | | | | | | | |
| 1947 | Max | 44 | 44 | 49 | 75 | 76 | 85 | | 90 | 96 | 88 | 85 | 60 | 39 | | 96 |
| 1947 | Min | -34 | -21 | -8 | 13 | 20 | 34 | | 40 | 43 | 24 | 29 | -6 | -16 | | -34 |
| | | | | | | | | | | | | | | | | |
| 1948 | Max | 39 | 45 | 58 | 82 | 86 | 89 | | 90 | 93 | 86 | 73 | 65 | 50 | | 93 |
| 1948 | Min | -36 | -29 | -34 | 16 | 26 | 36 | | 37 | 44 | 33 | 17 | 12 | -16 | | -36 |
| | | | | | | | | | | | | | | | | |
| 1949 | Max | 42 | 42 | 51 | 80 | 86 | 89 | | 89 | 90 | 77 | 74 | 65 | 43 | | 90 |
| 1949 | Min | -18 | -20 | -3 | 16 | 27 | 32 | | 47 | 40 | 27 | 23 | 9 | -20 | | -20 |
| | | | | | | | | | | | | | | | | |
| 1950 | Max | 37 | 37 | 49 | 63 | 83 | 86 | | 89 | 85 | 78 | 79 | 51 | 32 | | 89 |
| 1950 | Min | -36 | -23 | -22 | -2 | 24 | 37 | | 44 | 36 | 30 | 28 | -11 | -18 | | -36 |
| | | | | | | | | | | | | | | | | |
| 1951 | Max | 44 | 44 | 51 | 78 | 81 | 80 | | 85 | 83 | 79 | 69 | 50 | 52 | | 85 |
| 1951 | Min | -34 | -40 | -7 | 19 | 27 | 36 | | 45 | 37 | 29 | 19 | -9 | -20 | | -40 |
| | | | | | | | | | | | | | | | | |
| 1952 | Max | 46 | 42 | 50 | 92 | 87 | 89 | | 87 | 85 | 87 | 66 | 59 | 46 | | 92 |
| 1952 | Min | -20 | -10 | -8 | 6 | 29 | 38 | | 39 | 37 | 29 | 15 | 2 | -2 | | -20 |
| | | | | | | | | | | | | | | | | |
| 1953 | Max | 35 | 40 | 56 | 66 | 86 | 89 | | 89 | 92 | 90 | 86 | 65 | 48 | | 92 |
| 1953 | Min | -19 | -19 | -13 | 17 | 26 | 37 | | 41 | 44 | 33 | 19 | 7 | -17 | | -19 |
| | | | | | | | | | | | | | | | | |
| 1954 | Max | 32 | 48 | 51 | 68 | 83 | 88 | | 89 | 84 | 79 | 70 | 60 | 38 | | 89 |
| 1954 | Min | -30 | -13 | -1 | -1 | 21 | 34 | | 45 | 40 | 31 | 20 | 19 | -5 | | -30 |
| | | | | | | | | | | | | | | | | |
| 1955 | Max | 36 | 41 | 61 | 77 | 86 | 87 | | 98 | 92 | 86 | 78 | 51 | 35 | | 98 |
| 1955 | Min | -21 | -19 | -14 | 22 | 30 | 41 | | 50 | 45 | 32 | 28 | -10 | -17 | | -21 |

RHINELANDER MONTHLY EXTREMES

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| | | | | | | | | | | | | | | | | |
| 1956 | Max | 36 | 38 | 47 | 62 | 79 | 95 | | 85 | 84 | 79 | 81 | 68 | 42 | | 95 |
| 1956 | Min | -20 | -19 | -15 | 19 | 26 | 34 | | 44 | 41 | 28 | 25 | -5 | -12 | | -20 |
| | | | | | | | | | | | | | | | | |
| 1957 | Max | 38 | 44 | 51 | 83 | 82 | 88 | | 94 | 91 | 85 | 70 | 55 | 45 | | 94 |
| 1957 | Min | -21 | -18 | -10 | 12 | 27 | 34 | | 47 | 41 | 28 | 25 | -1 | -7 | | -21 |
| | | | | | | | | | | | | | | | | |
| 1958 | Max | 35 | 56 | 53 | 78 | 82 | 86 | | 86 | 90 | 81 | 75 | 62 | 40 | | 90 |
| 1958 | Min | -8 | -22 | 5 | 16 | 27 | 35 | | 43 | 40 | 34 | 29 | -9 | -22 | | -22 |
| | | | | | | | | | | | | | | | | |
| 1959 | Max | 35 | 40 | 57 | 70 | 90 | 87 | | 88 | 91 | 88 | 74 | 49 | 43 | | 91 |
| 1959 | Min | -23 | -30 | -9 | 22 | 28 | 40 | | 44 | 50 | 29 | 23 | -6 | 5 | | -30 |
| | | | | | | | | | | | | | | | | |
| 1960 | Max | 36 | 40 | 55 | 80 | 80 | 83 | | 89 | 87 | 89 | 78 | 54 | 50 | | 89 |
| 1960 | Min | -17 | -14 | -19 | 16 | 29 | 40 | | 43 | 41 | 32 | 20 | 14 | -16 | | -19 |
| | | | | | | | | | | | | | | | | |
| 1961 | Max | 42 | 51 | 54 | 67 | 83 | 92 | | 90 | 88 | 86 | 80 | 61 | 52 | | 92 |
| 1961 | Min | -18 | -22 | -1 | 15 | 25 | 40 | | 42 | 47 | 27 | 22 | 7 | -17 | | -22 |
| | | | | | | | | | | | | | | | | |
| 1962 | Max | 38 | 39 | 60 | 85 | 87 | 87 | | 89 | 86 | 77 | 79 | 54 | 56 | | 89 |
| 1962 | Min | -28 | -30 | -36 | 15 | 33 | 34 | | 45 | 40 | 31 | 15 | 15 | -22 | | -36 |
| | | | | | | | | | | | | | | | | |
| 1963 | Max | 36 | 35 | 68 | 72 | 81 | 97 | | 96 | 86 | 79 | 84 | 58 | 38 | | 97 |
| 1963 | Min | -34 | -30 | -10 | 18 | 23 | 35 | | 43 | 37 | 30 | 31 | 14 | -17 | | -34 |
| | | | | | | | | | | | | | | | | |
| 1964 | Max | 44 | 47 | 48 | 81 | 89 | 91 | | 94 | 97 | 79 | 73 | 69 | 35 | | 97 |
| 1964 | MIN | -15 | -29 | -5 | 11 | 32 | 34 | | 49 | 38 | 28 | 19 | -5 | -18 | | -29 |
| | | | | | | | | | | | | | | | | |
| 1965 | Max | 40 | 42 | 45 | 76 | 83 | 89 | | 90 | 90 | 82 | 78 | 64 | 46 | | 90 |
| 1965 | Min | -27 | -26 | -20 | 12 | 30 | 37 | | 43 | 36 | 28 | 24 | 9 | -5 | | -27 |
| | | | | | | | | | | | | | | | | |
| 1966 | Max | 35 | 45 | 69 | 62 | 85 | 95 | | 93 | 87 | 86 | 78 | 52 | 40 | | 95 |
| 1966 | Min | -30 | -20 | -1 | 17 | 20 | 36 | | 45 | 41 | 31 | 20 | 9 | -15 | | -30 |
| | | | | | | | | | | | | | | | | |
| 1967 | Max | 44 | 39 | 68 | 69 | 87 | 84 | | 87 | 84 | 80 | 83 | 57 | 49 | | 87 |
| 1967 | Min | -30 | -33 | -14 | 15 | 21 | 42 | | 37 | 37 | 28 | 24 | -1 | -27 | | -33 |
| | | | | | | | | | | | | | | | | |
| 1968 | Max | 39 | 42 | 67 | 77 | 84 | 90 | | 89 | 93 | 79 | 81 | 53 | 45 | | 93 |
| 1968 | Min | -28 | -19 | 3 | 15 | 24 | 39 | | 39 | 36 | 37 | 24 | 14 | -19 | | -28 |
| | | | | | | | | | | | | | | | | |
| 1969 | Max | 39 | 41 | 55 | 71 | 90 | 80 | | 90 | 90 | 84 | 73 | 60 | 42 | | 90 |
| 1969 | Min | -20 | -15 | -11 | 17 | 30 | 36 | | 41 | 42 | 34 | 12 | -2 | -19 | | -20 |
| | | | | | | | | | | | | | | | | |
| 1970 | Max | 34 | 43 | 51 | 86 | 85 | 93 | | 93 | 89 | 85 | 72 | 55 | 48 | | 93 |
| 1970 | Min | -26 | -29 | -5 | 16 | 23 | 39 | | 43 | 40 | 33 | 25 | -2 | -15 | | -29 |
| | | | | | | | | | | | | | | | | |
| 1971 | Max | 31 | 44 | 48 | 75 | 79 | 93 | | 83 | 85 | 85 | 77 | 55 | 36 | | 93 |
| 1971 | Min | -25 | -34 | -16 | 5 | 26 | 36 | | 44 | 41 | 32 | 28 | 3 | -9 | | -34 |

RHINELANDER MONTHLY EXTREMES

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| 1972 | Max | 38 | 37 | 53 | 67 | 88 | 86 | | 88 | 88 | 78 | 68 | 49 | 34 | | 88 |
| 1972 | Min | -39 | -27 | -23 | 2 | 30 | 31 | | 37 | 39 | 28 | 13 | 4 | -24 | | -39 |
| 1973 | Max | 51 | 41 | 59 | 71 | 75 | 82 | | 93 | 92 | 85 | 73 | 50 | 44 | | 93 |
| 1973 | Min | -26 | -15 | 16 | 17 | 28 | 45 | | 47 | 46 | 29 | 28 | 9 | -27 | | -27 |
| 1974 | Max | 41 | 45 | 56 | 77 | 85 | 82 | | 96 | 83 | 75 | 72 | 61 | 42 | | 96 |
| 1974 | Min | -30 | -19 | -15 | 10 | 24 | 38 | | 47 | 40 | 25 | 24 | 9 | -4 | | -30 |
| 1975 | Max | 41 | 41 | 53 | 64 | 90 | 88 | | 94 | 92 | 77 | 79 | 73 | 47 | | 94 |
| 1975 | Min | -25 | -28 | -11 | 5 | 31 | 38 | | 40 | 41 | 30 | 23 | 0 | -17 | | -28 |
| 1976 | Max | 31 | 59 | 63 | 81 | 81 | 89 | | 92 | 92 | 95 | 92 | 54 | 42 | | 95 |
| 1976 | Min | -24 | -23 | -9 | 18 | 24 | 43 | | 43 | 37 | 24 | 11 | -16 | -27 | | -27 |
| 1977 | Max | 32 | 52 | 62 | 82 | 90 | 87 | | 98 | 87 | 75 | 67 | 60 | 38 | | 98 |
| 1977 | Min | -37 | -22 | -1 | 5 | 26 | 33 | | 47 | 36 | 37 | 27 | -7 | -25 | | -37 |
| 1978 | Max | 32 | 35 | 54 | 73 | 88 | 87 | | 86 | 88 | 89 | 72 | 70 | 37 | | 89 |
| 1978 | Min | -19 | -25 | -19 | 12 | 24 | 33 | | 42 | 44 | 33 | 25 | -12 | -19 | | -25 |
| 1979 | Max | 29 | 46 | 51 | 71 | 82 | 82 | | 89 | 85 | 82 | 69 | 58 | 45 | | 89 |
| 1979 | Min | -33 | -33 | -9 | 5 | 27 | 37 | | 41 | 37 | 32 | 20 | 1 | -10 | | -33 |
| 1980 | Max | 46 | 36 | 54 | 89 | 86 | 87 | | 93 | 86 | 82 | 76 | 57 | 37 | | 93 |
| 1980 | Min | -23 | -20 | -17 | 21 | 30 | 33 | | 45 | 46 | 30 | 16 | 10 | -22 | | -23 |
| 1981 | Max | 53 | 55 | 63 | 70 | 79 | 83 | | 89 | 88 | 81 | 65 | 68 | 37 | | 89 |
| 1981 | Min | -29 | -23 | 0 | 18 | 25 | 43 | | 41 | 39 | 31 | 15 | 10 | -15 | | -29 |
| 1982 | Max | 29 | 48 | 52 | 72 | 82 | 82 | | 90 | 86 | 82 | 74 | 59 | 60 | | 90 |
| 1982 | Min | -40 | -26 | -15 | -4 | 31 | 32 | | 48 | 38 | 31 | 21 | 3 | -7 | | -40 |
| 1983 | Max | 38 | 45 | 51 | 75 | 74 | 87 | | 98 | 90 | 90 | 76 | 57 | 32 | | 98 |
| 1983 | Min | -21 | -21 | -1 | 12 | 22 | 37 | | 41 | 47 | 32 | 25 | 7 | -34 | | -34 |
| 1984 | Max | 37 | 55 | 49 | 74 | 77 | 80 | | 89 | 92 | 83 | 69 | 55 | 48 | | 92 |
| 1984 | Min | -32 | -6 | -21 | 22 | 25 | 46 | | 47 | 42 | 27 | 18 | 5 | -15 | | -32 |
| 1985 | Max | 35 | 48 | 60 | 82 | 80 | 87 | | 89 | 86 | 88 | 68 | 50 | 29 | | 89 |
| 1985 | Min | -29 | -32 | -14 | 12 | 31 | 34 | | 44 | 45 | 29 | 26 | -11 | -24 | | -32 |
| 1986 | Max | 45 | 35 | 75 | 83 | 89 | 89 | | 94 | 86 | 82 | 73 | 53 | 39 | | 94 |
| 1986 | Min | -21 | -21 | -15 | 19 | 27 | 32 | | 39 | 36 | 31 | 26 | -6 | -16 | | -21 |
| 1987 | Max | 49 | 46 | 65 | 89 | 87 | 93 | | 91 | 90 | 86 | 71 | 57 | 42 | | 93 |
| 1987 | Min | -23 | -6 | -1 | 4 | 29 | 38 | | 47 | 40 | 32 | 19 | 7 | -13 | | -23 |

RHINELANDER MONTHLY EXTREMES

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| 1988 | Max | 40 | 45 | 51 | 72 | 88 | 92 | | 95 | 97 | 82 | 74 | 59 | 49 | | 97 |
| 1988 | Min | -29 | -28 | -8 | 22 | 28 | 36 | | 38 | 44 | 35 | 11 | 16 | -13 | | -29 |
| 1989 | Max | 46 | 35 | 69 | 74 | M | 85 | | 92 | 91 | 79 | 78 | 45 | 34 | | 92 |
| 1989 | Min | -18 | -25 | -20 | 11 | M | 35 | | 48 | 44 | 28 | 20 | -6 | -26 | | -26 |
| 1990 | Max | 45 | 43 | 63 | 84 | 81 | 87 | | 89 | 84 | 84 | 76 | 70 | 51 | | 89 |
| 1990 | Min | -9 | -22 | -13 | 14 | 24 | 30 | | 42 | 44 | 35 | 25 | 14 | -25 | | -25 |
| 1991 | Max | 37 | 55 | 63 | 80 | 87 | 90 | | 87 | 90 | 80 | 72 | 52 | 41 | | 90 |
| 1991 | Min | -25 | -17 | 0 | 19 | 30 | 42 | | 42 | 44 | 27 | 19 | -4 | -16 | | -25 |
| 1992 | Max | 39 | 46 | 52 | 70 | 85 | 90 | | 81 | 89 | 78 | 85 | 51 | 35 | | 90 |
| 1992 | Min | -21 | -23 | -13 | 12 | 26 | 35 | | 39 | 39 | 29 | 16 | 7 | -14 | | -23 |
| 1993 | Max | 42 | 46 | 67 | 69 | 83 | 85 | | 83 | 89 | 76 | 73 | 50 | 48 | | 89 |
| 1993 | Min | -18 | -19 | -13 | 14 | 30 | 33 | | 46 | 43 | 26 | 19 | -4 | -21 | | -21 |
| 1994 | Max | 28 | 54 | 62 | 78 | 89 | 88 | | 87 | 88 | 84 | 71 | 54 | 50 | | 89 |
| 1994 | Min | -33 | -29 | 0 | 10 | 26 | 34 | | 46 | 42 | 35 | 27 | 7 | -3 | | -33 |
| 1995 | Max | 40 | 45 | 67 | 59 | 82 | 98 | | 100 | 88 | 84 | 81 | 37 | 38 | | 100 |
| 1995 | Min | -15 | -18 | -18 | 1 | 30 | 30 | | 46 | 50 | 27 | 25 | -12 | -17 | | -18 |
| 1996 | Max | 46 | 48 | 56 | 70 | 83 | 91 | | 84 | 87 | 83 | 75 | 51 | 34 | | 91 |
| 1996 | Min | -33 | -42 | -20 | 4 | 27 | 42 | | 42 | 43 | 25 | 13 | -3 | -21 | | -42 |
| 1997 | Max | 38 | 53 | 63 | 69 | 82 | 87 | | 88 | 88 | 80 | 80 | 53 | 47 | | 88 |
| 1997 | Min | -31 | -21 | -18 | 6 | 28 | 41 | | 43 | 43 | 37 | 22 | -5 | -1 | | -31 |
| 1998 | Max | 42 | 47 | 65 | 77 | 87 | 86 | | 90 | 90 | 93 | 73 | 62 | 62 | | 93 |
| 1998 | Min | -17 | 0 | -8 | 25 | 34 | 33 | | 48 | 46 | 33 | 26 | 15 | -18 | | -18 |
| 1999 | Max | 44 | 48 | 69 | 79 | 86 | 90 | | 98 | 92 | 88 | 73 | 71 | 51 | | 98 |
| 1999 | Min | -23 | -8 | -9 | 25 | 31 | 39 | | 50 | 42 | 31 | 24 | 12 | -17 | | -23 |
| 2000 | Max | 41 | 59 | 74 | 76 | 86 | 91 | | 85 | 90 | 83 | 74 | 64 | 29 | | 91 |
| 2000 | Min | -20 | -24 | 5 | 18 | 28 | 37 | | 36 | 37 | 23 | 23 | 4 | -24 | | -24 |
| 2001 | Max | 39 | 37 | 47 | 81 | 82 | 88 | | 91 | 93 | 80 | 73 | 65 | 57 | | 93 |
| 2001 | Min | -12 | -22 | 4 | 19 | 26 | 39 | | 37 | 37 | 30 | 19 | 20 | -2 | | -22 |
| 2002 | Max | 48 | 43 | 46 | 84 | 84 | 90 | | 92 | 86 | 88 | 76 | 52 | 46 | | 92 |
| 2002 | Min | -9 | -9 | -19 | -1 | 22 | 38 | | 45 | 41 | 32 | 14 | 5 | -13 | | -19 |
| 2003 | Max | 48 | 43 | 64 | 83 | 76 | 85 | | 87 | 91 | 87 | 77 | 52 | 44 | | 91 |
| 2003 | Min | -24 | -25 | -20 | -4 | 23 | 27 | | 41 | 38 | 25 | 19 | 0 | -13 | | -25 |

RHINELANDER MONTHLY EXTREMES

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| 2004 | Max | 33 | 54 | 52 | 77 | 82 | 87 | | 86 | 86 | 85 | 77 | 61 | 45 | | 87 |
| 2004 | Min | -20 | -19 | -8 | 17 | 19 | 35 | | 42 | 34 | 26 | 24 | 9 | -29 | | -29 |
| 2005 | Max | 34 | 50 | 62 | 79 | 77 | 92 | | 95 | 93 | 91 | 79 | 58 | 37 | | 95 |
| 2005 | Min | -22 | -10 | -10 | 23 | 24 | 42 | | 42 | 40 | 33 | 24 | -4 | -10 | | -22 |
| 2006 | Max | 46 | 35 | 55 | 75 | 89 | 91 | | 100 | 83 | 81 | 81 | 57 | 41 | | 100 |
| 2006 | Min | 0 | -28 | -7 | 17 | 26 | 34 | | 43 | 41 | 30 | 18 | 7 | -6 | | -28 |
| 2007 | Max | 40 | 46 | 73 | 84 | 87 | 90 | | 93 | 89 | 88 | 83 | 53 | 35 | | 93 |
| 2007 | Min | -13 | -27 | -16 | 12 | 28 | 42 | | 42 | 39 | 24 | 22 | -4 | -16 | | -27 |
| 2008 | Max | 41 | 40 | 45 | 75 | 73 | 85 | | 86 | 88 | 85 | 76 | 70 | 44 | | 88 |
| 2008 | Min | -26 | -19 | -16 | 11 | 26 | 37 | | 45 | 34 | 34 | 20 | -4 | -17 | | -26 |
| 2009 | Max | 35 | 44 | 60 | 80 | 87 | 95 | | 86 | 87 | 83 | 64 | 65 | 40 | | 95 |
| 2009 | Min | -26 | -22 | -23 | 18 | 29 | 31 | | 40 | 33 | 23 | 20 | 17 | -14 | | -26 |
| 2010 | Max | 39 | 37 | 72 | 77 | 90 | 86 | | 86 | 89 | 75 | 82 | 63 | 43 | | 90 |
| 2010 | Min | -17 | -10 | 5 | 18 | 22 | 35 | | 47 | 40 | 31 | 20 | 5 | -20 | | -20 |
| 2011 | Max | 36 | 52 | 50 | 72 | 79 | 93 | | 93 | 84 | 84 | 81 | 57 | 41 | | 93 |
| 2011 | Min | -23 | -21 | -7 | 20 | 22 | 33 | | 48 | 43 | 27 | 22 | 11 | -5 | | -23 |
| 2012 | Max | 44 | 44 | 78 | 72 | 86 | 87 | | 93 | 92 | 85 | 71 | 60 | 55 | | 93 |
| 2012 | Min | -24 | -4 | 1 | 19 | 29 | 31 | | 46 | 39 | 26 | 16 | 2 | -5 | | -24 |
| 2013 | Max | 44 | 35 | 48 | 81 | 82 | 83 | | 90 | 92 | 84 | 75 | 52 | 36 | | 92 |
| 2013 | Min | -19 | -17 | -10 | 6 | 19 | 32 | | 40 | 34 | 29 | 20 | -4 | -25 | | -25 |
| 2014 | Max | 34 | 39 | 54 | 69 | 84 | 85 | | 84 | 84 | 79 | 63 | 49 | 43 | | 85 |
| 2014 | Min | -30 | -25 | -28 | -2 | 24 | 37 | | 39 | 37 | 29 | 18 | -11 | -21 | | -30 |
| 2015 | Max | 36 | 26 | 58 | 74 | 82 | 81 | | 88 | 89 | 87 | 79 | 70 | 49 | | 89 |
| 2015 | Min | -24 | -24 | -20 | 17 | 24 | 35 | | 37 | 39 | 29 | 20 | 5 | 7 | | -24 |
| 2016 | Max | 41 | 52 | 68 | 79 | 89 | 88 | | 91 | 88 | 79 | 70 | 70 | 40 | | 91 |
| | Min | -20 | -20 | 2 | 11 | 25 | 32 | | 44 | 45 | 38 | 26 | 10 | -14 | | -20 |
| 2017 | Max | 43 | 58 | 60 | 75 | 77 | 88 | | 88 | 85 | 87 | 75 | 56 | 56 | | 88 |
| | Min | -20 | -10 | -5 | 24 | 22 | 35 | | 44 | 37 | 30 | 23 | 0 | -23 | | -23 |
| 2018 | Max | 43 | 48 | 49 | 77 | 94 | 96 | | 92 | 90 | 90 | 72 | 46 | 46 | | 96 |
| | Min | -24 | -18 | 0 | -4 | 27 | 40 | | 47 | 43 | 27 | 21 | -3 | -3 | | -24 |
| 2019 | Max | 45 | 42 | 53 | 68 | 91 | 88 | | 89 | 85 | 80 | 72 | 47 | 41 | | 91 |
| | Min | -30 | -25 | -25 | 13 | 27 | 37 | | 40 | 39 | 40 | 14 | -3 | -20 | | -30 |

RHINELANDER MONTHLY EXTREMES

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| 2020 | Max | 34 | 45 | 50 | 64 | 82 | 90 | | 92 | 86 | 81 | 73 | 73 | 48 | | 92 |
| 2020 | Min | -18 | -25 | -1 | 1 | 21 | 35 | | 47 | 40 | 27 | 9 | 15 | -11 | | -25 |
| 2021 | Max | 34 | 46 | 62 | 78 | 81 | 94 | | 91 | 86 | 83 | 82 | 64 | 54 | | 94 |
| 2021 | Min | -7 | -33 | -1 | 8 | 22 | 40 | | 44 | 44 | 34 | 22 | 3 | -16 | | -33 |
| 2022 | Max | 34 | 41 | 55 | 65 | 91 | 93 | | 89 | 87 | 85 | 75 | 72 | 41 | | 93 |
| 2022 | Min | -27 | -22 | -9 | 14 | 25 | 33 | | 44 | 47 | 23 | 22 | -2 | -17 | | -27 |
| 2023 | Max | 35 | 46 | 43 | 81 | 88 | 89 | | 90 | 88 | 94 | 85 | 64 | 50 | | 94 |
| 2023 | Min | -24 | -18 | -10 | 7 | 31 | 34 | | 42 | 37 | 33 | 13 | 2 | 12 | | -24 |
| 2024 | Max | 45 | 65 | 65 | 68 | 83 | 86 | | 88 | 93 | 85 | | | | | |
| 2024 | Min | -13 | -7 | 5 | 20 | 33 | 38 | | 42 | 39 | 34 | | | | | |
| 2025 | Max | | | | | | | | | | | | | | | |
| 2025 | Min | | | | | | | | | | | | | | | |
| 2026 | Max | | | | | | | | | | | | | | | |
| 2026 | Min | | | | | | | | | | | | | | | |
| 2027 | Max | | | | | | | | | | | | | | | |
| 2027 | Min | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

RHINELANDER MONTHLY HEATING DEGREE DAYS

| Normal | 48 | 77 | 270 | 643 | 1,022 | 1,429 | | 1,607 | 1,364 | 1,150 | 731 | 370 | 120 | 8,831 | | 8,831 |
|---------|-----|-----|-----|-----|-------|-------|--|-------|-------|-------|-----|-----|-----|--------|------|--------|
| Season | Jul | Aug | Sep | Oct | Nov | Dec | | Jan | Feb | Mar | Apr | May | Jun | Season | Year | Year |
| 1907-08 | M | M | M | M | M | M | | 1,469 | 1,353 | 1,195 | 643 | 342 | 130 | MSG | 1908 | 8,327 |
| 1908-09 | 44 | 71 | 136 | 502 | 963 | 1,479 | | 1,534 | 1,321 | 1,232 | 925 | 409 | 88 | 8,707 | 1909 | 8,821 |
| 1909-10 | 28 | 38 | 238 | 675 | 832 | 1,501 | | 1,584 | 1,496 | 769 | 519 | 480 | 126 | 8,286 | 1910 | 8,497 |
| 1910-11 | 16 | 58 | 262 | 501 | 1,172 | 1,514 | | 1,623 | 1,243 | 1,068 | 684 | 228 | 30 | 8,399 | 1911 | 8,383 |
| 1911-12 | 58 | 83 | 255 | 661 | 1,213 | 1,237 | | 2,184 | 1,550 | 1,393 | 681 | 312 | 141 | 9,768 | 1912 | 9,502 |
| 1912-13 | 51 | 125 | 260 | 518 | 949 | 1,338 | | 1,570 | 1,583 | 1,337 | 633 | 409 | 99 | 8,872 | 1913 | 8,630 |
| 1913-14 | 64 | 49 | 293 | 624 | 838 | 1,131 | | 1,396 | 1,633 | 1,249 | 786 | 282 | 139 | 8,484 | 1914 | 8,832 |
| 1914-15 | 12 | 81 | 228 | 401 | 993 | 1,632 | | 1,626 | 1,128 | 1,233 | 421 | 469 | 213 | 8,437 | 1915 | 8,520 |
| 1915-16 | 86 | 175 | 244 | 552 | 969 | 1,404 | | 1,636 | 1,565 | 1,332 | 787 | 429 | 195 | 9,374 | 1916 | 9,766 |
| 1916-17 | 0 | 76 | 321 | 651 | 1,096 | 1,678 | | 1,865 | 1,786 | 1,313 | 834 | 516 | 227 | 10,363 | 1917 | 10,684 |
| 1917-18 | 75 | 158 | 273 | 917 | 955 | 1,765 | | 1,990 | 1,536 | 1,037 | 797 | 353 | 160 | 10,016 | 1918 | 9,290 |
| 1918-19 | 69 | 49 | 456 | 629 | 950 | 1,264 | | 1,325 | 1,403 | 1,214 | 742 | 414 | 30 | 8,545 | 1919 | 9,290 |
| 1919-20 | 28 | 105 | 264 | 740 | 1,169 | 1,856 | | 1,964 | 1,542 | 1,213 | 930 | 369 | 127 | 10,307 | 1920 | 9,424 |
| 1920-21 | 86 | 95 | 217 | 380 | 1,113 | 1,388 | | 1,470 | 1,295 | 1,181 | 557 | 314 | 79 | 8,175 | 1921 | 8,451 |
| 1921-22 | 3 | 56 | 165 | 588 | 1,228 | 1,515 | | 1,774 | 1,568 | 1,210 | 738 | 170 | 92 | 9,107 | 1922 | 9,107 |
| 1922-23 | 45 | 91 | 221 | 622 | 917 | 1,659 | | 1,631 | 1,731 | 1,578 | 876 | 365 | 72 | 9,808 | 1923 | 9,538 |
| 1923-24 | 9 | 141 | 227 | 707 | 963 | 1,238 | | 1,973 | 1,459 | 1,285 | 834 | 627 | 207 | 9,670 | 1924 | 10,324 |
| 1924-25 | 83 | 135 | 376 | 425 | 1,062 | 1,858 | | 1,677 | 1,377 | 1,179 | 564 | 515 | 123 | 9,374 | 1925 | 9,429 |
| 1925-26 | 61 | 44 | 229 | 937 | 1,144 | 1,579 | | 1,690 | 1,394 | 1,433 | 884 | 341 | 209 | 9,945 | 1926 | 10,056 |
| 1926-27 | 49 | 73 | 376 | 733 | 1,226 | 1,648 | | 1,811 | 1,323 | 1,037 | 750 | 501 | 203 | 9,730 | 1927 | 9,609 |
| 1927-28 | 72 | 163 | 265 | 580 | 1,125 | 1,779 | | 1,635 | 1,493 | 1,282 | 939 | 331 | 232 | 9,896 | 1928 | 9,357 |
| 1928-29 | 29 | 81 | 373 | 612 | 979 | 1,371 | | 2,095 | 1,642 | 1,124 | 680 | 492 | 161 | 9,639 | 1929 | 9,929 |
| 1929-30 | 27 | 59 | 289 | 675 | 1,184 | 1,501 | | 1,889 | 1,252 | 1,213 | 634 | 246 | M | MSG | 1930 | 8,550 |
| 1930-31 | 41 | 62 | 321 | 664 | 859 | 1,369 | | 1,384 | 1,148 | 1,152 | 585 | 436 | 87 | 8,108 | 1931 | 7,613 |
| 1931-32 | 33 | 109 | 168 | 461 | 839 | 1,211 | | 1,418 | 1,457 | 1,444 | 780 | 370 | 43 | 8,333 | 1932 | 9,406 |
| 1932-33 | 31 | 54 | 280 | 738 | 1,188 | 1,603 | | 1,464 | 1,661 | 1,282 | 799 | 313 | 38 | 9,451 | 1933 | 9,357 |
| 1933-34 | 6 | 62 | 155 | 713 | 1,166 | 1,698 | | 1,345 | 1,581 | 1,332 | 784 | 215 | 74 | 9,131 | 1934 | 8,724 |
| 1934-35 | 23 | 150 | 285 | 512 | 906 | 1,517 | | 1,758 | 1,310 | 1,048 | 705 | 435 | 187 | 8,836 | 1935 | 8,960 |
| 1935-36 | 4 | 74 | 290 | 562 | 1,092 | 1,495 | | 1,787 | 1,913 | 1,186 | 932 | 248 | 152 | 9,735 | 1936 | 9,774 |
| 1936-37 | 6 | 66 | 175 | 745 | 1,157 | 1,407 | | 1,813 | 1,453 | 1,358 | 817 | 339 | 116 | 9,452 | 1937 | 9,639 |
| 1937-38 | 20 | 25 | 285 | 743 | 1,084 | 1,586 | | 1,734 | 1,297 | 1,036 | 690 | 364 | 145 | 9,009 | 1938 | 8,595 |
| 1938-39 | 17 | 43 | 282 | 481 | 1,020 | 1,486 | | 1,508 | 1,578 | 1,291 | 868 | 279 | 125 | 8,978 | 1939 | 8,695 |
| 1939-40 | 26 | 50 | 266 | 595 | 927 | 1,182 | | 1,756 | 1,283 | 1,436 | 851 | 464 | 135 | 8,971 | 1940 | 9,369 |
| 1940-41 | 46 | 119 | 217 | 541 | 1,117 | 1,404 | | 1,558 | 1,400 | 1,330 | 524 | 263 | 106 | 8,625 | 1941 | 8,336 |
| 1941-42 | 63 | 96 | 216 | 594 | 946 | 1,240 | | 1,538 | 1,416 | 1,105 | 540 | 428 | 136 | 8,318 | 1942 | 8,831 |
| 1942-43 | 69 | 80 | 344 | 552 | 1,049 | 1,574 | | 1,759 | 1,401 | 1,445 | 840 | 395 | 106 | 9,614 | 1943 | 9,471 |
| 1943-44 | 10 | 53 | 374 | 572 | 1,133 | 1,383 | | 1,268 | 1,341 | 1,309 | 797 | 246 | 101 | 8,587 | 1944 | 8,304 |
| 1944-45 | 27 | 68 | 235 | 567 | 839 | 1,506 | | 1,734 | 1,374 | 867 | 673 | 485 | 201 | 8,576 | 1945 | 8,995 |

RHINELANDER MONTHLY HEATING DEGREE DAYS

| Normal | 48 | 77 | 270 | 643 | 1,022 | 1,429 | | 1,607 | 1,364 | 1,150 | 731 | 370 | 120 | 8,831 | | 8,831 |
|---------|-----|-----|-----|-----|-------|-------|--|-------|-------|-------|-------|-----|-----|--------|------|--------|
| Season | Jul | Aug | Sep | Oct | Nov | Dec | | Jan | Feb | Mar | Apr | May | Jun | Season | Year | Year |
| | | | | | | | | | | | | | | | | |
| 1945-46 | 77 | 44 | 299 | 623 | 1,040 | 1,578 | | 1,543 | 1,425 | 818 | 609 | 403 | 152 | 8,611 | 1946 | 8,238 |
| 1946-47 | 33 | 106 | 251 | 485 | 982 | 1,431 | | 1,485 | 1,440 | 1,300 | 802 | 485 | 162 | 8,962 | 1947 | 8,833 |
| 1947-48 | 50 | 29 | 248 | 269 | 1,128 | 1,435 | | 1,811 | 1,500 | 1,265 | 549 | 371 | 107 | 8,762 | 1948 | 8,820 |
| 1948-49 | 40 | 43 | 160 | 577 | 953 | 1,444 | | 1,506 | 1,424 | 1,220 | 641 | 320 | 52 | 8,380 | 1949 | 8,478 |
| 1949-50 | 17 | 48 | 306 | 479 | 1,015 | 1,450 | | 1,756 | 1,440 | 1,420 | 1,028 | 426 | 132 | 9,517 | 1950 | 9,980 |
| | | | | | | | | | | | | | | | | |
| 1950-51 | 80 | 157 | 246 | 467 | 1,177 | 1,651 | | 1,737 | 1,441 | 1,331 | 750 | 255 | 167 | 9,459 | 1951 | 9,681 |
| 1951-52 | 56 | 150 | 345 | 665 | 1,221 | 1,563 | | 1,607 | 1,260 | 1,249 | 613 | 383 | 78 | 9,190 | 1952 | 8,610 |
| 1952-53 | 37 | 89 | 267 | 778 | 960 | 1,289 | | 1,480 | 1,374 | 1,134 | 805 | 319 | 76 | 8,608 | 1953 | 8,261 |
| 1953-54 | 61 | 49 | 284 | 439 | 868 | 1,372 | | 1,684 | 1,141 | 1,313 | 707 | 556 | 102 | 8,576 | 1954 | 8,879 |
| 1954-55 | 37 | 90 | 319 | 625 | 914 | 1,391 | | 1,663 | 1,399 | 1,288 | 460 | 203 | 79 | 8,468 | 1955 | 8,594 |
| | | | | | | | | | | | | | | | | |
| 1955-56 | 1 | 26 | 222 | 506 | 1,160 | 1,587 | | 1,536 | 1,443 | 1,276 | 760 | 337 | 62 | 8,916 | 1956 | 8,537 |
| 1956-57 | 56 | 51 | 301 | 362 | 992 | 1,361 | | 1,796 | 1,326 | 1,177 | 633 | 321 | 87 | 8,463 | 1957 | 8,662 |
| 1957-58 | 9 | 55 | 282 | 569 | 1,023 | 1,384 | | 1,424 | 1,448 | 1,144 | 612 | 320 | 183 | 8,453 | 1958 | 8,540 |
| 1958-59 | 31 | 68 | 187 | 493 | 947 | 1,683 | | 1,819 | 1,461 | 1,177 | 665 | 217 | 70 | 8,818 | 1959 | 8,794 |
| 1959-60 | 38 | 11 | 195 | 685 | 1,256 | 1,200 | | 1,526 | 1,374 | 1,421 | 647 | 342 | 101 | 8,796 | 1960 | 8,689 |
| | | | | | | | | | | | | | | | | |
| 1960-61 | 43 | 22 | 241 | 552 | 912 | 1,508 | | 1,627 | 1,186 | 1,052 | 760 | 409 | 73 | 8,385 | 1961 | 8,369 |
| 1961-62 | 18 | 16 | 239 | 484 | 1,013 | 1,492 | | 1,730 | 1,478 | 1,127 | 718 | 237 | 95 | 8,647 | 1962 | 8,701 |
| 1962-63 | 27 | 46 | 306 | 496 | 948 | 1,493 | | 1,911 | 1,591 | 1,099 | 596 | 371 | 92 | 8,976 | 1963 | 8,661 |
| 1963-64 | 21 | 77 | 176 | 260 | 821 | 1,646 | | 1,406 | 1,351 | 1,229 | 632 | 188 | 110 | 7,917 | 1964 | 8,377 |
| 1964-65 | 15 | 125 | 259 | 600 | 882 | 1,580 | | 1,691 | 1,484 | 1,393 | 766 | 200 | 88 | 9,083 | 1965 | 8,896 |
| | | | | | | | | | | | | | | | | |
| 1965-66 | 42 | 83 | 367 | 533 | 1,001 | 1,248 | | 1,818 | 1,332 | 1,051 | 782 | 454 | 71 | 8,782 | 1966 | 8,903 |
| 1966-67 | 8 | 105 | 243 | 584 | 1,021 | 1,434 | | 1,485 | 1,543 | 1,148 | 663 | 483 | 41 | 8,758 | 1967 | 8,872 |
| 1967-68 | 63 | 102 | 234 | 592 | 1,105 | 1,413 | | 1,620 | 1,507 | 914 | 561 | 370 | 136 | 8,617 | 1968 | 8,352 |
| 1968-69 | 48 | 87 | 191 | 485 | 976 | 1,457 | | 1,594 | 1,318 | 1,293 | 585 | 289 | 246 | 8,569 | 1969 | 8,829 |
| 1969-70 | 40 | 9 | 228 | 702 | 1,063 | 1,462 | | 1,862 | 1,511 | 1,307 | 700 | 406 | 91 | 9,381 | 1970 | 9,354 |
| | | | | | | | | | | | | | | | | |
| 1970-71 | 39 | 49 | 272 | 550 | 1,053 | 1,514 | | 1,888 | 1,444 | 1,307 | 745 | 472 | 79 | 9,412 | 1971 | 9,244 |
| 1971-72 | 79 | 106 | 255 | 408 | 999 | 1,462 | | 1,928 | 1,623 | 1,311 | 851 | 246 | 137 | 9,405 | 1972 | 10,016 |
| 1972-73 | 77 | 77 | 311 | 741 | 1,073 | 1,641 | | 1,559 | 1,360 | 911 | 762 | 502 | 60 | 9,074 | 1973 | 8,567 |
| 1973-74 | 20 | 52 | 324 | 454 | 1,028 | 1,535 | | 1,686 | 1,538 | 1,239 | 733 | 500 | 195 | 9,304 | 1974 | 9,457 |
| 1974-75 | 25 | 86 | 474 | 678 | 969 | 1,334 | | 1,611 | 1,384 | 1,370 | 891 | 278 | 133 | 9,233 | 1975 | 9,000 |
| | | | | | | | | | | | | | | | | |
| 1975-76 | 45 | 63 | 373 | 494 | 854 | 1,504 | | 1,741 | 1,229 | 1,241 | 616 | 397 | 50 | 8,607 | 1976 | 9,500 |
| 1976-77 | 10 | 84 | 314 | 764 | 1,247 | 1,807 | | 1,961 | 1,320 | 970 | 561 | 135 | 126 | 9,299 | 1977 | 8,723 |
| 1977-78 | 25 | 159 | 264 | 623 | 1,027 | 1,552 | | 1,712 | 1,549 | 1,269 | 809 | 304 | 149 | 9,442 | 1978 | 9,468 |
| 1978-79 | 76 | 52 | 239 | 619 | 1,070 | 1,620 | | 1,916 | 1,569 | 1,168 | 828 | 477 | 142 | 9,776 | 1979 | 9,557 |
| 1979-80 | 31 | 92 | 223 | 707 | 1,078 | 1,326 | | 1,652 | 1,525 | 1,277 | 640 | 265 | 150 | 8,966 | 1980 | 9,287 |

RHINELANDER MONTHLY HEATING DEGREE DAYS

| Normal | 48 | 77 | 270 | 643 | 1,022 | 1,429 | | 1,607 | 1,364 | 1,150 | 731 | 370 | 120 | 8,831 | | 8,831 |
|---------|-----|-----|-----|-----|-------|-------|--|-------|-------|-------|-----|-----|-----|--------|------|--------|
| Season | Jul | Aug | Sep | Oct | Nov | Dec | | Jan | Feb | Mar | Apr | May | Jun | Season | Year | Year |
| | | | | | | | | | | | | | | | | |
| 1980-81 | 29 | 62 | 313 | 774 | 1,004 | 1,596 | | 1,668 | 1,294 | 1,084 | 662 | 397 | 96 | 8,979 | 1981 | 8,806 |
| 1981-82 | 66 | 33 | 336 | 742 | 911 | 1,517 | | 1,966 | 1,464 | 1,256 | 845 | 201 | 228 | 9,565 | 1982 | 9,343 |
| 1982-83 | 9 | 133 | 310 | 567 | 1,059 | 1,305 | | 1,495 | 1,139 | 1,090 | 811 | 510 | 120 | 8,548 | 1983 | 9,030 |
| 1983-84 | 25 | 15 | 254 | 639 | 1,018 | 1,914 | | 1,796 | 1,176 | 1,387 | 620 | 436 | 73 | 9,353 | 1984 | 8,992 |
| 1984-85 | 28 | 33 | 336 | 512 | 1,084 | 1,511 | | 1,769 | 1,493 | 1,060 | 603 | 265 | 175 | 8,869 | 1985 | 9,672 |
| | | | | | | | | | | | | | | | | |
| 1985-86 | 34 | 94 | 350 | 669 | 1,271 | 1,889 | | 1,685 | 1,482 | 1,128 | 572 | 263 | 145 | 9,582 | 1986 | 9,051 |
| 1986-87 | 14 | 125 | 307 | 681 | 1,201 | 1,448 | | 1,496 | 1,191 | 992 | 534 | 290 | 89 | 8,368 | 1987 | 8,005 |
| 1987-88 | 25 | 83 | 234 | 808 | 960 | 1,303 | | 1,862 | 1,612 | 1,160 | 671 | 231 | 82 | 9,031 | 1988 | 9,192 |
| 1988-89 | 12 | 55 | 240 | 788 | 985 | 1,494 | | 1,425 | 1,600 | 1,349 | 772 | M | 154 | MSG | 1989 | MSG |
| 1989-90 | 17 | 42 | 254 | 559 | 1,169 | 1,842 | | 1,329 | 1,336 | 1,104 | 612 | 423 | 121 | 8,808 | 1990 | 8,294 |
| | | | | | | | | | | | | | | | | |
| 1990-91 | 47 | 53 | 215 | 660 | 888 | 1,506 | | 1,746 | 1,252 | 1,105 | 589 | 246 | 35 | 8,342 | 1991 | 8,662 |
| 1991-92 | 50 | 47 | 318 | 673 | 1,176 | 1,425 | | 1,513 | 1,268 | 1,201 | 808 | 298 | 191 | 8,968 | 1992 | 9,010 |
| 1992-93 | 118 | 132 | 282 | 653 | 1,118 | 1,428 | | 1,589 | 1,415 | 1,155 | 811 | 375 | 167 | 9,243 | 1993 | 9,214 |
| 1993-94 | 24 | 53 | 398 | 699 | 1,137 | 1,391 | | 1,969 | 1,517 | 1,078 | 726 | 325 | 85 | 9,402 | 1994 | 8,704 |
| 1994-95 | 51 | 103 | 175 | 505 | 907 | 1,263 | | 1,516 | 1,394 | 1,061 | 877 | 360 | 77 | 8,289 | 1995 | 9,156 |
| | | | | | | | | | | | | | | | | |
| 1995-96 | 29 | 12 | 313 | 602 | 1,316 | 1,599 | | 1,819 | 1,511 | 1,388 | 895 | 432 | 108 | 10,024 | 1996 | 9,838 |
| 1996-97 | 87 | 25 | 273 | 633 | 1,186 | 1,481 | | 1,703 | 1,315 | 1,234 | 775 | 524 | 51 | 9,287 | 1997 | 8,857 |
| 1997-98 | 58 | 106 | 199 | 570 | 1,092 | 1,230 | | 1,442 | 972 | 1,119 | 532 | 160 | 158 | 7,638 | 1998 | 7,177 |
| 1998-99 | 11 | 8 | 119 | 502 | 878 | 1,276 | | 1,672 | 1,169 | 1,069 | 571 | 252 | 107 | 7,634 | 1999 | 7,920 |
| 1999-00 | 9 | 40 | 261 | 616 | 784 | 1,370 | | 1,624 | 1,212 | 854 | 712 | 290 | 137 | 7,909 | 2000 | 8,771 |
| | | | | | | | | | | | | | | | | |
| 2000-01 | 83 | 77 | 324 | 563 | 1,064 | 1,831 | | 1,459 | 1,492 | 1,224 | 627 | 323 | 152 | 9,219 | 2001 | 8,471 |
| 2001-02 | 77 | 75 | 326 | 681 | 760 | 1,275 | | 1,353 | 1,196 | 1,425 | 817 | 544 | 126 | 8,655 | 2002 | 9,107 |
| 2002-03 | 20 | 57 | 235 | 854 | 1,125 | 1,355 | | 1,707 | 1,568 | 1,238 | 801 | 451 | 172 | 9,583 | 2003 | 9,400 |
| 2003-04 | 52 | 47 | 292 | 668 | 1,056 | 1,348 | | 1,816 | 1,342 | 1,117 | 708 | 460 | 178 | 9,084 | 2004 | 9,070 |
| 2004-05 | 74 | 196 | 149 | 602 | 933 | 1,495 | | 1,665 | 1,245 | 1,280 | 579 | 417 | 29 | 8,664 | 2005 | 8,490 |
| | | | | | | | | | | | | | | | | |
| 2005-06 | 36 | 49 | 184 | 536 | 991 | 1,479 | | 1,263 | 1,442 | 1,140 | 539 | 350 | 113 | 8,122 | 2006 | 8,207 |
| 2006-07 | 13 | 44 | 337 | 772 | 923 | 1,271 | | 1,497 | 1,570 | 1,036 | 731 | 273 | 67 | 8,534 | 2007 | 8,576 |
| 2007-08 | 55 | 66 | 211 | 472 | 1,061 | 1,537 | | 1,611 | 1,544 | 1,310 | 739 | 483 | 101 | 9,190 | 2008 | 9,445 |
| 2008-09 | 21 | 75 | 219 | 629 | 1,039 | 1,674 | | 1,868 | 1,324 | 1,143 | 724 | 386 | 185 | 9,287 | 2009 | 9,135 |
| 2009-10 | 118 | 128 | 167 | 769 | 797 | 1,526 | | 1,548 | 1,266 | 863 | 491 | 310 | 124 | 8,107 | 2010 | 8,035 |
| | | | | | | | | | | | | | | | | |
| 2010-11 | 3 | 28 | 347 | 566 | 989 | 1,500 | | 1,694 | 1,327 | 1,240 | 799 | 385 | 131 | 9,009 | 2011 | 8,707 |
| 2011-12 | 9 | 31 | 314 | 518 | 919 | 1,340 | | 1,469 | 1,235 | 684 | 676 | 281 | 99 | 7,575 | 2012 | 7,872 |
| 2012-13 | 3 | 79 | 348 | 691 | 999 | 1,310 | | 1,573 | 1,397 | 1,329 | 882 | 400 | 174 | 9,185 | 2013 | 9,753 |
| 2013-14 | 84 | 106 | 262 | 650 | 1,125 | 1,778 | | 1,933 | 1,691 | 1,439 | 899 | 371 | 93 | 10,431 | 2014 | 10,379 |
| 2014-15 | 124 | 76 | 314 | 685 | 1,322 | 1,432 | | 1,659 | 1,729 | 1,130 | 685 | 317 | 132 | 9,605 | 2015 | 8,478 |

RHINELANDER MONTHLY HEATING DEGREE DAYS

| Normal | 48 | 77 | 270 | 643 | 1,022 | 1,429 | | 1,607 | 1,364 | 1,150 | 731 | 370 | 120 | 8,831 | | 8,831 |
|---------|-----|-----|-----|-----|-------|-------|--|-------|-------|-------|-----|-----|-----|--------|------|-------|
| Season | Jul | Aug | Sep | Oct | Nov | Dec | | Jan | Feb | Mar | Apr | May | Jun | Season | Year | Year |
| | | | | | | | | | | | | | | | | |
| 2015-16 | 49 | 88 | 144 | 588 | 848 | 1,109 | | 1,550 | 1,307 | 939 | 736 | 343 | 92 | 7,794 | 2016 | 7,899 |
| 2016-17 | 33 | 28 | 160 | 517 | 744 | 1,450 | | 1,421 | 1,114 | 1,152 | 616 | 397 | 98 | 7,774 | 2017 | 8,339 |
| 2017-18 | 36 | 130 | 207 | 528 | 1,072 | 1,604 | | 1,571 | 1,427 | 1,240 | 994 | 149 | 43 | 9,001 | 2018 | 7,538 |
| 2018-19 | 10 | 33 | 201 | 697 | 1,173 | 1,254 | | 1,673 | 1,476 | 1,276 | 733 | 408 | 81 | 9,015 | 2019 | 9,244 |
| 2019-20 | 17 | 109 | 194 | 718 | 1,169 | 1,399 | | 1,425 | 1,457 | 1,059 | 848 | 433 | 100 | 8,828 | 2020 | 8,780 |
| | | | | | | | | | | | | | | | | |
| 2020-21 | 15 | 71 | 317 | 853 | 864 | 1,338 | | 1,451 | 1,603 | 970 | 679 | 415 | 56 | 8,632 | 2021 | 8,280 |
| 2021-22 | 29 | 33 | 206 | 435 | 1,030 | 1,373 | | 1,532 | 1,802 | 1,249 | 871 | 333 | 135 | 9,022 | 2022 | 9,279 |
| 2022-23 | 20 | 40 | 254 | 597 | 976 | 1,464 | | 1,383 | 1,261 | 1,224 | 768 | 297 | 100 | 8,390 | 2023 | 8,043 |
| 2023-24 | 55 | 77 | 173 | 630 | 985 | 1,090 | | 1,392 | 1,090 | 1,024 | 659 | 289 | 97 | 7,561 | 2024 | |
| 2024-25 | 40 | 54 | 127 | | | | | | | | | | | | 2025 | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

RHINELANDER HEATING DEGREE DAYS BY SEASON

| Normal 91-20 | 4,400 | Normal 91-20 | 2,251 | Normal 91-20 | 246 | Normal 91-20 | 1,935 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| 1906-07 | Msg | 1907 | Msg | 1907 | Msg | 1907 | Msg |
| 1907-08 | Msg | 1908 | 2,180 | 1908 | 245 | 1908 | 1,601 |
| 1908-09 | 4,334 | 1909 | 2,566 | 1909 | 154 | 1909 | 1,745 |
| 1909-10 | 4,581 | 1910 | 1,768 | 1910 | 200 | 1910 | 1,935 |
| 1910-11 | 4,380 | 1911 | 1,980 | 1911 | 171 | 1911 | 2,129 |
| 1911-12 | 4,971 | 1912 | 2,386 | 1912 | 317 | 1912 | 1,727 |
| 1912-13 | 4,491 | 1913 | 2,379 | 1913 | 212 | 1913 | 1,755 |
| 1913-14 | 4,160 | 1914 | 2,317 | 1914 | 232 | 1914 | 1,622 |
| 1914-15 | 4,386 | 1915 | 2,123 | 1915 | 474 | 1915 | 1,765 |
| 1915-16 | 4,605 | 1916 | 2,548 | 1916 | 271 | 1916 | 2,068 |
| 1916-17 | 5,329 | 1917 | 2,663 | 1917 | 460 | 1917 | 2,145 |
| 1917-18 | 5,291 | 1918 | 2,187 | 1918 | 278 | 1918 | 2,035 |
| 1918-19 | 3,992 | 1919 | 2,370 | 1919 | 163 | 1919 | 2,173 |
| 1919-20 | 5,362 | 1920 | 2,512 | 1920 | 308 | 1920 | 1,710 |
| 1920-21 | 4,153 | 1921 | 2,052 | 1921 | 138 | 1921 | 1,981 |
| 1921-22 | 4,857 | 1922 | 2,118 | 1922 | 228 | 1922 | 1,760 |
| 1922-23 | 5,021 | 1923 | 2,819 | 1923 | 222 | 1923 | 1,897 |
| 1923-24 | 4,670 | 1924 | 2,746 | 1924 | 425 | 1924 | 1,863 |
| 1924-25 | 4,912 | 1925 | 2,258 | 1925 | 228 | 1925 | 2,310 |
| 1925-26 | 4,663 | 1926 | 2,658 | 1926 | 331 | 1926 | 2,335 |
| 1926-27 | 4,782 | 1927 | 2,288 | 1927 | 438 | 1927 | 1,970 |
| 1927-28 | 4,907 | 1928 | 2,552 | 1928 | 342 | 1928 | 1,964 |
| 1928-29 | 5,108 | 1929 | 2,296 | 1929 | 247 | 1929 | 2,148 |
| 1929-30 | 4,642 | 1930 | 2,093 | 1930 | 103 | 1930 | 1,844 |
| 1930-31 | 3,901 | 1931 | 2,173 | 1931 | 229 | 1931 | 1,468 |
| 1931-32 | 4,086 | 1932 | 2,594 | 1932 | 128 | 1932 | 2,206 |
| 1932-33 | 4,728 | 1933 | 2,394 | 1933 | 106 | 1933 | 2,034 |
| 1933-34 | 4,624 | 1934 | 2,331 | 1934 | 247 | 1934 | 1,703 |
| 1934-35 | 4,585 | 1935 | 2,188 | 1935 | 265 | 1935 | 1,944 |
| 1935-36 | 5,195 | 1936 | 2,366 | 1936 | 224 | 1936 | 2,077 |
| 1936-37 | 4,673 | 1937 | 2,514 | 1937 | 161 | 1937 | 2,112 |
| 1937-38 | 4,617 | 1938 | 2,090 | 1938 | 205 | 1938 | 1,783 |
| 1938-39 | 4,572 | 1939 | 2,438 | 1939 | 201 | 1939 | 1,788 |
| 1939-40 | 4,221 | 1940 | 2,751 | 1940 | 300 | 1940 | 1,875 |
| 1940-41 | 4,362 | 1941 | 2,117 | 1941 | 265 | 1941 | 1,756 |
| 1941-42 | 4,194 | 1942 | 2,073 | 1942 | 285 | 1942 | 1,945 |
| 1942-43 | 4,734 | 1943 | 2,680 | 1943 | 169 | 1943 | 2,079 |
| 1943-44 | 3,992 | 1944 | 2,352 | 1944 | 196 | 1944 | 1,641 |
| 1944-45 | 4,614 | 1945 | 2,025 | 1945 | 322 | 1945 | 1,962 |

RHINELANDER HEATING DEGREE DAYS BY SEASON

| Normal 91-20 | 4,400 | Normal 91-20 | 2,251 | Normal 91-20 | 246 | Normal 91-20 | 1,935 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| | | | | | | | |
| 1945-46 | 4,546 | 1946 | 1,830 | 1946 | 291 | 1946 | 1,718 |
| 1946-47 | 4,356 | 1947 | 2,587 | 1947 | 241 | 1947 | 1,645 |
| 1947-48 | 4,746 | 1948 | 2,185 | 1948 | 190 | 1948 | 1,690 |
| 1948-49 | 4,374 | 1949 | 2,181 | 1949 | 117 | 1949 | 1,800 |
| 1949-50 | 4,646 | 1950 | 2,874 | 1950 | 369 | 1950 | 1,890 |
| | | | | | | | |
| 1950-51 | 4,829 | 1951 | 2,336 | 1951 | 373 | 1951 | 2,231 |
| 1951-52 | 4,430 | 1952 | 2,248 | 1952 | 204 | 1952 | 2,005 |
| 1952-53 | 4,143 | 1953 | 2,258 | 1953 | 186 | 1953 | 1,591 |
| 1953-54 | 4,197 | 1954 | 2,576 | 1954 | 229 | 1954 | 1,858 |
| 1954-55 | 4,453 | 1955 | 1,951 | 1955 | 106 | 1955 | 1,888 |
| | | | | | | | |
| 1955-56 | 4,566 | 1956 | 2,373 | 1956 | 169 | 1956 | 1,655 |
| 1956-57 | 4,483 | 1957 | 2,131 | 1957 | 151 | 1957 | 1,874 |
| 1957-58 | 4,256 | 1958 | 2,076 | 1958 | 282 | 1958 | 1,627 |
| 1958-59 | 4,963 | 1959 | 2,059 | 1959 | 119 | 1959 | 2,136 |
| 1959-60 | 4,100 | 1960 | 2,410 | 1960 | 166 | 1960 | 1,705 |
| | | | | | | | |
| 1960-61 | 4,321 | 1961 | 2,221 | 1961 | 107 | 1961 | 1,736 |
| 1961-62 | 4,700 | 1962 | 2,082 | 1962 | 168 | 1962 | 1,750 |
| 1962-63 | 4,995 | 1963 | 2,066 | 1963 | 190 | 1963 | 1,257 |
| 1963-64 | 4,403 | 1964 | 2,049 | 1964 | 250 | 1964 | 1,741 |
| 1964-65 | 4,755 | 1965 | 2,359 | 1965 | 213 | 1965 | 1,901 |
| | | | | | | | |
| 1965-66 | 4,398 | 1966 | 2,287 | 1966 | 184 | 1966 | 1,848 |
| 1966-67 | 4,462 | 1967 | 2,294 | 1967 | 206 | 1967 | 1,931 |
| 1967-68 | 4,540 | 1968 | 1,845 | 1968 | 271 | 1968 | 1,652 |
| 1968-69 | 4,369 | 1969 | 2,167 | 1969 | 295 | 1969 | 1,993 |
| 1969-70 | 4,835 | 1970 | 2,413 | 1970 | 179 | 1970 | 1,875 |
| | | | | | | | |
| 1970-71 | 4,846 | 1971 | 2,524 | 1971 | 264 | 1971 | 1,662 |
| 1971-72 | 5,013 | 1972 | 2,408 | 1972 | 291 | 1972 | 2,125 |
| 1972-73 | 4,560 | 1973 | 2,175 | 1973 | 132 | 1973 | 1,806 |
| 1973-74 | 4,759 | 1974 | 2,472 | 1974 | 306 | 1974 | 2,121 |
| 1974-75 | 4,329 | 1975 | 2,539 | 1975 | 241 | 1975 | 1,721 |
| | | | | | | | |
| 1975-76 | 4,474 | 1976 | 2,254 | 1976 | 144 | 1976 | 2,325 |
| 1976-77 | 5,088 | 1977 | 1,666 | 1977 | 310 | 1977 | 1,914 |
| 1977-78 | 4,813 | 1978 | 2,382 | 1978 | 277 | 1978 | 1,928 |
| 1978-79 | 5,105 | 1979 | 2,473 | 1979 | 265 | 1979 | 2,008 |
| 1979-80 | 4,503 | 1980 | 2,182 | 1980 | 241 | 1980 | 2,091 |
| | | | | | | | |
| 1980-81 | 4,558 | 1981 | 2,143 | 1981 | 195 | 1981 | 1,989 |
| 1981-82 | 4,947 | 1982 | 2,302 | 1982 | 370 | 1982 | 1,936 |
| 1982-83 | 3,939 | 1983 | 2,411 | 1983 | 160 | 1983 | 1,911 |
| 1983-84 | 4,886 | 1984 | 2,443 | 1984 | 134 | 1984 | 1,932 |
| 1984-85 | 4,773 | 1985 | 1,928 | 1985 | 303 | 1985 | 2,290 |

RHINELANDER HEATING DEGREE DAYS BY SEASON

| Normal 91-20 | 4,400 | Normal 91-20 | 2,251 | Normal 91-20 | 246 | Normal 91-20 | 1,935 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| | | | | | | | |
| 1985-86 | 5,056 | 1986 | 1,963 | 1986 | 284 | 1986 | 2,189 |
| 1986-87 | 4,135 | 1987 | 1,816 | 1987 | 197 | 1987 | 2,002 |
| 1987-88 | 4,777 | 1988 | 2,062 | 1988 | 149 | 1988 | 2,013 |
| 1988-89 | 4,519 | 1989 | Msg | 1989 | 213 | 1989 | 1,982 |
| 1989-90 | 4,507 | 1990 | 2,139 | 1990 | 221 | 1990 | 1,763 |
| | | | | | | | |
| 1990-91 | 4,504 | 1991 | 1,940 | 1991 | 132 | 1991 | 2,167 |
| 1991-92 | 4,206 | 1992 | 2,307 | 1992 | 441 | 1992 | 2,053 |
| 1992-93 | 4,432 | 1993 | 2,341 | 1993 | 244 | 1993 | 2,234 |
| 1993-94 | 4,877 | 1994 | 2,129 | 1994 | 239 | 1994 | 1,587 |
| 1994-95 | 4,173 | 1995 | 2,298 | 1995 | 118 | 1995 | 2,231 |
| | | | | | | | |
| 1995-96 | 4,929 | 1996 | 2,715 | 1996 | 220 | 1996 | 2,092 |
| 1996-97 | 4,499 | 1997 | 2,533 | 1997 | 215 | 1997 | 1,861 |
| 1997-98 | 3,644 | 1998 | 1,811 | 1998 | 177 | 1998 | 1,499 |
| 1998-99 | 4,117 | 1999 | 1,892 | 1999 | 156 | 1999 | 1,661 |
| 1999-00 | 4,206 | 2000 | 1,856 | 2000 | 297 | 2000 | 1,951 |
| | | | | | | | |
| 2000-01 | 4,782 | 2001 | 2,174 | 2001 | 304 | 2001 | 1,767 |
| 2001-02 | 3,824 | 2002 | 2,786 | 2002 | 203 | 2002 | 2,214 |
| 2002-03 | 4,630 | 2003 | 2,490 | 2003 | 271 | 2003 | 2,016 |
| 2003-04 | 4,506 | 2004 | 2,285 | 2004 | 448 | 2004 | 1,684 |
| 2004-05 | 4,405 | 2005 | 2,276 | 2005 | 114 | 2005 | 1,711 |
| | | | | | | | |
| 2005-06 | 4,184 | 2006 | 2,029 | 2006 | 170 | 2006 | 2,032 |
| 2006-07 | 4,338 | 2007 | 2,040 | 2007 | 188 | 2007 | 1,744 |
| 2007-08 | 4,692 | 2008 | 2,532 | 2008 | 197 | 2008 | 1,887 |
| 2008-09 | 4,866 | 2009 | 2,253 | 2009 | 431 | 2009 | 1,733 |
| 2009-10 | 4,340 | 2010 | 1,664 | 2010 | 155 | 2010 | 1,902 |
| | | | | | | | |
| 2010-11 | 4,521 | 2011 | 2,424 | 2011 | 171 | 2011 | 1,751 |
| 2011-12 | 4,044 | 2012 | 1,641 | 2012 | 181 | 2012 | 2,038 |
| 2012-13 | 4,280 | 2013 | 2,611 | 2013 | 364 | 2013 | 2,037 |
| 2013-14 | 5,395 | 2014 | 2,709 | 2014 | 293 | 2014 | 2,321 |
| 2014-15 | 4,820 | 2015 | 2,132 | 2015 | 269 | 2015 | 1,580 |
| | | | | | | | |
| 2015-16 | 3,966 | 2016 | 2,018 | 2016 | 153 | 2016 | 1,421 |
| 2016-17 | 3,985 | 2017 | 2,165 | 2017 | 264 | 2017 | 1,771 |
| 2017-18 | 4,602 | 2018 | 2,383 | 2018 | 86 | 2018 | 2,071 |
| 2018-19 | 4,403 | 2019 | 2,408 | 2019 | 207 | 2019 | 2,081 |
| 2019-20 | 4,281 | 2020 | 2,340 | 2020 | 186 | 2020 | 1,989 |
| | | | | | | | |
| 2020-21 | 4,392 | 2021 | 2,064 | 2021 | 118 | 2021 | 1,671 |
| 2021-22 | 4,707 | 2022 | 2,453 | 2022 | 201 | 2022 | 1,827 |
| 2022-23 | 4,108 | 2023 | 2,289 | 2023 | 232 | 2023 | 1,788 |
| 2023-24 | 3,572 | 2024 | 1,972 | 2024 | 191 | 2024 | |
| 2024-25 | | 2025 | | 2025 | | 2025 | |

RHINELANDER MONTHLY COOLING DEGREE DAYS

| Normal | 91-20 | 0 | 0 | 0 | 1 | 13 | 57 | | 112 | 72 | 25 | 2 | 0 | 0 | | 282 |
|--------|-------|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|--------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Annual |
| 1908 | | 0 | 0 | 0 | 4 | 9 | 63 | | 129 | 103 | 126 | 3 | 0 | 0 | | 437 |
| 1909 | | 0 | 0 | 0 | 0 | 2 | 102 | | 83 | 132 | 18 | 0 | 0 | 0 | | 337 |
| 1910 | | 0 | 0 | 2 | 0 | 0 | 157 | | 153 | 91 | 5 | 5 | 0 | 0 | | 413 |
| 1911 | | 0 | 0 | 0 | 0 | 62 | 176 | | 152 | 52 | 8 | 0 | 0 | 0 | | 450 |
| 1912 | | 0 | 0 | 0 | 0 | 15 | 47 | | 124 | 32 | 68 | 1 | 0 | 0 | | 287 |
| 1913 | | 0 | 0 | 0 | 4 | 10 | 135 | | 88 | 97 | 55 | 2 | 0 | 0 | | 391 |
| 1914 | | 0 | 0 | 0 | 0 | 25 | 51 | | 208 | 77 | 33 | 1 | 0 | 0 | | 395 |
| 1915 | | 0 | 0 | 0 | 10 | 2 | 24 | | 51 | 22 | 19 | 0 | 0 | 0 | | 128 |
| 1916 | | 0 | 0 | 0 | 0 | 0 | 4 | | 271 | 140 | 15 | 2 | 0 | 0 | | 432 |
| 1917 | | 0 | 0 | 0 | 0 | 4 | 10 | | 146 | 23 | 8 | 0 | 0 | 0 | | 191 |
| 1918 | | 0 | 0 | 0 | 0 | 7 | 7 | | 86 | 54 | 2 | 0 | 0 | 0 | | 156 |
| 1919 | | 0 | 0 | 0 | 0 | 32 | 124 | | 96 | 24 | 24 | 0 | 0 | 0 | | 300 |
| 1920 | | 0 | 0 | 0 | 0 | 1 | 82 | | 52 | 38 | 25 | 3 | 0 | 0 | | 201 |
| 1921 | | 0 | 0 | 0 | 0 | 42 | 176 | | 254 | 64 | 22 | 0 | 0 | 0 | | 558 |
| 1922 | | 0 | 0 | 0 | 0 | 33 | 39 | | 44 | 100 | 55 | 15 | 0 | 0 | | 286 |
| 1923 | | 0 | 0 | 0 | 0 | 3 | 124 | | 147 | 23 | 16 | 0 | 0 | 0 | | 313 |
| 1924 | | 0 | 0 | 0 | 0 | 0 | 4 | | 51 | 58 | 1 | 0 | 0 | 0 | | 114 |
| 1925 | | 0 | 0 | 0 | 5 | 16 | 93 | | 99 | 99 | 27 | 0 | 0 | 0 | | 339 |
| 1926 | | 0 | 0 | 0 | 0 | 5 | 15 | | 89 | 39 | 1 | 0 | 0 | 0 | | 149 |
| 1927 | | 0 | 0 | 0 | 0 | 0 | 49 | | 56 | 3 | 57 | 0 | 0 | 0 | | 165 |
| 1928 | | 0 | 0 | 0 | 0 | 4 | 4 | | 117 | 83 | 0 | 0 | 0 | 0 | | 209 |
| 1929 | | 0 | 0 | 0 | 0 | 28 | 20 | | 149 | 30 | 15 | 0 | 0 | 0 | | 242 |
| 1930 | | 0 | 0 | 0 | 0 | 43 | Msg | | 133 | 92 | 11 | 8 | 0 | 0 | | Msg |
| 1931 | | 0 | 0 | 0 | 0 | 3 | 131 | | 184 | 56 | 84 | 2 | 0 | 0 | | 460 |
| 1932 | | 0 | 0 | 0 | 0 | 9 | 92 | | 144 | 87 | 1 | 0 | 0 | 0 | | 333 |
| 1933 | | 0 | 0 | 0 | 0 | 11 | 221 | | 180 | 35 | 37 | 0 | 0 | 0 | | 484 |
| 1934 | | 0 | 0 | 0 | 6 | 72 | 97 | | 156 | 95 | 4 | 3 | 0 | 0 | | 433 |
| 1935 | | 0 | 0 | 0 | 6 | 2 | 34 | | 278 | 169 | 19 | 0 | 0 | 0 | | 508 |
| 1936 | | 0 | 0 | 0 | 0 | 22 | 20 | | 269 | 120 | 48 | 0 | 0 | 0 | | 479 |
| 1937 | | 0 | 0 | 0 | 0 | 15 | 66 | | 212 | 206 | 52 | 0 | 0 | 0 | | 551 |
| 1938 | | 0 | 0 | 0 | 3 | 2 | 38 | | 107 | 119 | 4 | 2 | 0 | 0 | | 275 |
| 1939 | | 0 | 0 | 0 | 1 | 25 | 70 | | 156 | 96 | 61 | 0 | 0 | 0 | | 409 |
| 1940 | | 0 | 0 | 0 | 0 | 2 | 34 | | 150 | 93 | 47 | 0 | 0 | 0 | | 326 |
| 1941 | | 0 | 0 | 0 | 0 | 19 | 109 | | 162 | 62 | 31 | 0 | 0 | 0 | | 383 |
| 1942 | | 0 | 0 | 0 | 1 | 3 | 42 | | 89 | 63 | 14 | 0 | 0 | 0 | | 212 |
| 1943 | | 0 | 0 | 0 | 0 | 3 | 106 | | 161 | 94 | 11 | 0 | 0 | 0 | | 375 |
| 1944 | | 0 | 0 | 0 | 0 | 30 | 81 | | 78 | 138 | 13 | 0 | 0 | 0 | | 340 |

RHINELANDER MONTHLY COOLING DEGREE DAYS

| Normal | 91-20 | 0 | 0 | 0 | 1 | 13 | 57 | | 112 | 72 | 25 | 2 | 0 | 0 | | 282 |
|--------|-------|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|--------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Annual |
| 1945 | | 0 | 0 | 0 | 1 | 0 | 29 | | 73 | 83 | 50 | 0 | 0 | 0 | | 236 |
| 1946 | | 0 | 0 | 0 | 0 | 1 | 70 | | 102 | 61 | 13 | 2 | 0 | 0 | | 249 |
| 1947 | | 0 | 0 | 0 | 0 | 2 | 32 | | 130 | 281 | 73 | 19 | 0 | 0 | | 537 |
| 1948 | | 0 | 0 | 0 | 6 | 5 | 30 | | 112 | 120 | 53 | 0 | 0 | 0 | | 326 |
| 1949 | | 0 | 0 | 0 | 0 | 22 | 110 | | 151 | 117 | 1 | 2 | 0 | 0 | | 403 |
| 1950 | | 0 | 0 | 0 | 0 | 7 | 60 | | 58 | 27 | 5 | 0 | 0 | 0 | | 157 |
| 1951 | | 0 | 0 | 0 | 0 | 7 | 9 | | 82 | 24 | 1 | 0 | 0 | 0 | | 123 |
| 1952 | | 0 | 0 | 0 | 11 | 4 | 82 | | 143 | 41 | 43 | 0 | 0 | 0 | | 324 |
| 1953 | | 0 | 0 | 0 | 0 | 16 | 67 | | 74 | 106 | 30 | 7 | 0 | 0 | | 300 |
| 1954 | | 0 | 0 | 0 | 0 | 3 | 98 | | 105 | 35 | 2 | 0 | 0 | 0 | | 243 |
| 1955 | | 0 | 0 | 0 | 0 | 25 | 63 | | 287 | 206 | 28 | 2 | 0 | 0 | | 611 |
| 1956 | | 0 | 0 | 0 | 0 | 11 | 134 | | 60 | 96 | 7 | 6 | 0 | 0 | | 314 |
| 1957 | | 0 | 0 | 0 | 0 | 5 | 65 | | 194 | 108 | 22 | 0 | 0 | 0 | | 394 |
| 1958 | | 0 | 0 | 0 | 3 | 8 | 26 | | 87 | 121 | 19 | 0 | 0 | 0 | | 264 |
| 1959 | | 0 | 0 | 0 | 0 | 50 | 103 | | 147 | 187 | 44 | 0 | 0 | 0 | | 531 |
| 1960 | | 0 | 0 | 0 | 0 | 0 | 21 | | 122 | 131 | 73 | 0 | 0 | 0 | | 347 |
| 1961 | | 0 | 0 | 0 | 0 | 4 | 100 | | 132 | 121 | 65 | 1 | 0 | 0 | | 423 |
| 1962 | | 0 | 0 | 0 | 6 | 66 | 48 | | 62 | 96 | 10 | 7 | 0 | 0 | | 295 |
| 1963 | | 0 | 0 | 0 | 0 | 5 | 139 | | 171 | 79 | 11 | 15 | 0 | 0 | | 420 |
| 1964 | | 0 | 0 | 0 | 0 | 37 | 104 | | 209 | 88 | 15 | 0 | 0 | 0 | | 453 |
| 1965 | | 0 | 0 | 0 | 0 | 31 | 44 | | 83 | 85 | 4 | 5 | 0 | 0 | | 252 |
| 1966 | | 0 | 0 | 0 | 0 | 8 | 126 | | 235 | 71 | 33 | 0 | 0 | 0 | | 473 |
| 1967 | | 0 | 0 | 0 | 0 | 11 | 49 | | 106 | 57 | 14 | 3 | 0 | 0 | | 240 |
| 1968 | | 0 | 0 | 0 | 1 | 1 | 91 | | 136 | 155 | 16 | 23 | 0 | 0 | | 423 |
| 1969 | | 0 | 0 | 0 | 0 | 35 | 9 | | 136 | 175 | 46 | 0 | 0 | 0 | | 401 |
| 1970 | | 0 | 0 | 0 | 6 | 9 | 86 | | 167 | 92 | 29 | 0 | 0 | 0 | | 389 |
| 1971 | | 0 | 0 | 0 | 0 | 0 | 125 | | 46 | 40 | 44 | 3 | 0 | 0 | | 258 |
| 1972 | | 0 | 0 | 0 | 0 | 33 | 26 | | 87 | 84 | 0 | 0 | 0 | 0 | | 230 |
| 1973 | | 0 | 0 | 0 | 0 | 0 | 23 | | 86 | 115 | 33 | 1 | 0 | 0 | | 258 |
| 1974 | | 0 | 0 | 0 | 0 | 5 | 10 | | 138 | 26 | 0 | 0 | 0 | 0 | | 179 |
| 1975 | | 0 | 0 | 0 | 0 | 43 | 87 | | 215 | 96 | 2 | 1 | 0 | 0 | | 444 |
| 1976 | | 0 | 0 | 0 | 5 | 0 | 74 | | 150 | 111 | 29 | 1 | 0 | 0 | | 370 |
| 1977 | | 0 | 0 | 0 | 0 | 85 | 35 | | 174 | 23 | 1 | 0 | 0 | 0 | | 318 |
| 1978 | | 0 | 0 | 0 | 0 | 30 | 48 | | 70 | 90 | 66 | 0 | 0 | 0 | | 304 |
| 1979 | | 0 | 0 | 0 | 0 | 1 | 13 | | 113 | 56 | 18 | 0 | 0 | 0 | | 201 |
| 1980 | | 0 | 0 | 0 | 4 | 23 | 51 | | 137 | 66 | 2 | 0 | 0 | 0 | | 283 |
| 1981 | | 0 | 0 | 0 | 0 | 2 | 22 | | 100 | 92 | 1 | 0 | 0 | 0 | | 217 |
| 1982 | | 0 | 0 | 0 | 0 | 20 | 5 | | 139 | 53 | 19 | 0 | 0 | 0 | | 236 |
| 1983 | | 0 | 0 | 0 | 0 | 0 | 72 | | 232 | 161 | 49 | 0 | 0 | 0 | | 514 |
| 1984 | | 0 | 0 | 0 | 0 | 0 | 23 | | 96 | 125 | 0 | 0 | 0 | 0 | | 244 |

RHINELANDER MONTHLY COOLING DEGREE DAYS

| Normal | 91-20 | 0 | 0 | 0 | 1 | 13 | 57 | | 112 | 72 | 25 | 2 | 0 | 0 | | 282 |
|--------|-------|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|--------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Annual |
| 1985 | | 0 | 0 | 0 | 7 | 5 | 29 | | 54 | 40 | 34 | 0 | 0 | 0 | | 169 |
| 1986 | | 0 | 0 | 0 | 6 | 25 | 28 | | 109 | 25 | 11 | 0 | 0 | 0 | | 204 |
| 1987 | | 0 | 0 | 0 | 7 | 25 | 111 | | 190 | 84 | 12 | 0 | 0 | 0 | | 429 |
| 1988 | | 0 | 0 | 0 | 0 | 32 | 120 | | 197 | 180 | 16 | 0 | 0 | 0 | | 545 |
| 1989 | | 0 | 0 | 0 | 0 | MSG | 38 | | 162 | 94 | 14 | 3 | 0 | 0 | | MSG |
| 1990 | | 0 | 0 | 0 | 19 | 0 | 45 | | 79 | 52 | 29 | 0 | 0 | 0 | | 224 |
| 1991 | | 0 | 0 | 0 | 0 | 55 | 105 | | 105 | 125 | 22 | 0 | 0 | 0 | | 412 |
| 1992 | | 0 | 0 | 0 | 0 | 13 | 32 | | 21 | 47 | 2 | 0 | 0 | 0 | | 115 |
| 1993 | | 0 | 0 | 0 | 0 | 12 | 23 | | 70 | 113 | 1 | 0 | 0 | 0 | | 219 |
| 1994 | | 0 | 0 | 0 | 0 | 20 | 97 | | 70 | 50 | 23 | 0 | 0 | 0 | | 260 |
| 1995 | | 0 | 0 | 0 | 0 | 0 | 174 | | 145 | 156 | 28 | 5 | 0 | 0 | | 508 |
| 1996 | | 0 | 0 | 0 | 0 | 4 | 58 | | 39 | 76 | 29 | 0 | 0 | 0 | | 206 |
| 1997 | | 0 | 0 | 0 | 0 | 0 | 84 | | 102 | 51 | 8 | 4 | 0 | 0 | | 249 |
| 1998 | | 0 | 0 | 0 | 0 | 33 | 84 | | 129 | 138 | 75 | 0 | 0 | 0 | | 459 |
| 1999 | | 0 | 0 | 0 | 0 | 9 | 104 | | 231 | 69 | 43 | 0 | 0 | 0 | | 456 |
| 2000 | | 0 | 0 | 0 | 0 | 30 | 31 | | 62 | 44 | 8 | 0 | 0 | 0 | | 175 |
| 2001 | | 0 | 0 | 0 | 5 | 1 | 89 | | 130 | 109 | 10 | 0 | 0 | 0 | | 344 |
| 2002 | | 0 | 0 | 0 | 10 | 6 | 87 | | 163 | 41 | 34 | 0 | 0 | 0 | | 341 |
| 2003 | | 0 | 0 | 0 | 3 | 0 | 28 | | 69 | 109 | 42 | 0 | 0 | 0 | | 251 |
| 2004 | | 0 | 0 | 0 | 0 | 5 | 37 | | 59 | 30 | 39 | 0 | 0 | 0 | | 170 |
| 2005 | | 0 | 0 | 0 | 0 | 0 | 121 | | 178 | 98 | 63 | 15 | 0 | 0 | | 475 |
| 2006 | | 0 | 0 | 0 | 0 | 42 | 53 | | 204 | 49 | 6 | 1 | 0 | 0 | | 355 |
| 2007 | | 0 | 0 | 0 | 4 | 25 | 76 | | 137 | 102 | 58 | 19 | 0 | 0 | | 421 |
| 2008 | | 0 | 0 | 0 | 0 | 0 | 34 | | 89 | 53 | 25 | 0 | 0 | 0 | | 201 |
| 2009 | | 0 | 0 | 0 | 0 | 7 | 67 | | 15 | 64 | 8 | 0 | 0 | 0 | | 161 |
| 2010 | | 0 | 0 | 0 | 0 | 48 | 47 | | 148 | 160 | 1 | 0 | 0 | 0 | | 404 |
| 2011 | | 0 | 0 | 0 | 0 | 7 | 37 | | 193 | 55 | 19 | 10 | 0 | 0 | | 321 |
| 2012 | | 0 | 0 | 8 | 0 | 15 | 85 | | 183 | 60 | 22 | 0 | 0 | 0 | | 373 |
| 2013 | | 0 | 0 | 0 | 0 | 14 | 40 | | 132 | 78 | 17 | 0 | 0 | 0 | | 281 |
| 2014 | | 0 | 0 | 0 | 0 | 7 | 62 | | 49 | 29 | 1 | 0 | 0 | 0 | | 148 |
| 2015 | | 0 | 0 | 0 | 0 | 5 | 3 | | 95 | 59 | 71 | 0 | 0 | 0 | | 233 |
| 2016 | | 0 | 0 | 0 | 0 | 15 | 53 | | 129 | 111 | 13 | 0 | 0 | 0 | | 321 |
| 2017 | | 0 | 0 | 0 | 0 | 2 | 63 | | 79 | 18 | 53 | 0 | 0 | 0 | | 215 |
| 2018 | | 0 | 0 | 0 | 0 | 83 | 103 | | 146 | 154 | 80 | 0 | 0 | 0 | | 566 |
| 2019 | | 0 | 0 | 0 | 0 | 9 | 62 | | 139 | 39 | 23 | 0 | 0 | 0 | | 272 |
| 2020 | | 0 | 0 | 0 | 0 | 26 | 72 | | 162 | 92 | 4 | 0 | 0 | 0 | | 356 |
| 2021 | | 0 | 0 | 0 | 0 | 15 | 120 | | 93 | 85 | 5 | 3 | 0 | 0 | | 321 |
| 2022 | | 0 | 0 | 0 | 0 | 45 | 65 | | 99 | 58 | 29 | 0 | 0 | 0 | | 296 |
| 2023 | | 0 | 0 | 0 | 1 | 10 | 85 | | 73 | 67 | 56 | 19 | 0 | 0 | | 311 |
| 2024 | | 0 | 0 | 0 | 0 | 3 | 40 | | 101 | 87 | 27 | | 0 | 0 | | |

RHINELANDER COOLING DEGREE DAYS BY SEASON

| Normal 91-20 | 0 | Normal 91-20 | 14 | Normal 91-20 | 241 | Normal 91-20 | 27 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| 1907-08 | 0 | 1908 | 13 | 1908 | 295 | 1908 | 129 |
| 1908-09 | 0 | 1909 | 2 | 1909 | 317 | 1909 | 18 |
| 1909-10 | 0 | 1910 | 2 | 1910 | 401 | 1910 | 10 |
| 1910-11 | 0 | 1911 | 62 | 1911 | 380 | 1911 | 8 |
| 1911-12 | 0 | 1912 | 15 | 1912 | 203 | 1912 | 69 |
| 1912-13 | 0 | 1913 | 14 | 1913 | 320 | 1913 | 57 |
| 1913-14 | 0 | 1914 | 25 | 1914 | 336 | 1914 | 34 |
| 1914-15 | 0 | 1915 | 12 | 1915 | 97 | 1915 | 19 |
| 1915-16 | 0 | 1916 | 0 | 1916 | 415 | 1916 | 17 |
| 1916-17 | 0 | 1917 | 4 | 1917 | 179 | 1917 | 8 |
| 1917-18 | 0 | 1918 | 7 | 1918 | 147 | 1918 | 0 |
| 1918-19 | 0 | 1919 | 32 | 1919 | 244 | 1919 | 24 |
| 1919-20 | 0 | 1920 | 1 | 1920 | 172 | 1920 | 28 |
| 1920-21 | 0 | 1921 | 42 | 1921 | 494 | 1921 | 22 |
| 1921-22 | 0 | 1922 | 33 | 1922 | 183 | 1922 | 70 |
| 1922-23 | 0 | 1923 | 3 | 1923 | 294 | 1923 | 16 |
| 1923-24 | 0 | 1924 | 0 | 1924 | 113 | 1924 | 1 |
| 1924-25 | 0 | 1925 | 21 | 1925 | 291 | 1925 | 27 |
| 1925-26 | 0 | 1926 | 5 | 1926 | 143 | 1926 | 1 |
| 1926-27 | 0 | 1927 | 0 | 1927 | 108 | 1927 | 57 |
| 1927-28 | 0 | 1928 | 4 | 1928 | 204 | 1928 | 0 |
| 1928-29 | 0 | 1929 | 28 | 1929 | 199 | 1929 | 15 |
| 1929-30 | 0 | 1930 | 43 | 1930 | 225 | 1930 | 19 |
| 1930-31 | 0 | 1931 | 3 | 1931 | 371 | 1931 | 86 |
| 1931-32 | 0 | 1932 | 9 | 1932 | 323 | 1932 | 1 |
| 1932-33 | 0 | 1933 | 11 | 1933 | 436 | 1933 | 37 |
| 1933-34 | 0 | 1934 | 78 | 1934 | 348 | 1934 | 7 |
| 1934-35 | 0 | 1935 | 8 | 1935 | 481 | 1935 | 19 |
| 1935-36 | 0 | 1936 | 22 | 1936 | 409 | 1936 | 48 |
| 1936-37 | 0 | 1937 | 15 | 1937 | 484 | 1937 | 52 |
| 1937-38 | 0 | 1938 | 5 | 1938 | 264 | 1938 | 6 |
| 1938-39 | 0 | 1939 | 26 | 1939 | 322 | 1939 | 61 |
| 1939-40 | 0 | 1940 | 2 | 1940 | 277 | 1940 | 47 |
| 1940-41 | 0 | 1941 | 19 | 1941 | 333 | 1941 | 31 |
| 1941-42 | 0 | 1942 | 4 | 1942 | 194 | 1942 | 14 |
| 1942-43 | 0 | 1943 | 3 | 1943 | 361 | 1943 | 11 |
| 1943-44 | 0 | 1944 | 30 | 1944 | 297 | 1944 | 13 |
| 1944-45 | 0 | 1945 | 1 | 1945 | 185 | 1945 | 50 |
| 1945-46 | 0 | 1946 | 1 | 1946 | 233 | 1946 | 15 |
| 1946-47 | 0 | 1947 | 2 | 1947 | 443 | 1947 | 92 |
| 1947-48 | 0 | 1948 | 11 | 1948 | 262 | 1948 | 53 |
| 1948-49 | 0 | 1949 | 22 | 1949 | 378 | 1949 | 3 |
| 1949-50 | 0 | 1950 | 7 | 1950 | 145 | 1950 | 5 |

RHINELANDER COOLING DEGREE DAYS BY SEASON

| Normal 91-20 | | Normal 91-20 | 14 | Normal 91-20 | 241 | Normal 91-20 | 27 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| | | | | | | | |
| 1950-51 | 0 | 1951 | 7 | 1951 | 115 | 1951 | 1 |
| 1951-52 | 0 | 1952 | 15 | 1952 | 266 | 1952 | 43 |
| 1952-53 | 0 | 1953 | 16 | 1953 | 247 | 1953 | 37 |
| 1953-54 | 0 | 1954 | 3 | 1954 | 238 | 1954 | 2 |
| 1954-55 | 0 | 1955 | 25 | 1955 | 556 | 1955 | 30 |
| | | | | | | | |
| 1955-56 | 0 | 1956 | 11 | 1956 | 290 | 1956 | 13 |
| 1956-57 | 0 | 1957 | 5 | 1957 | 367 | 1957 | 22 |
| 1957-58 | 0 | 1958 | 11 | 1958 | 234 | 1958 | 19 |
| 1958-59 | 0 | 1959 | 50 | 1959 | 437 | 1959 | 44 |
| 1959-60 | 0 | 1960 | 0 | 1960 | 274 | 1960 | 73 |
| | | | | | | | |
| 1960-61 | 0 | 1961 | 4 | 1961 | 353 | 1961 | 66 |
| 1961-62 | 0 | 1962 | 72 | 1962 | 206 | 1962 | 17 |
| 1962-63 | 0 | 1963 | 5 | 1963 | 389 | 1963 | 26 |
| 1963-64 | 0 | 1964 | 37 | 1964 | 401 | 1964 | 15 |
| 1964-65 | 0 | 1965 | 31 | 1965 | 212 | 1965 | 9 |
| | | | | | | | |
| 1965-66 | 0 | 1966 | 8 | 1966 | 432 | 1966 | 33 |
| 1966-67 | 0 | 1967 | 11 | 1967 | 212 | 1967 | 17 |
| 1967-68 | 0 | 1968 | 2 | 1968 | 382 | 1968 | 39 |
| 1968-69 | 0 | 1969 | 35 | 1969 | 320 | 1969 | 46 |
| 1969-70 | 0 | 1970 | 15 | 1970 | 345 | 1970 | 29 |
| | | | | | | | |
| 1970-71 | 0 | 1971 | 0 | 1971 | 211 | 1971 | 47 |
| 1971-72 | 0 | 1972 | 33 | 1972 | 197 | 1972 | 0 |
| 1972-73 | 0 | 1973 | 0 | 1973 | 224 | 1973 | 34 |
| 1973-74 | 0 | 1974 | 5 | 1974 | 174 | 1974 | 0 |
| 1974-75 | 0 | 1975 | 43 | 1975 | 398 | 1975 | 3 |
| | | | | | | | |
| 1975-76 | 0 | 1976 | 5 | 1976 | 335 | 1976 | 30 |
| 1976-77 | 0 | 1977 | 85 | 1977 | 232 | 1977 | 1 |
| 1977-78 | 0 | 1978 | 30 | 1978 | 208 | 1978 | 66 |
| 1978-79 | 0 | 1979 | 1 | 1979 | 182 | 1979 | 18 |
| 1979-80 | 0 | 1980 | 27 | 1980 | 254 | 1980 | 2 |
| | | | | | | | |
| 1980-81 | 0 | 1981 | 2 | 1981 | 214 | 1981 | 1 |
| 1981-82 | 0 | 1982 | 20 | 1982 | 197 | 1982 | 19 |
| 1982-83 | 0 | 1983 | 0 | 1983 | 465 | 1983 | 49 |
| 1983-84 | 0 | 1984 | 0 | 1984 | 244 | 1984 | 0 |
| 1984-85 | 0 | 1985 | 12 | 1985 | 123 | 1985 | 34 |
| | | | | | | | |
| 1985-86 | 0 | 1986 | 31 | 1986 | 162 | 1986 | 11 |
| 1986-87 | 0 | 1987 | 32 | 1987 | 385 | 1987 | 12 |
| 1987-88 | 0 | 1988 | 32 | 1988 | 497 | 1988 | 16 |
| 1988-89 | 0 | 1989 | 0 | 1989 | 294 | 1989 | 17 |
| 1989-90 | 0 | 1990 | 19 | 1990 | 176 | 1990 | 29 |

RHINELANDER COOLING DEGREE DAYS BY SEASON

| Normal 91-20 | | Normal 91-20 | 14 | Normal 91-20 | 241 | Normal 91-20 | 27 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| | | | | | | | |
| 1990-91 | 0 | 1991 | 55 | 1991 | 335 | 1991 | 22 |
| 1991-92 | 0 | 1992 | 13 | 1992 | 100 | 1992 | 2 |
| 1992-93 | 0 | 1993 | 12 | 1993 | 206 | 1993 | 1 |
| 1993-94 | 0 | 1994 | 20 | 1994 | 217 | 1994 | 23 |
| 1994-95 | 0 | 1995 | 0 | 1995 | 475 | 1995 | 33 |
| | | | | | | | |
| 1995-96 | 0 | 1996 | 4 | 1996 | 173 | 1996 | 29 |
| 1996-97 | 0 | 1997 | 0 | 1997 | 237 | 1997 | 12 |
| 1997-98 | 0 | 1998 | 33 | 1998 | 351 | 1998 | 75 |
| 1998-99 | 0 | 1999 | 9 | 1999 | 404 | 1999 | 43 |
| 1999-00 | 0 | 2000 | 30 | 2000 | 137 | 2000 | 8 |
| | | | | | | | |
| 2000-01 | 0 | 2001 | 6 | 2001 | 328 | 2001 | 10 |
| 2001-02 | 0 | 2002 | 16 | 2002 | 291 | 2002 | 34 |
| 2002-03 | 0 | 2003 | 3 | 2003 | 206 | 2003 | 42 |
| 2003-04 | 0 | 2004 | 5 | 2004 | 126 | 2004 | 39 |
| 2004-05 | 0 | 2005 | 0 | 2005 | 397 | 2005 | 78 |
| | | | | | | | |
| 2005-06 | 0 | 2006 | 42 | 2006 | 306 | 2006 | 7 |
| 2006-07 | 0 | 2007 | 29 | 2007 | 315 | 2007 | 77 |
| 2007-08 | 0 | 2008 | 0 | 2008 | 176 | 2008 | 25 |
| 2008-09 | 0 | 2009 | 7 | 2009 | 146 | 2009 | 8 |
| 2009-10 | 0 | 2010 | 48 | 2010 | 355 | 2010 | 1 |
| | | | | | | | |
| 2010-11 | 0 | 2011 | 7 | 2011 | 285 | 2011 | 29 |
| 2011-12 | 0 | 2012 | 23 | 2012 | 328 | 2012 | 22 |
| 2012-13 | 0 | 2013 | 14 | 2013 | 250 | 2013 | 17 |
| 2013-14 | 0 | 2014 | 7 | 2014 | 140 | 2014 | 1 |
| 2014-15 | 0 | 2015 | 5 | 2015 | 157 | 2015 | 71 |
| | | | | | | | |
| 2015-16 | 0 | 2016 | 15 | 2016 | 293 | 2016 | 13 |
| 2016-17 | 0 | 2017 | 2 | 2017 | 160 | 2017 | 53 |
| 2017-18 | 0 | 2018 | 83 | 2018 | 403 | 2018 | 80 |
| 2018-19 | 0 | 2019 | 9 | 2019 | 240 | 2019 | 23 |
| 2019-20 | 0 | 2020 | 26 | 2020 | 326 | 2020 | 4 |
| | | | | | | | |
| 2020-21 | 0 | 2021 | 15 | 2021 | 298 | 2021 | 8 |
| 2021-22 | 0 | 2022 | 45 | 2022 | 222 | 2022 | 29 |
| 2022-23 | 0 | 2023 | 11 | 2023 | 225 | 2023 | 75 |
| 2023-24 | 0 | 2024 | 3 | 2024 | 228 | 2024 | |
| 2024-25 | 0 | 2025 | | 2025 | | 2025 | |
| | | | | | | | |

RHINELANDER MONTHLY PRECIPITATION

| Normal | 91-20 | 1.21 | 1.22 | 1.69 | 3.04 | 3.81 | 5.06 | | 4.15 | 3.59 | 3.90 | 3.22 | 2.03 | 1.57 | | 34.49 |
|--------|-------|------|------|------|------|------|------|--|------|------|------|------|------|------|--|--------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Annual |
| 1908 | | 0.34 | 1.46 | 1.48 | 3.38 | 2.44 | 4.12 | | 3.76 | 1.35 | 4.49 | 0.95 | 1.37 | 0.80 | | 25.94 |
| 1909 | | 0.49 | 0.76 | 0.76 | 3.12 | 2.43 | 4.01 | | 4.11 | 3.83 | 2.90 | 1.15 | 5.32 | 1.27 | | 30.15 |
| 1910 | | 0.48 | 0.54 | 0.38 | 2.82 | 2.46 | 0.53 | | 1.44 | 3.40 | 2.49 | 1.99 | 1.11 | 0.52 | | 18.16 |
| 1911 | | 0.66 | 1.17 | 1.46 | 1.18 | 5.89 | 2.45 | | 9.31 | 3.29 | 4.45 | 8.87 | 1.72 | 1.97 | | 42.42 |
| 1912 | | 0.36 | 0.17 | 0.58 | 3.28 | 7.31 | 1.28 | | 4.09 | 8.32 | 4.58 | 2.23 | 0.85 | 2.02 | | 35.07 |
| 1913 | | 0.42 | 0.64 | 2.62 | 1.60 | 4.68 | 3.66 | | 6.47 | 1.83 | 5.17 | 3.76 | 1.23 | 0.03 | | 32.11 |
| 1914 | | 1.26 | 0.45 | 1.30 | 3.48 | 2.12 | 6.84 | | 7.03 | 5.91 | 2.70 | 1.06 | 1.08 | 0.23 | | 33.46 |
| 1915 | | 1.39 | 0.98 | 0.32 | 1.45 | 3.79 | 3.43 | | 4.52 | 4.17 | 3.06 | 2.37 | 4.39 | 0.97 | | 30.84 |
| 1916 | | 2.47 | 0.46 | 2.38 | 3.46 | 3.56 | 7.55 | | 4.40 | 2.13 | 7.79 | 2.99 | 1.97 | 0.63 | | 39.79 |
| 1917 | | 0.55 | 0.72 | 1.81 | 1.84 | 0.98 | 4.87 | | 0.99 | 3.86 | 1.87 | 3.56 | 0.37 | 0.71 | | 22.13 |
| 1918 | | 1.26 | 1.59 | 1.24 | 1.65 | 7.30 | 1.82 | | 3.22 | 7.91 | 2.54 | 2.16 | 2.48 | 1.46 | | 34.63 |
| 1919 | | 0.41 | 1.53 | 1.32 | 2.64 | 1.91 | 8.88 | | 5.34 | 2.83 | 2.94 | 3.35 | 3.13 | 0.21 | | 34.49 |
| 1920 | | 1.46 | 0.73 | 3.43 | 1.70 | 1.52 | 6.54 | | 2.97 | 1.83 | 1.61 | 3.05 | 0.95 | 1.76 | | 27.55 |
| 1921 | | 0.84 | 0.84 | 3.53 | 5.13 | 1.93 | 2.07 | | 3.46 | 4.26 | 3.81 | 1.18 | 0.87 | 1.37 | | 29.29 |
| 1922 | | 0.57 | 2.94 | 0.82 | 2.17 | 2.65 | 3.46 | | 4.20 | 1.42 | 4.04 | 1.58 | 2.44 | 0.57 | | 26.86 |
| 1923 | | 1.37 | 0.30 | 1.57 | 2.60 | 2.09 | 9.06 | | 4.13 | 2.88 | 2.02 | 0.76 | 0.48 | 0.80 | | 28.06 |
| 1924 | | 0.86 | 0.49 | 0.82 | 3.54 | 3.64 | 4.63 | | 2.97 | 6.27 | 2.65 | 0.74 | 0.94 | 0.85 | | 28.40 |
| 1925 | | 0.49 | 0.98 | 0.60 | 1.74 | 1.27 | 6.02 | | 2.88 | 3.02 | 3.98 | 1.68 | 1.19 | 0.74 | | 24.59 |
| 1926 | | 0.59 | 1.31 | 1.56 | 1.65 | 3.22 | 3.82 | | 4.27 | 7.91 | 5.22 | 3.32 | 2.59 | 1.20 | | 36.66 |
| 1927 | | 0.67 | 0.61 | 1.88 | 1.77 | 3.42 | 3.70 | | 8.16 | 0.99 | 3.33 | 3.74 | 2.21 | 2.04 | | 32.52 |
| 1928 | | 0.78 | 1.10 | 0.97 | 2.62 | 2.22 | 2.93 | | 6.28 | 4.41 | 7.26 | 4.87 | 0.57 | 0.18 | | 34.19 |
| 1929 | | 1.19 | 0.90 | 0.85 | 3.05 | 3.80 | 7.93 | | 8.83 | 2.71 | 3.04 | 0.84 | 1.33 | 0.37 | | 34.84 |
| 1930 | | 0.56 | 0.97 | 0.57 | 1.47 | 3.12 | 5.45 | | 2.03 | 3.10 | 4.01 | 1.93 | 1.63 | 0.14 | | 24.98 |
| 1931 | | 0.50 | 0.50 | 0.64 | 0.57 | 1.07 | 8.84 | | 3.90 | 4.24 | 5.50 | 3.41 | 4.59 | 1.03 | | 34.79 |
| 1932 | | 1.67 | 2.27 | 0.75 | 1.82 | 2.36 | 2.00 | | 3.53 | 4.34 | 1.49 | 0.92 | 1.43 | 2.21 | | 24.79 |
| 1933 | | 1.09 | 1.66 | 0.50 | 2.70 | 4.63 | 4.93 | | 1.50 | 1.41 | 2.47 | 2.03 | 1.08 | 1.36 | | 25.36 |
| 1934 | | 0.39 | 0.32 | 2.14 | 2.39 | 2.11 | 3.51 | | 2.04 | 4.21 | 8.90 | 2.86 | 5.71 | 1.25 | | 35.83 |
| 1935 | | 3.48 | 0.83 | 0.79 | 1.55 | 2.12 | 5.08 | | 4.63 | 5.84 | 4.59 | 3.25 | 0.61 | 0.43 | | 33.20 |
| 1936 | | 1.47 | 1.43 | 1.74 | 0.97 | 3.71 | 1.67 | | 2.14 | 8.51 | 2.55 | 2.54 | 0.73 | 1.18 | | 28.64 |
| 1937 | | 1.90 | 3.36 | 0.17 | 1.87 | 3.63 | 1.13 | | 3.65 | 2.38 | 3.17 | 3.18 | 1.65 | 0.64 | | 26.73 |
| 1938 | | 2.09 | 1.75 | 2.73 | 3.65 | 5.85 | 4.46 | | 5.93 | 4.53 | 3.88 | 2.34 | 2.63 | 1.67 | | 41.51 |
| 1939 | | 3.04 | 2.48 | 2.48 | 2.61 | 3.91 | 8.22 | | 1.39 | 1.94 | 1.80 | 1.66 | 0.12 | 1.91 | | 31.56 |
| 1940 | | 0.67 | 2.40 | 1.06 | 2.09 | 3.74 | 7.65 | | 4.76 | 4.49 | 1.49 | 2.04 | 3.25 | 1.90 | | 35.54 |
| 1941 | | 0.77 | 0.45 | 0.58 | 1.89 | 3.22 | 2.18 | | 4.36 | 6.99 | 6.12 | 5.94 | 1.23 | 0.91 | | 34.64 |
| 1942 | | 0.89 | 0.45 | 5.75 | 1.83 | 6.57 | 2.67 | | 4.68 | 2.37 | 8.54 | 2.26 | 1.88 | 1.62 | | 39.51 |
| 1943 | | 1.06 | 0.30 | 1.95 | 1.37 | 3.96 | 8.56 | | 1.11 | 4.85 | 1.74 | 2.04 | 2.34 | 0.03 | | 29.31 |
| 1944 | | 1.06 | 0.59 | 2.13 | 1.33 | 3.96 | 6.49 | | 1.82 | 1.88 | 3.46 | 0.70 | 2.00 | 0.46 | | 25.88 |

RHINELANDER MONTHLY PRECIPITATION

| Normal | 91-20 | 1.21 | 1.22 | 1.69 | 3.04 | 3.81 | 5.06 | | 4.15 | 3.59 | 3.90 | 3.22 | 2.03 | 1.57 | | 34.49 |
|--------|-------|------|------|------|------|------|-------|--|------|------|------|------|------|------|--|--------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Annual |
| 1945 | | 0.61 | 2.78 | 2.06 | 4.37 | 4.00 | 3.22 | | 4.33 | 4.24 | 2.19 | 1.54 | 3.30 | 1.86 | | 34.50 |
| 1946 | | 2.18 | 0.69 | 0.65 | 0.33 | 2.59 | 11.72 | | 2.49 | 2.48 | 4.14 | 2.98 | 2.48 | 1.34 | | 34.07 |
| 1947 | | 0.41 | 0.46 | 0.75 | 3.50 | 2.83 | 4.00 | | 2.29 | 4.15 | 1.81 | 1.47 | 2.37 | 0.93 | | 24.97 |
| 1948 | | 0.46 | 1.32 | 0.94 | 1.61 | 0.73 | 3.00 | | 4.38 | 2.00 | 2.91 | 0.97 | 3.60 | 0.53 | | 22.45 |
| 1949 | | 1.35 | 0.65 | 1.35 | 0.87 | 3.00 | 5.28 | | 6.36 | 1.58 | 4.52 | 2.67 | 1.33 | 1.07 | | 30.03 |
| 1950 | | 3.54 | 0.69 | 2.45 | 2.62 | 3.60 | 2.32 | | 4.69 | 3.07 | 1.52 | 2.48 | 1.59 | 1.95 | | 30.52 |
| 1951 | | 0.52 | 2.10 | 3.03 | 2.85 | 4.39 | 3.92 | | 8.62 | 4.83 | 4.26 | 3.45 | 1.28 | 1.11 | | 40.36 |
| 1952 | | 1.64 | 0.49 | 1.58 | 1.95 | 3.28 | 3.87 | | 5.75 | 4.88 | 0.70 | 0.23 | 1.47 | 1.33 | | 27.17 |
| 1953 | | 0.69 | 2.09 | 1.43 | 2.42 | 3.17 | 8.87 | | 3.80 | 2.10 | 1.41 | 0.29 | 1.10 | 1.69 | | 29.06 |
| 1954 | | 0.67 | 0.65 | 1.24 | 4.79 | 3.09 | 4.04 | | 2.79 | 1.56 | 6.02 | 3.66 | 0.90 | 0.42 | | 29.83 |
| 1955 | | 0.58 | 0.72 | 1.72 | 2.35 | 3.50 | 2.61 | | 4.09 | 4.89 | 2.35 | 3.58 | 1.40 | 1.14 | | 28.93 |
| 1956 | | 0.58 | 0.21 | 1.00 | 1.31 | 2.47 | 6.05 | | 3.88 | 5.55 | 1.61 | 0.58 | 3.25 | 0.45 | | 26.94 |
| 1957 | | 0.31 | 0.70 | 0.99 | 1.33 | 3.04 | 3.19 | | 2.13 | 4.66 | 2.88 | 0.93 | 2.26 | 0.41 | | 22.83 |
| 1958 | | 0.49 | 0.03 | 0.68 | 1.30 | 5.52 | 3.11 | | 4.81 | 4.56 | 3.62 | 2.34 | 1.89 | 0.33 | | 28.68 |
| 1959 | | 0.42 | 0.43 | 0.80 | 1.99 | 3.37 | 2.99 | | 4.83 | 8.89 | 7.32 | 3.71 | 0.58 | 2.40 | | 37.73 |
| 1960 | | 1.05 | 0.33 | 0.18 | 3.06 | 5.62 | 4.91 | | 2.24 | 5.80 | 3.22 | 2.67 | 1.33 | 0.40 | | 30.81 |
| 1961 | | 0.21 | 1.27 | 2.07 | 1.70 | 2.67 | 3.54 | | 4.47 | 3.50 | 4.34 | 3.17 | 2.66 | 0.95 | | 30.55 |
| 1962 | | 0.67 | 1.69 | 0.40 | 2.12 | 4.59 | 2.93 | | 2.71 | 3.12 | 3.20 | 1.55 | 0.74 | 0.66 | | 24.38 |
| 1963 | | 0.30 | 0.46 | 1.09 | 1.36 | 2.86 | 2.49 | | 2.10 | 3.43 | 3.81 | 0.74 | 0.72 | 0.82 | | 20.18 |
| 1964 | | 0.72 | 0.22 | 0.83 | 3.58 | 3.29 | 2.60 | | 3.36 | 5.87 | 3.62 | 0.44 | 3.02 | 1.65 | | 29.20 |
| 1965 | | 0.44 | 0.82 | 1.64 | 2.91 | 4.50 | 3.25 | | 2.99 | 2.82 | 4.73 | 1.68 | 3.55 | 1.40 | | 30.73 |
| 1966 | | 0.87 | 0.43 | 3.14 | 1.24 | 0.77 | 2.47 | | 1.50 | 6.86 | 2.63 | 3.29 | 1.28 | 1.13 | | 25.61 |
| 1967 | | 2.68 | 0.60 | 1.39 | 4.32 | 1.67 | 5.70 | | 2.68 | 3.48 | 3.13 | 3.27 | 0.72 | 0.39 | | 30.03 |
| 1968 | | 0.99 | 0.19 | 1.25 | 2.49 | 5.10 | 9.89 | | 4.67 | 1.94 | 7.47 | 2.34 | 0.52 | 2.74 | | 39.59 |
| 1969 | | 2.79 | 0.12 | 0.60 | 1.30 | 3.58 | 4.76 | | 2.44 | 0.82 | 2.40 | 4.27 | 1.56 | 2.00 | | 26.64 |
| 1970 | | 0.92 | 0.35 | 0.87 | 1.04 | 4.90 | 2.05 | | 3.63 | 0.69 | 8.38 | 3.44 | 2.95 | 1.90 | | 31.12 |
| 1971 | | 2.50 | 2.82 | 1.04 | 0.65 | 4.05 | 5.27 | | 3.32 | 3.36 | 5.71 | 3.14 | 2.05 | 2.27 | | 36.18 |
| 1972 | | 1.13 | 1.12 | 2.39 | 3.11 | 2.13 | 2.86 | | 3.22 | 6.69 | 4.96 | 2.69 | 2.76 | 2.62 | | 35.68 |
| 1973 | | 0.92 | 0.72 | 4.09 | 3.25 | 6.86 | 2.29 | | 4.41 | 7.42 | 3.20 | 2.05 | 1.29 | 1.55 | | 38.05 |
| 1974 | | 0.50 | 0.83 | 0.61 | 3.41 | 2.59 | 3.03 | | 2.97 | 6.33 | 3.21 | 1.18 | 2.72 | 0.79 | | 28.17 |
| 1975 | | 1.90 | 1.35 | 1.21 | 3.33 | 2.22 | 4.33 | | 1.05 | 4.06 | 4.44 | 1.25 | 4.21 | 1.12 | | 30.47 |
| 1976 | | 1.70 | 0.98 | 2.54 | 2.63 | 1.55 | 1.71 | | 1.53 | 3.43 | 0.40 | 0.43 | 0.28 | 0.45 | | 17.63 |
| 1977 | | 0.58 | 0.44 | 3.28 | 3.81 | 2.87 | 4.21 | | 2.97 | 7.01 | 5.41 | 2.49 | 4.09 | 1.85 | | 39.01 |
| 1978 | | 0.55 | 0.38 | 0.15 | 2.75 | 4.66 | 4.48 | | 7.70 | 9.15 | 5.70 | 1.42 | 1.54 | 1.44 | | 39.92 |
| 1979 | | 1.65 | 1.57 | 3.11 | 0.82 | 3.92 | 3.19 | | 3.98 | 4.54 | 0.84 | 5.90 | 1.90 | 0.59 | | 32.01 |
| 1980 | | 1.81 | 0.23 | 0.37 | 1.49 | 1.93 | 4.58 | | 4.65 | 8.58 | 5.03 | 1.62 | 0.74 | 1.03 | | 32.06 |
| 1981 | | 0.43 | 1.95 | 0.62 | 3.49 | 4.01 | 10.22 | | 1.18 | 0.82 | 2.24 | 2.19 | 0.27 | 1.16 | | 28.58 |
| 1982 | | 1.40 | 0.23 | 1.03 | 4.09 | 3.15 | 2.13 | | 5.57 | 2.86 | 6.10 | 3.45 | 2.44 | 2.60 | | 35.05 |
| 1983 | | 1.49 | 0.81 | 1.60 | 1.39 | 4.36 | 3.86 | | 1.95 | 3.12 | 4.72 | 3.81 | 3.81 | 1.13 | | 32.05 |
| 1984 | | 0.51 | 1.39 | 1.26 | 3.59 | 1.07 | 4.60 | | 2.55 | 3.24 | 4.32 | 4.65 | 0.53 | 2.33 | | 30.04 |

RHINELANDER MONTHLY PRECIPITATION

| Normal | 91-20 | 1.21 | 1.22 | 1.69 | 3.04 | 3.81 | 5.06 | | 4.15 | 3.59 | 3.90 | 3.22 | 2.03 | 1.57 | | 34.49 |
|--------|-------|------|------|------|------|------|------|--|-------|------|------|------|------|------|--|--------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Annual |
| 1985 | | 0.14 | 0.88 | 2.21 | 1.57 | 4.85 | 2.39 | | 4.66 | 4.80 | 6.42 | 4.31 | 3.70 | 1.05 | | 36.98 |
| 1986 | | 0.89 | 0.44 | 0.86 | 2.28 | 0.56 | 3.01 | | 8.88 | 2.79 | 7.73 | 3.03 | 0.87 | 0.47 | | 31.81 |
| 1987 | | 0.79 | 0.10 | 0.63 | 1.02 | 2.81 | 1.70 | | 3.82 | 1.65 | 2.59 | 1.79 | 2.45 | 1.66 | | 21.01 |
| 1988 | | 1.18 | 0.24 | 1.50 | 1.28 | 1.19 | 2.32 | | 2.99 | 4.11 | 3.78 | 1.83 | 1.30 | 1.01 | | 22.73 |
| 1989 | | 1.26 | 0.41 | 1.41 | 0.85 | 2.53 | 2.27 | | 0.63 | 4.25 | 0.57 | 1.45 | 0.66 | 0.61 | | 16.90 |
| 1990 | | 0.57 | 0.32 | 0.73 | 3.10 | 4.97 | 7.06 | | 4.69 | 7.91 | 6.43 | 3.72 | 1.35 | 0.77 | | 41.62 |
| 1991 | | 0.70 | 0.97 | 3.04 | 4.33 | 7.50 | 4.27 | | 4.99 | 2.32 | 3.46 | 3.03 | 4.87 | 1.23 | | 40.71 |
| 1992 | | 0.70 | 1.39 | 1.76 | 2.87 | 2.66 | 2.52 | | 2.23 | 3.17 | 6.71 | 2.17 | 3.49 | 1.80 | | 31.47 |
| 1993 | | 1.45 | 0.04 | 0.47 | 2.60 | 4.53 | 5.81 | | 2.77 | 3.42 | 3.62 | 2.17 | 1.76 | 0.59 | | 29.23 |
| 1994 | | 0.90 | 0.94 | 0.75 | 2.91 | 3.97 | 4.40 | | 3.94 | 4.76 | 8.51 | 1.77 | 1.49 | 0.35 | | 34.69 |
| 1995 | | 0.39 | 0.51 | 1.41 | 1.94 | 4.07 | 0.85 | | 5.40 | 5.74 | 2.58 | 5.44 | 2.03 | 1.35 | | 31.71 |
| 1996 | | 2.53 | 0.56 | 2.16 | 2.16 | 0.97 | 4.42 | | 5.43 | 3.45 | 2.60 | 4.23 | 2.66 | 2.03 | | 33.20 |
| 1997 | | 3.15 | 0.11 | 1.78 | 1.04 | 2.53 | 6.31 | | 4.58 | 3.79 | 4.31 | 3.91 | 0.73 | 0.59 | | 32.83 |
| 1998 | | 1.84 | 1.06 | 3.24 | 1.16 | 4.43 | 5.25 | | 1.04 | 1.82 | 1.87 | 1.57 | 2.09 | 0.84 | | 26.21 |
| 1999 | | 2.30 | 1.46 | 0.46 | 1.87 | 7.25 | 2.99 | | 7.88 | 2.79 | 1.78 | 1.94 | 1.55 | 0.76 | | 33.03 |
| 2000 | | 1.60 | 1.86 | 2.30 | 2.51 | 2.46 | 5.00 | | 10.24 | 3.24 | 4.10 | 0.73 | 2.32 | 1.18 | | 37.54 |
| 2001 | | 0.92 | 1.24 | 0.69 | 4.69 | 4.49 | 4.01 | | 4.65 | 2.13 | 6.38 | 2.53 | 2.76 | 1.93 | | 36.42 |
| 2002 | | 0.61 | 1.88 | 2.42 | 6.33 | 2.86 | 4.18 | | 5.69 | 3.60 | 6.03 | 4.21 | 0.43 | 0.65 | | 38.89 |
| 2003 | | 0.28 | 1.17 | 2.41 | 4.57 | 3.23 | 2.46 | | 4.63 | 1.31 | 2.84 | 1.43 | 2.03 | 1.17 | | 27.53 |
| 2004 | | 1.33 | 2.06 | 3.89 | 2.20 | 4.52 | 3.13 | | 3.05 | 3.16 | 3.15 | 4.13 | 1.40 | 2.17 | | 34.19 |
| 2005 | | 1.34 | 4.43 | 1.71 | 1.98 | 1.73 | 2.96 | | 1.79 | 2.34 | 3.17 | 4.31 | 2.90 | 1.28 | | 29.94 |
| 2006 | | 1.15 | 0.81 | 2.70 | 0.57 | 6.68 | 0.47 | | 4.48 | 3.88 | 2.64 | 2.03 | 1.68 | 2.57 | | 29.66 |
| 2007 | | 0.73 | 0.86 | 2.27 | 0.98 | 3.43 | 3.77 | | 4.60 | 2.48 | 3.97 | 5.15 | 0.62 | 2.29 | | 31.15 |
| 2008 | | 1.17 | 1.14 | 1.50 | 3.62 | 3.28 | 3.59 | | 3.67 | 1.47 | 2.10 | 1.60 | 1.30 | 2.06 | | 26.50 |
| 2009 | | 0.68 | 0.76 | 1.49 | 3.05 | 2.29 | 1.54 | | 1.92 | 3.85 | 0.64 | 4.75 | 0.44 | 2.10 | | 23.51 |
| 2010 | | 0.70 | 0.60 | 0.46 | 1.61 | 1.44 | 6.60 | | 5.26 | 4.31 | 7.56 | 1.95 | 1.58 | 1.62 | | 33.69 |
| 2011 | | 1.00 | 0.42 | 2.63 | 3.20 | 4.52 | 3.79 | | 2.36 | 2.64 | 2.60 | 1.30 | 1.73 | 1.62 | | 27.81 |
| 2012 | | 1.33 | 2.45 | 0.96 | 1.93 | 4.84 | 3.74 | | 5.97 | 1.49 | 1.65 | 3.47 | 1.41 | 0.88 | | 30.12 |
| 2013 | | 1.19 | 1.61 | 2.01 | 4.62 | 3.90 | 5.30 | | 2.74 | 5.47 | 2.12 | 4.15 | 2.10 | 1.66 | | 36.87 |
| 2014 | | 1.38 | 1.23 | 0.76 | 4.86 | 2.88 | 6.73 | | 3.99 | 4.63 | 6.38 | 3.44 | 3.32 | 2.02 | | 41.62 |
| 2015 | | 0.68 | 0.21 | 0.77 | 3.25 | 3.69 | 3.56 | | 3.06 | 3.46 | 2.76 | 3.58 | 2.40 | 3.96 | | 31.38 |
| 2016 | | 0.76 | 0.97 | 3.67 | 2.78 | 2.90 | 7.02 | | 3.82 | 5.67 | 5.62 | 5.64 | 2.03 | 2.07 | | 42.86 |
| 2017 | | 1.93 | 1.43 | 1.21 | 6.93 | 6.22 | 7.27 | | 1.62 | 4.48 | 1.95 | 4.31 | 1.21 | 1.73 | | 40.29 |
| 2018 | | 1.19 | 1.10 | 1.85 | 2.58 | 1.75 | 6.25 | | 3.41 | 2.40 | 5.04 | 5.33 | 2.30 | 1.14 | | 34.34 |
| 2019 | | 0.82 | 5.18 | 1.04 | 3.59 | 4.83 | 4.35 | | 5.01 | 3.99 | 5.59 | 2.87 | 2.38 | 3.50 | | 43.15 |
| 2020 | | 1.80 | 0.38 | 2.89 | 2.91 | 1.35 | 4.45 | | 9.31 | 2.84 | 3.68 | 2.50 | 2.60 | 0.78 | | 35.49 |
| 2021 | | 0.66 | 1.90 | 1.19 | 4.48 | 1.76 | 5.49 | | 3.95 | 4.66 | 2.61 | 1.18 | 1.66 | 2.41 | | 31.95 |
| 2022 | | 0.67 | 0.84 | 3.28 | 4.76 | 3.83 | 2.43 | | 1.89 | 4.43 | 1.42 | 1.28 | 3.61 | 2.19 | | 30.78 |
| 2023 | | 1.62 | 1.71 | 3.21 | 4.74 | 0.95 | 2.49 | | 2.92 | 1.84 | 3.21 | 3.21 | 0.58 | 0.76 | | 27.24 |
| 2024 | | 0.88 | 0.38 | 3.02 | 2.80 | 3.79 | 5.90 | | 3.19 | 3.60 | 0.55 | | | | | |

RHINELANDER PRECIPITATION TOTALS BY SEASON

| Normal 91-20 | 4.00 | Normal 91-20 | 8.54 | Normal 91-20 | 12.80 | Normal 91-20 | 9.15 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| | | | | | | | |
| 1907-08 | 1.80 | 1908 | 7.30 | 1908 | 9.23 | 1908 | 6.81 |
| 1908-09 | 2.05 | 1909 | 6.31 | 1909 | 11.95 | 1909 | 9.37 |
| 1909-10 | 2.29 | 1910 | 5.66 | 1910 | 5.37 | 1910 | 5.59 |
| | | | | | | | |
| 1910-11 | 2.35 | 1911 | 8.53 | 1911 | 15.05 | 1911 | 15.04 |
| 1911-12 | 2.50 | 1912 | 11.17 | 1912 | 13.69 | 1912 | 7.66 |
| 1912-13 | 3.08 | 1913 | 8.90 | 1913 | 11.96 | 1913 | 10.16 |
| 1913-14 | 1.74 | 1914 | 6.90 | 1914 | 19.78 | 1914 | 4.84 |
| 1914-15 | 2.60 | 1915 | 5.56 | 1915 | 12.12 | 1915 | 9.82 |
| | | | | | | | |
| 1915-16 | 3.90 | 1916 | 9.40 | 1916 | 14.08 | 1916 | 12.75 |
| 1916-17 | 1.90 | 1917 | 4.63 | 1917 | 9.72 | 1917 | 5.80 |
| 1917-18 | 3.56 | 1918 | 10.19 | 1918 | 12.95 | 1918 | 7.18 |
| 1918-19 | 3.40 | 1919 | 5.87 | 1919 | 17.05 | 1919 | 9.42 |
| 1919-20 | 2.40 | 1920 | 6.65 | 1920 | 11.34 | 1920 | 5.61 |
| | | | | | | | |
| 1920-21 | 3.44 | 1921 | 10.59 | 1921 | 9.79 | 1921 | 5.86 |
| 1921-22 | 4.88 | 1922 | 5.64 | 1922 | 9.08 | 1922 | 8.06 |
| 1922-23 | 2.24 | 1923 | 6.26 | 1923 | 16.07 | 1923 | 3.26 |
| 1923-24 | 2.15 | 1924 | 8.00 | 1924 | 13.87 | 1924 | 4.33 |
| 1924-25 | 2.32 | 1925 | 3.61 | 1925 | 11.92 | 1925 | 6.85 |
| | | | | | | | |
| 1925-26 | 2.64 | 1926 | 6.43 | 1926 | 16.00 | 1926 | 11.13 |
| 1926-27 | 2.48 | 1927 | 7.07 | 1927 | 12.85 | 1927 | 9.28 |
| 1927-28 | 3.92 | 1928 | 5.81 | 1928 | 13.62 | 1928 | 12.70 |
| 1928-29 | 2.27 | 1929 | 7.70 | 1929 | 19.47 | 1929 | 5.21 |
| 1929-30 | 1.90 | 1930 | 5.16 | 1930 | 10.58 | 1930 | 7.57 |
| | | | | | | | |
| 1930-31 | 1.14 | 1931 | 2.28 | 1931 | 16.98 | 1931 | 13.50 |
| 1931-32 | 4.97 | 1932 | 4.93 | 1932 | 9.87 | 1932 | 3.84 |
| 1932-33 | 4.96 | 1933 | 7.83 | 1933 | 7.84 | 1933 | 5.58 |
| 1933-34 | 2.07 | 1934 | 6.64 | 1934 | 9.76 | 1934 | 17.47 |
| 1934-35 | 5.56 | 1935 | 4.46 | 1935 | 15.55 | 1935 | 8.45 |
| | | | | | | | |
| 1935-36 | 3.33 | 1936 | 6.42 | 1936 | 12.32 | 1936 | 5.82 |
| 1936-37 | 6.44 | 1937 | 5.67 | 1937 | 7.16 | 1937 | 8.00 |
| 1937-38 | 4.48 | 1938 | 12.23 | 1938 | 14.92 | 1938 | 8.85 |
| 1938-39 | 7.19 | 1939 | 9.00 | 1939 | 11.55 | 1939 | 3.58 |
| 1939-40 | 4.98 | 1940 | 6.89 | 1940 | 16.90 | 1940 | 6.78 |
| | | | | | | | |
| 1940-41 | 3.12 | 1941 | 5.69 | 1941 | 13.53 | 1941 | 13.29 |
| 1941-42 | 2.25 | 1942 | 14.15 | 1942 | 9.72 | 1942 | 12.68 |
| 1942-43 | 2.98 | 1943 | 7.28 | 1943 | 14.52 | 1943 | 6.12 |
| 1943-44 | 1.68 | 1944 | 7.42 | 1944 | 10.19 | 1944 | 6.16 |
| 1944-45 | 3.85 | 1945 | 10.43 | 1945 | 11.79 | 1945 | 7.03 |
| | | | | | | | |
| 1945-46 | 4.73 | 1946 | 3.57 | 1946 | 16.69 | 1946 | 9.60 |
| 1946-47 | 2.21 | 1947 | 7.08 | 1947 | 10.44 | 1947 | 5.65 |
| 1947-48 | 2.71 | 1948 | 3.28 | 1948 | 9.38 | 1948 | 7.48 |
| 1948-49 | 2.53 | 1949 | 5.22 | 1949 | 13.22 | 1949 | 8.52 |
| 1949-50 | 5.30 | 1950 | 8.67 | 1950 | 10.08 | 1950 | 5.59 |

RHINELANDER PRECIPITATION TOTALS BY SEASON

| Normal 91-20 | 4.00 | Normal 91-20 | 8.54 | Normal 91-20 | 12.80 | Normal 91-20 | 9.15 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| | | | | | | | |
| 1950-51 | 4.57 | 1951 | 10.27 | 1951 | 17.37 | 1951 | 8.99 |
| 1951-52 | 3.24 | 1952 | 6.81 | 1952 | 14.50 | 1952 | 2.40 |
| 1952-53 | 4.11 | 1953 | 7.02 | 1953 | 14.77 | 1953 | 2.80 |
| 1953-54 | 3.01 | 1954 | 9.12 | 1954 | 8.39 | 1954 | 10.58 |
| 1954-55 | 1.72 | 1955 | 7.57 | 1955 | 11.59 | 1955 | 7.33 |
| | | | | | | | |
| 1955-56 | 1.93 | 1956 | 4.78 | 1956 | 15.48 | 1956 | 5.44 |
| 1956-57 | 1.46 | 1957 | 5.36 | 1957 | 9.98 | 1957 | 6.07 |
| 1957-58 | 0.93 | 1958 | 7.50 | 1958 | 12.48 | 1958 | 7.85 |
| 1958-59 | 1.18 | 1959 | 6.16 | 1959 | 16.71 | 1959 | 11.61 |
| 1959-60 | 3.78 | 1960 | 8.86 | 1960 | 12.95 | 1960 | 7.22 |
| | | | | | | | |
| 1960-61 | 1.88 | 1961 | 6.44 | 1961 | 11.51 | 1961 | 10.17 |
| 1961-62 | 3.31 | 1962 | 7.11 | 1962 | 8.76 | 1962 | 5.49 |
| 1962-63 | 1.42 | 1963 | 5.31 | 1963 | 8.02 | 1963 | 5.27 |
| 1963-64 | 1.76 | 1964 | 7.70 | 1964 | 11.83 | 1964 | 7.08 |
| 1964-65 | 2.91 | 1965 | 9.05 | 1965 | 9.06 | 1965 | 9.96 |
| | | | | | | | |
| 1965-66 | 2.70 | 1966 | 5.15 | 1966 | 10.83 | 1966 | 7.20 |
| 1966-67 | 4.41 | 1967 | 7.38 | 1967 | 11.86 | 1967 | 7.12 |
| 1967-68 | 1.57 | 1968 | 8.84 | 1968 | 16.50 | 1968 | 10.33 |
| 1968-69 | 5.65 | 1969 | 5.48 | 1969 | 8.02 | 1969 | 8.23 |
| 1969-70 | 3.27 | 1970 | 6.81 | 1970 | 6.37 | 1970 | 14.77 |
| | | | | | | | |
| 1970-71 | 7.22 | 1971 | 5.74 | 1971 | 11.95 | 1971 | 10.90 |
| 1971-72 | 4.52 | 1972 | 7.63 | 1972 | 12.77 | 1972 | 10.41 |
| 1972-73 | 4.26 | 1973 | 14.20 | 1973 | 14.12 | 1973 | 6.54 |
| 1973-74 | 2.88 | 1974 | 6.61 | 1974 | 12.33 | 1974 | 7.11 |
| 1974-75 | 4.04 | 1975 | 6.76 | 1975 | 9.44 | 1975 | 9.90 |
| | | | | | | | |
| 1975-76 | 3.80 | 1976 | 6.72 | 1976 | 6.67 | 1976 | 1.11 |
| 1976-77 | 1.47 | 1977 | 9.96 | 1977 | 14.19 | 1977 | 11.99 |
| 1977-78 | 2.78 | 1978 | 7.56 | 1978 | 21.33 | 1978 | 8.66 |
| 1978-79 | 4.66 | 1979 | 7.85 | 1979 | 11.71 | 1979 | 8.64 |
| 1979-80 | 2.63 | 1980 | 3.79 | 1980 | 17.81 | 1980 | 7.39 |
| | | | | | | | |
| 1980-81 | 3.41 | 1981 | 8.12 | 1981 | 12.22 | 1981 | 4.70 |
| 1981-82 | 2.79 | 1982 | 8.27 | 1982 | 10.56 | 1982 | 11.99 |
| 1982-83 | 4.90 | 1983 | 7.35 | 1983 | 8.93 | 1983 | 12.34 |
| 1983-84 | 3.03 | 1984 | 5.92 | 1984 | 10.39 | 1984 | 9.50 |
| 1984-85 | 3.35 | 1985 | 8.63 | 1985 | 11.85 | 1985 | 14.43 |
| | | | | | | | |
| 1985-86 | 2.38 | 1986 | 3.70 | 1986 | 14.68 | 1986 | 11.63 |
| 1986-87 | 1.36 | 1987 | 4.46 | 1987 | 7.17 | 1987 | 6.83 |
| 1987-88 | 3.08 | 1988 | 3.97 | 1988 | 9.42 | 1988 | 6.91 |
| 1988-89 | 2.68 | 1989 | 4.79 | 1989 | 7.15 | 1989 | 2.68 |
| 1989-90 | 1.50 | 1990 | 8.80 | 1990 | 19.66 | 1990 | 11.50 |

RHINELANDER PRECIPITATION TOTALS BY SEASON

| Normal 91-20 | 4.00 | Normal 91-20 | 8.54 | Normal 91-20 | 12.80 | Normal 91-20 | 9.15 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| | | | | | | | |
| 1990-91 | 2.44 | 1991 | 14.87 | 1991 | 11.58 | 1991 | 11.36 |
| 1991-92 | 3.32 | 1992 | 7.29 | 1992 | 7.92 | 1992 | 12.37 |
| 1992-93 | 3.29 | 1993 | 7.60 | 1993 | 12.00 | 1993 | 7.55 |
| 1993-94 | 2.43 | 1994 | 7.63 | 1994 | 13.10 | 1994 | 11.77 |
| 1994-95 | 1.25 | 1995 | 7.42 | 1995 | 11.99 | 1995 | 10.05 |
| | | | | | | | |
| 1995-96 | 4.44 | 1996 | 5.29 | 1996 | 13.30 | 1996 | 9.49 |
| 1996-97 | 5.29 | 1997 | 5.35 | 1997 | 14.68 | 1997 | 8.95 |
| 1997-98 | 3.49 | 1998 | 8.83 | 1998 | 8.11 | 1998 | 5.53 |
| 1998-99 | 4.60 | 1999 | 9.58 | 1999 | 13.66 | 1999 | 5.27 |
| 1999-00 | 4.22 | 2000 | 7.27 | 2000 | 18.48 | 2000 | 7.15 |
| | | | | | | | |
| 2000-01 | 3.34 | 2001 | 9.87 | 2001 | 10.79 | 2001 | 11.67 |
| 2001-02 | 4.42 | 2002 | 11.61 | 2002 | 13.47 | 2002 | 10.67 |
| 2002-03 | 2.10 | 2003 | 10.21 | 2003 | 8.40 | 2003 | 6.30 |
| 2003-04 | 4.56 | 2004 | 10.61 | 2004 | 9.34 | 2004 | 8.68 |
| 2004-05 | 7.94 | 2005 | 5.42 | 2005 | 7.09 | 2005 | 10.38 |
| | | | | | | | |
| 2005-06 | 3.24 | 2006 | 9.95 | 2006 | 8.83 | 2006 | 6.35 |
| 2006-07 | 4.16 | 2007 | 6.68 | 2007 | 10.85 | 2007 | 9.74 |
| 2007-08 | 4.60 | 2008 | 8.40 | 2008 | 8.73 | 2008 | 5.00 |
| 2008-09 | 3.50 | 2009 | 6.83 | 2009 | 7.31 | 2009 | 5.83 |
| 2009-10 | 3.40 | 2010 | 3.51 | 2010 | 16.17 | 2010 | 11.09 |
| | | | | | | | |
| 2010/11 | 3.04 | 2011 | 10.35 | 2011 | 8.79 | 2011 | 5.63 |
| 2011/12 | 5.40 | 2012 | 7.73 | 2012 | 11.20 | 2012 | 6.53 |
| 2012/13 | 3.68 | 2013 | 10.53 | 2013 | 13.51 | 2013 | 8.37 |
| 2013/14 | 4.27 | 2014 | 8.50 | 2014 | 15.35 | 2014 | 13.14 |
| 2014/15 | 2.91 | 2015 | 7.71 | 2015 | 10.08 | 2015 | 8.74 |
| | | | | | | | |
| 2015-16 | 5.69 | 2016 | 9.35 | 2016 | 16.51 | 2016 | 9.24 |
| 2016-17 | 5.44 | 2017 | 14.36 | 2017 | 13.37 | 2017 | 7.47 |
| 2017-18 | 4.02 | 2018 | 6.18 | 2018 | 12.06 | 2018 | 12.67 |
| 2018-19 | 7.14 | 2019 | 9.46 | 2019 | 13.35 | 2019 | 10.84 |
| 2019-20 | 5.68 | 2020 | 7.15 | 2020 | 16.60 | 2020 | 8.25 |
| | | | | | | | |
| 2020-21 | 3.34 | 2021 | 7.43 | 2021 | 14.10 | 2021 | 5.45 |
| 2021-22 | 3.92 | 2022 | 11.87 | 2022 | 8.75 | 2022 | 6.31 |
| 2022-23 | 5.67 | 2023 | 8.90 | 2023 | 7.25 | 2023 | 7.00 |
| 2023-24 | 2.02 | 2024 | 9.61 | 2024 | 12.69 | 2024 | |
| 2024-25 | | 2025 | | 2025 | | 2025 | |

RHINELANDER – GREATEST CALENDAR DAY PRECIPITATION

JANUARY

| Total | Date(s) / Year(s) |
|-------|-------------------|
| | |
| 1.45 | 13/1950 |
| 1.36 | 18/1996 |
| 1.12 | 04/1939 |
| 1.00 | 05/1946 |
| 0.98 | 04/1997 |
| 0.96 | 17/1935 |
| 0.83 | 02/2000 |
| 0.82 | 25/1967 |
| 0.78 | 10/2017 |
| 0.76 | 17/1935 |
| 0.75 | 19/1935,05/1939 |
| 0.71 | 29/1914 |
| 0.69 | 24/1997 |
| 0.68 | 25/1938 |
| 0.67 | 13/1936,02/1950 |
| 0.65 | 06/1980,19/2023 |
| 0.64 | 04/1971 |

FEBRUARY

| Total | Date(s) / Year(s) |
|-------|-------------------|
| | |
| 1.75 | 21/1937 |
| 1.54 | 11/1932 |
| 1.26 | 20/2002 |
| 1.17 | 12/2019 |
| 1.05 | 24/2019 |
| 0.99 | 28/1939 |
| 0.98 | 03/2003 |
| 0.91 | 27/1948 |
| 0.89 | 04/2021 |
| 0.88 | 23/1922 |
| 0.83 | 15/1945 |
| 0.82 | 05/1971 |
| 0.81 | 20/1953 |
| 0.75 | 20/1937 |
| 0.71 | 26/1936 |
| 0.70 | 26/1951 |
| 0.69 | 22/1981 |

MARCH

| Total | Date(s) / Year(s) |
|-------|-------------------|
| | |
| 2.06 | 16/2016 |
| 1.87 | 20/1921 |
| 1.80 | 15/1939 |
| 1.75 | 07/1973 |
| 1.44 | 11/1973 |
| 1.31 | 31/2023 |
| 1.27 | 23/1979 |
| 1.24 | 15/1942,23/2022 |
| 1.06 | 23/2011 |
| 1.03 | 29/1938 |
| 1.00 | 10/1918 |
| 0.96 | 25/2024 |
| 0.95 | 29/1951 |
| 0.89 | 23/1953,31/2005 |
| 0.88 | 16/1942 |
| 0.87 | 25/1996 |
| 0.85 | 26/1936 |

APRIL

| Total | Date(s) / Year(s) |
|-------|-------------------|
| | |
| 4.02 | 18/2002 |
| 2.00 | 29/1984 |
| 1.84 | 09/2017 |
| 1.77 | 03/1934 |
| 1.70 | 03/1981 |
| 1.60 | 05/1947 |
| 1.46 | 15/2018 |
| 1.42 | 21/1912 |
| 1.41 | 13/2022 |
| 1.40 | 08/1991 |
| 1.36 | 17/1939 |
| 1.34 | 28/1914,04/1974 |
| 1.32 | 02/1982,01/2023 |
| 1.31 | 18/1930 |
| 1.30 | 27/1921,26/1954 |
| 1.29 | 23/1975,11/2019 |
| 1.27 | 16/1973 |

RHINELANDER – GREATEST CALENDAR DAY PRECIPITATION

MAY

| Total | Date(s) / Year(s) |
|-------|-------------------|
| 3.26 | 31/1958 |
| 2.51 | 29/1994 |
| 2.26 | 12/2011 |
| 2.18 | 17/2017 |
| 2.16 | 22/1912 |
| 2.07 | 17/1960 |
| 1.96 | 15/1911 |
| 1.90 | 26/1991 |
| 1.86 | 16/1951 |
| 1.79 | 24/2006 |
| 1.78 | 18/1918 |
| 1.73 | 21/1945 |
| 1.65 | 17/1910 |
| 1.55 | 02/1973 |
| 1.54 | 06/1999,16/2017 |
| 1.48 | 27/2006 |
| 1.47 | 16/1965 |

JUNE

| Total | Date(s) / Year(s) |
|-------|-------------------|
| 4.64 | 13/1981 |
| 3.97 | 21/1968 |
| 3.87 | 12/1990 |
| 3.70 | 24/1919 |
| 3.29 | 10/2021 |
| 3.26 | 11/2017 |
| 3.00 | 15/1997 |
| 2.97 | 15/2018 |
| 2.92 | 06/1923 |
| 2.81 | 06/1946 |
| 2.75 | 08/1971 |
| 2.40 | 24/1946 |
| 2.32 | 07/1946 |
| 2.09 | 27/1947 |
| 2.06 | 11/1931 |
| 2.03 | 14/2019 |
| 2.01 | 21/1927 |

JULY

| Total | Date(s) / Year(s) |
|-------|-------------------|
| 8.27 | 08/2000 |
| 3.86 | 08/1999 |
| 3.78 | 24/1929 |
| 3.18 | 14/2020 |
| 2.90 | 26/1916 |
| 2.87 | 15/1951 |
| 2.82 | 26/2003 |
| 2.80 | 06/1929 |
| 2.75 | 01/1958 |
| 2.71 | 04/1949 |
| 2.64 | 08/1958 |
| 2.41 | 23/1914 |
| 2.34 | 26/1919 |
| 2.33 | 31/1911 |
| 2.21 | 19/2019 |
| 2.08 | 03/1928 |
| 2.04 | 26/2020 |

AUGUST

| Total | Date(s) / Year(s) |
|-------|-------------------|
| 4.06 | 20/1926 |
| 3.48 | 15/1978 |
| 3.00 | 23/1943 |
| 2.78 | 17/1973 |
| 2.66 | 31/1977 |
| 2.65 | 09/1912 |
| 2.62 | 22/2016 |
| 2.47 | 22/1936 |
| 2.40 | 29/1941 |
| 2.30 | 29/1941,02/1955 |
| 2.27 | 29/2013 |
| 2.22 | 20/1959 |
| 2.20 | 09/1960 |
| 2.18 | 14/1978 |
| 2.16 | 27/1921 |
| 2.14 | 03/1974 |
| 2.13 | 01/1964 |

RHINELANDER – GREATEST CALENDAR DAY PRECIPITATION

SEPTEMBER

| Total | Date(s) / Year(s) |
|-------|-------------------|
| | |
| 3.65 | 06/2001 |
| 3.41 | 13/1994 |
| 2.98 | 27/1908 |
| 2.81 | 04/2018 |
| 2.70 | 27/1916 |
| 2.65 | 04/1949 |
| 2.63 | 03/1934 |
| 2.46 | 06/2016 |
| 2.45 | 30/1971 |
| 2.43 | 06/2001 |
| 2.37 | 23/2010 |
| 2.34 | 01/1948 |
| 2.28 | 15/1967 |
| 2.24 | 18/1942,06/1990 |
| 2.23 | 11/1928 |
| 2.19 | 14/1941 |
| 2.18 | 15/1994 |

OCTOBER

| Total | Date(s) / Year(s) |
|-------|-------------------|
| | |
| 4.64 | 17/2016 |
| 2.80 | 06/1911 |
| 2.47 | 22/1979 |
| 2.24 | 04/2005 |
| 2.03 | 15/1966,25/2012 |
| 1.91 | 06/1995 |
| 1.88 | 11/1986 |
| 1.85 | 14/1954 |
| 1.82 | 16/1911 |
| 1.65 | 19/1937 |
| 1.56 | 08/2007 |
| 1.54 | 05/1941 |
| 1.53 | 12/1912 |
| 1.50 | 13/1997 |
| 1.48 | 22/1938 |
| 1.45 | 04/1985 |
| 1.44 | 02/1969 |

NOVEMBER

| Total | Date(s) / Year(s) |
|-------|-------------------------|
| | |
| 2.14 | 07/1977 |
| 1.73 | 06/1956 |
| 1.49 | 09/1975 |
| 1.42 | 23/1999 |
| 1.41 | 13/1909 |
| 1.40 | 01/1945 |
| 1.39 | 10/1919 |
| 1.37 | 03/1972 |
| 1.36 | 07/1918 |
| 1.34 | 05/2022 |
| 1.29 | 11/1915 |
| 1.28 | 20/1992 |
| 1.26 | 11/1909 |
| 1.24 | 12/1964 |
| 1.21 | 07/1946 |
| 1.16 | 12/1965,10/1998,10/2020 |
| 1.15 | 27/2019 |

DECEMBER

| Total | Date(s) / Year(s) |
|-------|-------------------|
| | |
| 1.59 | 05/2001 |
| 1.21 | 30/2019 |
| 1.16 | 19/1939 |
| 1.12 | 24/1932 |
| 1.10 | 22/1933 |
| 1.06 | 16/1940,15/2022 |
| 1.01 | 23/2015 |
| 0.90 | 22/2006 |
| 0.89 | 04/1970 |
| 0.87 | 27/1946,28/1959 |
| 0.86 | 25/1945,24/1982 |
| 0.83 | 27/1982 |
| 0.82 | 29/2019 |
| 0.80 | 19/1982,02/1984 |
| 0.78 | 14/1920,04/2017 |
| 0.68 | 04/1932 |
| 0.67 | 10/2021 |

RHINELANDER – GREATEST CALENDAR DAY PRECIPITATION

YEAR

| Rank | Total | Date(s) / Year(s) |
|------|-------|-----------------------|
| | | |
| 1 | 8.27 | 07/08/2000 |
| 2 | 4.64 | 06/13/1981,10/17/2016 |
| 3 | 4.06 | 08/20/1926 |
| 4 | 3.97 | 06/21/1968 |
| 5 | 3.87 | 06/12/1990 |
| 6 | 3.86 | 07/08/1999 |
| 7 | 3.78 | 07/24/1929 |
| 8 | 3.70 | 06/24/1919 |
| 9 | 3.48 | 08/15/1978 |
| 10 | 3.41 | 09/13/1994 |
| 11T | 3.26 | 05/31/1958,06/11/2017 |
| 13 | 3.18 | 07/14/2020 |
| 14 | 3.05 | 04/18/2002 |
| 15T | 3.00 | 08/23/1943,06/15/1997 |
| 17 | 2.98 | 09/27/1908 |
| 18 | 2.97 | 06/15/2018 |
| 19 | 2.92 | 06/06/1923 |
| 20 | 2.90 | 07/26/1916 |
| 21 | 2.87 | 07/15/1951 |

RHINELANDER SEASONAL SNOWFALL RECORDS

(September - May 1991-2020 Normal Snowfall - 81.6 Inches)

| Season | | |
|--|----------|-----------------|
| Rank | Snowiest | Winter(s) |
| 1 | 122.9 | 2022-23 |
| 2 | 116.3 | 2018-19 |
| 3 | 107.6 | 2013-14 |
| 4 | 107.0 | 1938-39 |
| 5 | 99.9 | 2017-18 |
| 6 | 93.3 | 2021-22 |
| 7 | 91.3 | 1949-50 |
| 8 | 91.0 | 2010-11 |
| 9 | 89.3 | 2014-15 |
| 10 | 89.2 | 1936-37 |
| 11 | 88.4 | 2019-20 |
| 12 | 87.0 | 1968-69 |
| 13 | 86.0 | 1966-67 |
| 14 | 85.9 | 1950-51 |
| 15 | 84.0 | 2012-13 |
| 16 | 83.2 | 2007-08 |
| 17 | 82.5 | 1964-65 |
| 18 | 81.0 | 1927-28 |
| 19 | 79.0 | 1922-23 |
| 20 | 78.8 | 2003-04 |
| 21 | 76.8 | 2011-12 |
| 22 | 76.1 | 1934-35 |
| 23 | 72.6 | 2006-07 |
| 24 | 72.0 | 2008-09 |
| 25 | 70.5 | 1908-09 |
| 26 | 69.8 | 1961-62 |
| 27T | 69.0 | 1937-38,1970-71 |
| 29 | 66.9 | 1933-34 |
| 30 | 66.8 | 2001-01 |
| 31 | 66.2 | 1971-72 |
| Estimated snowfall totals were not included in the computation of daily, monthly, seasonal or yearly highest or lowest rankings. | | |
| | E91.0 | 1978-79 |
| | E80.4 | 1996-97 |
| | E75.8 | 1995-96 |

| Season | Least | |
|--|----------|-----------|
| Rank | Snowiest | Winter(s) |
| 1 | 20.2 | 1913-14 |
| 2 | 24.9 | 1930-31 |
| 3 | 30.5 | 1914-15 |
| 4 | 30.6 | 1948-49 |
| 5 | 30.7 | 1967-68 |
| 6 | 31.5 | 1929-30 |
| 7 | 34.2 | 1924-25 |
| 8 | 35.1 | 1920-21 |
| 9 | 35.5 | 1918-19 |
| 10 | 36.1 | 1941-42 |
| 11 | 37.0 | 1943-44 |
| 12 | 37.1 | 1963-64 |
| 13 | 39.0 | 1958-59 |
| 14 | 39.9 | 1946-47 |
| 15 | 41.0 | 1931-32 |
| 16 | 41.3 | 1928-29 |
| 17 | 41.5 | 1923-24 |
| 18 | 42.5 | 1947-48 |
| 19 | 45.3 | 1945-46 |
| 20 | 45.6 | 1960-61 |
| 21 | 45.9 | 1956-57 |
| 22 | 46.1 | 1955-56 |
| 23 | 46.8 | 1969-70 |
| 24 | 47.2 | 1912-13 |
| 25 | 47.3 | 1962-63 |
| 26 | 47.5 | 1940-41 |
| Estimated snowfall totals were not included in the computation of daily, monthly, seasonal or yearly highest or lowest rankings. | | |
| | E31.8 | 1989-90 |
| | E35.2 | 1986-87 |
| | E38.3 | 1980-81 |

RHINELANDER SEASONAL SNOWFALL (JUL 1 - JUN 30)

| Normal 91-20 | 0.0 | 0.0 | 0.0 | 1.9 | 9.9 | 17.7 | 13.8 | 15.8 | 10.1 | 11.9 | 0.5 | 0.0 | | 81.6 |
|--------------|-----|-----|-----|-----|------|------|------|------|------|------|-----|-----|--|--------|
| Season | Jul | Aug | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | | Season |
| 1907-08 | Msg | Msg | Msg | Msg | Msg | Msg | 6.2 | 7.6 | 20.4 | 4.0 | T | 0.0 | | Msg |
| 1908-09 | 0.0 | 0.0 | T | 0.0 | 2.0 | 15.7 | 6.0 | 13.9 | 12.8 | 18.6 | 1.5 | 0.0 | | 70.5 |
| 1909-10 | 0.0 | 0.0 | 0.0 | 4.5 | 11.6 | 11.2 | 9.9 | 9.4 | 4.5 | 4.6 | 0.0 | 0.0 | | 55.7 |
| 1910-11 | 0.0 | 0.0 | 0.0 | 1.5 | 11.1 | 10.2 | 12.4 | 10.9 | 6.7 | 1.0 | T | 0.0 | | 53.8 |
| 1911-12 | 0.0 | 0.0 | 0.0 | T | 19.0 | 19.4 | 5.7 | 4.6 | 4.0 | 0.0 | 0.0 | 0.0 | | 52.7 |
| 1912-13 | 0.0 | 0.0 | T | 0.0 | 7.3 | 6.4 | 10.3 | 8.6 | 12.6 | 2.0 | 0.0 | 0.0 | | 47.2 |
| 1913-14 | 0.0 | 0.0 | 0.5 | 0.5 | 1.5 | T | 6.7 | 8.0 | 3.0 | T | T | 0.0 | | 20.2 |
| 1914-15 | 0.0 | 0.0 | 0.0 | T | 6.5 | 2.4 | 15.4 | 3.2 | 3.0 | 0.0 | T | 0.0 | | 30.5 |
| 1915-16 | 0.0 | 0.0 | 0.0 | T | 6.5 | 7.5 | 12.0 | 8.0 | 16.5 | T | T | 0.0 | | 50.5 |
| 1916-17 | 0.0 | 0.0 | T | T | 5.5 | 5.0 | 12.0 | 13.0 | 17.5 | 9.0 | 1.0 | 0.0 | | 63.0 |
| 1917-18 | 0.0 | 0.0 | 0.0 | 4.0 | 2.0 | 7.4 | 12.5 | 13.5 | 12.0 | T | 0.0 | 0.0 | | 51.4 |
| 1918-19 | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 10.5 | 4.0 | 14.5 | T | T | 0.0 | 0.0 | | 35.5 |
| 1919-20 | 0.0 | 0.0 | 0.0 | 2.0 | 17.5 | 1.5 | 16.1 | 10.4 | 7.3 | 0.1 | 0.0 | 0.0 | | 54.9 |
| 1920-21 | 0.0 | 0.0 | 0.0 | T | 5.0 | 12.0 | 5.0 | 9.1 | 4.0 | T | 0.0 | 0.0 | | 35.1 |
| 1921-22 | 0.0 | 0.0 | 0.0 | T | 7.0 | 15.4 | 4.0 | 21.0 | 1.5 | 3.5 | 0.0 | 0.0 | | 52.4 |
| 1922-23 | 0.0 | 0.0 | 0.0 | T | 2.0 | 6.0 | 17.0 | 7.0 | 20.0 | 21.0 | 6.0 | 0.0 | | 79.0 |
| 1923-24 | 0.0 | 0.0 | 0.0 | T | 1.5 | 5.0 | 10.0 | 6.0 | 12.0 | 7.0 | 0.0 | 0.0 | | 41.5 |
| 1924-25 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 7.0 | 8.7 | 10.0 | 2.0 | 5.0 | 0.0 | 0.0 | | 34.2 |
| 1925-26 | 0.0 | 0.0 | 0.0 | 8.0 | 1.0 | 5.0 | 6.0 | 15.0 | 20.0 | T | T | 0.0 | | 55.0 |
| 1926-27 | 0.0 | 0.0 | 0.0 | T | 11.0 | 11.0 | 9.0 | 7.0 | 10.5 | T | 0.0 | 0.0 | | 48.5 |
| 1927-28 | 0.0 | 0.0 | T | 0.0 | 4.1 | 31.7 | 11.2 | 10.0 | 10.0 | 14.0 | 0.0 | 0.0 | | 81.0 |
| 1928-29 | 0.0 | 0.0 | T | 0.0 | 4.2 | 2.0 | 18.0 | 11.1 | 4.0 | 2.0 | T | 0.0 | | 41.3 |
| 1929-30 | 0.0 | 0.0 | 0.0 | T | 5.4 | 8.0 | 9.0 | 8.0 | 1.1 | 0.0 | 0.0 | 0.0 | | 31.5 |
| 1930-31 | 0.0 | 0.0 | 0.0 | 0.1 | 1.0 | 3.0 | 7.3 | 7.0 | 6.5 | 0.0 | 0.0 | 0.0 | | 24.9 |
| 1931-32 | 0.0 | 0.0 | 0.0 | 0.0 | T | 6.0 | 14.0 | 8.5 | 5.5 | 7.0 | 0.0 | 0.0 | | 41.0 |
| 1932-33 | 0.0 | 0.0 | 0.0 | 4.2 | 4.0 | 8.5 | 5.5 | 21.9 | 5.0 | 6.0 | 0.0 | 0.0 | | 55.1 |
| 1933-34 | 0.0 | 0.0 | 0.0 | 1.8 | 10.6 | 14.6 | 3.5 | 5.3 | 22.6 | 8.5 | T | 0.0 | | 66.9 |
| 1934-35 | 0.0 | 0.0 | 0.0 | 0.2 | 12.0 | 14.7 | 31.5 | 11.6 | 3.2 | 2.9 | T | 0.0 | | 76.1 |
| 1935-36 | 0.0 | 0.0 | 0.0 | 1.0 | 4.8 | 5.5 | 15.8 | 14.1 | 13.7 | 7.0 | 0.0 | 0.0 | | 61.9 |
| 1936-37 | 0.0 | 0.0 | 0.0 | 0.5 | 3.0 | 10.0 | 24.0 | 39.5 | 6.2 | 6.0 | T | 0.0 | | 89.2 |
| 1937-38 | 0.0 | 0.0 | 0.0 | T | 6.0 | 11.0 | 26.0 | 19.0 | 7.0 | T | T | 0.0 | | 69.0 |
| 1938-39 | 0.0 | 0.0 | 0.0 | 6.0 | 10.0 | 27.0 | 14.0 | 25.0 | 22.0 | 3.0 | 0.0 | 0.0 | | 107.0 |
| 1939-40 | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 8.0 | 8.0 | 28.0 | 11.0 | 3.0 | T | 0.0 | | 59.3 |
| 1940-41 | 0.0 | 0.0 | 0.0 | 0.0 | 10.2 | 15.0 | 8.8 | 6.5 | 7.0 | T | 0.0 | 0.0 | | 47.5 |
| 1941-42 | 0.0 | 0.0 | 0.0 | T | 0.5 | 5.7 | 3.7 | 6.4 | 14.4 | 5.4 | T | 0.0 | | 36.1 |
| 1942-43 | 0.0 | 0.0 | 0.5 | 1.5 | 5.5 | 14.6 | 9.9 | 0.8 | 18.6 | 3.0 | T | 0.0 | | 54.4 |
| 1943-44 | 0.0 | 0.0 | 0.0 | T | 3.9 | 0.5 | 5.5 | 1.7 | 23.4 | 2.0 | T | 0.0 | | 37.0 |

RHINELANDER SEASONAL SNOWFALL (JUL 1 - JUN 30)

| Normal 91-20 | 0.0 | 0.0 | 0.0 | 1.9 | 9.9 | 17.7 | 13.8 | 15.8 | 10.1 | 11.9 | 0.5 | 0.0 | | 81.6 |
|--------------|-----|-----|-----|------|-------|-------|-------|-------|-------|------|------|-----|--|--------|
| Season | Jul | Aug | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | | Season |
| 1944-45 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 5.4 | 10.6 | 24.1 | 6.5 | 13.7 | T | T | | 65.1 |
| 1945-46 | 0.0 | 0.0 | T | T | 5.0 | 16.8 | 16.5 | 5.7 | T | 0.8 | 0.5 | 0.0 | | 45.3 |
| 1946-47 | 0.0 | 0.0 | 0.0 | 1.0 | 8.4 | 15.3 | 3.0 | 3.5 | 1.7 | 7.0 | T | 0.0 | | 39.9 |
| 1947-48 | 0.0 | 0.0 | T | 0.0 | 9.5 | 9.7 | 5.3 | 16.0 | 2.0 | 0.0 | 0.0 | 0.0 | | 42.5 |
| 1948-49 | 0.0 | 0.0 | 0.0 | 0.0 | 14.4 | 3.3 | 6.1 | 6.0 | 0.8 | T | 0.0 | 0.0 | | 30.6 |
| 1949-50 | 0.0 | 0.0 | 0.0 | T | 11.0 | 6.0 | 30.7 | 10.2 | 27.4 | 6.0 | T | 0.0 | | 91.3 |
| 1950-51 | 0.0 | 0.0 | 0.0 | T | 4.9 | 29.0 | 13.9 | 10.8 | 25.3 | 2.0 | 0.0 | 0.0 | | 85.9 |
| 1951-52 | 0.0 | 0.0 | 0.0 | T | 1.8 | 10.6 | 17.0 | 9.5 | 14.0 | 5.0 | 0.0 | 0.0 | | 57.9 |
| 1952-53 | 0.0 | 0.0 | 0.0 | T | 2.0 | E14.1 | 4.6 | 24.8 | 3.3 | E2.0 | 0.0 | 0.0 | | E50.8 |
| 1953-54 | 0.0 | 0.0 | T | 0.0 | E2.3 | E12.5 | E9.7 | 12.3 | 9.1 | 0.2 | E1.7 | 0.0 | | E47.8 |
| 1954-55 | 0.0 | 0.0 | 0.0 | 0.0 | E8.2 | 4.7 | 10.9 | 3.6 | 19.0 | 0.0 | T | 0.0 | | E46.4 |
| 1955-56 | 0.0 | 0.0 | 0.0 | T | 14.4 | 10.3 | 5.5 | 3.6 | 10.3 | 2.0 | 0.0 | 0.0 | | 46.1 |
| 1956-57 | 0.0 | 0.0 | 0.0 | 0.0 | 12.5 | 4.1 | 4.1 | 10.7 | 6.0 | 8.5 | 0.0 | 0.0 | | 45.9 |
| 1957-58 | 0.0 | 0.0 | 0.0 | 0.0 | 21.5 | 2.5 | 6.4 | 1.0 | 10.0 | 12.0 | 0.0 | 0.0 | | 53.4 |
| 1958-59 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 5.4 | 8.5 | 8.5 | 15.5 | 0.1 | 0.0 | 0.0 | | 39.0 |
| 1959-60 | 0.0 | 0.0 | 0.0 | T | 8.0 | 22.5 | 12.9 | 8.5 | 1.2 | 2.0 | 11.0 | 0.0 | | 66.1 |
| 1960-61 | 0.0 | 0.0 | 0.0 | T | 1.0 | 1.0 | 6.5 | 17.6 | 15.5 | 2.5 | 1.5 | 0.0 | | 45.6 |
| 1961-62 | 0.0 | 0.0 | 0.0 | 0.0 | 9.3 | 19.0 | 13.0 | 21.5 | 7.0 | T | T | 0.0 | | 69.8 |
| 1962-63 | 0.0 | 0.0 | 0.0 | T | 7.5 | 13.5 | 6.5 | 9.6 | 10.0 | 0.2 | 0.0 | 0.0 | | 47.3 |
| 1963-64 | 0.0 | 0.0 | 0.0 | 0.0 | T | 10.2 | 8.7 | 7.6 | 8.3 | 2.3 | 0.0 | 0.0 | | 37.1 |
| 1964-65 | 0.0 | 0.0 | 0.0 | T | 4.0 | 17.3 | 13.3 | 15.0 | 21.9 | 11.0 | T | 0.0 | | 82.5 |
| 1965-66 | 0.0 | 0.0 | 0.0 | T | 10.5 | 5.0 | 12.3 | 2.0 | 15.0 | 4.0 | 0.5 | 0.0 | | 49.3 |
| 1966-67 | 0.0 | 0.0 | 0.0 | T | 10.5 | 14.5 | 31.0 | 19.0 | 10.0 | 1.0 | T | 0.0 | | 86.0 |
| 1967-68 | 0.0 | 0.0 | 0.0 | T | 2.6 | 7.1 | 15.7 | 3.0 | 2.0 | 0.3 | 0.0 | 0.0 | | 30.7 |
| 1968-69 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 46.0 | 29.0 | 4.0 | 1.0 | 0.0 | 0.0 | 0.0 | | 87.0 |
| 1969-70 | 0.0 | 0.0 | 0.0 | 0.9 | 6.5 | 19.4 | 6.6 | 6.0 | 4.5 | 2.9 | 0.0 | 0.0 | | 46.8 |
| 1970-71 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 9.0 | 24.0 | 17.0 | 6.0 | 2.0 | 0.0 | 0.0 | | 69.0 |
| 1971-72 | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 | 13.5 | 11.0 | 11.5 | 14.3 | 7.5 | 0.0 | 0.0 | | 66.2 |
| 1972-73 | 0.0 | 0.0 | 0.0 | E1.9 | 1.0 | 21.5 | 7.5 | 5.0 | 0.0 | E6.5 | E3.5 | 0.0 | | E46.9 |
| 1973-74 | 0.0 | 0.0 | 0.0 | E(T) | E2.3 | 16.4 | 2.1 | 9.0 | E6.1 | 5.0 | E(T) | 0.0 | | E40.9 |
| 1974-75 | 0.0 | 0.0 | 0.0 | E(T) | 3.6 | 10.0 | 16.0 | 13.0 | 9.0 | T | 0.0 | 0.0 | | E51.6 |
| 1975-76 | 0.0 | 0.0 | 0.0 | 0.0 | E10.3 | 6.0 | E22.1 | E4.9 | 14.0 | E(T) | T | 0.0 | | E57.3 |
| 1976-77 | 0.0 | 0.0 | 0.0 | E0.7 | E4.4 | 6.0 | 6.0 | E1.4 | E14.4 | E8.6 | 0.0 | 0.0 | | E41.5 |
| 1977-78 | 0.0 | 0.0 | 0.0 | T | E9.2 | E23.1 | E8.2 | E6.8 | E1.0 | T | 0.0 | 0.0 | | E48.3 |
| 1978-79 | 0.0 | 0.0 | 0.0 | T | E11.8 | E17.4 | E24.0 | E16.0 | E13.7 | E3.1 | 5.0 | 0.0 | | E91.0 |

RHINELANDER SEASONAL SNOWFALL (JUL 1 - JUN 30)

| Normal 91-20 | 0.0 | 0.0 | 0.0 | 1.9 | 9.9 | 17.7 | 13.8 | 15.8 | 10.1 | 11.9 | 0.5 | 0.0 | | 81.6 |
|--------------|-----|-----|------|------|-------|-------|-------|-------|-------|------|------|-----|--|--------|
| Season | Jul | Aug | Sep | Oct | Nov | Dec | Jan | Feb | Mar | Apr | May | Jun | | Season |
| 1979-80 | 0.0 | 0.0 | 0.0 | 2.0 | E15.1 | E4.9 | E16.9 | E5.2 | E7.5 | E6.8 | 0.0 | 0.0 | | E58.4 |
| 1980-81 | 0.0 | 0.0 | 0.0 | E2.3 | E1.3 | E15.2 | E6.8 | E10.5 | E1.7 | E0.5 | 0.0 | 0.0 | | E38.3 |
| 1981-82 | 0.0 | 0.0 | 0.0 | E0.8 | E2.5 | E16.7 | E18.3 | E4.1 | E6.5 | E7.0 | 0.0 | 0.0 | | E55.9 |
| 1982-83 | 0.0 | 0.0 | 0.0 | 1.0 | E8.2 | 9.0 | E15.5 | E9.3 | 8.3 | 2.5 | 0.0 | 0.0 | | E53.8 |
| 1983-84 | 0.0 | 0.0 | 0.0 | E(T) | E11.1 | E15.8 | E7.4 | E5.4 | E9.9 | E1.3 | E(T) | 0.0 | | E50.9 |
| 1984-85 | 0.0 | 0.0 | 0.0 | 0.0 | E2.7 | E25.4 | E5.8 | E8.5 | E22.3 | E3.3 | 0.0 | 0.0 | | E68.0 |
| 1985-86 | 0.0 | 0.0 | 0.5 | 0.0 | E30.4 | E15.6 | E13.1 | E6.5 | E9.1 | E(T) | 0.0 | 0.0 | | E75.2 |
| 1986-87 | 0.0 | 0.0 | 0.0 | 0.5 | E8.9 | E7.4 | E11.1 | E0.8 | 6.0 | 0.5 | 0.0 | 0.0 | | E35.2 |
| 1987-88 | 0.0 | 0.0 | 0.0 | E2.1 | 4.8 | E17.2 | 11.3 | E3.0 | 3.5 | E6.2 | 0.0 | 0.0 | | E48.1 |
| 1988-89 | 0.0 | 0.0 | 0.0 | E2.3 | E3.2 | 7.0 | E13.6 | E5.9 | E22.2 | E0.5 | 0.0 | 0.0 | | E54.7 |
| 1989-90 | 0.0 | 0.0 | 0.0 | T | E4.0 | E10.4 | E7.8 | E7.1 | 2.5 | T | T | 0.0 | | E31.8 |
| 1990-91 | 0.0 | 0.0 | 0.0 | E2.4 | T | E11.9 | E8.0 | E14.5 | E7.5 | E1.3 | 0.0 | 0.0 | | E45.6 |
| 1991-92 | 0.0 | 0.0 | 0.0 | E(T) | E23.6 | E9.2 | E8.2 | E12.2 | E13.1 | E6.2 | 0.0 | 0.0 | | E72.5 |
| 1992-93 | 0.0 | 0.0 | 0.0 | E2.0 | E11.1 | 13.7 | E13.0 | 0.5 | E4.5 | E8.3 | 0.0 | 0.0 | | E53.1 |
| 1993-94 | 0.0 | 0.0 | E(T) | T | E14.1 | E5.2 | 15.0 | 7.0 | E5.9 | 5.0 | 0.0 | 0.0 | | E52.2 |
| 1994-95 | 0.0 | 0.0 | 0.0 | E(T) | E5.2 | 5.0 | E7.8 | E5.5 | 11.0 | 5.8 | 0.0 | 0.0 | | E40.3 |
| 1995-96 | 0.0 | 0.0 | E(T) | E2.5 | E10.6 | E19.1 | E20.0 | E5.6 | E14.5 | 3.5 | 0.0 | 0.0 | | E75.8 |
| 1996-97 | 0.0 | 0.0 | 0.0 | E(T) | E3.6 | 31.0 | E23.6 | 3.0 | 18.2 | 0.5 | 0.5 | 0.0 | | E80.4 |
| 1997-98 | 0.0 | 0.0 | 0.0 | E(T) | E3.5 | 7.4 | 20.6 | E4.0 | 15.0 | 2.0 | 0.0 | 0.0 | | E52.5 |
| 1998-99 | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | 8.5 | E27.6 | 7.6 | E4.9 | E(T) | 0.0 | 0.0 | | E53.1 |
| 1999-00 | 0.0 | 0.0 | 0.0 | E(T) | E0.5 | E7.2 | 15.1 | 18.1 | 1.5 | 3.0 | 0.0 | 0.0 | | E45.1 |
| 2000-01 | 0.0 | 0.0 | 0.0 | 2.0 | 10.3 | 18.5 | 9.7 | 13.2 | 11.1 | 2.0 | 0.0 | 0.0 | | 66.8 |
| 2001-02 | 0.0 | 0.0 | 0.0 | 3.0 | 7.1 | 3.8 | 9.2 | 12.1 | 12.1 | 13.8 | T | 0.0 | | 61.1 |
| 2002-03 | 0.0 | 0.0 | 0.0 | 9.3 | 2.2 | 1.9 | 6.1 | 10.7 | 17.6 | 7.0 | 0.0 | 0.0 | | 54.8 |
| 2003-04 | 0.0 | 0.0 | T | 4.0 | 2.7 | 11.4 | 17.0 | 24.5 | 19.0 | 0.2 | 0.0 | 0.0 | | 78.8 |
| 2004-05 | 0.0 | 0.0 | 0.0 | T | 5.1 | 18.2 | 16.2 | 14.5 | 11.5 | T | 0.1 | 0.0 | | 65.6 |
| 2005-06 | 0.0 | 0.0 | 0.0 | 0.0 | 10.9 | 16.3 | 10.0 | 10.5 | 16.2 | 0.0 | 1.0 | 0.0 | | 64.9 |
| 2006-07 | 0.0 | 0.0 | 0.0 | 2.6 | 13.5 | 14.1 | 13.0 | 11.5 | 16.6 | 4.6 | 0.0 | 0.0 | | 72.6 |
| 2007-08 | 0.0 | 0.0 | 0.0 | T | 4.6 | 23.5 | 13.2 | 14.1 | 14.2 | 13.6 | 0.0 | 0.0 | | 83.2 |
| 2008-09 | 0.0 | 0.0 | 0.0 | 2.0 | 7.0 | 27.2 | 10.2 | 10.4 | 4.5 | 10.7 | 0.0 | 0.0 | | 72.0 |
| 2009-10 | 0.0 | 0.0 | 0.0 | 3.1 | 1.6 | 23.0 | 6.5 | 8.4 | 0.0 | 0.1 | 6.0 | 0.0 | | 48.7 |
| 2010-11 | 0.0 | 0.0 | 0.0 | T | 7.2 | 26.6 | 16.5 | 5.6 | 27.6 | 7.5 | 0.2 | 0.0 | | 91.0 |
| 2011-12 | 0.0 | 0.0 | T | T | 14.3 | 12.2 | 19.8 | 28.5 | 2.0 | T | 0.0 | 0.0 | | 76.8 |
| 2012-13 | 0.0 | 0.0 | 0.0 | T | 5.5 | 12.4 | 12.9 | 22.0 | 16.2 | 14.8 | 0.2 | 0.0 | | 84.0 |
| 2013-14 | 0.0 | 0.0 | 0.0 | 2.2 | 4.9 | 23.1 | 21.9 | 17.7 | 9.6 | 28.1 | 0.1 | 0.0 | | 107.6 |

RHINELANDER CALENDAR YEAR SNOWFALL (JAN 1 - DEC 31)

| Normal | 91-20 | 13.8 | 15.8 | 10.1 | 11.9 | 0.5 | 0.0 | | 0.0 | 0.0 | 0.0 | 1.9 | 9.9 | 17.7 | | 81.6 |
|--------|-------|------|------|------|------|-----|-----|--|-----|-----|-----|-----|------|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 1908 | | 6.2 | 7.6 | 20.4 | 4.0 | T | 0.0 | | 0.0 | 0.0 | T | 0.0 | 2.0 | 15.7 | | 55.9 |
| 1909 | | 6.0 | 13.9 | 12.8 | 18.6 | 1.5 | 0.0 | | 0.0 | 0.0 | 0.0 | 4.5 | 11.6 | 11.2 | | 80.1 |
| 1910 | | 9.9 | 9.4 | 4.5 | 4.6 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 1.5 | 11.1 | 10.2 | | 51.2 |
| 1911 | | 12.4 | 10.9 | 6.7 | 1.0 | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 19.0 | 19.4 | | 69.4 |
| 1912 | | 5.7 | 4.6 | 4.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | T | 0.0 | 7.3 | 6.4 | | 28.0 |
| 1913 | | 10.3 | 8.6 | 12.6 | 2.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.5 | 0.5 | 1.5 | T | | 36.0 |
| 1914 | | 6.7 | 8.0 | 3.0 | T | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 6.5 | 2.4 | | 26.6 |
| 1915 | | 15.4 | 3.2 | 3.0 | 0.0 | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 6.5 | 7.5 | | 35.6 |
| 1916 | | 12.0 | 8.0 | 16.5 | T | T | 0.0 | | 0.0 | 0.0 | T | T | 5.5 | 5.0 | | 47.0 |
| 1917 | | 12.0 | 13.0 | 17.5 | 9.0 | 1.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 4.0 | 2.0 | 7.4 | | 65.9 |
| 1918 | | 12.5 | 13.5 | 12.0 | T | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 6.5 | 10.5 | | 55.0 |
| 1919 | | 4.0 | 14.5 | T | T | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 2.0 | 17.5 | 1.5 | | 39.5 |
| 1920 | | 16.1 | 10.4 | 7.3 | 0.1 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 5.0 | 12.0 | | 50.9 |
| 1921 | | 5.0 | 9.1 | 4.0 | T | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 7.0 | 15.4 | | 40.5 |
| 1922 | | 4.0 | 21.0 | 1.5 | 3.5 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 2.0 | 6.0 | | 38.0 |
| 1923 | | 17.0 | 7.0 | 20.0 | 21.0 | 6.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 1.5 | 5.0 | | 77.5 |
| 1924 | | 10.0 | 6.0 | 12.0 | 7.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 7.0 | | 43.5 |
| 1925 | | 8.7 | 10.0 | 2.0 | 5.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 8.0 | 1.0 | 5.0 | | 39.7 |
| 1926 | | 6.0 | 15.0 | 20.0 | T | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 11.0 | 11.0 | | 63.0 |
| 1927 | | 9.0 | 7.0 | 10.5 | T | 0.0 | 0.0 | | 0.0 | 0.0 | T | 0.0 | 4.1 | 31.7 | | 62.3 |
| 1928 | | 11.2 | 10.0 | 10.0 | 14.0 | 0.0 | 0.0 | | 0.0 | 0.0 | T | 0.0 | 4.2 | 2.0 | | 51.4 |
| 1929 | | 18.0 | 11.1 | 4.0 | 2.0 | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 5.4 | 8.0 | | 48.5 |
| 1930 | | 9.0 | 8.0 | 1.1 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.1 | 1.0 | 3.0 | | 22.2 |
| 1931 | | 7.3 | 7.0 | 6.5 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | T | 6.0 | | 26.8 |
| 1932 | | 14.0 | 8.5 | 5.5 | 7.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 4.2 | 4.0 | 8.5 | | 51.7 |
| 1933 | | 5.5 | 21.9 | 5.0 | 6.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 1.8 | 10.6 | 14.6 | | 65.4 |
| 1934 | | 3.5 | 5.3 | 22.6 | 8.5 | T | 0.0 | | 0.0 | 0.0 | 0.0 | 0.2 | 12.0 | 14.7 | | 66.8 |
| 1935 | | 31.5 | 11.6 | 3.2 | 2.9 | T | 0.0 | | 0.0 | 0.0 | 0.0 | 1.0 | 4.8 | 5.5 | | 60.5 |
| 1936 | | 15.8 | 14.1 | 13.7 | 7.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.5 | 3.0 | 10.0 | | 64.1 |
| 1937 | | 24.0 | 39.5 | 6.2 | 6.0 | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 6.0 | 11.0 | | 92.7 |
| 1938 | | 26.0 | 19.0 | 7.0 | T | T | 0.0 | | 0.0 | 0.0 | 0.0 | 6.0 | 10.0 | 27.0 | | 95.0 |
| 1939 | | 14.0 | 25.0 | 22.0 | 3.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 1.3 | 0.0 | 8.0 | | 73.3 |
| 1940 | | 8.0 | 28.0 | 11.0 | 3.0 | T | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 10.2 | 15.0 | | 75.2 |
| 1941 | | 8.8 | 6.5 | 7.0 | T | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 0.5 | 5.7 | | 28.5 |
| 1942 | | 3.7 | 6.4 | 14.4 | 5.4 | T | 0.0 | | 0.0 | 0.0 | 0.5 | 1.5 | 5.5 | 14.6 | | 52.0 |
| 1943 | | 9.9 | 0.8 | 18.6 | 3.0 | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 3.9 | 0.5 | | 36.7 |
| 1944 | | 5.5 | 1.7 | 23.4 | 2.0 | T | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 5.4 | | 42.8 |

RHINELANDER CALENDAR YEAR SNOWFALL (JAN 1 - DEC 31)

| Normal | 91-20 | 13.8 | 15.8 | 10.1 | 11.9 | 0.5 | 0.0 | | 0.0 | 0.0 | 0.0 | 1.9 | 9.9 | 17.7 | | 81.6 |
|--------|-------|-------|-------|-------|------|------|-----|--|-----|-----|-----|------|-------|-------|--|-------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 1945 | | 10.6 | 24.1 | 6.5 | 13.7 | T | T | | 0.0 | 0.0 | T | T | 5.0 | 16.8 | | 76.7 |
| 1946 | | 16.5 | 5.7 | T | 0.8 | 0.5 | 0.0 | | 0.0 | 0.0 | 0.0 | 1.0 | 8.4 | 15.3 | | 48.2 |
| 1947 | | 3.0 | 3.5 | 1.7 | 7.0 | T | 0.0 | | 0.0 | 0.0 | T | 0.0 | 9.5 | 9.7 | | 34.4 |
| 1948 | | 5.3 | 16.0 | 2.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 14.4 | 3.3 | | 41.0 |
| 1949 | | 6.1 | 6.0 | 0.8 | T | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 11.0 | 6.0 | | 29.9 |
| 1950 | | 30.7 | 10.2 | 27.4 | 6.0 | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 4.9 | 29.0 | | 108.2 |
| 1951 | | 13.9 | 10.8 | 25.3 | 2.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 1.8 | 10.6 | | 64.4 |
| 1952 | | 17.0 | 9.5 | 14.0 | 5.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 2.0 | E14.1 | | 61.6 |
| 1953 | | 4.6 | 24.8 | 3.3 | E2.0 | 0.0 | 0.0 | | 0.0 | 0.0 | T | 0.0 | E2.3 | E12.5 | | E49.5 |
| 1954 | | E9.7 | 12.3 | 9.1 | 0.2 | E1.7 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | E8.2 | 4.7 | | E45.9 |
| 1955 | | 10.9 | 3.6 | 19.0 | 0.0 | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 14.4 | 10.3 | | 58.2 |
| 1956 | | 5.5 | 3.6 | 10.3 | 2.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 12.5 | 4.1 | | 38.0 |
| 1957 | | 4.1 | 10.7 | 6.0 | 8.5 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 21.5 | 2.5 | | 53.3 |
| 1958 | | 6.4 | 1.0 | 10.0 | 12.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 5.4 | | 35.8 |
| 1959 | | 8.5 | 8.5 | 15.5 | 0.1 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 8.0 | 22.5 | | 63.1 |
| 1960 | | 12.9 | 8.5 | 1.2 | 2.0 | 11.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 1.0 | 1.0 | | 37.6 |
| 1961 | | 6.5 | 17.6 | 15.5 | 2.5 | 1.5 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 9.3 | 19.0 | | 71.9 |
| 1962 | | 13.0 | 21.5 | 7.0 | T | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 7.5 | 13.5 | | 62.5 |
| 1963 | | 6.5 | 9.6 | 10.0 | 0.2 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | T | 10.2 | | 36.5 |
| 1964 | | 8.7 | 7.6 | 8.3 | 2.3 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 4.0 | 17.3 | | 48.2 |
| 1965 | | 13.3 | 15.0 | 21.9 | 11.0 | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 10.5 | 5.0 | | 76.7 |
| 1966 | | 12.3 | 2.0 | 15.0 | 4.0 | 0.5 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 10.5 | 14.5 | | 58.8 |
| 1967 | | 31.0 | 19.0 | 10.0 | 1.0 | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 2.6 | 7.1 | | 70.7 |
| 1968 | | 15.7 | 3.0 | 2.0 | 0.3 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 46.0 | | 74.0 |
| 1969 | | 29.0 | 4.0 | 1.0 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.9 | 6.5 | 19.4 | | 60.8 |
| 1970 | | 6.6 | 6.0 | 4.5 | 2.9 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 9.0 | | 40.0 |
| 1971 | | 24.0 | 17.0 | 6.0 | 2.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 8.4 | 13.5 | | 70.9 |
| 1972 | | 11.0 | 11.5 | 14.3 | 7.5 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | E1.9 | 1.0 | 21.5 | | E68.7 |
| 1973 | | 7.5 | 5.0 | 0.0 | E6.5 | E3.5 | 0.0 | | 0.0 | 0.0 | 0.0 | E(T) | E2.3 | 16.4 | | E41.2 |
| 1974 | | 2.1 | 9.0 | E6.1 | 5.0 | E(T) | 0.0 | | 0.0 | 0.0 | 0.0 | E(T) | 3.6 | 10.0 | | E35.8 |
| 1975 | | 16.0 | 13.0 | 9.0 | T | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | E10.3 | 6.0 | | E54.3 |
| 1976 | | E22.1 | E4.9 | 14.0 | E(T) | T | 0.0 | | 0.0 | 0.0 | 0.0 | E0.7 | E4.4 | 6.0 | | E52.1 |
| 1977 | | 6.0 | E1.4 | E14.4 | E8.6 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | E9.2 | E23.1 | | E62.7 |
| 1978 | | E8.2 | E6.8 | E1.0 | T | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | E11.8 | E17.4 | | E45.2 |
| 1979 | | E24.0 | E16.0 | E13.7 | E3.1 | 5.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 2.0 | E15.1 | E4.9 | | E83.8 |
| 1980 | | E16.9 | E5.2 | E7.5 | E6.8 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | E2.3 | E1.3 | E15.2 | | E55.2 |
| 1981 | | E6.8 | E10.5 | E1.7 | E0.5 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | E0.8 | E2.5 | E16.7 | | E39.5 |
| 1982 | | E18.3 | E4.1 | E6.5 | E7.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 1.0 | E8.2 | 9.0 | | E54.1 |
| 1983 | | E15.5 | E9.3 | 8.3 | 2.5 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | E(T) | E11.1 | E15.8 | | E62.5 |
| 1984 | | E7.4 | E5.4 | E9.9 | E1.3 | E(T) | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | E2.7 | E25.4 | | E52.1 |

RHINELANDER CALENDAR YEAR SNOWFALL (JAN 1 - DEC 31)

| Normal | 91-20 | 13.8 | 15.8 | 10.1 | 11.9 | 0.5 | 0.0 | | 0.0 | 0.0 | 0.0 | 1.9 | 9.9 | 17.7 | | 81.6 |
|--------|-------|-------|-------|-------|------|-----|-----|--|-----|-----|------|------|-------|-------|--|-------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 1985 | | E5.8 | E8.5 | E22.3 | E3.3 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.5 | 0.0 | E30.4 | E15.6 | | E86.4 |
| 1986 | | E13.1 | E6.5 | E9.1 | E(T) | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.5 | E8.9 | E7.4 | | E45.5 |
| 1987 | | E11.1 | E0.8 | 6.0 | 0.5 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | E2.1 | 4.8 | E17.2 | | E42.5 |
| 1988 | | 11.3 | E3.0 | 3.5 | E6.2 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | E2.3 | E3.2 | 7.0 | | E36.5 |
| 1989 | | E13.6 | E5.9 | E22.2 | E0.5 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | E4.0 | E10.4 | | E56.6 |
| 1990 | | E7.8 | E7.1 | 2.5 | T | T | 0.0 | | 0.0 | 0.0 | 0.0 | E2.4 | T | E11.9 | | E31.7 |
| 1991 | | E8.0 | E14.5 | E7.5 | E1.3 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | E(T) | E23.6 | E9.2 | | E64.1 |
| 1992 | | E8.2 | E12.2 | E13.1 | E6.2 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | E2.0 | E11.1 | 13.7 | | E66.5 |
| 1993 | | E13.0 | 0.5 | E4.5 | E8.3 | 0.0 | 0.0 | | 0.0 | 0.0 | E(T) | T | E14.1 | E5.2 | | E45.6 |
| 1994 | | 15.0 | 7.0 | E5.9 | 5.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | E(T) | E5.2 | 5.0 | | E43.1 |
| 1995 | | E7.8 | E5.5 | 11.0 | 5.8 | 0.0 | 0.0 | | 0.0 | 0.0 | E(T) | E2.5 | E10.6 | E19.1 | | E62.3 |
| 1996 | | E20.0 | E5.6 | E14.5 | 3.5 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | E(T) | E3.6 | 31.0 | | E78.2 |
| 1997 | | E23.6 | 3.0 | 18.2 | 0.5 | 0.5 | 0.0 | | 0.0 | 0.0 | 0.0 | E(T) | E3.5 | 7.4 | | E56.7 |
| 1998 | | 20.6 | E4.0 | 15.0 | 2.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 4.5 | 8.5 | | E54.6 |
| 1999 | | E27.6 | 7.6 | E4.9 | E(T) | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | E(T) | E0.5 | E7.2 | | E47.8 |
| 2000 | | 15.1 | 18.1 | 1.5 | 3.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 2.0 | 10.3 | 18.5 | | 68.5 |
| 2001 | | 9.7 | 13.2 | 11.1 | 2.0 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 3.0 | 7.1 | 3.8 | | 49.9 |
| 2002 | | 9.2 | 12.1 | 12.1 | 13.8 | T | 0.0 | | 0.0 | 0.0 | 0.0 | 9.3 | 2.2 | 1.9 | | 60.6 |
| 2003 | | 6.1 | 10.7 | 17.6 | 7.0 | 0.0 | 0.0 | | 0.0 | 0.0 | T | 4.0 | 2.7 | 11.4 | | 59.5 |
| 2004 | | 17.0 | 24.5 | 19.0 | 0.2 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 5.1 | 18.2 | | 84.0 |
| 2005 | | 16.2 | 14.5 | 11.5 | T | 0.1 | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 10.9 | 16.3 | | 69.5 |
| 2006 | | 10.0 | 10.5 | 16.2 | 0.0 | 1.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 3.6 | 13.5 | 14.1 | | 68.9 |
| 2007 | | 10.8 | 11.5 | 16.6 | 4.6 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 4.6 | 23.5 | | 71.6 |
| 2008 | | 13.2 | 14.1 | 14.2 | 13.6 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 2.0 | 7.0 | 27.2 | | 91.3 |
| 2009 | | 10.2 | 10.4 | 4.5 | 10.7 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 3.1 | 1.6 | 23.0 | | 63.5 |
| 2010 | | 6.5 | 8.4 | 0.0 | 0.1 | 6.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 7.2 | 26.6 | | 54.8 |
| 2011 | | 16.5 | 5.6 | 27.6 | 7.5 | 0.2 | 0.0 | | 0.0 | 0.0 | T | T | 14.3 | 12.2 | | 83.9 |
| 2012 | | 19.8 | 28.5 | 2.0 | T | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | T | 5.5 | 12.4 | | 68.2 |
| 2013 | | 12.9 | 22.0 | 16.2 | 14.8 | 0.2 | 0.0 | | 0.0 | 0.0 | 0.0 | 2.2 | 4.9 | 23.1 | | 96.3 |
| 2014 | | 21.9 | 17.7 | 9.6 | 28.1 | 0.1 | 0.0 | | 0.0 | 0.0 | T | 2.7 | 32.4 | 19.0 | | 131.5 |
| 2015 | | 9.4 | 5.4 | 6.5 | 13.9 | T | 0.0 | | 0.0 | 0.0 | 0.0 | 1.0 | 3.1 | 12.6 | | 51.9 |
| 2016 | | 7.4 | 10.4 | 9.3 | 11.9 | T | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 6.6 | 19.4 | | 65.0 |
| 2017 | | 17.1 | 8.2 | 5.8 | 8.5 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 1.0 | 12.8 | 13.5 | | 66.9 |
| 2018 | | 15.2 | 13.1 | 16.5 | 27.8 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 1.6 | 15.2 | 9.2 | | 98.6 |
| 2019 | | 9.6 | 61.5 | 7.3 | 11.9 | T | 0.0 | | 0.0 | 0.0 | 0.0 | 1.0 | 17.1 | 25.5 | | 133.9 |
| 2020 | | 22.9 | 4.5 | 4.3 | 13.1 | T | 0.0 | | 0.0 | 0.0 | 0.0 | 10.6 | 2.3 | 8.4 | | 66.1 |
| 2021 | | 8.1 | 20.5 | 3.7 | 1.5 | T | 0.0 | | 0.0 | 0.0 | 0.0 | T | 10.4 | 32.3 | | 76.5 |
| 2022 | | 11.5 | 14.7 | 10.8 | 13.6 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 2.4 | 11.3 | 21.0 | | 85.3 |
| 2023 | | 17.2 | 19.5 | 30.1 | 21.4 | T | 0.0 | | 0.0 | 0.0 | 0.0 | 2.3 | 3.2 | 4.8 | | 98.5 |
| 2024 | | 11.5 | 6.8 | 14.1 | 8.4 | 0.0 | 0.0 | | 0.0 | 0.0 | | | | | | |

RHINELANDER CALENDAR YEAR SNOWFALL (JAN 1 - DEC 31)

| Normal | 91-20 | 13.8 | 15.8 | 10.1 | 11.9 | 0.5 | 0.0 | | 0.0 | 0.0 | 0.0 | 1.9 | 9.9 | 17.7 | | 81.6 |
|--------|-------|------|------|------|------|-----|-----|--|-----|-----|-----|-----|-----|------|--|------|
| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
| 2025 | | | | | | | | | | | | | | | | |
| 2026 | | | | | | | | | | | | | | | | |
| 2027 | | | | | | | | | | | | | | | | |
| 2028 | | | | | | | | | | | | | | | | |
| 2029 | | | | | | | | | | | | | | | | |
| 2030 | | | | | | | | | | | | | | | | |
| 2031 | | | | | | | | | | | | | | | | |
| 2032 | | | | | | | | | | | | | | | | |
| 2033 | | | | | | | | | | | | | | | | |
| 2034 | | | | | | | | | | | | | | | | |
| 2035 | | | | | | | | | | | | | | | | |
| 2036 | | | | | | | | | | | | | | | | |
| 2037 | | | | | | | | | | | | | | | | |
| 2038 | | | | | | | | | | | | | | | | |
| 2039 | | | | | | | | | | | | | | | | |
| 2040 | | | | | | | | | | | | | | | | |
| 2041 | | | | | | | | | | | | | | | | |
| 2042 | | | | | | | | | | | | | | | | |
| 2043 | | | | | | | | | | | | | | | | |
| 2044 | | | | | | | | | | | | | | | | |

RHINELANDER SNOWFALL TOTALS BY SEASON

| Normal 91-20 | 47.3 | Normal 91-20 | 22.5 | Normal 91-20 | 0.0 | Normal 91-20 | 11.8 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| 1907-08 | Msg | 1908 | 24.4 | 1908 | 0.0 | 1908 | 2.0 |
| 1908-09 | 35.6 | 1909 | 32.9 | 1909 | 0.0 | 1909 | 16.1 |
| 1909-10 | 30.5 | 1910 | 9.1 | 1910 | 0.0 | 1910 | 12.6 |
| 1910-11 | 33.5 | 1911 | 7.7 | 1911 | 0.0 | 1911 | 19.0 |
| 1911-12 | 29.7 | 1912 | 4.0 | 1912 | 0.0 | 1912 | 7.3 |
| 1912-13 | 25.3 | 1913 | 14.6 | 1913 | 0.0 | 1913 | 2.5 |
| 1913-14 | 14.7 | 1914 | 3.0 | 1914 | 0.0 | 1914 | 6.5 |
| 1914-15 | 21.0 | 1915 | 3.0 | 1915 | 0.0 | 1915 | 6.5 |
| 1915-16 | 27.5 | 1916 | 16.5 | 1916 | 0.0 | 1916 | 5.5 |
| 1916-17 | 30.0 | 1917 | 27.5 | 1917 | 0.0 | 1917 | 6.0 |
| 1917-18 | 33.4 | 1918 | 12.0 | 1918 | 0.0 | 1918 | 6.5 |
| 1918-19 | 29.0 | 1919 | T | 1919 | 0.0 | 1919 | 19.5 |
| 1919-20 | 28.0 | 1920 | 7.4 | 1920 | 0.0 | 1920 | 5.0 |
| 1920-21 | 26.1 | 1921 | 4.0 | 1921 | 0.0 | 1921 | 7.0 |
| 1921-22 | 40.4 | 1922 | 5.0 | 1922 | 0.0 | 1922 | 2.0 |
| 1922-23 | 30.0 | 1923 | 47.0 | 1923 | 0.0 | 1923 | 1.5 |
| 1923-24 | 21.0 | 1924 | 19.0 | 1924 | 0.0 | 1924 | 1.5 |
| 1924-25 | 25.7 | 1925 | 7.0 | 1925 | 0.0 | 1925 | 9.0 |
| 1925-26 | 26.0 | 1926 | 20.0 | 1926 | 0.0 | 1926 | 11.0 |
| 1926-27 | 27.0 | 1927 | 10.5 | 1927 | 0.0 | 1927 | 4.1 |
| 1927-28 | 52.9 | 1928 | 24.0 | 1928 | 0.0 | 1928 | 4.2 |
| 1928-29 | 31.1 | 1929 | 6.0 | 1929 | 0.0 | 1929 | 5.4 |
| 1929-30 | 25.0 | 1930 | 1.1 | 1930 | 0.0 | 1930 | 1.1 |
| 1930-31 | 17.3 | 1931 | 6.5 | 1931 | 0.0 | 1931 | T |
| 1931-32 | 28.5 | 1932 | 12.5 | 1932 | 0.0 | 1932 | 8.2 |
| 1932-33 | 35.9 | 1933 | 11.0 | 1933 | 0.0 | 1933 | 12.4 |
| 1933-34 | 23.4 | 1934 | 31.1 | 1934 | 0.0 | 1934 | 12.2 |
| 1934-35 | 57.8 | 1935 | 6.1 | 1935 | 0.0 | 1935 | 5.8 |
| 1935-36 | 35.4 | 1936 | 20.7 | 1936 | 0.0 | 1936 | 3.5 |
| 1936-37 | 73.5 | 1937 | 12.2 | 1937 | 0.0 | 1937 | 6.0 |
| 1937-38 | 56.0 | 1938 | 7.0 | 1938 | 0.0 | 1938 | 16.0 |
| 1938-39 | 66.0 | 1939 | 25.0 | 1939 | 0.0 | 1939 | 1.3 |
| 1939-40 | 44.0 | 1940 | 14.0 | 1940 | 0.0 | 1940 | 10.2 |
| 1940-41 | 30.3 | 1941 | 7.0 | 1941 | 0.0 | 1941 | 0.5 |
| 1941-42 | 15.8 | 1942 | 19.8 | 1942 | 0.0 | 1942 | 7.5 |
| 1942-43 | 25.3 | 1943 | 21.6 | 1943 | 0.0 | 1943 | 3.9 |
| 1943-44 | 7.7 | 1944 | 25.4 | 1944 | 0.0 | 1944 | 4.8 |

RHINELANDER SNOWFALL TOTALS BY SEASON

| Normal 91-20 | 47.3 | Normal 91-20 | 22.5 | Normal 91-20 | 0.0 | Normal 91-20 | 11.8 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| | | | | | | | |
| 1944-45 | 40.1 | 1945 | 20.2 | 1945 | T | 1945 | 5.0 |
| 1945-46 | 39.0 | 1946 | 1.3 | 1946 | 0.0 | 1946 | 9.4 |
| 1946-47 | 21.8 | 1947 | 8.7 | 1947 | 0.0 | 1947 | 9.5 |
| 1947-48 | 31.0 | 1948 | 2.0 | 1948 | 0.0 | 1948 | 14.4 |
| 1948-49 | 15.4 | 1949 | 0.8 | 1949 | 0.0 | 1949 | 11.0 |
| | | | | | | | |
| 1949-50 | 46.9 | 1950 | 33.4 | 1950 | 0.0 | 1950 | 4.9 |
| 1950-51 | 53.7 | 1951 | 27.3 | 1951 | 0.0 | 1951 | 1.8 |
| 1951-52 | 37.1 | 1952 | 19.0 | 1952 | 0.0 | 1952 | 2.0 |
| 1952-53 | 29.4 | 1953 | E5.3 | 1953 | 0.0 | 1953 | E2.3 |
| 1953-54 | 12.3 | 1954 | E11.0 | 1954 | 0.0 | 1954 | E8.2 |
| | | | | | | | |
| 1954-55 | 19.2 | 1955 | 19.0 | 1955 | 0.0 | 1955 | 14.4 |
| 1955-56 | 19.4 | 1956 | 12.3 | 1956 | 0.0 | 1956 | 12.5 |
| 1956-57 | 18.9 | 1957 | 14.5 | 1957 | 0.0 | 1957 | 21.5 |
| 1957-58 | 9.9 | 1958 | 22.0 | 1958 | 0.0 | 1958 | 1.0 |
| 1958-59 | 22.4 | 1959 | 15.6 | 1959 | 0.0 | 1959 | 8.0 |
| | | | | | | | |
| 1959-60 | 43.9 | 1960 | 14.2 | 1960 | 0.0 | 1960 | 1.0 |
| 1960-61 | 25.1 | 1961 | 19.5 | 1961 | 0.0 | 1961 | 9.3 |
| 1961-62 | 53.5 | 1962 | 7.0 | 1962 | 0.0 | 1962 | 7.5 |
| 1962-63 | 29.6 | 1963 | 10.2 | 1963 | 0.0 | 1963 | T |
| 1963-64 | 26.5 | 1964 | 10.6 | 1964 | 0.0 | 1964 | 4.0 |
| | | | | | | | |
| 1964-65 | 45.6 | 1965 | 32.9 | 1965 | 0.0 | 1965 | 10.5 |
| 1965-66 | 19.3 | 1966 | 19.5 | 1966 | 0.0 | 1966 | 10.5 |
| 1966-67 | 64.5 | 1967 | 11.0 | 1967 | 0.0 | 1967 | 2.6 |
| 1967-68 | 25.8 | 1968 | 2.3 | 1968 | 0.0 | 1968 | 7.0 |
| 1968-69 | 79.0 | 1969 | 1.0 | 1969 | 0.0 | 1969 | 7.4 |
| | | | | | | | |
| 1969-70 | 32.0 | 1970 | 7.4 | 1970 | 0.0 | 1970 | 11.0 |
| 1970-71 | 50.0 | 1971 | 8.0 | 1971 | 0.0 | 1971 | 8.4 |
| 1971-72 | 36.0 | 1972 | 21.5 | 1972 | 0.0 | 1972 | E2.9 |
| 1972-73 | 34.0 | 1973 | E10.0 | 1973 | 0.0 | 1973 | E2.3 |
| 1973-74 | 27.5 | 1974 | E11.1 | 1974 | 0.0 | 1974 | 3.6 |
| | | | | | | | |
| 1974-75 | 39.0 | 1975 | 9.0 | 1975 | 0.0 | 1975 | E10.3 |
| 1975-76 | E33.0 | 1976 | 14.0 | 1976 | 0.0 | 1976 | E5.1 |
| 1976-77 | E13.4 | 1977 | E23.0 | 1977 | 0.0 | 1977 | E9.2 |
| 1977-78 | E38.1 | 1978 | E1.0 | 1978 | 0.0 | 1978 | E11.8 |
| 1978-79 | E57.4 | 1979 | E16.8 | 1979 | 0.0 | 1979 | E17.1 |
| | | | | | | | |
| 1979-80 | E27.0 | 1980 | E14.3 | 1980 | 0.0 | 1980 | E3.6 |
| 1980-81 | E32.5 | 1981 | E2.2 | 1981 | 0.0 | 1981 | E3.3 |
| 1981-82 | E39.1 | 1982 | E13.5 | 1982 | 0.0 | 1982 | E9.2 |
| 1982-83 | E33.8 | 1983 | 10.8 | 1983 | 0.0 | 1983 | E11.1 |
| 1983-84 | E28.6 | 1984 | E11.2 | 1984 | 0.0 | 1984 | E2.7 |

RHINELANDER SNOWFALL TOTALS BY SEASON

| Normal 91-20 | 47.3 | Normal 91-20 | 22.5 | Normal 91-20 | 0.0 | Normal 91-20 | 11.8 |
|--------------|-------|--------------|-------|--------------|-------|--------------|-------|
| Winter | Total | Spring | Total | Summer | Total | Fall | Total |
| 1984-85 | E39.7 | 1985 | E25.6 | 1985 | 0.0 | 1985 | E30.9 |
| 1985-86 | E35.2 | 1986 | 9.1 | 1986 | 0.0 | 1986 | E9.4 |
| 1986-87 | E19.3 | 1987 | 6.5 | 1987 | 0.0 | 1987 | E7.0 |
| 1987-88 | E31.5 | 1988 | E9.7 | 1988 | 0.0 | 1988 | E5.5 |
| 1988-89 | E26.5 | 1989 | E22.7 | 1989 | 0.0 | 1989 | E4.0 |
| 1989-90 | E25.3 | 1990 | 2.5 | 1990 | 0.0 | 1990 | E2.4 |
| 1990-91 | E34.4 | 1991 | E8.8 | 1991 | 0.0 | 1991 | E23.6 |
| 1991-92 | E29.6 | 1992 | E19.3 | 1992 | 0.0 | 1992 | E13.1 |
| 1992-93 | E27.2 | 1993 | E12.8 | 1993 | 0.0 | 1993 | E14.1 |
| 1993-94 | E27.2 | 1994 | E10.9 | 1994 | 0.0 | 1994 | E5.2 |
| 1994-95 | E18.3 | 1995 | 16.8 | 1995 | 0.0 | 1995 | E13.1 |
| 1995-96 | E44.7 | 1996 | E18.0 | 1996 | 0.0 | 1996 | E3.6 |
| 1996-97 | E57.6 | 1997 | 19.2 | 1997 | 0.0 | 1997 | E3.5 |
| 1997-98 | E32.0 | 1998 | 17.0 | 1998 | 0.0 | 1998 | 4.5 |
| 1998-99 | E43.7 | 1999 | E4.9 | 1999 | 0.0 | 1999 | E0.5 |
| 1999-00 | E40.4 | 2000 | 4.5 | 2000 | 0.0 | 2000 | 12.3 |
| 2000-01 | 41.4 | 2001 | 13.1 | 2001 | 0.0 | 2001 | 10.1 |
| 2001-02 | 25.1 | 2002 | 25.9 | 2002 | 0.0 | 2002 | 11.5 |
| 2002-03 | 18.7 | 2003 | 24.6 | 2003 | 0.0 | 2003 | 6.7 |
| 2003-04 | 52.9 | 2004 | 19.2 | 2004 | 0.0 | 2004 | 5.1 |
| 2004-05 | 48.9 | 2005 | 11.6 | 2005 | 0.0 | 2005 | 10.9 |
| 2005-06 | 36.8 | 2006 | 17.2 | 2006 | 0.0 | 2006 | 17.1 |
| 2006-07 | 36.4 | 2007 | 21.2 | 2007 | 0.0 | 2007 | 4.6 |
| 2007-08 | 50.8 | 2008 | 27.9 | 2008 | 0.0 | 2008 | 9.0 |
| 2008-09 | 47.8 | 2009 | 15.2 | 2009 | 0.0 | 2009 | 4.7 |
| 2009-10 | 37.6 | 2010 | 6.1 | 2010 | 0.0 | 2010 | 7.2 |
| 2010-11 | 48.7 | 2011 | 35.3 | 2011 | 0.0 | 2011 | 14.3 |
| 2011-12 | 60.5 | 2012 | 2.0 | 2012 | 0.0 | 2012 | 5.5 |
| 2012-13 | 47.1 | 2013 | 31.2 | 2013 | 0.0 | 2013 | 9.8 |
| 2013-14 | 62.7 | 2014 | 37.8 | 2014 | 0.0 | 2014 | 35.1 |
| 2014-15 | 33.8 | 2015 | 20.4 | 2015 | 0.0 | 2015 | 4.1 |
| 2015-16 | 30.6 | 2016 | 21.2 | 2016 | 0.0 | 2016 | 0.9 |
| 2016-17 | 44.9 | 2017 | 12.3 | 2017 | 0.0 | 2017 | 13.7 |
| 2017-18 | 41.7 | 2018 | 44.3 | 2018 | 0.0 | 2018 | 16.8 |
| 2018-19 | 80.3 | 2019 | 19.2 | 2019 | 0.0 | 2019 | 18.1 |
| 2019-20 | 52.9 | 2020 | 17.4 | 2020 | 0.0 | 2020 | 12.9 |
| 2020-21 | 37.0 | 2021 | 5.2 | 2021 | 0.0 | 2021 | 10.4 |
| 2021-22 | 58.5 | 2022 | 24.4 | 2022 | 0.0 | 2022 | 13.7 |
| 2022-23 | 57.7 | 2023 | 51.5 | 2023 | 0.0 | 2023 | 5.5 |
| 2023-24 | 23.1 | 2024 | 22.5 | 2024 | 0.0 | 2024 | |

RHINELANDER – GREATEST CALENDAR DAY SNOWFALL

JANUARY

| Total | Date(s) / Year(s) |
|--|---|
| 12.3 | 13/1950 |
| 10.0 | 17/1935 |
| 9.2 | 19/2023 |
| 9.0 | 08/1969,04/1971 |
| 8.3 | 02/1911 |
| 8.0 | 06/1929,03/1937,02/2000 |
| 7.5 | 19/1935 |
| 7.0 | 13/1936,24/1938,22/1952,02/1966,16/1967,09/1969,29/1987,24/1997,10/2017 |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| E7.8 | 06/1980 |
| E7.0 | 20/1979 |

FEBRUARY

| Total | Date(s) / Year(s) |
|--|---------------------------------|
| 20.0 | 21/1937 |
| 14.9 | 12/2019 |
| 13.9 | 28/2012 |
| 12.0 | 12/1965 |
| 11.0 | 15/1967 |
| 10.9 | 24/2019 |
| 10.4 | 04/2021 |
| 10.0 | 28/1939 |
| 9.5 | 27/1948,20/1953,15/2002 |
| 9.0 | 20/1937,29/1940,05/1971 |
| 8.0 | 18/1961,15/2000,03/2003,20/2004 |
| 7.9 | 07/2019 |
| 7.2 | 05/2019 |
| 7.0 | 01/1933 |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| | |

RHINELANDER – GREATEST CALENDAR DAY SNOWFALL

MARCH

| Total | Date(s) / Year(s) |
|--|---|
| 15.0 | 15/1939 |
| 11.5 | 09/1992 |
| 11.0 | 23/2011 |
| 10.5 | 12/2023 |
| 10.0 | 10/1918,19/1943 |
| 8.8 | 31/2018 |
| 8.5 | 25/1996 |
| 8.0 | 09/1928,26/1936,13/1940,07/1950,06/1959,19/1963 |
| | |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| E9.9 | 03/1989 |
| | |

APRIL

| Total | Date(s) / Year(s) |
|--|---------------------------------|
| 16.6 | 15/2018 |
| 12.0 | 06/1958 |
| 10.4 | 01/2023 |
| 9.1 | 12/2020 |
| 8.7 | 11/2019 |
| 8.0 | 06/1923 |
| 7.6 | 06/2015 |
| 7.5 | 03/1945,11/2008,17/2014 |
| 7.3 | 04/2014 |
| 7.1 | 02/2024 |
| 6.9 | 20/2009 |
| 6.5 | 22/1972 |
| 6.0 | 02/1932,06/1933,20/1936,01/1965 |
| 6.0 | 10/1992,28/2002 |
| 5.5 | 04/1945 |
| 5.4 | 11/2017 |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| | |

RHINELANDER – GREATEST CALENDAR DAY SNOWFALL

MAY

| Total | Date(s) / Year(s) |
|--|-------------------|
| | |
| 7.0 | 07/1960 |
| 5.0 | 07/1923,05/1979 |
| 4.0 | 07/2010 |
| 3.0 | 08/1960 |
| 2.0 | 08/2010 |
| 1.5 | 01/1909,10/1961 |
| 1.1 | 06/1954 |
| | |
| | |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| E3.5 | 03/1973 |
| | |

JUNE

| Total | Date(s) / Year(s) |
|--|-------------------------|
| | |
| T | 02/1945,03/1945,01/1946 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| | |
| | |

RHINELANDER – GREATEST CALENDAR DAY SNOWFALL

SEPTEMBER

| Total | Date(s) / Year(s) |
|--|---|
| 0.5 | 21/1913,26/1942,30/1985 |
| T | 30/1908,26/1912,15/1916,25/1927,23/1928,23/1942,24/1942,27/1942,28/1945,29/1947,26/1953,26/1965 |
| T | 21/1974,30/2003,14/2011 |
| | |
| | |
| | |
| | |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| E(T) | 29/1993 |
| E(T) | 21/1995 |
| | |
| | |

OCTOBER

| Total | Date(s) / Year(s) |
|--|---|
| 6.1 | 20/2020 |
| 6.0 | 19/1925,21/2002 |
| 4.0 | 22/1938 |
| 3.0 | 25/2001,18/2002,28/2003 |
| 2.8 | 13/2006 |
| 2.3 | 31/2014,31/2023 |
| 2.0 | 23/1917,28/1919,21/1938,23/1979,07/2000,27/2008,12/2009,14/2022 |
| 1.7 | 28/1932 |
| 1.5 | 08/1932,29/1933 |
| | |
| | |
| | |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| E2.5 | 21/1995 |
| E2.1 | 22/1987,18/1990 |
| E2.0 | 16/1992 |
| E1.9 | 23/1972 |

RHINELANDER – GREATEST CALENDAR DAY SNOWFALL

NOVEMBER

| Total | Date(s) / Year(s) |
|--|-------------------|
| 12.5 | 10/2006 |
| 12.0 | 23/1991 |
| 11.0 | 27/2019 |
| 10.5 | 17/1911 |
| 10.0 | 19/1957 |
| 9.0 | 09/2011 |
| 8.3 | 11/2014 |
| 8.0 | 28/1934 |
| 7.5 | 21/1956 |
| 6.8 | 16/1909 |
| 6.5 | 26/1949 |
| 6.0 | 27/1937,18/1957 |
| | |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| E5.9 | 20/1975 |
| | |

DECEMBER

| Total | Date(s) / Year(s) |
|--|---|
| 10.3 | 11/2010 |
| 10.0 | 22/1933,22/1968 |
| 9.2 | 25/1945 |
| 8.9 | 30/2019 |
| 8.5 | 22/1959 |
| 8.1 | 10/2021 |
| 8.0 | 07/1950,12/1961,19/1968,08/1969,23/2007 |
| 7.8 | 05/2021 |
| 7.6 | 27/1946 |
| 7.3 | 21/2010 |
| 7.1 | 15/2022 |
| 7.2 | 27/2014 |
| 7.0 | 17/1908,19/1939,01/2007 |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| E7.4 | 02/1984 |

RHINELANDER – GREATEST CALENDAR DAY SNOWFALL

YEAR

| Total | Date(s) / Year(s) |
|--|--|
| 20.0 | 02/21/1937 |
| 16.6 | 04/15/2018 |
| 15.0 | 03/15/1939 |
| 13.9 | 28/2012 |
| 12.5 | 11/10/2006 |
| 12.3 | 01/13/1950 |
| 12.0 | 02/12/1965,04/06/1958,11/23/1991 |
| 11.5 | 03/09/1992 |
| 11.0 | 02/15/1967,03/23/2011 |
| 10.5 | 11/17/1911 |
| 10.4 | 04/01/2023 |
| 10.3 | 12/11/2010 |
| 10.0 | 03/10/1918,01/17/1935,02/28/1939,03/19/1943,12/22/1933,11/19/1957,12/22/1968 |
| | |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| | |
| | |
| | |
| | |

RHINELANDER – GREATEST SNOWSTORMS

JANUARY

| Total | Date(s) / Year(s) |
|--|---|
| 16.0 | 08-09/1969 |
| 14.0 | 16-17/1935 |
| 13.3 | 13-14/1950 |
| 13.0 | 24-25/1938 |
| 11.5 | 22-23/1999 |
| 11.0 | 05-06/1929 |
| 9.6 | 10-11/2017 |
| 9.2 | 19/2023 |
| 9.0 | 03-04/1937,16-17/1967,04/1971 |
| 8.8 | 01-02/1911,19-20/1935 |
| 8.0 | 13-14/1936,22-23/1951,06-07/1967,24-25/1997,02/2000 |
| 7.5 | 22-23/1952 |
| 7.2 | 22-23/2018 |
| 7.0 | 21-22/1917,09-10/1924,13-14/1928,14-15/1930,04-05/1932,12-13/1935,02/1966,29/1987,14/1998 |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| E10.5 | 19-20/1979 |
| E8.6 | 06-07/1980 |

FEBRUARY

| Total | Date(s) / Year(s) |
|-------|---|
| 29.0 | 20-21/1937 |
| 20.2 | 28-29/2012 |
| 15.4 | 11-12/2019,23-24/2019 |
| 14.5 | 27-28/1948 |
| 12.0 | 12/1965 |
| 11.1 | 04-05/2021 |
| 11.0 | 11-12/1940,20-21/1953,15/1967,25-26/2008 |
| 10.8 | 22-23/2023 |
| 10.0 | 14-15/1918,01-02/1933,28/1939,18-19/1961,05-06/1971 |
| 9.8 | 19-20/2002 |
| 9.0 | 29/1940,19-20/2004 |
| 8.0 | 21-22/1928,07-08/1937,15/2000,03/2003 |
| 7.9 | 07/2019 |
| 7.6 | 23-24/1954 |
| 7.2 | 05/2019 |
| 7.0 | 22-23/1922,03-04/1938,25-26/1975 |
| 6.8 | 20-21/2014 |

RHINELANDER – GREATEST SNOWSTORMS

MARCH

| Total | Date(s) / Year(s) |
|--|--|
| 17.0 | 14-15/1939 |
| 15.0 | 22-23/2011 |
| 12.0 | 09-10/1918 |
| 11.5 | 09/1992 |
| 11.1 | 11-12/2023 |
| 11.0 | 21-22/1955,01-02/2007 |
| 10.8 | 30-31/2018 |
| 10.0 | 02-03/1934,19/1943,24-25/1996,13-14/1997 |
| 9.0 | 26-27/1936,13-14/1940,07-08/1950,05-06/1959 |
| 8.0 | 28-29/1924,06-07/1926,09/1928,29-30/1934,29-30/1944,19/1963,25-26/2024 |
| 7.6 | 05-06/1908 |
| 7.5 | 06-07/1995 |
| 7.0 | 15-16/1923,18/1951,22-23/1952,05-06/1961,17-18/1965,23-24/1966,21-22/1967,18/1998,12/2001,27-28/2003 |
| 7.0 | 12-13/2006,31/2008 |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| E14.7 | 03-04/1989 |
| E10.8 | 03-04/1985 |
| E9.5 | 03-04/1977 |
| E7.5 | 30-31/1985 |
| E6.7 | 03-04/1979 |

RHINELANDER – GREATEST SNOWSTORMS

APRIL

| Total | Date(s) / Year(s) |
|--|--|
| 18.4 | 13-16/2018 |
| 13.0 | 06-07/1923,03-04/1945 |
| 12.0 | 06/1958 |
| 11.2 | 16-17/2014 |
| 11.0 | 01-02/2023 |
| 10.2 | 20-21/2009 |
| 10.0 | 12-13/2020 |
| 9.3 | 03-04/2014,11-12/2019 |
| 9.1 | 11-12/2008 |
| 8.2 | 02-03/2024 |
| 8.0 | 27-28/2002 |
| 7.6 | 2014/15 |
| 6.5 | 22/1972 |
| 6.4 | 29-30/1909 |
| 6.0 | 02/1932,06/1933,20/1936,01/1965,10/1992,04-05/2003 |
| 5.9 | 12-13/2013 |
| 5.4 | 05-06/1942 |
| 5.3 | 25/1909 |
| 5.0 | 18-19/1925 |
| 4.9 | 08/2016 |
| 4.5 | 06/1957 |
| 4.3 | 23-24/2010 |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| E5.5 | 01-02/1977 |
| E5.3 | 15-16/1993 |

MAY

| Total | Date(s) / Year(s) |
|--|-------------------------|
| 10.0 | 07-08/1960 |
| 6.0 | 07-08/1923,07-08/2010 |
| 5.0 | 05/1979 |
| 1.5 | 01/1909,10/1961 |
| 1.1 | 06/1954 |
| 1.0 | 01/1917,09/1960,12/2006 |
| 0.5 | 12/1946,02/1966,16/1997 |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| E3.5 | 03/1973 |

RHINELANDER – GREATEST SNOWSTORMS

JUNE

| Total | Date(s) / Year(s) |
|--|-------------------------|
| | |
| T | 02/1945,03/1945,01/1946 |
| | |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| | |
| | |

JULY

| Total | Date(s) / Year(s) |
|--|-------------------|
| | |
| | None |
| | |
| | |
| | |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| | |
| | |

AUGUST

| Total | Date(s) / Year(s) |
|--|-------------------|
| | |
| | None |
| | |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| | |
| | |

RHINELANDER – GREATEST SNOWSTORMS

SEPTEMBER

| Total | Date(s) / Year(s) |
|--|---|
| 0.5 | 21/1913,26/1942,30/1985 |
| T | 30/1908,26/1912,15/1916,25/1927,23/1928,23/1942,24/1942,27/1942,28/1945,29/1947,26/1953,26/1965 |
| T | 21/1974,30/2003,14/2011 |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| | |
| | |

OCTOBER

| Total | Date(s) / Year(s) |
|--|---|
| 6.3 | 21-22/2002 |
| 6.1 | 20/2020 |
| 6.0 | 19/1925,21-22/1938 |
| 4.5 | 11-12/1909 |
| 4.0 | 27-28/2003 |
| 3.3 | 12-13/2006 |
| 3.0 | 22-23/1917,25/2001,18/2002 |
| 2.7 | 30-31/2014 |
| 2.3 | 31/2023 |
| 2.0 | 28/1919,23/1979,07/2000,27/2008,12/2009,14/2022 |
| 1.8 | 28-29/1933 |
| 1.7 | 28/1932,21-22/2013 |
| 1.5 | 27-28/1910,08/1932 |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| E2.5 | 21/1995 |
| E2.1 | 22/1987,23-24/1988,18/1990 |
| E2.0 | 16/1992 |
| E1.9 | 23/1972 |

RHINELANDER – GREATEST SNOWSTORMS

NOVEMBER

| Total | Date(s) / Year(s) |
|--|---|
| 16.0 | 18-19/1957 |
| 14.0 | 10-11/2014 |
| 12.5 | 10/2006 |
| 12.0 | 23/1991 |
| 11.6 | 26-27/2019 |
| 10.5 | 17/1911 |
| 9.0 | 29-30/1919,09/2011 |
| 8.0 | 16-17/1909,28/1934,19/1948 |
| 7.5 | 21/1956 |
| 7.0 | 07-08/1938 |
| 6.5 | 28-29/1918,26/1949,28-29/1955,25-26/2014 |
| 6.0 | 12-13/1914,27/1937,26-27/1940,05-06/1959,25-26/1993,26-27/1995,26-27/2001 |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| E8.1 | 15-16/1985 |
| E7.8 | 29-30/1985 |

DECEMBER

| Total | Date(s) / Year(s) |
|-------|---|
| 13.5 | 22-23/1959 |
| 12.7 | 24-25/1945 |
| 12.0 | 22-23/1933,22-23/1968 |
| 10.8 | 11-12/2010 |
| 10.0 | 06-07/1950,19-20/1968 |
| 9.8 | 10-11/2021 |
| 9.7 | 30-31/2019 |
| 9.0 | 17-18/1908,07-08/1927,15-16/1940 |
| 8.9 | 08-09/2009 |
| 8.7 | 15-16/2022 |
| 8.5 | 08-09/1969,22-23/2007 |
| 8.2 | 27-28/1946 |
| 8.1 | 01-02/2007,21-22/2010,05-06/2021 |
| 8.0 | 05-06/1927,01-02/1950,12/1961 |
| 7.5 | 27-28/1971 |
| 7.4 | 26-27/2014,07-08/2017 |
| 7.0 | 19/1939, 29-30/1996,09-10/2003,22-23/2006 |
| 6.9 | 03-04/1934 |
| E8.6 | 18-19/1987 |

RHINELANDER – GREATEST SNOWSTORMS

YEAR

| Total | Date(s) / Year(s) |
|--|--|
| | |
| 29.0 | 02/20-21/1937 |
| 20.2 | 02/28-29/2012 |
| 18.4 | 04/13-16/2018 |
| 17.0 | 03/14-15/1939 |
| 16.0 | 11/18-19/1957,01/08-09/1969 |
| 15.4 | 02/11-12/2019,02/23-24/2019 |
| 15.0 | 03/22-23/2011 |
| 14.5 | 02/27-28/1948 |
| 14.0 | 01/16-17/1935 |
| 13.5 | 12/22-23/1959 |
| 13.3 | 01/13-14/1950 |
| 13.0 | 04/06-07/1923,01/24-25/1938,04/03-04/1945 |
| 12.7 | 12/24-25/1945 |
| 12.5 | 11/10/2006 |
| 12.0 | 03/09-10/1918,12/22-23/1933,04/06/1958,02/12/1965,12/22-23/1968,11/23/1991 |
| 11.5 | 03/09/1992,01/22-23/1999 |
| 11.2 | 04/16-17/2014 |
| 11.0 | 01/05-06/1929,02/11-12/1940,02/20-21/1953,03/21-22/1955,02/15/1967,03/01-02/2007,02/25-26/2008 |
| 11.0 | 04/01-02/2023 |
| 10.8 | 12/11-12/2010,02/22-23/2023 |
| 10.5 | 11/17/1911 |
| | |
| | |
| Estimated snowfall totals were not used in the compilation of daily, monthly and seasonal snowfall records. | |
| | |
| E14.7 | 03/03-04/1989 |
| E10.8 | 03/03-04/1985 |
| E10.5 | 01/19-20/1979 |
| | |

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

JANUARY

| Snow | |
|---|------------------------------------|
| Depth | Date(s) / Year(s) |
| | |
| 46 | 09/1969 |
| 44 | 10/1969 |
| 42 | 11/1969 |
| 41 | 08/1969 |
| 40 | 12/1969 |
| 39 | 18-19/1969 |
| 38 | 20/1967,01/1969,13/1969 |
| 37 | 17-19/1967,02/1969,14/1969 |
| 36 | 21/1967,03/1969,06/1969,20/1969 |
| 35 | 04/1969,07/1969 |
| 34 | 24-25/1935,28/1935,16/1967,05/1969 |
| 34 | 15-17/1969 |
| 33 | 19-20/1935,22/1935 |
| 32 | 17/1935,22/1967 |
| 31 | 21/1969 |
| 30 | 16/1935 |
| 29 | 31/1962,31/1962,30-31/1971 |
| | |
| | |
| | |
| | |
| Estimated snow depth was not used in the compilation of snow depth records at Rhineland. Estimated snow depths shown below. | |
| | |
| E34 | 26-27/1935 |
| E33 | 21/1935,23/1935,29-31/1935 |
| E29 | 18/1935 |
| | |

FEBRUARY

| Snow | |
|---|--|
| Depth | Date(s) / Year(s) |
| | |
| 47 | 26-28/1962 |
| 45 | 20-27/1967 |
| 44 | 25/1962,19/1967,28/1967 |
| 43 | 18/1967 |
| 42 | 22-24/1962,17/1967, 15/1967 |
| 41 | 15-16/1967 |
| 40 | 06-11/1971 |
| 39 | 21/1962,05/1971 |
| 38 | 19-20/1962,12-14/1971 |
| 36 | 18/1962,15/1971 |
| 35 | 27-28/1922,21-24/1937,16-17/1962 |
| 34 | 24-26/1922,16-17/1971,24/2019,26-27/2019 |
| 33 | 21-23/1953,14-15/1962 |
| 33 | 25/2019,28/2019 |
| 32 | 23/1922,26-28/1953,20/1971 |
| 31 | 20/1953,24-25/1953,02/1962,13/1962 |
| 31 | 13/1967,19/1971,21/1971 |
| 30 | 27/1929,28/1937,10-12/1967,14/1967 |
| 30 | 04/1971,23/1971 |
| | |
| | |
| | |
| Estimated snow depth was not used in the compilation of snow depth records at Rhineland. Estimated snow depths shown below. | |
| | |
| E34 | 25/1937 |
| E32 | 01/1935,26/1937 |
| E31 | 27/1937 |
| | |

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

MAY

| Snow | Date(s) / Year(s) |
|---|-------------------------|
| Depth | Date(s) / Year(s) |
| 10 | 08/1960 |
| 7 | 07/1960 |
| 6 | 09/1923 |
| 5 | 01/1909,08/1923,05/1979 |
| 4 | 02/1909,09/1960,08/2010 |
| 3 | 07/2010 |
| 2 | 03/1909 |
| 1 | 01/1917,16/1997 |
| Estimated snow depth was not used in the compilation of snow depth records at Rhineland. Estimated snow depths shown below. | |
| E1 | 06/1954, 06/1979 |

JUNE

| Snow | Date(s) / Year(s) |
|---|-------------------|
| Depth | Date(s) / Year(s) |
| None | |
| Estimated snow depth was not used in the compilation of snow depth records at Rhineland. Estimated snow depths shown below. | |
| None | |

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

JULY

| Snow | Date(s) / Year(s) |
|---|-------------------|
| Depth | Date(s) / Year(s) |
| | |
| None | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Estimated snow depth was not used in the compilation of snow depth records at Rhineland. Estimated snow depths shown below. | |
| | |
| None | |
| | |
| | |
| | |

AUGUST

| Snow | Date(s) / Year(s) |
|---|-------------------|
| Depth | Date(s) / Year(s) |
| | |
| None | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Estimated snow depth was not used in the compilation of snow depth records at Rhineland. Estimated snow depths shown below. | |
| | |
| None | |
| | |
| | |
| | |

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

NOVEMBER

| Snow | Date(s) / Year(s) |
|---|---------------------------------------|
| Depth | Date(s) / Year(s) |
| 16 | 19-22/1957 |
| 15 | 17/1911,30/1985 |
| 14 | 11/2014 |
| 13 | 30/1919,29-30/1955,23-26/1957 |
| 13 | 29/1985,12/2014 |
| 12 | 30/1956,28/1985,23/1991 |
| 11 | 18/1911,28/1955,21-29/1956 |
| 11 | 10-11/2006,13-14/2014 |
| 10 | 19-21/1911,30/1934,29-30/1957 |
| 10 | 27/1970,24/1991,15-21/2014 |
| 10 | 25-28/2014 |
| 9 | 22-24/1911,27-28/1957,25/1991 |
| 9 | 12/2006, 22/2014, 24/2014, 29-30/2014 |
| 9 | 27/2019 |
| 8 | 28/1911, 29/1919, 28/1934, 20/1934 |
| 8 | 20/1948, 18/1957, 22-24/1961, 28/1970 |
| 8 | 26/1991, 28/2019, 30/2019 |
| Estimated snow depth was not used in the compilation of snow depth records at Rhineland. Estimated snow depths shown below. | |
| E 8 | 29/1934, 21/1948 |

DECEMBER

| Snow | Date(s) / Year(s) |
|---|----------------------------------|
| Depth | Date(s) / Year(s) |
| 38 | 31/1968 |
| 36 | 30/1968 |
| 34 | 28-29/1968 |
| 31 | 27/1968 |
| 30 | 26/1968 |
| 28 | 17-23/1927,29-31/1927,23-25/1968 |
| 27 | 16/1927,28/1927 |
| 26 | 24-25/1922,22/1968 |
| 25 | 26-27/1927 |
| 24 | 15/1927 |
| 21 | 08-14/1927,21-26/1955 |
| 20 | 13-20/1955,28-31/1985,30-31/1996 |
| 18 | 29/1996 |
| Estimated snow depth was not used in the compilation of snow depth records at Rhineland. Estimated snow depths shown below. | |
| None | |

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

YEAR

| Snow | |
|---|---|
| Depth | Date(s) / Year(s) |
| 47 | 02/26-03/03/1962 |
| 46 | 01/09/1969 |
| 45 | 03/04-03/06/1962,02/20-02/27/1967 |
| 44 | 02/25/1962,02/19/1968,02/28-03/01/1967,01/10/1969 |
| 43 | 02/18/1967 |
| 42 | 02/22-02/24/1962,02/17/1967,03/02/1967,01/11/1969 |
| 41 | 03/07/1962,02/15-02/16/1967,03/03/1967,01/08/1969 |
| 40 | 03/08/1962,03/04/1967,01/12/1969, 02/06-02/11/1971 |
| 39 | 02/21/1962,03/05/1967,01/18-01/19/1969,02/05/1971 |
| 38 | 02/19-02/20/1962,03/09/1962,03/12-03/13/1962,01/20/1967,12/31/1968,01/01/1969,01/13/1969,02/12-02/14/1971 |
| 37 | 03/14/1962, 01/17-01/19/1967,03/06-03/08/1967, 01/02/1969,01/14/1969 |
| 36 | 02/18/1962,01/21/1967,12/30/1968,01/03/1969,01/06/1969,01/20/1969,02/15/1971 |
| 35 | 03/17-19/1917,02/27-02/28/1922,03/01-03/03/1922,02/21/1937,02/24/1937,02/16-17/1962,03/15/1962,03/09/1967 |
| 35 | 01/04/1969,01/07/1969 |
| 34 | 02/24-02/26/1922,01/24-01/28/1935,02/25/1937,03/10-03/11/1962,01/16/1967,12/28-12/29/1968,01/05/1969 |
| 34 | 01/15-01/17/1969,02/16-02/17/1971,03/08-03/10/1972 |
| | |
| | |
| Estimated snow depth was not used in the compilation of snow depth records at Rhineland. Estimated snow depths shown below. | |
| E35 | 02/22-23/1937 |
| | |

CONSECUTIVE DAYS OF \geq 1 INCH ON THE GROUND

| \geq 1.0 Inch | Consecutive | |
|-----------------|-------------|---|
| Rank | Days | Start / End Dates |
| 1 | 152 | 11/20/2013 - 04/20/2014 |
| 2 | 150 | 11/17/1978 - 04/15/1979 |
| 3 | 148 | 11/20/1971 - 04/15/1972 |
| 4 | 146 | 11/14/1955 - 04/07/1956 |
| 5 | 145 | 11/17/1995 - 04/09/1996 |
| 6 | 142 | 11/20/1970 - 04/10/1971 |
| 7T | 141 | 11/27/2007 - 04/15/2008,11/13/2000 - 04/02/2001 |
| 9 | 139 | 12/07/2017 - 04/24/2018,11/29/2018- 04/16/2019 |
| 10 | 138 | 11/25/2021 - 04/11/2022 |
| 10T | 135 | 12/07/1922 - 04/20/1923,11/18/1926 - 04/01/1927,11/26/1964 - 04/09/1965 |
| 13 | 134 | 11/15/1985 - 03/28/1986 |
| 14 | 133 | 11/07/1947 - 03/18/1948 |
| 15T | 132 | 12/04/1925 - 04/15/1926,11/08/1933 - 03/19/1934,11/16/1957 - 03/27/1958 |
| 18 | 131 | 11/23/1954 - 04/02/1955 |
| 19 | 130 | 11/05/2014 - 03/14/2015 |
| 20T | 127 | 11/25/1942 - 03/31/1943,11/15/1956 - 03/21/1957,11-26/2019 - 03/31/2020 |
| 22 | 126 | 12/01/1927 - 04/04/1928,12/04/2010 - 04/08/2011 |
| | | |
| | | |
| | | |
| | | |
| | | |

NOTE: All snow depth streaks are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

CONSECUTIVE DAYS OF \geq 6 INCHES ON THE GROUND

| 6.0 Inches | Consecutive | |
|------------|-------------|---|
| Rank | Days | Start / End Dates |
| 1 | 133 | 12/08/2013 - 04/19/2014 |
| 2 | 130 | 11/25/1955 - 04/02/1956 |
| 3 | 127 | 11/21/1985 - 03/27/1986 |
| 4 | 119 | 11/23/1978 - 03/21/1979 |
| 5 | 118 | 11/27/2019 - 03/23/2020 |
| 6 | 117 | 12/15/2022 - 04/10/2023 |
| 6 | 116 | 11/21/1956 - 03/16/1957 |
| 7T | 114 | 11/29/1919 - 03/21/1920,11/28/1934 - 03/21/1935 |
| 9T | 111 | 12/05/1927 - 03/24/1928,12/10/1961 - 03/30/1962,12/07/2000 - 03/27/2001 |
| 12T | 109 | 12/15/1996 - 04/02/1997,12/10/2004 - 03/28/2005 |
| 14T | 107 | 12/22/1970 - 04/07/1971,12/13/1995 - 03/28/1996 |
| 16T | 106 | 12/08/1969 - 03/23/1970,12/27/1971 - 04/10/1972,12/13/1981 - 03/28/1982 |
| 16T | 106 | 12/23/2007 - 04/06/2008 |
| 20 | 105 | 12/13/2017 - 03/27/2018 |
| 21 | 103 | 11/30/2019 - 03/11/2020 |
| 21 | 102 | 12/22/1959 - 04/01/1960 |
| 22 | 101 | 11/26/1942 - 03/06/1943,12/06/1950 - 03/16/1951 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

NOTE: All snow depth streaks are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

CONSECUTIVE DAYS OF \geq 12 INCHES ON THE GROUND

| \geq 12.0 Inches | Consecutive | |
|--------------------|-------------|---|
| Rank | Days | Start / End Dates |
| 1 | 118 | 11/28/1985 - 03/25/1986 |
| 2 | 108 | 12/03/1934 - 03/20/1935 |
| 3 | 106 | 12/12/1961 - 03/27/1962 |
| 4 | 100 | 12/22/1996 - 03/31/1997 |
| 5 | 97 | 11/29/1955 - 03/04/1956 |
| 6 | 96 | 01/04/2014 - 04/09/2014 |
| 7T | 90 | 12/17/1969 - 03/16/1970,12/20/1978 - 03/19/1979 |
| 9T | 87 | 01/02/1960 - 03/28/1960,12/29/1966 - 03/25/1967,12/19/1968 - 03/15/1969 |
| 12 | 86 | 01/02/1970 - 03/28/1970 |
| 13 | 80 | 12/07/1950 - 02/24/1951 |
| 15T | 74 | 12/24/1956 - 03/07/1957,12/30/1981 - 03/13/1982 |
| 17 | 73 | 12/27/2014 - 03/09/2015 |
| 18 | 72 | 12/30/1995 - 03/10/1996 |
| 19 | 71 | 12/31/1921 - 03/11/1922 |
| 20 | 69 | 12/22/1942 - 02/28/1943 |
| 21T | 68 | 01/06/1920 - 03/13/1920,01/06/1929 - 03/14/1929,01/29/2008 - 04/05/2008 |
| 24 | 67 | 02/10/2013 - 04/19/2013 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

NOTE: All snow depth streaks are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

CONSECUTIVE DAYS OF \geq 24 INCHES ON THE GROUND

| \geq 24.0 Inches | Consecutive | |
|--------------------|-------------|---|
| Rank | Days | Start / End Dates |
| 1 | 60 | 01/21/1962 - 03/21/1962 |
| 2 | 41 | 01/31/1967 - 03/12/1967 |
| 3 | 33 | 12/22/1968 - 01/23/1969 |
| 4 | 31 | 01/26/1971 - 02/25/1971 |
| 5 | 30 | 02/12/2019 - 03/13/2019 |
| 5 | 29 | 01/12/1935 - 02/09/1935 |
| 6T | 23 | 02/12/1921 - 03/06/1922,02/18/2014 - 03/09/2014 |
| 8 | 22 | 12/15/1927 - 01/05/1928 |
| 9T | 20 | 01/29/1943 - 02/17/1943,02/20/1953 - 03/11/1953 |
| 11 | 19 | 02/22/1929 - 03/12/1929 |
| 12 | 15 | 02/28/1972 - 03/13/1972 |
| 13T | 14 | 01/09/1967 - 01/22/1967,01/24/1997 - 02/06/1997 |
| 15T | 13 | 01/28/1969 - 02/09/1969,01/27/1979 - 02/08/1979 |
| 17T | 12 | 02/14/1923 - 02/25/1923,02/15/1945 - 02/26/1945 |

CONSECUTIVE DAYS OF \geq 36.0 INCHES ON THE GROUND

| \geq 36.0 Inches | Consecutive | |
|--------------------|-------------|---|
| Rank | Day | Start / End Dates |
| 1 | 22 | 02/15/1967 - 03/08/1967 |
| 2 | 20 | 02/18/1962 - 03/09/1962 |
| 3 | 11 | 02/05/1971 - 02/15/1971 |
| 4 | 7 | 01/08/1969 - 01/14/1969 |
| 5T | 5 | 01/17/1967 - 01/21/1967,12/30/1968 - 01/03/1969 |
| 7T | 3 | 03/12/1962 - 03/14/1962,01/18/1969 - 01/20/1969 |
| 9 | 1 | 01/06/1969 |
| | | |
| | | |

NOTE: All snow depth streaks are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

RHINELANDER – NUMBER OF DAYS WITH SNOW COVER

| | Snow Depth | Snow Depth | Snow Depth | Snow Depth | Snow Depth | Snow Depth |
|---------|------------|-------------|--------------|--------------|--------------|-------------|
| Winter | >= 1 Inch | >= 6 Inches | >= 12 Inches | >= 18 Inches | >= 24 Inches | >=36 Inches |
| | | | | | | |
| 1907-08 | Msg | Msg | Msg | Msg | Msg | Msg |
| 1908-09 | 113 | 38 | 0 | 0 | 0 | 0 |
| 1909-10 | 107 | 59 | 0 | 0 | 0 | 0 |
| | | | | | | |
| 1910-11 | 132 | 63 | 8 | 0 | 0 | 0 |
| 1911-12 | 134 | 87 | 20 | 0 | 0 | 0 |
| 1912-13 | 119 | 16 | 0 | 0 | 0 | 0 |
| 1913-14 | 57 | 1 | 0 | 0 | 0 | 0 |
| 1914-15 | 84 | 31 | 8 | 0 | 0 | 0 |
| | | | | | | |
| 1915-16 | 121 | 96 | 31 | 11 | 0 | 0 |
| 1916-17 | 126 | 72 | 58 | 29 | 21 | 0 |
| 1917-18 | 118 | 70 | 46 | 10 | 0 | 0 |
| 1918-19 | 108 | 71 | 20 | 3 | 0 | 0 |
| 1919-20 | 132 | 114 | 89 | 36 | 0 | 0 |
| | | | | | | |
| 1920-21 | 97 | 34 | 10 | 0 | 0 | 0 |
| 1921-22 | 136 | 98 | 71 | 34 | 23 | 0 |
| 1922-23 | 142 | 97 | 73 | 37 | 12 | 0 |
| 1923-24 | 109 | 82 | 48 | 5 | 0 | 0 |
| 1924-25 | 119 | 78 | 9 | 0 | 0 | 0 |
| | | | | | | |
| 1925-26 | 150 | 94 | 45 | 11 | 6 | 0 |
| 1926-27 | 139 | 106 | 79 | 20 | 0 | 0 |
| 1927-28 | 149 | 116 | 95 | 74 | 30 | 0 |
| 1928-29 | 112 | 72 | 68 | 48 | 19 | 0 |
| 1929-30 | 109 | 82 | 37 | 13 | 0 | 0 |
| | | | | | | |
| 1930-31 | 95 | 21 | 0 | 0 | 0 | 0 |
| 1931-32 | 113 | 30 | 0 | 0 | 0 | 0 |
| 1932-33 | 150 | 40 | 24 | 16 | 0 | 0 |
| 1933-34 | 140 | 68 | 12 | 0 | 0 | 0 |
| 1934-35 | 122 | 114 | 108 | 85 | 40 | 0 |
| | | | | | | |
| 1935-36 | 111 | 82 | 57 | 38 | 3 | 0 |
| 1936-37 | 117 | 74 | 57 | 32 | 17 | 0 |
| 1937-38 | 111 | 83 | 50 | 30 | 9 | 0 |
| 1938-39 | 132 | 86 | 46 | 21 | 6 | 0 |
| 1939-40 | 112 | 95 | 24 | 3 | 0 | 0 |

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

RHINELANDER – NUMBER OF DAYS WITH SNOW COVER

| | Snow Depth | Snow Depth | Snow Depth | Snow Depth | Snow Depth | Snow Depth |
|---------|------------|-------------|--------------|--------------|--------------|-------------|
| Winter | >= 1 Inch | >= 6 Inches | >= 12 Inches | >= 18 Inches | >= 24 Inches | >=36 Inches |
| | | | | | | |
| 1940-41 | 128 | 98 | 8 | 0 | 0 | 0 |
| 1941-42 | 98 | 0 | 0 | 0 | 0 | 0 |
| 1942-43 | 131 | 116 | 74 | 53 | 21 | 0 |
| 1943-44 | 58 | 3 | 0 | 0 | 0 | 0 |
| 1944-45 | 113 | 76 | 57 | 34 | 17 | 0 |
| | | | | | | |
| 1945-46 | 115 | 63 | 11 | 0 | 0 | 0 |
| 1946-47 | 107 | 29 | 16 | 0 | 0 | 0 |
| 1947-48 | 133 | 89 | 4 | 0 | 0 | 0 |
| 1948-49 | 130 | 7 | 0 | 0 | 0 | 0 |
| 1949-50 | 129 | 73 | 63 | 39 | 1 | 0 |
| | | | | | | |
| 1950-51 | 138 | 111 | 84 | 43 | 11 | 0 |
| 1951-52 | 123 | 95 | 27 | 8 | 0 | 0 |
| 1952-53 | 105 | 90 | 47 | 36 | 20 | 0 |
| 1953-54 | 107 | 52 | 0 | 0 | 0 | 0 |
| 1954-55 | 132 | 102 | 29 | 6 | 0 | 0 |
| | | | | | | |
| 1955-56 | 148 | 130 | 114 | 23 | 0 | 0 |
| 1956-57 | 133 | 117 | 79 | 9 | 0 | 0 |
| 1957-58 | 139 | 115 | 18 | 0 | 0 | 0 |
| 1958-59 | 116 | 85 | 35 | 14 | 0 | 0 |
| 1959-60 | 156 | 108 | 91 | 42 | 0 | 0 |
| | | | | | | |
| 1960-61 | 85 | 34 | 20 | 0 | 0 | 0 |
| 1961-62 | 135 | 114 | 106 | 97 | 60 | 23 |
| 1962-63 | 116 | 93 | 51 | 13 | 0 | 0 |
| 1963-64 | 112 | 92 | 22 | 0 | 0 | 0 |
| 1964-65 | 135 | 113 | 65 | 36 | 8 | 0 |
| | | | | | | |
| 1965-66 | 123 | 61 | 33 | 0 | 0 | 0 |
| 1966-67 | 115 | 90 | 87 | 77 | 56 | 27 |
| 1967-68 | 106 | 49 | 4 | 0 | 0 | 0 |
| 1968-69 | 121 | 107 | 87 | 68 | 51 | 16 |
| 1969-70 | 130 | 106 | 90 | 25 | 0 | 0 |
| | | | | | | |
| 1970-71 | 143 | 120 | 86 | 65 | 36 | 11 |
| 1971-72 | 151 | 115 | 89 | 52 | 15 | 0 |
| 1972-73 | 107 | 91 | 31 | 2 | 0 | 0 |
| 1973-74 | 114 | 89 | 67 | 5 | 0 | 0 |
| 1974-75 | 140 | 106 | 52 | 25 | 0 | 0 |

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

RHINELANDER – NUMBER OF DAYS WITH SNOW COVER

| | Snow Depth | Snow Depth | Snow Depth | Snow Depth | Snow Depth | Snow Depth |
|---------|-------------|-------------|--------------|--------------|--------------|-------------|
| Winter | >= 1 Inches | >= 6 Inches | >= 12 Inches | >= 18 Inches | >= 24 Inches | >=36 Inches |
| | | | | | | |
| 1975-76 | 115 | 79 | 35 | 8 | 0 | 0 |
| 1976-77 | 113 | 50 | 13 | 0 | 0 | 0 |
| 1977-78 | 120 | 103 | 13 | 0 | 0 | 0 |
| 1978-79 | 152 | 136 | 90 | 65 | 25 | 0 |
| 1979-80 | 125 | 76 | 16 | 0 | 0 | 0 |
| | | | | | | |
| 1980-81 | 94 | 49 | 10 | 0 | 0 | 0 |
| 1981-82 | 125 | 106 | 77 | 21 | 0 | 0 |
| 1982-83 | 108 | 48 | 18 | 2 | 0 | 0 |
| 1983-84 | 108 | 80 | 36 | 0 | 0 | 0 |
| 1984-85 | 114 | 38 | 0 | 0 | 0 | 0 |
| | | | | | | |
| 1985-86 | 136 | 128 | 118 | 57 | 0 | 0 |
| 1986-87 | 119 | 14 | 2 | 0 | 0 | 0 |
| 1987-88 | 110 | 69 | 6 | 0 | 0 | 0 |
| 1988-89 | 117 | 77 | 22 | 3 | 0 | 0 |
| 1989-90 | 105 | 65 | 0 | 0 | 0 | 0 |
| | | | | | | |
| 1990-91 | 92 | 26 | 0 | 0 | 0 | 0 |
| 1991-92 | 139 | 102 | 12 | 0 | 0 | 0 |
| 1992-93 | 128 | 79 | 36 | 0 | 0 | 0 |
| 1993-94 | 109 | 51 | 5 | 0 | 0 | 0 |
| 1994-95 | 68 | 7 | 0 | 0 | 0 | 0 |
| | | | | | | |
| 1995-96 | 148 | 121 | 74 | 12 | 0 | 0 |
| 1996-97 | 138 | 110 | 101 | 86 | 20 | 0 |
| 1997-98 | 109 | 39 | 5 | 0 | 0 | 0 |
| 1998-99 | 105 | 87 | 67 | 18 | 1 | 0 |
| 1999-00 | 79 | 55 | 39 | 10 | 0 | 0 |
| | | | | | | |
| 2000-01 | 142 | 113 | 84 | 8 | 0 | 0 |
| 2001-02 | 117 | 54 | 7 | 0 | 0 | 0 |
| 2002-03 | 97 | 37 | 3 | 0 | 0 | 0 |
| 2003-04 | 117 | 89 | 40 | 13 | 0 | 0 |
| 2004-05 | 124 | 110 | 39 | 1 | 0 | 0 |
| | | | | | | |
| 2005-06 | 134 | 100 | 55 | 10 | 0 | 0 |
| 2006-07 | 111 | 67 | 10 | 3 | 0 | 0 |
| 2007-08 | 141 | 130 | 92 | 36 | 0 | 0 |
| 2008-09 | 120 | 91 | 47 | 0 | 0 | 0 |
| 2009-10 | 100 | 91 | 57 | 0 | 0 | 0 |

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

Record Number of Days (Snow Depth of $\geq 1/6/12/18/24/36$ inches)

Snow depth of 1 inch

| | Most days | |
|------|---------------|------------------------------------|
| Rank | ≥ 1 inch | Winter(s) |
| 1T | 156 | 1959-60, 2013-14, 2018-19 |
| 4 | 152 | 1978-79 |
| 5 | 151 | 1971-72 |
| 6T | 150 | 1925-26, 1932-33 |
| 8 | 149 | 1927-28 |
| 9T | 148 | 1955-56, 1995-96 |
| 11 | 147 | 2017-18 |
| 12 | 146 | 2021-22, 2022-23 |
| 13 | 143 | 1970-71 |
| 14T | 142 | 1922-23, 2000-01 |
| 16 | 141 | 2007-08 |
| 17T | 140 | 1933-34, 1974-75 |
| 19T | 139 | 1926-27, 1957-58, 1991-92 |
| 22T | 138 | 1950-51, 1996-97, 2010-11, 2012-13 |
| 26 | 137 | 2014-15 |
| 27T | 136 | 1921-22, 1985-86 |
| 29T | 135 | 1961-62, 1964-65 |
| 31T | 134 | 1911-12, 2005-06, 2019-20 |
| 34T | 133 | 1947-48, 1956-57 |

| | Least days | |
|------|---------------|---------------------------|
| Rank | ≥ 1 inch | Winter(s) |
| 1 | 57 | 1913-14 |
| 2 | 58 | 1943-44 |
| 3 | 68 | 1994-95 |
| 4 | 71 | 2011-12 |
| 5 | 73 | 2023-24 |
| 6 | 79 | 1999-00 |
| 7 | 84 | 1914-15 |
| 8 | 85 | 1960-61 |
| 9 | 92 | 1990-91 |
| 10 | 94 | 1980-81 |
| 11T | 95 | 1930-31, 2015-16 |
| 13T | 97 | 1920-21, 2002-03 |
| 15T | 98 | 1941-42, 2016-17 |
| 17 | 99 | 2020-21 |
| 18 | 100 | 2009-10 |
| 19T | 105 | 1952-53, 1989-90, 1998-99 |
| 22 | 106 | 1967-68 |

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

Record Number of Days (Snow Depth of $\geq 1/6/12/18/24/36$ inches)

Snow depth of 6 inches

| | Most days | |
|------|-----------------|---------------------------------|
| Rank | ≥ 6 inches | Winter(s) |
| 1 | 137 | 2013-14 |
| 2 | 136 | 1978-79 |
| 3T | 130 | 1955-56,2007-08 |
| 5 | 128 | 1985-86 |
| 6 | 124 | 2017-18 |
| 7 | 121 | 1995-96 |
| 8 | 120 | 1970-71 |
| 9T | 119 | 2010-11,2019-20 |
| 11 | 117 | 1956-57,2022-23 |
| 12T | 116 | 1927-28,1942-43 |
| 14T | 115 | 1957-58,1971-72,2014-15 |
| 17T | 114 | 1919-20,1934-35,1961-62 |
| 20T | 113 | 1964-65,2000-01 |
| 22 | 111 | 1950-51 |
| 23T | 110 | 1996-97,2004-05 |
| 25 | 108 | 1959-60 |
| 26 | 107 | 1968-69 |
| 27T | 106 | 1926-27,1969-70,1974-75,1981-82 |

| | Least days | |
|------|-----------------|-----------------|
| Rank | ≥ 6 inches | Winter(s) |
| 1 | 0 | 1941-42 |
| 2 | 1 | 1913-14 |
| 3 | 3 | 1943-44 |
| 4T | 7 | 1948-49,1994-95 |
| 6 | 14 | 1986-87 |
| 7 | 15 | 2023-24 |
| 8 | 16 | 1912-13 |
| 9 | 21 | 1930-31 |
| 10 | 26 | 1990-91 |
| 11 | 29 | 1946-47 |
| 12 | 30 | 1931-32 |
| 13 | 31 | 1914-15 |
| 14T | 34 | 1920-21,1960-61 |
| 16 | 35 | 2020-21 |
| 17 | 37 | 2002-03 |
| 18T | 38 | 1908-09,1984-85 |
| 20T | 39 | 1997-98,2011-12 |
| 22 | 40 | 1932-33 |
| 23 | 48 | 1982-83 |

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

Record Number of Days (Snow Depth of $\geq 1/6/12/18/24/36$ inches)

Snow depth of 12 inches

| Most days | | |
|-----------|------------------|---------------------------------|
| Rank | ≥ 12 inches | Winter(s) |
| | | |
| 1 | 118 | 1985-86 |
| 2 | 114 | 1955-56 |
| 3 | 108 | 1934-35 |
| 4 | 106 | 1961-62 |
| 5 | 105 | 2013-14 |
| 6 | 101 | 1996-97 |
| 7 | 95 | 1927-28 |
| 8 | 92 | 2007-08 |
| 9 | 91 | 1959-60 |
| 10T | 90 | 1969-70,1978-79 |
| 12T | 89 | 1919-20,1971-72 |
| 14T | 87 | 1966-67,1968-69 |
| 16 | 86 | 1970-71 |
| 17T | 84 | 1950-51,2000-01 |
| 19 | 79 | 1926-27,1956-57,2022-23 |
| 21 | 77 | 1981-82 |
| 22 | 75 | 2014-15 |
| 23T | 74 | 1942-43,1995-96 |
| 25 | 73 | 1922-23 |
| 26 | 71 | 1921-22 |
| 27T | 68 | 1928-29,2012-13 |
| 29T | 67 | 1973-74,1998-99,2019-20 |
| 32 | 65 | 1964-65 |
| 33 | 63 | 1949-50 |
| 34 | 58 | 1916-17 |
| 35T | 57 | 1935-36,1936-37,1944-45,2009-10 |
| 39 | 55 | 2005-06 |

| Least days | | |
|------------|------------------|----------------------------------|
| Rank | ≥ 12 inches | Winter(s) |
| | | |
| 1T | 0 | 1908-09,1909-10,1912-13,1913-14 |
| 1T | 0 | 1930-31,1931-32,1941-42,1943-44 |
| 1T | 0 | 1948-49,1953-54,1984-85,1989-90 |
| 1T | 0 | 1990-91,1994-95, 2020-21,2023-24 |
| 17 | 2 | 1986-87 |
| 18 | 3 | 2002-03 |
| 19T | 4 | 1947-48,1967-68 |
| 21T | 5 | 1993-94,1997-98 |
| 23 | 6 | 1987-88 |
| 24 | 7 | 2001-02 |
| 25T | 8 | 1910-11,1914-15,1940-41 |
| 28T | 9 | 1924-25,2011-12 |
| 30T | 10 | 1920-21,1980-81,2006-07 |
| 33 | 11 | 1945-46 |
| 34T | 12 | 1933-34,1991-92 |
| 36T | 13 | 1976-77,1977-78 |
| 38T | 16 | 1946-47,1979-80,2015-16 |
| 41T | 18 | 1957-58,1982-83 |
| 43T | 20 | 1911-12,1918-19,1960-61 |
| 46T | 22 | 1963-64,1988-89,2020-21 |
| 49T | 24 | 1932-33,1939-40 |
| 51T | 27 | 1951-52,2016-17 |
| 53 | 29 | 1954-55 |
| 54T | 31 | 1915-16,1972-73 |
| 56 | 33 | 1965-66 |
| 57T | 35 | 1958-59,1975-76 |
| 59T | 36 | 1983-84,1992-93,2010-11 |

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

Record Number of Days (Snow Depth of $\geq 1/6/12/18/24/36$ inches)

Snow depth of 18 inches

| | Most days | |
|------|------------------|---------------------------------|
| Rank | ≥ 18 inches | Winter(s) |
| | | |
| 1 | 97 | 1961-62 |
| 2 | 86 | 1996-97 |
| 3 | 85 | 1934-35 |
| 4 | 81 | 2013-14 |
| 5 | 77 | 1966-67 |
| 6 | 74 | 1927-28 |
| 7 | 68 | 1968-69 |
| 8T | 65 | 1970-71,1978-79 |
| 10 | 57 | 1985-86 |
| 11 | 53 | 1942-43 |
| 12 | 52 | 1971-72 |
| 13 | 48 | 1928-29 |
| 14 | 43 | 1950-51 |
| 15T | 42 | 1959-60,2018-19 |
| 17 | 39 | 1949-50 |
| 18 | 38 | 1935-36 |
| 19 | 37 | 1922-23,2022-23 |
| 20T | 36 | 1919-20,1952-53,1964-65,2007-08 |
| 24T | 34 | 1921-22,1944-45 |
| 26 | 32 | 1936-37 |
| 27 | 30 | 1937-38 |
| 28 | 29 | 1916-17 |
| 29T | 25 | 1969-70,1974-75 |
| 31 | 23 | 1955-56 |
| | | |

Snow depth of 24 inches

| | Most days | |
|------|------------------|-------------------------|
| Rank | ≥ 24 inches | Winter(s) |
| | | |
| 1 | 60 | 1961-62 |
| 2 | 56 | 1966-67 |
| 3 | 51 | 1968-69 |
| 4 | 40 | 1934-35 |
| 5 | 36 | 1970-71 |
| 6 | 31 | 2013-14 |
| 7T | 30 | 1927-28,2018-19 |
| 9 | 25 | 1978-79 |
| 10 | 23 | 1921-22 |
| 11T | 21 | 1916-17,1942-43 |
| 13T | 20 | 1952-53,1996-97 |
| 15 | 19 | 1928-29 |
| 16T | 17 | 1936-37,1944-45 |
| 18 | 15 | 1971-72 |
| 19 | 12 | 1922-23 |
| 20 | 11 | 1950-51 |
| 21 | 9 | 1937-38 |
| 22 | 8 | 1964-65 |
| 23T | 6 | 1925-26,1938-39,2022-23 |
| 25 | 3 | 1935-36 |
| | | |
| | | |
| | | |
| | | |
| | | |

Snow depth of 36 inches

| | Most days | |
|------|------------------|-----------|
| Rank | ≥ 36 inches | Winter(s) |
| | | |
| 1 | 27 | 1966-67 |
| 2 | 23 | 1961-62 |
| 3 | 16 | 1968-69 |
| 4 | 11 | 1970-71 |
| | | |

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

EARLIEST AND LATEST MEASURABLE SNOW

Earliest First TRACE of Snow during the Fall

| Rank | Date(s) / Year(s) | Rank | Date(s) / Year(s) |
|------|------------------------|------|------------------------------------|
| | | | |
| 1 | 09/10/2014 | 9 | 09/25/1927 |
| 2 | 09/14/2011 | 10T | 09/26/1912, 09/26/1953, 09/26/1965 |
| 3 | 09/15/1916 | 13 | 09/27/1942 |
| 4T | 09/21/1974, 09/21/1995 | 14 | 09/28/1945 |
| 6T | 09/23/1928, 09/23/1942 | | |
| 8 | 09/24/1942 | | |

Earliest and Latest Measurable (≥ 0.1 inches) Snowfall during the Fall

| Earliest First Measurable Snowfall (≥ 0.1 inches) | | Latest First Measurable Snowfall (≥ 0.1 inches) | |
|---|------------------------------------|---|------------------------------------|
| Rank | Date(s) / Year(s) | Rank | Date(s) / Year(s) |
| | | | |
| 1 | 09/21/1913 | 1 | 12/06/1931 |
| 2 | 09/26/1942 | 2 | 12/02/1963 |
| 3 | 09/30/1985 | 3 | 11/29/1958 |
| 4 | 10/07/2000 | 4 | 11/28/1918 |
| 5 | 10/08/1932 | 5 | 11/27/1937 |
| 6T | 10/10/1990, 10/10/2009 | 6T | 11/26/1944, 11/26/1964, 11/26/2004 |
| 8T | 10/11/1909, 10/11/1980 | 9 | 11/25/1952 |
| 10T | 10/12/2006, 10/12/2020 | 10T | 11/22/1923, 11/22/1994 |
| 12T | 10/13/1969, 10/13/1986 | 12 | 11/20/1970 |
| 14 | 10/16/1992 | 13 | 11/21/1971 |
| 15 | 10/17/1946 | 14T | 11/19/1922, 11/19/2016 |
| 16T | 10/18/1930, 10/18/1976, 10/18/2002 | 16 | 11/18/1928 |
| 19 | 10/19/1925 | 17T | 11/17/1924, 11/17/1968, 11/17/1978 |
| 20T | 10/20/1982, 10/20/2013 | | |
| | | | |

EARLIEST AND LATEST MEASURABLE SNOW

Earliest and Latest First ≥ 1 inches Snowfall of The Fall / Winter

| Earliest First Measurable Snowfall (≥ 1 Inch) | | Latest First Measurable Snowfall (≥ 1 inch) | |
|---|------------------------------------|---|--|
| Rank | Date(s) / Year(s) | Rank | Date(s) / Year(s) |
| 1 | 10/07/2000 | 1 | 12/17/1951 |
| 2 | 10/08/1932 | 2 | 12/16/1958 |
| 3 | 10/11/1909 | 3 | 12/15/1999 |
| 4 | 10/12/2009 | 4 | 12/12/1941 |
| 5 | 10/13/1980, 10/13/2006 | 5 | 12/04/1939 |
| 6 | 10/16/1992 | 6 | 12/02/1963 |
| 7 | 10/17/1947, 10/17/2020 | 7 | 11/30/1924 |
| 8T | 10/18/1990, 10/18/2002 | 8 | 11/28/1918 |
| 10 | 10/19/1925 | 9T | 11/27/1913, 11/27/1937, 11/27/1994 |
| 11 | 10/20/1982 | 12T | 11/26/1930, 11/26/1944, 11/26/1964, 11/26/2004 |
| 12T | 10/21/1938, 10/21/1995, 10/21/2013 | 16T | 11/25/1952, 11/25/1973, 11/25/1976 |
| 15T | 10/22/1917, 10/22/1935, 10/22/1987 | 19T | 11/23/1953, 11/23/1977, 11/23/1996, 11/23/2016 |
| 18T | 10/23/1972, 10/23/1979 | 23T | 11/22/1923, 11/22/1934, 11/22/1997 |
| | | | |
| | | | |

EARLIEST / LATEST MEASURABLE SNOW (0.1/1.0 INCHES – AMOUNT NOTED TO THE RIGHT OF THE DATE)

| | Date | Of | 1 st | | Date | Of | 1 st | | Date | Of | Last | | Date | Of | Last |
|-----------|--------------------|-----|-----------------|--|----------------|-----|-----------------|--|--------------------|----|------|--|----------------|----|------|
| | Snow >= 0.1 Inches | | | | Snow >= 1 Inch | | | | Snow >= 0.1 Inches | | | | Snow >= 1 Inch | | |
| | | | | | | | | | | | | | | | |
| 1907-1908 | Msg | Msg | Msg | | Msg | Msg | Msg | | Apr | 8 | 2.0 | | Apr | 8 | 2.0 |
| 1908-1909 | Nov | 14 | 2.0 | | Nov | 14 | 2.0 | | May | 1 | 1.5 | | May | 1 | 1.5 |
| | | | | | | | | | | | | | | | |
| 1909-1910 | Oct | 11 | 1.5 | | Oct | 11 | 1.5 | | Apr | 24 | 1.3 | | Apr | 24 | 1.3 |
| 1910-1911 | Oct | 27 | 1.0 | | Oct | 27 | 1.0 | | Apr | 5 | 1.0 | | Apr | 5 | 1.0 |
| 1911-1912 | Nov | 1 | 2.0 | | Nov | 1 | 2.0 | | Mar | 26 | 1.0 | | Mar | 26 | 1.0 |
| 1912-1913 | Nov | 13 | 1.5 | | Nov | 13 | 1.5 | | Apr | 10 | 2.0 | | Apr | 10 | 2.0 |
| 1913-1914 | Sep | 21 | 0.5 | | Nov | 27 | 1.5 | | Mar | 6 | 2.5 | | Mar | 6 | 2.5 |
| | | | | | | | | | | | | | | | |
| 1914-1915 | Nov | 12 | 3.0 | | Nov | 12 | 3.0 | | Mar | 6 | 3.0 | | Mar | 6 | 3.0 |
| 1915-1916 | Nov | 14 | 3.0 | | Nov | 14 | 3.0 | | Mar | 21 | 1.0 | | Mar | 21 | 1.0 |
| 1916-1917 | Nov | 10 | 2.0 | | Nov | 10 | 2.0 | | May | 1 | 1.0 | | May | 1 | 1.0 |
| 1917-1918 | Oct | 22 | 1.0 | | Oct | 00 | 0.0 | | Mar | 10 | 10.0 | | Mar | 10 | 10.0 |
| 1918-1919 | Nov | 28 | 1.5 | | Nov | 28 | 1.5 | | Feb | 28 | 5.0 | | Feb | 28 | 5.0 |
| | | | | | | | | | | | | | | | |
| 1919-1920 | Oct | 28 | 2.0 | | Oct | 28 | 2.0 | | Apr | 3 | 0.1 | | Mar | 30 | 1.0 |
| 1920-1921 | Nov | 9 | 2.0 | | Nov | 9 | 2.0 | | Mar | 14 | 1.0 | | Mar | 14 | 1.0 |
| 1921-1922 | Nov | 13 | 1.5 | | Nov | 13 | 1.5 | | Apr | 12 | 2.5 | | Apr | 12 | 2.5 |
| 1922-1923 | Nov | 19 | 2.0 | | Nov | 19 | 2.0 | | May | 8 | 1.0 | | May | 8 | 1.0 |
| 1923-1924 | Nov | 22 | 1.5 | | Nov | 22 | 1.5 | | Apr | 21 | 3.0 | | Apr | 21 | 3.0 |
| | | | | | | | | | | | | | | | |
| 1924-1925 | Nov | 17 | 0.5 | | Nov | 30 | 1.0 | | Apr | 19 | 4.0 | | Apr | 19 | 4.0 |
| 1925-1926 | Oct | 19 | 6.0 | | Oct | 19 | 6.0 | | Mar | 31 | 4.0 | | Mar | 31 | 4.0 |
| 1926-1927 | Nov | 9 | 2.6 | | Nov | 9 | 2.6 | | Mar | 26 | 4.0 | | Mar | 26 | 4.0 |
| 1927-1928 | Nov | 7 | 1.0 | | Nov | 7 | 1.0 | | Apr | 18 | 4.0 | | Apr | 18 | 4.0 |
| 1928-1929 | Nov | 18 | 0.2 | | Nov | 20 | 1.0 | | Apr | 13 | 0.1 | | Apr | 1 | 1.4 |
| | | | | | | | | | | | | | | | |
| 1929-1930 | Nov | 4 | 1.0 | | Nov | 4 | 1.0 | | Mar | 23 | 1.0 | | Mar | 23 | 1.0 |
| 1930-1931 | Oct | 18 | 0.1 | | Nov | 26 | 1.0 | | Mar | 28 | 1.0 | | Mar | 28 | 1.0 |
| 1931-1932 | Dec | 6 | 1.0 | | Dec | 6 | 1.0 | | Apr | 4 | 1.0 | | Apr | 4 | 1.0 |
| 1932-1933 | Oct | 8 | 1.5 | | Oct | 8 | 1.5 | | Apr | 6 | 6.0 | | Apr | 6 | 6.0 |
| 1933-1934 | Oct | 28 | 0.3 | | Oct | 29 | 1.5 | | Apr | 21 | 0.3 | | Apr | 3 | 3.0 |
| | | | | | | | | | | | | | | | |
| 1934-1935 | Oct | 28 | 0.2 | | Nov | 22 | 1.0 | | Apr | 15 | 0.1 | | Apr | 4 | 2.0 |
| 1935-1936 | Oct | 22 | 1.0 | | Oct | 22 | 1.0 | | Apr | 20 | 6.0 | | Apr | 20 | 6.0 |
| 1936-1937 | Oct | 21 | 0.5 | | Nov | 6 | 1.0 | | Apr | 5 | 1.0 | | Apr | 5 | 1.0 |
| 1937-1938 | Nov | 27 | 6.0 | | Nov | 27 | 6.0 | | Mar | 10 | 1.0 | | Mar | 10 | 1.0 |
| 1938-1939 | Oct | 21 | 2.0 | | Oct | 21 | 2.0 | | Apr | 14 | 1.0 | | Apr | 14 | 1.0 |

EARLIEST / LATEST MEASURABLE SNOW

(0.1/1.0 INCHES – AMOUNT NOTED TO THE RIGHT OF THE DATE)

| | Date | Of | 1 st | | Date | Of | 1 st | | Date | Of | Last | | Date | Of | Last |
|-----------|--------------------|----|-----------------|--|------------------|----|-----------------|--|--------------------|----|------|--|----------------|----|------|
| | Snow >= 0.1 Inches | | | | Snow >= 1 Inches | | | | Snow >= 0.1 Inches | | | | Snow >= 1 Inch | | |
| | | | | | | | | | | | | | | | |
| 1939-1940 | Oct | 29 | 0.5 | | Dec | 4 | 1.0 | | Apr | 8 | 1.0 | | Apr | 8 | 1.0 |
| 1940-1941 | Nov | 12 | 2.0 | | Nov | 12 | 2.0 | | Mar | 22 | 1.0 | | Mar | 22 | 1.0 |
| 1941-1942 | Nov | 1 | 0.5 | | Dec | 12 | 3.0 | | Apr | 6 | 4.5 | | Apr | 6 | 4.5 |
| 1942-1943 | Sep | 26 | 0.5 | | Oct | 25 | 1.0 | | Apr | 16 | 2.0 | | Apr | 16 | 2.0 |
| 1943-1944 | Nov | 5 | 0.4 | | Nov | 7 | 1.0 | | Apr | 1 | 2.0 | | Apr | 1 | 2.0 |
| | | | | | | | | | | | | | | | |
| 1944-1945 | Nov | 26 | 1.8 | | Nov | 26 | 1.8 | | Apr | 23 | 0.7 | | Apr | 4 | 5.5 |
| 1945-1946 | Nov | 4 | 1.0 | | Nov | 4 | 1.0 | | May | 12 | 0.5 | | Feb | 25 | 3.3 |
| 1946-1947 | Oct | 17 | 1.0 | | Oct | 17 | 1.0 | | Apr | 23 | 1.0 | | Apr | 23 | 1.0 |
| 1947-1948 | Nov | 7 | 0.8 | | Nov | 8 | 1.5 | | Mar | 7 | 1.0 | | Mar | 7 | 1.0 |
| 1948-1949 | Nov | 8 | 2.5 | | Nov | 8 | 2.5 | | Mar | 29 | 0.6 | | Feb | 15 | 1.0 |
| | | | | | | | | | | | | | | | |
| 1949-1950 | Nov | 15 | 0.2 | | Nov | 19 | 4.0 | | Apr | 30 | 2.0 | | Apr | 30 | 2.0 |
| 1950-1951 | Nov | 8 | 2.0 | | Nov | 8 | 2.0 | | Apr | 1 | 2.0 | | Apr | 1 | 2.0 |
| 1951-1952 | Nov | 3 | 0.7 | | Dec | 17 | 1.5 | | Apr | 13 | 4.0 | | Apr | 13 | 4.0 |
| 1952-1953 | Nov | 25 | 2.0 | | Nov | 25 | 2.0 | | Apr | 3 | 2.0 | | Apr | 3 | 2.0 |
| 1953-1954 | Nov | 23 | 1.0 | | Nov | 23 | 1.0 | | May | 6 | 1.1 | | May | 6 | 1.1 |
| | | | | | | | | | | | | | | | |
| 1954-1955 | Nov | 1 | 1.2 | | Nov | 1 | 1.2 | | Mar | 23 | 1.3 | | Mar | 23 | 1.3 |
| 1955-1956 | Nov | 7 | 1.5 | | Nov | 7 | 1.5 | | Apr | 7 | 2.0 | | Apr | 7 | 2.0 |
| 1956-1957 | Nov | 15 | 0.5 | | Nov | 16 | 3.0 | | Apr | 11 | 0.5 | | Apr | 6 | 4.5 |
| 1957-1958 | Nov | 8 | 1.5 | | Nov | 8 | 1.5 | | Apr | 6 | 12.0 | | Apr | 6 | 12.0 |
| 1958-1959 | Nov | 29 | 0.5 | | Dec | 16 | 1.0 | | Apr | 11 | 0.1 | | Mar | 15 | 1.0 |
| | | | | | | | | | | | | | | | |
| 1959-1960 | Nov | 4 | 0.5 | | Nov | 5 | 1.0 | | May | 9 | 1.0 | | May | 9 | 1.0 |
| 1960-1961 | Nov | 8 | 1.0 | | Nov | 8 | 1.0 | | May | 10 | 1.5 | | May | 10 | 1.5 |
| 1961-1962 | Nov | 5 | 0.5 | | Nov | 16 | 4.0 | | Mar | 15 | 1.0 | | Mar | 15 | 1.0 |
| 1962-1963 | Nov | 4 | 2.0 | | Nov | 4 | 2.0 | | Apr | 4 | 0.2 | | Mar | 19 | 8.0 |
| 1963-1964 | Dec | 2 | 2.0 | | Dec | 2 | 2.0 | | Apr | 14 | 2.0 | | Apr | 14 | 2.0 |
| | | | | | | | | | | | | | | | |
| 1964-1965 | Nov | 26 | 1.0 | | Nov | 26 | 1.0 | | Apr | 26 | 4.0 | | Apr | 26 | 4.0 |
| 1965-1966 | Nov | 10 | 1.0 | | Nov | 10 | 1.0 | | May | 2 | 0.5 | | Apr | 26 | 1.5 |
| 1966-1967 | Nov | 1 | 1.0 | | Nov | 1 | 1.0 | | Apr | 6 | 1.0 | | Apr | 6 | 1.0 |
| 1967-1968 | Nov | 14 | 0.5 | | Nov | 18 | 2.0 | | Apr | 4 | 0.3 | | Mar | 5 | 2.0 |
| 1968-1969 | Nov | 17 | 1.7 | | Nov | 17 | 1.7 | | Mar | 20 | 1.0 | | Mar | 20 | 1.0 |
| | | | | | | | | | | | | | | | |
| 1969-1970 | Oct | 13 | 0.3 | | Nov | 15 | 1.5 | | Apr | 20 | 2.9 | | Apr | 20 | 2.9 |
| 1970-1971 | Nov | 20 | 2.0 | | Nov | 20 | 2.0 | | Apr | 28 | 1.0 | | Apr | 28 | 1.0 |
| 1971-1972 | Nov | 19 | 1.0 | | Nov | 19 | 1.0 | | Apr | 22 | 6.5 | | Apr | 22 | 6.5 |
| 1972-1973 | Oct | 23 | 1.9 | | Oct | 23 | 1.9 | | May | 3 | 3.5 | | May | 3 | 3.5 |
| 1973-1974 | Nov | 9 | 0.3 | | Nov | 25 | 2.0 | | Apr | 4 | 2.0 | | Apr | 4 | 2.0 |

EARLIEST / LATEST MEASURABLE SNOW (0.1/1.0 INCHES – AMOUNT NOTED TO THE RIGHT OF THE DATE)

| | Date | Of | 1 st | | Date | Of | 1 st | | Date | Of | Last | | Date | Of | Last |
|-----------|--------------------|----|-----------------|--|----------------|----|-----------------|--|--------------------|----|------|--|----------------|----|------|
| | Snow >= 0.1 Inches | | | | Snow >= 1 Inch | | | | Snow >= 0.1 Inches | | | | Snow >= 1 Inch | | |
| | | | | | | | | | | | | | | | |
| 1974-1975 | Nov | 15 | 1.0 | | Nov | 15 | 1.0 | | Mar | 25 | 3.0 | | Mar | 25 | 3.0 |
| 1975-1976 | Nov | 10 | 0.5 | | Nov | 20 | 5.9 | | Mar | 31 | 1.0 | | Mar | 31 | 1.0 |
| 1976-1977 | Oct | 18 | 0.7 | | Nov | 25 | 1.2 | | Apr | 6 | 0.2 | | Apr | 4 | 2.9 |
| 1977-1978 | Nov | 10 | 0.3 | | Nov | 23 | 1.8 | | Mar | 20 | 0.1 | | Feb | 24 | 3.5 |
| 1978-1979 | Nov | 17 | 4.2 | | Nov | 17 | 4.2 | | May | 5 | 5.0 | | May | 5 | 5.0 |
| | | | | | | | | | | | | | | | |
| 1979-1980 | Oct | 23 | 2.0 | | Oct | 23 | 2.0 | | Apr | 12 | 1.2 | | Apr | 12 | 1.2 |
| 1980-1981 | Oct | 11 | 0.2 | | Oct | 13 | 1.0 | | Apr | 4 | 0.4 | | Mar | 16 | 1.3 |
| 1981-1982 | Oct | 24 | 0.8 | | Nov | 18 | 1.2 | | Apr | 19 | 3.2 | | Apr | 19 | 3.2 |
| 1982-1983 | Oct | 20 | 1.0 | | Oct | 20 | 1.0 | | Apr | 14 | 1.0 | | Apr | 14 | 1.0 |
| 1983-1984 | Nov | 9 | 2.7 | | Nov | 9 | 2.7 | | Apr | 30 | 1.3 | | Apr | 30 | 1.3 |
| | | | | | | | | | | | | | | | |
| 1984-1985 | Nov | 9 | 2.7 | | Nov | 9 | 2.7 | | Apr | 16 | 3.3 | | Apr | 16 | 3.3 |
| 1985-1986 | Sep | 30 | 0.5 | | Nov | 15 | 4.1 | | Mar | 18 | 4.2 | | Mar | 18 | 4.2 |
| 1986-1987 | Oct | 13 | 0.5 | | Nov | 15 | 1.9 | | Apr | 1 | 0.5 | | Mar | 31 | 3.0 |
| 1987-1988 | Oct | 22 | 2.1 | | Oct | 22 | 2.1 | | Apr | 27 | 1.8 | | Apr | 27 | 1.8 |
| 1988-1989 | Oct | 23 | 0.8 | | Oct | 24 | 1.3 | | Apr | 9 | 0.4 | | Mar | 17 | 1.0 |
| | | | | | | | | | | | | | | | |
| 1989-1990 | Nov | 1 | 0.7 | | Nov | 27 | 2.0 | | Mar | 4 | 2.5 | | Mar | 4 | 2.5 |
| 1990-1991 | Oct | 10 | 0.3 | | Oct | 18 | 2.1 | | Apr | 9 | 1.3 | | Apr | 9 | 1.3 |
| 1991-1992 | Nov | 2 | 0.9 | | Nov | 3 | 1.6 | | Apr | 13 | 0.2 | | Apr | 10 | 6.0 |
| 1992-1993 | Oct | 16 | 2.0 | | Oct | 16 | 2.0 | | Apr | 16 | 4.1 | | Apr | 16 | 4.1 |
| 1993-1994 | Nov | 4 | 4.2 | | Nov | 4 | 4.2 | | Apr | 15 | 4.0 | | Apr | 15 | 4.0 |
| | | | | | | | | | | | | | | | |
| 1994-1995 | Nov | 22 | 0.2 | | Nov | 27 | 4.0 | | Apr | 20 | 0.8 | | Apr | 7 | 1.0 |
| 1995-1996 | Oct | 21 | 2.5 | | Oct | 21 | 2.5 | | Apr | 30 | 1.0 | | Apr | 30 | 1.0 |
| 1996-1997 | Nov | 2 | 0.3 | | Nov | 23 | 1.0 | | May | 16 | 0.5 | | Mar | 25 | 1.0 |
| 1997-1998 | Nov | 14 | 0.5 | | Nov | 22 | 2.0 | | Apr | 16 | 2.0 | | Apr | 16 | 2.0 |
| 1998-1999 | Nov | 10 | 1.5 | | Nov | 10 | 1.5 | | Mar | 17 | 1.0 | | Mar | 17 | 1.0 |
| | | | | | | | | | | | | | | | |
| 1999-2000 | Nov | 23 | 0.5 | | Dec | 15 | 4.5 | | Apr | 11 | 1.2 | | Apr | 11 | 1.2 |
| 2000-2001 | Oct | 7 | 2.0 | | Oct | 7 | 2.0 | | Apr | 2 | 2.0 | | Apr | 2 | 2.0 |
| 2001-2002 | Oct | 25 | 3.0 | | Oct | 25 | 3.0 | | Apr | 28 | 6.0 | | Apr | 28 | 6.0 |
| 2002-2003 | Oct | 18 | 3.0 | | Oct | 18 | 3.0 | | Apr | 17 | 0.5 | | Apr | 5 | 2.0 |
| 2003-2004 | Oct | 27 | 1.0 | | Oct | 27 | 1.0 | | Apr | 10 | 0.2 | | Mar | 13 | 5.0 |
| | | | | | | | | | | | | | | | |
| 2004-2005 | Nov | 26 | 1.1 | | Nov | 26 | 1.1 | | May | 1 | 0.1 | | Mar | 19 | 2.5 |
| 2005-2006 | Nov | 13 | 1.0 | | Nov | 13 | 1.0 | | May | 12 | 1.0 | | May | 12 | 1.0 |
| 2006-2007 | Oct | 12 | 0.5 | | Oct | 13 | 2.8 | | Apr | 12 | 1.0 | | Apr | 12 | 1.0 |
| 2007-2008 | Nov | 5 | 1.0 | | Nov | 5 | 1.0 | | Apr | 26 | 0.3 | | Apr | 12 | 1.6 |
| 2008-2009 | Oct | 27 | 2.0 | | Oct | 27 | 2.0 | | Apr | 21 | 3.3 | | Apr | 21 | 3.3 |

**EARLIEST / LATEST MEASURABLE SNOW
(0.1/1.0 INCHES – AMOUNT NOTED TO THE RIGHT OF THE DATE)**

| | DATE | OF | 1 ST | | DATE | OF | 1 ST | | DATE | OF | LAST | | DATE | OF | LAST |
|-----------|--------------------|----|-----------------|--|----------------|----|-----------------|--|--------------------|----|------|--|----------------|----|------|
| | SNOW >= 0.1 INCHES | | | | SNOW >= 1 INCH | | | | SNOW >= 0.1 INCHES | | | | SNOW >= 1 INCH | | |
| 2009-2010 | Oct | 10 | 0.1 | | Oct | 12 | 2.0 | | May | 8 | 2.0 | | May | 8 | 2.0 |
| 2010-2011 | Nov | 13 | 3.0 | | Nov | 13 | 3.0 | | May | 3 | 0.2 | | Apr | 22 | 1.0 |
| 2011-2012 | Nov | 9 | 9.0 | | Nov | 9 | 9.0 | | Mar | 30 | 0.4 | | Feb | 29 | 13.9 |
| 2012-2013 | Nov | 6 | 0.9 | | Nov | 23 | 1.7 | | May | 3 | 0.2 | | Apr | 25 | 1.8 |
| 2013-2014 | Oct | 20 | 0.4 | | Oct | 21 | 1.0 | | May | 5 | 0.1 | | Apr | 24 | 1.4 |
| | | | | | | | | | | | | | | | |
| 2014-2015 | Oct | 31 | 2.3 | | Oct | 31 | 2.3 | | Apr | 22 | 2.3 | | Apr | 22 | 2.3 |
| 2015-2016 | Oct | 29 | 1.0 | | Oct | 29 | 1.0 | | Apr | 13 | 1.4 | | Apr | 13 | 1.4 |
| 2016-2017 | Nov | 19 | 0.9 | | Nov | 23 | 5.3 | | Apr | 27 | 3.1 | | Apr | 27 | 3.1 |
| 2017-2018 | Oct | 27 | 0.6 | | Nov | 1 | 1.9 | | Apr | 15 | 16.6 | | Apr | 15 | 16.6 |
| 2018-2019 | Oct | 14 | 0.8 | | Nov | 4 | 3.8 | | Apr | 13 | 0.1 | | Apr | 11 | 8.7 |
| | | | | | | | | | | | | | | | |
| 2019-2020 | Oct | 12 | 0.1 | | Nov | 13 | 1.4 | | Apr | 22 | 0.6 | | Apr | 14 | 1.5 |
| 2020-2021 | Oct | 17 | 1.3 | | Oct | 17 | 1.3 | | Apr | 26 | 0.8 | | Mar | 27 | 1.3 |
| 2021-2022 | Nov | 1 | 0.4 | | Nov | 13 | 1.4 | | Apr | 26 | 0.1 | | Apr | 20 | 1.4 |
| 2022-2023 | Nov | 14 | 2.0 | | Nov | 14 | 2.0 | | Apr | 30 | 2.2 | | Apr | 30 | 2.2 |
| 2023-2024 | Oct | 31 | 2.3 | | Oct | 23 | 2.3 | | Apr | 4 | 0.2 | | Apr | 3 | 1.1 |

RHINELANDER DOCUMENTED PEAK WIND GUSTS

JANUARY

| MPH | Date(s) / Year(s) |
|-----|---|
| | |
| 48 | 26/1978 |
| 46 | 12/1975 |
| 44 | 19/1996 |
| 43 | 30/2008,01/2011,19/2022 |
| 42 | 10/2017,05/2020 |
| 41 | 12/1980,14/1985,09/2013,12/2013,19/2013 |
| 40 | 15/1973,28/1973,12/1975,06/1976,26/1977,08/1978,10/1982,28/1982,12/1986,27/1990,28/1993,31/1993,29/2012 |
| 40 | 29/2012,07/2013,27/2016 |
| | |
| | |
| | |

FEBRUARY

| MPH | Date(s) / Year(s) |
|-----|---|
| | |
| 52 | 10/1991 |
| 46 | 01/1976,08/1987 |
| 45 | 18/2011 |
| 44 | 04/1977,18/1993,18/2003,17/2011 |
| 43 | 21/2014 |
| 42 | 20/2014,01/2022,26/2022 |
| 41 | 10/2009,29/2016,25/2018 |
| 40 | 10/1974,22/1974,25/1975,14/1977,28/1977,24/1981,20/1988,11/1989,11/2002,12/2002,10/2008,01/2009 |
| | |
| | |
| | |
| | |

Peak wind gusts are based on available data and may not include all events.

RHINELANDER DOCUMENTED PEAK WIND GUSTS

MARCH

| MPH | Date(s) / Year(s) |
|-----|---|
| 61 | 07/2017 |
| 53 | 14/1979,08/2017 |
| 52 | 13/1982 |
| 50 | 14/1989,15/1990,11/2021 |
| 49 | 27/2008 |
| 48 | 28/2020 |
| 47 | 10/2008,10/2009 |
| 46 | 27/1975,12/1976,11/1988,10/2002,27/2012,02/2021 |
| 44 | 09/2002 |
| 43 | 09/1998,25/2000,11/2008,15/2011,26/2011,21/2021 |
| 42 | 13/2020, 30/2021 |
| 41 | 05/2018 |
| 40 | 17/1973,18/1978,24/1979,10/1980,03/1985,04/1985,19/1986,22/1986,31/1993,25/2007,11/2009,12/2020 |

APRIL

| MPH | Date(s) / Year(s) |
|-----|---|
| 52 | 03/1995 |
| 51 | 14/2022,24/2022 |
| 49 | 26/2008 |
| 48 | 05/2023,06/2023 |
| 47 | 10/2008,11/2019,16/2024 |
| 46 | 05/1979,23/2001,30/1986,11/2022 |
| 45 | 13/2014 |
| 44 | 18/1976,28/1990,07/2001,18/2012,02/2015,30/2022 |
| 43 | 20/1973,11/2008,15/2010,15/2011,26/2011,15/2012,16/2012 |
| 42 | 16/2017,04/2023 |
| 41 | 19/1994,15/2022,16/2023,27/2024 |
| 40 | 09/1973,10/1973,21/1974,05/1977,27/1977,01/1978,24/1979,17/1981,23/1985,14/1986,01/1987,27/1987,16/1994 |
| 40 | 22/2007,02/2010,08/2012,10/2022,22/2024 |

Peak wind gusts are based on available data and may not include all events.

RHINELANDER DOCUMENTED PEAK WIND GUSTS

MAY

| MPH | Date(s) / Year(s) |
|-----|---|
| 59 | 17/2017 |
| 57 | 06/1986 |
| 55 | 09/1974 |
| 53 | 31/2011,31/2022 |
| 52 | 03/1973 |
| 49 | 09/2022 |
| 48 | 24/2007 |
| 47 | 31/2013 |
| 46 | 13/1978 |
| 45 | 20/2009 |
| 44 | 04/1976,01/2010,25/2019,21/2024 |
| 43 | 11/1974,15/1993,09/2002,03/2012,07/2015,18/2020,14/2022,22/2024 |
| 42 | 31/2019,02/2020 |
| 41 | 23/2000,17/2008,16/2009,01/2011,28/2011,20/2012,24/2012,08/2019,01/2023 |
| 40 | 02/1973,09/1973,28/1973,12/1974,03/1976,11/1997,28/1998 |

JUNE

| MPH | Date(s) / Year(s) |
|-----|---|
| 58 | 18/2007,02/2024 |
| 55 | 10/2016 |
| 49 | 01/2011 |
| 48 | 06/2008,16/2022 |
| 46 | 09/1985,26/2024 |
| 45 | 26/1993,12/2008,26/2022 |
| 44 | 11/2017 |
| 43 | 16/1986,22/2013,17,2024 |
| 41 | 22/1985,09/2004,28/2005,11/2008,21/2011,20/2012,21/2013,03/2017 |
| 40 | 18/1973,15/1976,01/1977,23/1986,07/2007,12/2014,22/2015,29/2020,02/2022 |
| | |
| | |
| | |

Peak wind gusts are based on available data and may not include all events.

RHINELANDER DOCUMENTED PEAK WIND GUSTS

JULY

| MPH | Date(s) / Year(s) |
|-----|---|
| 55 | 27/2002 |
| 54 | 26/2007,12/2016 |
| 52 | 08/1992 |
| 51 | 15/2019 |
| 50 | 27/2023 |
| 49 | 06/1999,03/2023 |
| 48 | 14/2010 |
| 46 | 04/1977,20/1987,16/1988,18/2007,14/2020 |
| 45 | 08/2007,30/2011 |
| 44 | 10/2007 |
| 41 | 07/2020 |
| 40 | 04/1986,14/1998,06/2014,29/2015,28/2019 |
| | |

AUGUST

| MPH | Date(s) / Year(s) |
|-----|-------------------------|
| 62 | 05/2018 |
| 52 | 28/2007 |
| 46 | 26/1994 |
| 45 | 03/2022 |
| 43 | 25/2023,27/2023 |
| 41 | 13/2010,14/2015,26/2024 |
| 40 | 16/1978,10/1992 |
| | |
| | |
| | |
| | |
| | |
| | |

Peak wind gusts are based on available data and may not include all events.

RHINELANDER DOCUMENTED PEAK WIND GUSTS

SEPTEMBER

| MPH | Date(s) / Year(s) |
|-----|---------------------------------|
| 52 | 22/1989 |
| 49 | 09/1977 |
| 46 | 02/2022 |
| 45 | 19/2012,21/2018 |
| 44 | 03/2020 |
| 43 | 24/2010,01/2018 |
| 42 | 26/2016 |
| 41 | 02/2008 |
| 40 | 06/1983,20/1988,14/1990,07/2021 |
| | |
| | |

OCTOBER

| MPH | Date(s) / Year(s) |
|-----|---|
| 60 | 27/2010 |
| 59 | 02/1998 |
| 55 | 04/1990 |
| 47 | 26/2010 |
| 46 | 13/1976,02/1987 |
| 45 | 21/2019 |
| 44 | 08/2004,14/2011,20/2018,03/2020,31/2020 |
| 43 | 17/1980,30/2009,03/2018 |
| 41 | 31/1996,09/2008,15/2011,14/2014 |
| 40 | 27/1990,12/2003,02/2007,08/2007,02/2010,16/2011,11/2018,05/2020 |
| | |
| | |
| | |
| | |
| | |

Peak wind gusts are based on available data and may not include all events.

RHINELANDER DOCUMENTED PEAK WIND GUSTS

NOVEMBER

| MPH | Date(s) / Year(s) |
|-----|---|
| 49 | 09/1986,09/2005,16/2023 |
| 46 | 20/1977,20/1989,18/1994,21/1994,06/2022 |
| 45 | 30/2022 |
| 43 | 24/2005,18/2013,01/2020 |
| 42 | 17/2021,21/2017 |
| 41 | 01/1999,27/2007,09/2020,15/2020 |
| 40 | 11/1977,21/1990,19/1993,13/2005,25/2010,04/2014,18/2016,30/2017,07/2022 |
| | |
| | |
| | |
| | |

DECEMBER

| MPH | Date(s) / Year(s) |
|-----|---|
| 76 | 16/2021 |
| 49 | 14/2022 |
| 46 | 25/1992,06/2001,26/2016 |
| 44 | 03/1990,25/2016,04/2017,15/2021 |
| 43 | 24/2015,05/2017,24/2022 |
| 41 | 29/2008,16/2015 |
| 40 | 13/1978,19/1980,17/1984,02/1989,05/1995,19/2017,06/2021 |
| | |
| | |
| | |
| | |
| | |

Peak wind gusts are based on available data and may not include all events.


RHINELANDER AVERAGE WIND SPEED

| Year | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|------|------|------|------|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| 1972 | - | - | - | - | - | - | | - | - | - | - | - | - | | - |
| 1973 | 7.6 | 9.3 | 7.3 | 12.0 | 10.7 | 9.1 | | 9.7 | 7.4 | 6.8 | 8.3 | 9.2 | 6.7 | | 8.7 |
| 1974 | 5.6 | 6.9 | 9.2 | 10.3 | 10.6 | 9.7 | | 9.3 | 8.1 | 8.4 | 7.6 | 6.6 | 6.1 | | 8.2 |
| 1975 | 8.6 | 7.7 | 8.7 | 9.3 | 8.0 | 8.3 | | 7.9 | 6.6 | 7.0 | 9.3 | 8.9 | 7.0 | | 8.1 |
| 1976 | 8.3 | 9.1 | 10.5 | 10.3 | 10.4 | 8.9 | | 8.3 | 7.0 | 8.3 | 7.7 | 9.7 | 8.8 | | 8.9 |
| 1977 | 8.4 | 10.4 | 9.1 | 10.0 | 7.6 | 7.6 | | 8.4 | 7.4 | 7.8 | 8.8 | 7.2 | 6.9 | | 8.3 |
| 1978 | 8.6 | 6.9 | 7.8 | 10.8 | 9.5 | 8.7 | | 7.6 | 7.4 | 8.4 | 8.8 | 8.4 | 8.3 | | 8.4 |
| 1979 | 8.0 | 5.8 | 9.5 | 8.5 | 7.0 | 7.1 | | 5.7 | 6.0 | 7.2 | 7.9 | 9.4 | 8.0 | | 7.5 |
| 1980 | 8.1 | 6.2 | 8.4 | 10.6 | 7.3 | 8.6 | | 6.1 | 6.7 | 7.4 | 8.9 | 7.3 | 7.7 | | 7.8 |
| 1981 | 6.8 | 8.8 | 9.0 | 8.8 | 7.9 | 7.1 | | 4.6 | 4.0 | 6.3 | 7.3 | 6.6 | 6.2 | | 7.0 |
| 1982 | 8.5 | 7.1 | 9.0 | 6.8 | 5.8 | 5.9 | | 4.1 | 3.9 | 5.8 | 5.6 | 5.2 | 5.2 | | 6.1 |
| 1983 | 5.0 | 5.6 | 8.2 | 9.0 | 8.1 | 6.7 | | 4.3 | 4.2 | 7.0 | 6.3 | 7.2 | 6.8 | | 6.5 |
| 1984 | 5.4 | 6.0 | 6.9 | 9.7 | 7.6 | 6.6 | | 6.0 | 4.6 | 6.8 | 7.2 | 6.9 | 7.0 | | 6.7 |
| 1985 | 7.3 | 7.0 | 8.9 | 8.4 | 6.9 | 7.0 | | 5.9 | 5.8 | 7.2 | 7.4 | 7.1 | 7.0 | | 7.2 |
| 1986 | 7.5 | 5.9 | 9.3 | 10.5 | 8.0 | 7.9 | | 5.7 | 4.9 | 5.9 | 6.1 | 7.9 | 6.5 | | 7.2 |
| 1987 | 6.9 | 6.4 | 8.6 | 9.8 | 7.4 | 6.1 | | 5.6 | 6.4 | 6.3 | 6.8 | 6.2 | 5.9 | | 6.9 |
| 1988 | 5.4 | 6.5 | 7.9 | 8.6 | 6.1 | 5.5 | | 4.9 | 5.7 | 5.9 | 6.7 | 5.8 | 6.1 | | 6.3 |
| 1989 | 5.4 | 6.4 | 7.2 | 6.1 | 7.0 | 4.8 | | 4.7 | 5.3 | 6.4 | 8.9 | 8.7 | 6.7 | | 6.5 |
| 1990 | 8.3 | 7.9 | 7.2 | 8.1 | 7.4 | 6.9 | | 4.7 | 4.1 | 5.0 | 6.6 | 6.9 | 6.9 | | 6.7 |
| 1991 | 6.5 | 6.6 | 7.8 | 7.4 | 6.0 | 5.5 | | 5.0 | 5.1 | 6.7 | 6.9 | 7.5 | 6.5 | | 5.9 |
| 1992 | 6.8 | 7.2 | 6.3 | 6.5 | 6.7 | 4.8 | | 4.5 | 5.8 | 6.8 | 6.0 | 7.0 | 7.1 | | 6.3 |
| 1993 | 7.1 | 6.7 | 6.9 | 8.9 | 7.2 | 6.8 | | 5.9 | 4.1 | 5.6 | 7.0 | 6.9 | 5.5 | | 6.6 |
| 1994 | 6.5 | 6.9 | 7.4 | 8.6 | 6.6 | 5.2 | | 5.1 | 4.7 | 4.1 | 6.6 | 7.8 | 4.4 | | 6.2 |
| 1995 | 6.5 | 9.1 | 6.3 | 8.2 | 8.1 | 4.7 | | 5.8 | 4.3 | 5.7 | 8.3 | 6.9 | 7.4 | | 6.8 |
| 1996 | 6.9 | 7.3 | 8.2 | 8.2 | 7.9 | 5.7 | | 6.2 | 5.1 | 5.6 | 7.9 | 6.9 | 6.2 | | 6.8 |
| 1997 | 7.7 | 7.4 | 6.3 | 7.3 | 7.6 | 5.1 | | 5.2 | 4.1 | 6.2 | 6.9 | 6.2 | 6.3 | | 6.4 |
| 1998 | 7.1 | 5.6 | 8.2 | 7.4 | 6.7 | 6.9 | | 5.8 | 5.8 | 6.3 | 7.4 | 8.1 | 8.1 | | 7.0 |
| 1999 | 7.5 | 7.4 | 7.7 | 7.2 | 8.1 | 6.0 | | 6.7 | 5.5 | 6.5 | 8.0 | 7.9 | 6.9 | | 7.1 |
| 2000 | 7.1 | 7.2 | 7.0 | 7.1 | 7.7 | 7.5 | | 6.2 | 5.7 | 7.7 | 6.7 | 7.7 | 6.3 | | 7.0 |
| 2001 | 7.4 | 8.6 | 7.1 | 8.8 | 8.4 | 8.0 | | 7.2 | 7.3 | 7.3 | 9.1 | 8.9 | 9.2 | | 8.1 |
| 2002 | 8.4 | 9.0 | 8.2 | 8.1 | 7.9 | 6.3 | | 6.2 | 6.1 | 6.0 | 6.7 | 6.7 | 9.0 | | 7.4 |
| 2003 | 8.4 | 7.7 | 7.3 | 8.3 | 6.5 | 5.2 | | 5.9 | 4.4 | 6.7 | 6.8 | 8.0 | 6.9 | | 6.8 |
| 2004 | 8.3 | 7.0 | 8.5 | 7.8 | 8.6 | 7.5 | | 5.0 | 6.2 | 6.5 | 7.6 | 6.9 | 9.4 | | 7.4 |

RHINELANDER AVERAGE WIND SPEED

| Year | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| 2005 | 7.4 | 7.4 | 7.0 | 6.9 | 7.6 | 7.4 | | 5.8 | 5.7 | 5.7 | 5.3 | 8.8 | 6.2 | | 6.8 |
| 2006 | | | | | | | | | | | | | 7.6 | | |
| 2007 | 7.3 | 8.5 | 8.5 | 7.4 | 8.0 | 6.2 | | 5.1 | 5.5 | 7.3 | 7.6 | 7.9 | 6.1 | | 7.1 |
| 2008 | 7.1 | 6.1 | 6.4 | 8.3 | 7.3 | 7.1 | | 5.9 | 5.0 | 6.0 | 7.2 | 6.7 | 7.4 | | 6.7 |
| 2009 | 6.7 | 7.3 | 8.3 | 7.6 | 8.0 | 5.6 | | 6.1 | 5.6 | 3.6 | 6.9 | 5.7 | 7.2 | | 6.6 |
| | | | | | | | | | | | | | | | |
| 2010 | 6.2 | 5.2 | 5.3 | 7.8 | 7.1 | 5.6 | | 5.6 | 6.4 | 6.9 | 6.6 | 7.2 | 6.7 | | 6.4 |
| 2011 | 5.8 | 8.5 | 5.9 | 7.6 | 7.9 | 7.0 | | 5.2 | 4.8 | 5.3 | 6.4 | 7.0 | 6.6 | | 6.5 |
| 2012 | 7.6 | 7.3 | 7.9 | 6.8 | 7.5 | 6.1 | | 4.3 | 4.8 | 5.4 | 6.5 | 6.7 | 6.0 | | 6.4 |
| 2013 | 8.1 | 6.6 | 6.5 | 7.8 | 6.7 | 5.1 | | 5.7 | 4.8 | 5.4 | 6.9 | 7.9 | 7.3 | | 6.6 |
| 2014 | 8.9 | 8.8 | 7.6 | 9.1 | 7.2 | 7.0 | | 6.6 | 4.5 | 6.1 | 7.6 | 8.4 | 6.7 | | 7.4 |
| | | | | | | | | | | | | | | | |
| 2015 | 8.1 | 7.7 | 8.4 | 8.4 | 7.6 | 5.3 | | 6.4 | 7.1 | 5.9 | 7.7 | 8.2 | 8.1 | | 7.4 |
| 2016 | 7.4 | 8.0 | 6.6 | 7.9 | 7.0 | 6.9 | | 6.3 | 5.1 | 6.6 | 6.5 | 6.8 | 9.9 | | 7.1 |
| 2017 | 7.3 | 8.6 | 8.3 | 7.6 | 7.0 | 6.8 | | 4.9 | 5.6 | 6.0 | 7.9 | 8.2 | 7.9 | | 7.2 |
| 2018 | 8.0 | 7.9 | 6.7 | 7.1 | 6.5 | 6.9 | | 5.3 | 4.8 | 6.3 | 7.5 | 7.0 | 7.2 | | 6.7 |
| 2019 | 7.4 | 6.9 | 7.5 | 7.7 | 7.1 | 5.8 | | 5.6 | 5.1 | 7.2 | 8.1 | 7.4 | 7.6 | | 6.9 |
| | | | | | | | | | | | | | | | |
| 2020 | 7.2 | 7.9 | 7.6 | 7.7 | 7.2 | 6.4 | | 5.2 | 5.3 | 6.4 | 7.2 | 8.7 | 6.3 | | 7.0 |
| 2021 | 5.7 | 6.8 | 8.1 | 6.7 | 6.6 | 5.8 | | 4.8 | 5.4 | 5.5 | 5.6 | 7.6 | 8.3 | | 6.4 |
| 2022 | 7.3 | 7.6 | 7.9 | 9.5 | 7.4 | 7.4 | | 6.1 | 5.2 | 5.5 | 7.0 | 8.4 | 8.5 | | 7.3 |
| 2023 | 6.6 | 8.0 | 7.5 | 8.6 | 6.3 | 4.6 | | 4.5 | 4.9 | 5.5 | 6.3 | 7.6 | 6.2 | | 6.4 |
| 2024 | 6.8 | 6.6 | 7.5 | 8.9 | 6.9 | 6.7 | | 4.5 | 4.9 | 4.6 | | | | | |
| | | | | | | | | | | | | | | | |
| 2025 | | | | | | | | | | | | | | | |
| 2026 | | | | | | | | | | | | | | | |
| 2027 | | | | | | | | | | | | | | | |
| 2028 | | | | | | | | | | | | | | | |
| 2029 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 2030 | | | | | | | | | | | | | | | |
| 2031 | | | | | | | | | | | | | | | |
| 2032 | | | | | | | | | | | | | | | |
| 2033 | | | | | | | | | | | | | | | |
| 2034 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 2035 | | | | | | | | | | | | | | | |
| 2036 | | | | | | | | | | | | | | | |
| 2037 | | | | | | | | | | | | | | | |
| 2038 | | | | | | | | | | | | | | | |
| 2039 | | | | | | | | | | | | | | | |

Rhineland Wind Rose (Year)



RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)

Latitude : 45.6314 Start Date : Sep. 1, 1949 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 26972 of 26972 Date Jan. 1 Dec. 31
 Element : Mean Wind Speed # obs : poss : 326737 of 647328 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)


| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|------|------|
| 1.3 - 4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 8.4 | |
| 4 - 8 | 0.6 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 | 0.5 | 0.6 | 0.6 | 0.5 | 0.5 | 0.6 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.9 | 0.9 | 1.0 | 1.2 | 1.2 | 1.1 | 1.2 | 1.2 | 1.2 | 1.3 | 1.1 | 1.0 | 0.8 | 0.6 | 0.6 | 0.7 | 0.6 | 0.5 | 27.6 | | |
| 8 - 13 | 0.7 | 0.6 | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.7 | 0.7 | 0.9 | 1.0 | 1.3 | 1.7 | 1.7 | 1.4 | 1.3 | 1.3 | 1.3 | 1.6 | 1.7 | 1.4 | 1.2 | 0.9 | 1.0 | 0.9 | 0.8 | 0.7 | 32.6 | |
| 13 - 19 | 0.3 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.6 | 0.7 | 0.7 | 0.5 | 0.4 | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 | 10.8 | |
| 19 - 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.1 | 1.5 | |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total(%) | 1.9 | 1.6 | 1.5 | 1.4 | 1.2 | 1.2 | 1.3 | 1.4 | 1.5 | 1.5 | 1.5 | 1.5 | 1.7 | 1.6 | 1.6 | 1.7 | 1.6 | 1.6 | 2.3 | 2.5 | 3.1 | 3.7 | 3.7 | 3.2 | 3.4 | 3.6 | 3.7 | 4.1 | 3.9 | 3.2 | 2.7 | 2.1 | 2.3 | 2.3 | 1.9 | 1.8 | 81.0 | | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 19.0 |
| Ave Speed | 8.7 | 8.3 | 8.4 | 8.4 | 7.9 | 7.8 | 8.0 | 8.2 | 8.5 | 8.5 | 9.0 | 8.9 | 8.5 | 7.9 | 7.7 | 7.9 | 7.7 | 7.8 | 8.1 | 8.4 | 8.7 | 8.9 | 8.9 | 8.7 | 8.5 | 8.9 | 9.4 | 9.7 | 9.8 | 9.5 | 9.3 | 9.3 | 9.4 | 9.7 | 9.1 | 9.0 | 7.1 | | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhinelanders January Wind Rose

RHINELANDER ONEIDA AP (WI) Wind Rose

Sep. 1, 1949 - July 6, 2023
 Sub-Interval: Jan. 1 - Jan. 31, 0 - 23



Click and drag to zoom

RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)


Latitude : 45.6314 Start Date : Sep. 1, 1949 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 2294 of 26972 Date Jan. 1 Jan. 31
 Element : Mean Wind Speed # obs : poss : 28326 of 55056 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)

| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|------|-----|-----|-------|------|
| 1.3 - 4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 | 0.5 | 0.4 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 8.1 |
| 4 - 8 | 0.6 | 0.6 | 0.5 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.5 | 0.6 | 0.6 | 0.9 | 1.1 | 1.3 | 1.3 | 1.6 | 1.7 | 1.4 | 1.5 | 1.5 | 1.5 | 1.2 | 0.9 | 0.9 | 0.7 | 0.7 | 0.6 | 28.0 | |
| 8 - 13 | 0.8 | 0.5 | 0.4 | 0.3 | 0.3 | 0.3 | 0.5 | 0.6 | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 | 0.3 | 0.4 | 0.3 | 0.4 | 0.4 | 0.6 | 0.7 | 1.1 | 1.6 | 1.9 | 1.9 | 1.7 | 1.8 | 2.0 | 2.4 | 2.6 | 2.2 | 1.6 | 1.2 | 1.2 | 0.9 | 0.7 | 0.7 | 34.7 | |
| 13 - 19 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.2 | 0.2 | 0.3 | 0.5 | 0.5 | 0.3 | 0.4 | 0.7 | 0.8 | 1.0 | 1.0 | 0.9 | 0.6 | 0.4 | 0.6 | 0.6 | 0.3 | 0.3 | 11.3 | |
| 19 - 25 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.2 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 1.3 |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total(%) | 1.9 | 1.4 | 1.2 | 1.1 | 1.0 | 0.9 | 1.1 | 1.2 | 1.3 | 1.3 | 1.2 | 1.1 | 1.2 | 1.0 | 1.1 | 1.0 | 1.1 | 1.1 | 1.5 | 1.9 | 2.7 | 3.5 | 4.0 | 4.0 | 4.1 | 4.7 | 4.6 | 5.5 | 5.6 | 4.9 | 3.7 | 2.8 | 2.9 | 2.6 | 2.0 | 1.8 | 83.7 | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 16.3 |
| Ave Speed | 8.5 | 7.7 | 8.1 | 7.4 | 6.8 | 7.2 | 7.7 | 8.2 | 8.1 | 8.2 | 8.6 | 8.8 | 8.5 | 8.4 | 7.8 | 7.1 | 7.4 | 7.2 | 7.9 | 8.3 | 8.6 | 9.1 | 8.9 | 8.5 | 8.1 | 8.8 | 9.5 | 10.0 | 9.9 | 9.6 | 9.0 | 9.0 | 9.5 | 10.0 | 9.0 | 9.0 | 7.4 | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhineland February Wind Rose



RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)


Latitude : 45.6314 Start Date : Sep. 1, 1949 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 2164 of 26972 Date Feb. 1 Feb. 29
 Element : Mean Wind Speed # obs : poss : 26894 of 51936 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)

| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|-----|-----|-----|-----|-----|-----|-------|------|
| 1.3 - 4 | 0.3 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 7.9 | |
| 4 - 8 | 0.8 | 0.7 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 | 0.6 | 0.7 | 0.9 | 1.0 | 1.1 | 1.2 | 1.5 | 1.4 | 1.1 | 1.2 | 1.3 | 1.1 | 0.9 | 0.7 | 0.8 | 0.9 | 0.7 | 0.8 | 26.6 | |
| 8 - 13 | 0.9 | 0.7 | 0.7 | 0.5 | 0.4 | 0.4 | 0.6 | 0.6 | 0.5 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.6 | 0.8 | 1.2 | 1.4 | 1.7 | 1.7 | 1.6 | 1.5 | 1.5 | 2.0 | 2.2 | 1.8 | 1.2 | 1.1 | 1.3 | 1.3 | 1.0 | 0.9 | 34.1 | |
| 13 - 19 | 0.3 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.4 | 0.5 | 0.5 | 0.5 | 0.6 | 0.7 | 0.8 | 0.8 | 0.8 | 0.9 | 0.7 | 0.5 | 0.5 | 0.4 | 0.6 | 0.4 | 0.3 | 12.1 | |
| 19 - 25 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.2 | 0.2 | 0.2 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 1.9 | |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total(%) | 2.3 | 2.0 | 1.7 | 1.5 | 1.2 | 1.2 | 1.3 | 1.3 | 1.4 | 1.4 | 1.2 | 1.0 | 1.1 | 1.0 | 1.0 | 1.1 | 1.2 | 1.2 | 1.6 | 1.9 | 2.7 | 3.2 | 3.7 | 3.7 | 4.2 | 4.3 | 3.9 | 4.5 | 4.8 | 4.0 | 2.9 | 2.7 | 2.7 | 3.1 | 2.5 | 2.4 | 83.0 | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 17.0 |
| Ave Speed | 9.0 | 8.9 | 8.7 | 8.8 | 8.0 | 8.0 | 8.2 | 8.5 | 9.1 | 8.6 | 9.0 | 9.4 | 8.0 | 7.9 | 8.0 | 8.6 | 8.0 | 7.7 | 7.8 | 8.3 | 8.7 | 9.0 | 9.0 | 8.8 | 8.5 | 9.2 | 10.1 | 10.0 | 10.1 | 10.0 | 9.4 | 9.4 | 9.4 | 9.9 | 9.1 | 9.3 | 7.5 | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhineland March Wind Rose



RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)


Latitude : 45.6314 Start Date : Sep. 1, 1949 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 2312 of 26972 Date Mar. 1 Mar. 31
 Element : Mean Wind Speed # obs : poss : 28568 of 55488 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)

| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|-----|-----|-----|-----|-----|-----|-------|-----|------|
| 1.3 - 4 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 8.0 | |
| 4 - 8 | 0.8 | 0.7 | 0.7 | 0.7 | 0.7 | 0.6 | 0.6 | 0.5 | 0.6 | 0.7 | 0.6 | 0.6 | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.8 | 0.7 | 0.7 | 0.8 | 0.9 | 0.8 | 1.0 | 1.0 | 0.8 | 0.9 | 1.0 | 0.7 | 0.7 | 0.6 | 0.7 | 0.8 | 0.8 | 0.7 | 25.8 | | |
| 8 - 13 | 1.1 | 0.8 | 0.7 | 0.6 | 0.6 | 0.6 | 0.7 | 0.8 | 0.9 | 0.8 | 0.7 | 0.8 | 0.8 | 0.6 | 0.7 | 0.8 | 0.8 | 0.8 | 0.9 | 0.9 | 1.2 | 1.4 | 1.4 | 1.1 | 0.9 | 0.9 | 0.9 | 1.2 | 1.4 | 1.3 | 1.3 | 1.1 | 1.4 | 1.3 | 1.2 | 0.9 | 34.1 | | |
| 13 - 19 | 0.4 | 0.3 | 0.4 | 0.3 | 0.3 | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 | 0.8 | 0.6 | 0.5 | 0.5 | 0.5 | 0.6 | 0.4 | 0.4 | 13.3 | | |
| 19 - 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 2.0 | |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Total(%) | 2.7 | 2.3 | 2.1 | 1.8 | 1.9 | 1.5 | 1.7 | 1.8 | 2.1 | 2.1 | 1.8 | 1.9 | 2.1 | 1.7 | 1.7 | 1.9 | 1.8 | 1.7 | 2.2 | 2.1 | 2.5 | 2.9 | 3.0 | 2.5 | 2.8 | 2.7 | 2.7 | 3.2 | 3.5 | 2.9 | 2.7 | 2.4 | 2.8 | 3.0 | 2.7 | 2.4 | 83.6 | | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 16.4 |
| Ave Speed | 9.1 | 8.8 | 8.9 | 8.5 | 8.4 | 7.9 | 8.4 | 9.1 | 9.4 | 9.4 | 9.4 | 9.3 | 9.4 | 8.8 | 8.6 | 8.9 | 8.5 | 8.5 | 8.5 | 8.6 | 9.4 | 9.2 | 9.0 | 8.8 | 8.6 | 9.0 | 10.2 | 10.6 | 10.7 | 10.2 | 9.9 | 9.7 | 9.7 | 9.9 | 9.5 | 9.4 | 7.7 | | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhineland April Wind Rose



RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)


Latitude : 45.6314 Start Date : Sep. 1, 1949 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 2220 of 26972 Date Apr. 1 Apr. 30
 Element : Mean Wind Speed # obs : poss : 27231 of 53280 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)

| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | | |
|-------------|------|-----|-----|------|-----|-----|-----|-----|------|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|-------|------|------|
| 1.3 - 4 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 7.2 |
| 4 - 8 | 0.7 | 0.9 | 0.8 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.7 | 0.6 | 0.6 | 0.6 | 0.7 | 0.6 | 0.6 | 0.6 | 0.5 | 0.5 | 0.7 | 0.6 | 0.6 | 0.7 | 0.7 | 0.6 | 0.7 | 0.6 | 0.6 | 0.7 | 0.6 | 0.5 | 0.5 | 0.6 | 0.7 | 0.7 | 0.6 | 0.7 | 0.6 | 23.4 | |
| 8 - 13 | 1.2 | 1.1 | 0.9 | 1.0 | 0.8 | 1.0 | 1.2 | 1.3 | 1.2 | 1.1 | 1.0 | 1.0 | 1.1 | 0.8 | 0.8 | 0.9 | 0.7 | 0.6 | 0.8 | 0.8 | 0.9 | 1.2 | 1.0 | 0.8 | 0.9 | 0.8 | 0.9 | 0.9 | 0.9 | 1.0 | 1.0 | 1.2 | 1.3 | 1.1 | 1.1 | 35.3 | | | |
| 13 - 19 | 0.7 | 0.6 | 0.5 | 0.5 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 | 0.5 | 0.5 | 0.5 | 0.6 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 | 0.3 | 0.5 | 0.5 | 0.4 | 0.4 | 0.4 | 0.5 | 0.5 | 0.6 | 0.5 | 0.5 | 0.5 | 0.6 | 0.7 | 0.6 | 0.5 | 16.3 | | |
| 19 - 25 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 2.9 | |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Total(%) | 3.0 | 2.9 | 2.5 | 2.5 | 2.2 | 2.5 | 2.6 | 2.9 | 2.9 | 2.6 | 2.4 | 2.4 | 2.6 | 1.9 | 1.9 | 2.0 | 1.6 | 1.4 | 1.9 | 2.1 | 2.1 | 2.6 | 2.5 | 2.1 | 2.3 | 2.2 | 2.4 | 2.4 | 2.3 | 2.1 | 2.2 | 2.4 | 2.8 | 3.1 | 2.7 | 2.6 | 85.5 | | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 14.5 |
| Ave Speed | 10.0 | 9.2 | 9.8 | 10.0 | 9.1 | 9.2 | 9.3 | 9.8 | 10.4 | 10.5 | 10.3 | 10.4 | 10.3 | 9.2 | 8.8 | 8.9 | 8.6 | 8.7 | 9.0 | 9.3 | 9.3 | 9.8 | 9.6 | 9.4 | 9.5 | 9.7 | 10.1 | 10.4 | 10.9 | 10.4 | 10.3 | 10.3 | 10.3 | 10.5 | 10.1 | 9.8 | 8.4 | | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhineland May Wind Rose



RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)


Latitude : 45.6314 Start Date : Sep. 1, 1949 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 2294 of 26972 Date May 1 May 31
 Element : Mean Wind Speed # obs : 27575 of 55056 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)

| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|-----|------|------|------|------|------|-------|
| 1.3 - 4 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.4 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.4 | 0.3 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 7.5 |
| 4 - 8 | 0.6 | 0.8 | 0.7 | 0.7 | 0.7 | 0.6 | 0.7 | 0.7 | 0.6 | 0.7 | 0.7 | 0.8 | 0.9 | 0.9 | 0.9 | 0.8 | 0.7 | 0.7 | 0.8 | 0.9 | 0.9 | 1.0 | 0.9 | 0.9 | 0.9 | 0.8 | 0.8 | 0.8 | 0.6 | 0.5 | 0.4 | 0.4 | 0.5 | 0.6 | 0.5 | 0.5 | 25.8 |
| 8 - 13 | 0.9 | 0.8 | 0.9 | 0.9 | 0.7 | 0.7 | 1.0 | 1.0 | 1.1 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 0.9 | 0.9 | 0.9 | 1.1 | 1.0 | 1.2 | 1.2 | 1.1 | 1.0 | 1.0 | 1.0 | 0.9 | 0.9 | 0.9 | 0.9 | 1.0 | 0.8 | 1.0 | 1.1 | 1.0 | 0.9 | 34.6 | |
| 13 - 19 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.4 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.5 | 0.5 | 0.3 | 0.4 | 0.4 | 0.4 | 0.6 | 0.6 | 0.5 | 0.4 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 12.7 | |
| 19 - 25 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 1.9 | | |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Total(%) | 2.3 | 2.1 | 2.2 | 2.3 | 1.9 | 1.8 | 1.8 | 2.1 | 2.1 | 2.4 | 2.4 | 2.6 | 2.6 | 2.3 | 2.3 | 2.3 | 2.0 | 1.9 | 2.6 | 2.4 | 2.8 | 3.1 | 2.6 | 2.5 | 2.6 | 2.7 | 2.8 | 2.7 | 2.2 | 2.0 | 1.8 | 1.8 | 2.1 | 2.4 | 2.1 | 2.0 | 82.8 |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 17.2 |
| Ave Speed | 9.5 | 8.5 | 8.6 | 8.9 | 8.3 | 8.5 | 8.6 | 9.1 | 9.1 | 9.1 | 9.8 | 9.6 | 8.7 | 8.3 | 8.2 | 8.6 | 8.4 | 8.4 | 8.5 | 8.6 | 9.3 | 9.2 | 9.2 | 9.3 | 9.0 | 9.4 | 9.9 | 10.1 | 10.3 | 10.1 | 9.6 | 10.0 | 10.0 | 10.2 | 10.2 | 9.9 | 7.6 |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhineland June Wind Rose



RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)


Latitude : 45.6314 Start Date : Sep. 1, 1949 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 2220 of 26972 Date Jun. 1 Jun. 30
 Element : Mean Wind Speed # obs : poss : 27145 of 53280 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)

| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|-----|------|
| 1.3 - 4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 8.9 | | |
| 4 - 8 | 0.6 | 0.4 | 0.4 | 0.6 | 0.5 | 0.6 | 0.7 | 0.8 | 0.7 | 0.8 | 0.6 | 0.7 | 0.8 | 1.1 | 0.9 | 0.8 | 0.8 | 0.8 | 0.9 | 0.9 | 1.1 | 1.3 | 1.2 | 1.0 | 1.2 | 1.2 | 1.3 | 1.4 | 0.9 | 0.9 | 0.8 | 0.5 | 0.5 | 0.6 | 0.4 | 0.4 | 29.1 | | |
| 8 - 13 | 0.7 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.5 | 0.5 | 0.7 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.7 | 0.8 | 0.7 | 0.9 | 1.1 | 1.3 | 1.7 | 1.8 | 1.3 | 1.3 | 1.1 | 1.1 | 1.2 | 1.3 | 0.9 | 1.0 | 0.7 | 0.8 | 0.8 | 0.6 | 0.7 | 30.8 | | |
| 13 - 19 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 | 0.5 | 0.4 | 0.5 | 0.5 | 0.5 | 0.5 | 0.7 | 0.6 | 0.5 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 | 0.2 | 9.1 | |
| 19 - 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Total (%) | 1.6 | 1.3 | 1.2 | 1.4 | 1.2 | 1.2 | 1.4 | 1.6 | 1.7 | 1.8 | 1.6 | 1.8 | 2.1 | 2.3 | 2.0 | 2.0 | 2.0 | 1.9 | 2.3 | 2.6 | 3.1 | 3.8 | 3.8 | 3.1 | 3.3 | 3.4 | 3.7 | 3.6 | 3.0 | 2.4 | 2.2 | 1.7 | 1.9 | 2.0 | 1.5 | 1.5 | 79.0 | | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 20.9 |
| Ave Speed | 8.2 | 7.9 | 7.8 | 7.9 | 7.4 | 7.2 | 7.3 | 7.1 | 7.7 | 7.7 | 8.3 | 8.2 | 8.0 | 7.6 | 7.5 | 7.8 | 7.6 | 7.9 | 8.1 | 8.4 | 8.7 | 8.9 | 9.0 | 8.9 | 8.7 | 8.9 | 8.9 | 9.0 | 9.3 | 8.7 | 8.9 | 8.4 | 9.2 | 9.2 | 9.0 | 8.9 | 6.7 | | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhinelanders July Wind Rose



RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)


Latitude : 45.6314 Start Date : Sep. 1, 1949 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 2269 of 26972 Date Jul. 1 Jul. 31
 Element : Mean Wind Speed # obs : poss : 27062 of 54456 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)

| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|-----|------|
| 1.3 - 4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.4 | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 | 0.5 | 0.6 | 0.7 | 0.5 | 0.3 | 0.2 | 0.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 9.7 | | |
| 4 - 8 | 0.6 | 0.5 | 0.4 | 0.4 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 | 0.4 | 0.5 | 0.5 | 0.6 | 0.7 | 0.7 | 0.6 | 0.7 | 1.1 | 1.0 | 1.2 | 1.9 | 1.8 | 1.4 | 1.5 | 1.5 | 1.6 | 1.6 | 1.3 | 1.1 | 1.0 | 0.7 | 0.7 | 0.7 | 0.7 | 0.5 | 30.6 | | |
| 8 - 13 | 0.6 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.5 | 0.8 | 1.1 | 1.5 | 2.1 | 2.0 | 1.6 | 1.5 | 1.3 | 1.3 | 1.4 | 1.5 | 1.3 | 1.1 | 0.8 | 0.8 | 0.8 | 0.6 | 0.5 | 28.3 | | |
| 13 - 19 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.2 | 0.3 | 0.5 | 0.4 | 0.3 | 0.2 | 0.4 | 0.5 | 0.5 | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.1 | 0.2 | 6.4 | | |
| 19 - 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Total(%) | 1.6 | 1.2 | 1.1 | 1.1 | 1.0 | 0.9 | 0.9 | 0.8 | 1.0 | 0.8 | 0.7 | 0.9 | 1.0 | 1.2 | 1.2 | 1.4 | 1.2 | 1.4 | 2.5 | 2.6 | 3.4 | 4.9 | 4.6 | 3.7 | 3.8 | 3.8 | 4.1 | 4.1 | 3.6 | 2.9 | 2.8 | 2.0 | 2.0 | 2.1 | 1.7 | 1.4 | 75.5 | | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 24.5 |
| Ave Speed | 7.7 | 7.6 | 7.3 | 7.6 | 6.9 | 6.8 | 6.6 | 6.7 | 6.8 | 6.9 | 7.1 | 6.7 | 6.6 | 6.6 | 6.2 | 6.6 | 6.4 | 7.0 | 7.2 | 7.9 | 8.0 | 8.3 | 8.4 | 8.3 | 7.7 | 7.9 | 8.0 | 8.4 | 8.6 | 8.3 | 8.2 | 8.3 | 8.4 | 9.1 | 7.9 | 8.2 | 5.9 | | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhineland August Wind Rose



RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)


Latitude : 45.6314 Start Date : Sep. 1, 1949 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 2263 of 26972 Date Aug. 1 Aug. 31
 Element : Mean Wind Speed # obs : poss : 27177 of 54312 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)

| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|------|
| 1.3 - 4 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.5 | 0.3 | 0.4 | 0.5 | 0.3 | 0.3 | 0.5 | 0.6 | 0.5 | 0.5 | 0.3 | 0.3 | 0.4 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 10.5 | |
| 4 - 8 | 0.6 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.5 | 0.6 | 0.4 | 0.5 | 0.5 | 0.7 | 0.9 | 0.8 | 0.7 | 0.7 | 0.7 | 1.0 | 1.0 | 1.2 | 1.6 | 1.6 | 1.3 | 1.3 | 1.6 | 1.7 | 1.7 | 1.2 | 1.1 | 0.9 | 0.6 | 0.6 | 0.5 | 0.5 | 0.4 | 30.1 | |
| 8 - 13 | 0.5 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.5 | 0.6 | 0.5 | 0.6 | 0.9 | 1.0 | 1.3 | 1.6 | 1.6 | 1.3 | 1.2 | 1.2 | 1.1 | 1.3 | 1.0 | 1.1 | 1.0 | 0.7 | 0.6 | 0.8 | 0.4 | 0.4 | 25.8 | |
| 13 - 19 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 | 0.4 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.4 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 5.7 | |
| 19 - 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Total(%) | 1.4 | 1.2 | 1.0 | 0.9 | 0.9 | 0.8 | 1.0 | 1.1 | 1.1 | 1.0 | 1.0 | 1.1 | 1.5 | 1.7 | 1.7 | 1.7 | 1.5 | 1.7 | 2.5 | 2.6 | 3.2 | 4.0 | 3.9 | 3.2 | 3.3 | 3.7 | 3.8 | 4.0 | 2.9 | 2.8 | 2.5 | 1.7 | 1.6 | 1.8 | 1.4 | 1.3 | 72.6 | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 27.4 |
| Ave Speed | 7.0 | 7.2 | 7.2 | 7.3 | 6.9 | 6.6 | 6.8 | 6.6 | 6.9 | 6.9 | 7.1 | 7.1 | 6.8 | 6.7 | 6.7 | 6.9 | 6.8 | 7.2 | 7.4 | 7.9 | 8.0 | 8.0 | 8.1 | 8.0 | 7.8 | 7.5 | 7.9 | 8.2 | 8.6 | 8.2 | 8.1 | 8.2 | 8.0 | 8.1 | 7.6 | 7.6 | 5.5 | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhineland September Wind Rose



RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)

Latitude : 45.6314 Start Date : Sep. 1, 1949 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 2220 of 26972 Date Sep. 1 Sep. 30
 Element : Mean Wind Speed # obs : poss : 26486 of 53280 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)


| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|-----|------|
| 1.3 - 4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.4 | 0.5 | 0.4 | 0.4 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 9.4 | |
| 4 - 8 | 0.6 | 0.5 | 0.4 | 0.5 | 0.4 | 0.4 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 | 0.7 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 1.2 | 1.1 | 1.2 | 1.6 | 1.4 | 1.2 | 1.0 | 1.3 | 1.4 | 1.4 | 1.0 | 0.9 | 0.7 | 0.6 | 0.5 | 0.6 | 0.5 | 0.5 | 28.9 | | |
| 8 - 13 | 0.6 | 0.4 | 0.4 | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 | 0.5 | 0.7 | 0.7 | 0.9 | 1.4 | 1.5 | 2.0 | 2.2 | 2.2 | 1.4 | 1.2 | 1.2 | 1.2 | 1.3 | 1.2 | 1.1 | 1.0 | 0.8 | 0.8 | 0.7 | 0.6 | 0.5 | 30.2 | | |
| 13 - 19 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.3 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.3 | 0.5 | 0.6 | 0.5 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 8.6 | | |
| 19 - 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.8 |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Total(%) | 1.6 | 1.3 | 1.1 | 1.2 | 0.9 | 0.7 | 0.9 | 0.9 | 1.0 | 0.9 | 1.1 | 1.2 | 1.6 | 1.8 | 1.8 | 2.0 | 2.1 | 2.1 | 3.3 | 3.5 | 4.1 | 4.7 | 4.3 | 3.3 | 3.1 | 3.4 | 3.7 | 3.7 | 3.0 | 2.8 | 2.3 | 2.0 | 1.8 | 2.0 | 1.5 | 1.3 | 77.9 | | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 22.0 |
| Ave Speed | 7.7 | 7.7 | 7.7 | 7.7 | 7.2 | 7.4 | 6.9 | 7.0 | 6.9 | 7.5 | 8.2 | 7.6 | 7.4 | 6.9 | 6.6 | 7.3 | 7.4 | 7.9 | 8.0 | 8.2 | 8.9 | 8.7 | 8.8 | 8.7 | 8.8 | 8.3 | 8.4 | 9.1 | 9.0 | 8.9 | 9.1 | 9.0 | 8.8 | 9.0 | 8.5 | 8.0 | 6.4 | | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhineland October Wind Rose

RHINELANDER ONEIDA AP (WI) Wind Rose

Dec. 1, 1972 - July 6, 2023
 Sub-Interval: Oct. 1 - Oct. 31, 0 - 23



RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)


Latitude : 45.6314 Start Date : Dec. 1, 1972 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 1550 of 18480 Date Oct. 1 Oct. 31
 Element : Mean Wind Speed # obs : poss : 27351 of 37200 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)

| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|-----|-----|-----|-----|------|------|-----|-----|-------|-----|------|
| 1.3 - 4 | 0.3 | 0.3 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.3 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.2 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 8.1 | |
| 4 - 8 | 0.6 | 0.5 | 0.4 | 0.4 | 0.3 | 0.4 | 0.5 | 0.5 | 0.6 | 0.7 | 0.5 | 0.6 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.9 | 0.8 | 1.1 | 1.2 | 1.0 | 1.1 | 1.0 | 1.1 | 1.2 | 1.4 | 1.4 | 1.0 | 0.7 | 0.5 | 0.6 | 0.6 | 0.4 | 0.5 | 27.3 | | |
| 8 - 13 | 0.6 | 0.5 | 0.5 | 0.4 | 0.3 | 0.3 | 0.4 | 0.6 | 0.5 | 0.5 | 0.6 | 0.6 | 0.7 | 0.8 | 0.7 | 0.7 | 0.7 | 0.8 | 1.1 | 1.3 | 1.5 | 1.9 | 1.7 | 1.3 | 1.1 | 1.3 | 1.3 | 1.9 | 2.0 | 1.7 | 1.1 | 0.9 | 1.0 | 0.9 | 0.7 | 0.6 | 33.4 | | |
| 13 - 19 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.3 | 0.4 | 0.6 | 0.6 | 0.5 | 0.4 | 0.5 | 0.6 | 0.7 | 0.9 | 0.9 | 0.6 | 0.5 | 0.3 | 0.4 | 0.5 | 0.3 | 0.2 | 11.5 | | |
| 19 - 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Total(%) | 1.7 | 1.5 | 1.2 | 1.0 | 0.9 | 0.9 | 1.1 | 1.4 | 1.3 | 1.5 | 1.4 | 1.5 | 1.9 | 1.9 | 2.0 | 2.0 | 1.9 | 1.9 | 2.5 | 2.8 | 3.6 | 4.0 | 3.6 | 3.1 | 3.0 | 3.5 | 3.8 | 4.8 | 4.7 | 3.6 | 2.7 | 1.9 | 2.3 | 2.3 | 1.6 | 1.4 | 82.0 | | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 17.9 |
| Ave Speed | 8.2 | 7.7 | 8.1 | 8.3 | 7.4 | 7.2 | 7.2 | 7.7 | 7.3 | 7.4 | 8.0 | 7.8 | 7.9 | 8.2 | 7.7 | 7.8 | 8.0 | 7.8 | 8.6 | 9.2 | 9.1 | 9.2 | 9.4 | 9.1 | 9.0 | 9.3 | 10.0 | 10.2 | 9.9 | 9.5 | 9.8 | 9.6 | 10.0 | 10.0 | 9.3 | 8.7 | 7.3 | | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhineland November Wind Rose



RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)

Latitude : 45.6314 Start Date : Dec. 1, 1972 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 1500 of 18480 Date Nov. 1 Nov. 30
 Element : Mean Wind Speed # obs : poss : 26449 of 36000 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)


| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|-----|-----|-----|-----|-----|-------|-----|------|
| 1.3 - 4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.4 | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 7.4 | |
| 4 - 8 | 0.5 | 0.5 | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 | 0.5 | 0.6 | 0.6 | 0.6 | 0.7 | 0.7 | 1.0 | 1.1 | 1.2 | 1.4 | 1.3 | 1.1 | 1.1 | 1.3 | 1.1 | 1.3 | 1.3 | 1.1 | 0.9 | 0.7 | 0.6 | 0.5 | 0.5 | 0.4 | 26.9 | | |
| 8 - 13 | 0.6 | 0.5 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.4 | 0.5 | 0.4 | 0.5 | 0.6 | 0.5 | 0.5 | 0.6 | 0.7 | 0.7 | 0.9 | 1.2 | 1.3 | 1.8 | 2.1 | 1.9 | 1.6 | 1.4 | 1.5 | 1.4 | 2.1 | 2.6 | 2.0 | 1.5 | 1.1 | 1.0 | 0.9 | 0.7 | 0.5 | 35.9 | | |
| 13 - 19 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 | 0.6 | 0.8 | 0.9 | 1.1 | 0.8 | 0.7 | 0.4 | 0.4 | 0.4 | 0.2 | 0.2 | 11.7 | | |
| 19 - 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | | |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | | |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| Total(%) | 1.5 | 1.3 | 1.0 | 0.9 | 0.9 | 1.1 | 1.1 | 1.1 | 1.2 | 1.1 | 1.3 | 1.4 | 1.4 | 1.4 | 1.5 | 1.6 | 1.8 | 1.9 | 2.6 | 3.0 | 3.7 | 4.5 | 4.0 | 3.5 | 3.5 | 4.0 | 3.9 | 4.9 | 5.5 | 4.3 | 3.3 | 2.4 | 2.2 | 2.0 | 1.6 | 1.3 | 83.7 | | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 16.3 |
| Ave Speed | 8.7 | 8.5 | 8.2 | 7.8 | 8.5 | 8.0 | 8.4 | 8.1 | 7.9 | 8.0 | 8.9 | 9.0 | 8.2 | 8.0 | 7.9 | 8.3 | 7.8 | 7.9 | 8.0 | 8.1 | 8.8 | 8.9 | 8.9 | 9.1 | 8.9 | 9.3 | 9.9 | 10.3 | 10.2 | 10.1 | 10.2 | 9.8 | 9.6 | 9.7 | 8.8 | 9.2 | 7.6 | | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

Rhineland December Wind Rose

RHINELANDER ONEIDA AP (WI) Wind Rose

Dec. 1, 1972 - July 6, 2023
 Sub-Interval: Dec. 1 - Dec. 31, 0 - 23



Click and drag to zoom

RHINELANDER ONEIDA AP (WI) - Wind Frequency Table (percentage)

Latitude : 45.6314 Start Date : Dec. 1, 1972 Sub Interval Windows
 Longitude : -89.4822 End Date : July 6, 2023 Start End
 Elevation : 1624 ft. # of Days : 1581 of 18480 Date Dec. 1 Dec. 31
 Element : Mean Wind Speed # obs : poss : 27632 of 37944 Hour 0 23

(Greater than or equal to initial interval value and Less than ending interval value.)

| Range (mph) | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 | 210 | 220 | 230 | 240 | 250 | 260 | 270 | 280 | 290 | 300 | 310 | 320 | 330 | 340 | 350 | Total | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|------|------|
| 1.3 - 4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 8.0 | |
| 4 - 8 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 | 0.5 | 0.7 | 0.6 | 0.6 | 0.6 | 0.8 | 0.8 | 1.0 | 1.1 | 1.4 | 1.5 | 1.7 | 1.4 | 1.3 | 1.4 | 1.3 | 1.3 | 1.1 | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | 28.5 | |
| 8 - 13 | 0.5 | 0.5 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.6 | 0.6 | 0.5 | 0.5 | 0.5 | 0.6 | 0.6 | 0.5 | 0.8 | 0.8 | 1.2 | 1.6 | 2.0 | 1.7 | 1.6 | 2.0 | 2.0 | 2.5 | 2.6 | 2.0 | 1.4 | 1.0 | 0.9 | 0.7 | 0.5 | 0.6 | 34.2 | | |
| 13 - 19 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.2 | 0.3 | 0.4 | 0.5 | 0.3 | 0.4 | 0.6 | 0.9 | 1.0 | 0.8 | 0.6 | 0.4 | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 | 10.3 | | |
| 19 - 25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 1.4 | |
| 25 - 32 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | |
| 32 - 39 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 39 - 47 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 47 - | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| Total(%) | 1.6 | 1.4 | 1.2 | 1.2 | 1.0 | 1.1 | 1.0 | 1.0 | 1.2 | 1.3 | 1.4 | 1.4 | 1.5 | 1.4 | 1.4 | 1.5 | 1.6 | 1.3 | 1.9 | 2.1 | 2.8 | 3.5 | 4.2 | 3.9 | 4.1 | 4.6 | 4.7 | 5.4 | 5.1 | 4.3 | 3.2 | 2.1 | 2.0 | 1.7 | 1.7 | 1.7 | 82.6 | | |
| Calm (<1.3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 17.4 |
| Ave Speed | 8.3 | 8.0 | 7.9 | 8.0 | 7.2 | 7.0 | 7.1 | 7.0 | 8.5 | 8.2 | 9.4 | 10.2 | 9.6 | 8.1 | 7.4 | 7.3 | 7.3 | 7.3 | 7.6 | 8.0 | 8.4 | 9.0 | 8.7 | 8.3 | 8.3 | 9.4 | 10.2 | 9.8 | 9.7 | 9.4 | 9.0 | 9.1 | 8.9 | 9.4 | 8.7 | 8.8 | 7.2 | | |

Graphics created by: Midwest Climate Center (West Lafayette, IN)

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

ALL TIME

| Maximum | |
|----------|----------------------------------|
| Pressure | Date(s) / Year(s) |
| | |
| 30.88 | 01/13/2017,01/17/2020 |
| 30.87 | 02/17/1989,02/09/2019 |
| 30.84 | 02/17/1979,02/16/1989 |
| 30.79 | 02/12/2018 |
| 30.78 | 12/27/2017,15/2020 |
| 30.75 | 02/18/1989 |
| 30.73 | 02/10/2019,11/03/2022 |
| 30.71 | 02/16/1979,02/18/1979,01/14/1984 |
| 30.71 | 03/07/1990 |
| 30.70 | 11/20/1978,01/01/2018,02/03/2022 |
| 30.70 | 11/07/2022 |
| 30.69 | 03/01/1980,01/15/1984,11/13/1996 |
| 30.69 | 11/14/1996,28/2020 |
| 30.67 | 12/09/1982,11/29/1999,11/30/1999 |
| 30.67 | 01/17/2000,12/02/2000,01/18/2005 |
| 30.66 | 09/13/1985,01/17/2005,01/20/22 |
| 30.65 | 04/15/1981,12/23/1989,03/06/1990 |
| 30.65 | 11/14/1996,01/16/2000,11/08/2003 |
| 30.64 | 02/25/1990,02/15/2021,08/2023 |
| | |
| | |

| Minimum | |
|----------|----------------------------------|
| Pressure | Date(s) / Year(s) |
| | |
| 28.60 | 11/10/1998 |
| 28.62 | 10/26/2010 |
| 28.63 | 04/03/1982 |
| 28.66 | 01/11/1975 |
| 28.67 | 11/11/1998 |
| 28.85 | 10/27/2010 |
| 28.88 | 02/24/1977,02/21/2014 |
| 28.89 | 11/28/1994,24/2015 |
| 28.90 | 11/23/1983 |
| 28.91 | 11/20/1983,02/08/1987 |
| 28.93 | 01/25/1975,03/02/2007 |
| 28.94 | 11/16/1988 |
| 28.95 | 10/30/1996,10/19/2007 |
| 28.96 | 02/25/1977,01/23/1982 |
| 28.97 | 01/07/1980 |
| 28.99 | 01/26/1975,01/24/2010,16/2021 |
| 29.00 | 03/03/1974,03/27/1991,02/25/2001 |
| 29.01 | 23/2015 |
| | |
| | |

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

JANUARY

| Maximum | |
|----------|---------------------------------|
| Pressure | Date(s) / Year(s) |
| 30.88 | 13/2017,17/2020 |
| 30.71 | 14/1984 |
| 30.70 | 01/2018 |
| 30.69 | 15/1984 |
| 30.67 | 17/2000,18/2005 |
| 30.66 | 17/2005,20/2022 |
| 30.65 | 16/2000 |
| 30.62 | 07/1973,14/2000 |
| 30.60 | 07/1991,16/2005 |
| 30.58 | 07/1986,10/1991,15/2005,21/2018 |
| 30.57 | 09/1993,10/1993,30/1999,28/2000 |
| 30.57 | 02/2008,03/2008 |
| 30.56 | 20/2024 |
| | |
| | |

| Minimum | |
|----------|-------------------------|
| Pressure | Date(s) / Year(s) |
| 28.66 | 11/1975 |
| 28.93 | 25/1975 |
| 28.96 | 23/1982 |
| 28.97 | 07/1980 |
| 28.99 | 26/1975,24/2010 |
| 29.02 | 11/1980 |
| 29.03 | 25/2010 |
| 29.05 | 26/1977 |
| 29.07 | 10/1975,10/2000,29/2008 |
| 29.09 | 10/2017 |
| 29.12 | 11/1990 |
| 29.17 | 06/1980 |
| | |
| | |

FEBRUARY

| Maximum | |
|----------|---------------------------------|
| Pressure | Date(s) / Year(s) |
| 30.87 | 17/1989,09/2019 |
| 30.84 | 17/1979,16/1989 |
| 30.79 | 12/2018 |
| 30.75 | 18/1989 |
| 30.74 | 20/2020 |
| 30.73 | 10/2019 |
| 30.71 | 16/1979,18/1979 |
| 30.70 | 03/2022 |
| 30.68 | 24/2023 |
| 30.64 | 25/1990,13/2018,14/2021,15/2021 |
| 30.63 | 25/1982 |
| 30.62 | 19/2019 |
| 30.61 | 03/1975,29/1980 |
| 30.60 | 26/1988,26/2019 |
| 30.59 | 14/2021 |
| 30.58 | 11/2021 |
| 30.57 | 16/1973,05/1978,25/1979 |

| Minimum | |
|----------|-------------------|
| Pressure | Date(s) / Year(s) |
| 28.88 | 24/1977,21/2014 |
| 28.91 | 08/1987 |
| 28.96 | 25/1977 |
| 29.00 | 25/2001 |
| 29.01 | 25/1975 |
| 29.02 | 22/1988 |
| 29.11 | 19/2016 |
| 29.13 | 10/1995 |
| 29.14 | 15/203 |
| 29.19 | 14/2011 |
| 29.20 | 17/2008,27,2024 |
| 29.23 | 11/2022 |
| 29.25 | 11/1999 |
| 29.26 | 02/1987,11/2013 |
| 29.27 | 13/2011 |
| 29.28 | 02/2020 |

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

MARCH

| Maximum | |
|----------|---|
| Pressure | Date(s) / Year(s) |
| 30.71 | 07/1990 |
| 30.69 | 01/1980 |
| 30.65 | 06/1990 |
| 30.64 | 22/2017,08/2023 |
| 30.62 | 07/1999 |
| 30.60 | 12/2009 |
| 30.59 | 17/1984,03/2018,19/2021 |
| 30.58 | 26/1975,16/1984,08/1990,12/2009,21/2020 |
| 30.57 | 05/2014,07/2023 |
| 30.56 | 14/2020 |
| 30.55 | 17/1993,01/2009,02/2009 |
| 30.53 | 11/1998 |
| 30.52 | 06/1985 |
| 30.51 | 10/1974,09/1995,03/2022 |

| Minimum | |
|----------|---------------------------------|
| Pressure | Date(s) / Year(s) |
| 28.93 | 02/2007 |
| 29.00 | 03/1974,27/1991 |
| 29.02 | 28/1991 |
| 29.05 | 29/1977 |
| 29.12 | 06/1991,23/1991 |
| 29.14 | 13/1982,05/1991,07/2017 |
| 29.15 | 20/1976,30/1982 |
| 29.17 | 21/1976 |
| 29.18 | 31/1982 |
| 29.19 | 04/1985,07/2005,13/2006 |
| 29.20 | 27/2000 |
| 29.21 | 28/1977,09/2002,01/2007,26/2024 |
| 29.22 | 16/2016,14/2019 |

APRIL

| Maximum | |
|----------|---------------------------------|
| Pressure | Date(s) / Year(s) |
| 30.65 | 15/1981 |
| 30.63 | 07/2023 |
| 30.59 | 05/1975 |
| 30.58 | 01/2021 |
| 30.55 | 06/1975,12/1991 |
| 30.54 | 13/1992 |
| 30.53 | 12/1992 |
| 30.52 | 20/2018 |
| 30.51 | 06/2023 |
| 30.50 | 11/1991 |
| 30.49 | 24/1999,29/1999 |
| 30.48 | 28/2009,04/2019 |
| 30.47 | 11/1976,12/1976,11/1994,09/1997 |
| 30.47 | 29/2009,22/2022 |
| 30.46 | 18/1979,30/1999 |

| Minimum | |
|----------|-------------------------|
| Pressure | Date(s) / Year(s) |
| 28.63 | 03/1982 |
| 29.01 | 25/1996 |
| 29.05 | 30/1984 |
| 29.07 | 26/1996 |
| 29.10 | 04/1981,06/1997 |
| 29.11 | 19/2013 |
| 29.12 | 14/1983 |
| 29.14 | 12/2001 |
| 29.17 | 19/1975 |
| 29.20 | 15/1994 |
| 29.22 | 24/1993,11/2011 |
| 29.23 | 18/1975,07/2001,10/2011 |
| 29.24 | 16/1994 |
| 29.26 | 06/2022 |

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

MAY

| Maximum | |
|----------|---|
| Pressure | Date(s) / Year(s) |
| | |
| 30.53 | 13/2015,14/2023 |
| 30.52 | 22/1997 |
| 30.49 | 12/2005, 12/2021 |
| 30.48 | 27/1997,15/2023 |
| 30.46 | 20/2002 |
| 30.45 | 04/1987, 19/1991, 21/2003, 28/2008, 23/2022 |
| 30.45 | 23/2022 |
| 30.44 | 24/2013 |
| 30.43 | 18/1991 |
| 30.41 | 21/2003, 07/2004 |
| 30.40 | 27/1997 |
| | |
| | |

| Minimum | |
|----------|------------------------------------|
| Pressure | Date(s) / Year(s) |
| | |
| 29.05 | 31/1985 |
| 29.18 | 06/1999 |
| 29.20 | 07/1999 |
| 29.26 | 20/2022 |
| 29.27 | 09/1988 |
| 29.31 | 01/2017,21/2024 |
| 29.32 | 31/1985 |
| 29.33 | 11/1974, 09/1978, 05/1989, 31/2004 |
| 29.33 | 03/2008, 01/2010 |
| 29.36 | 08/1978, 11/1980, 21/2001 |
| 29.37 | 10/1988, 24/1993, 24/2012 |
| 29.38 | 12/1974, 10/1980, 08/1988 |
| | |
| | |

JUNE

| Maximum | |
|----------|------------------------------------|
| Pressure | Date(s) / Year(s) |
| | |
| 30.49 | 05/1976 |
| 30.46 | 13/2020 |
| 30.42 | 20/2024 |
| 30.41 | 06/1991 |
| 30.39 | 04/1976 |
| 30.38 | 13/1978 |
| 30.37 | 06/1976, 29/1989, 21/2002 |
| 30.36 | 24/1979, 25/1979, 21/2002 |
| 30.35 | 29/1975, 14/1978, 07/1991, 18/1999 |
| 30.35 | 19/2004, 18/2022 |
| 30.34 | 25/1975, 09/1997, 01/2015 |
| 30.33 | 30/1975, 05/1991 |
| | |
| | |

| Minimum | |
|----------|-------------------|
| Pressure | Date(s) / Year(s) |
| | |
| 29.14 | 10/2020 |
| 29.24 | 03/1990 |
| 29.26 | 07/2007 |
| 29.28 | 08/2007 |
| 29.29 | 16/2000 |
| 29.33 | 17/1992 |
| 29.35 | 02/1998 |
| 29.36 | 08/1984 |
| 29.38 | 02/1990, 18/1992 |
| 29.39 | 01/2004 |
| 29.40 | 15/1976 |
| 29.41 | 10/1974 |
| 29.42 | 05/2024 |
| | |
| | |

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

JULY

| Maximum | |
|----------|---|
| Pressure | Date(s) / Year(s) |
| | |
| 30.50 | 06/2018 |
| 30.46 | 30/1997 |
| 30.44 | 24/2004 |
| 30.42 | 06/1979 |
| 30.41 | 05/1979, 17/1979 |
| 30.40 | 22/1977, 16/1979, 13/1990, 25/2004 |
| 30.39 | 24/2004, 07/2018 |
| 30.38 | 31/1997, 01/2010 |
| 30.37 | 01/1975, 23/1989, 12/1990, 11/2002, 01/2024 |
| 30.36 | 07/1979, 12/1990, 10/1997, 29/1997 |
| 30.35 | 31/1998, 01/2007 |
| | |
| | |

| Minimum | |
|----------|------------------------------------|
| Pressure | Date(s) / Year(s) |
| | |
| 29.41 | 20/2022 |
| 29.45 | 02/1997 |
| 29.48 | 03/1997, 13/2015 |
| 29.50 | 01/2014 |
| 29.52 | 01/1977 |
| 29.54 | 04/1983, 06/1993 |
| 29.56 | 03/1983, 04/1985, 05/1993 |
| 29.57 | 19/2022 |
| 29.58 | 31/1999, 14/2015, 20/2016 |
| 29.59 | 04/1993, 08/2014 |
| 29.60 | 05/1995, 30/1999, 08/2007, 21/2022 |
| 29.61 | 11/1982, 10/2007 |
| 29.62 | 24/1985, 06/1995, 04/2004 |

AUGUST

| Maximum | |
|----------|---------------------------------|
| Pressure | Date(s) / Year(s) |
| | |
| 30.47 | 15/1979 |
| 30.44 | 06/2002 |
| 30.43 | 14/2003 |
| 30.42 | 13/2003 |
| 30.40 | 29/1976,07/2002 |
| 30.39 | 16/1979,15/1992 |
| 30.38 | 01/1998,24/2019,20/2024 |
| 30.37 | 27/1975,14/1992,09/1994,30/1999 |
| 30.37 | 08/2002 |
| 30.36 | 06/1990,31/2002 |
| | |
| | |
| | |
| | |
| | |

| Minimum | |
|----------|---|
| Pressure | Date(s) / Year(s) |
| | |
| 29.47 | 15/1997,19/2015 |
| 29.48 | 20/2009,21/2009 |
| 29.49 | 16/1997,16/2023 |
| 29.51 | 17/2023 |
| 29.54 | 17/2017 |
| 29.56 | 16/1978 |
| 29.57 | 30/1992,13/1999,18/2004,09/2011,20/2015 |
| 29.58 | 24/2011 |
| 29.59 | 29/1979 |
| 29.60 | 17/2002,28/2020 |
| 29.61 | 06/2000,18/2019 |
| 29.62 | 05/1980,03/2022 |
| 29.63 | 04/1980,29/1992,28/1994,02/2015,11/2021 |
| 29.64 | 21/1980,25/1988, 04/1989 |

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

SEPTEMBER

| Maximum | |
|----------|---------------------------------|
| Pressure | Date(s) / Year(s) |
| 30.66 | 13/1985 |
| 30.62 | 05/1983 |
| 30.60 | 14/1985 |
| 30.59 | 29/2022 |
| 30.52 | 03/1997,10/2020,28/2022 |
| 30.51 | 14/2001 |
| 30.50 | 12/1985,29/2016,09/2017 |
| 30.49 | 22/1978 |
| 30.48 | 25/1978,16/1986,05/2000,16/2013 |
| 30.47 | 24/1975,06/2018 |
| 30.45 | 09/1975,10/2017 |
| 30.44 | 23/1978,27/1989 |

| Minimum | |
|----------|-------------------|
| Pressure | Date(s) / Year(s) |
| 29.14 | 29/1997 |
| 29.20 | 20/1988 |
| 29.27 | 19/1988 |
| 29.28 | 23/1985 |
| 29.29 | 27/2009,28/2009 |
| 29.36 | 30/1997 |
| 29.38 | 09/1993 |
| 29.42 | 20/2002 |
| 29.43 | 28/1997 |
| 29.44 | 25/1991 |
| 29.45 | 24/2010 |
| 29.46 | 27/2003,26/2020 |

OCTOBER

| Maximum | |
|----------|---------------------------------|
| Pressure | Date(s) / Year(s) |
| 30.63 | 18/1989 |
| 30.61 | 30/2001 |
| 30.60 | 19/1989 |
| 30.59 | 02/2015 |
| 30.58 | 29/2001 |
| 30.57 | 09/1983 |
| 30.55 | 27/1976,29/1983 |
| 30.54 | 28/2007 |
| 30.53 | 31/2014,04/2019 |
| 30.52 | 02/1974,20/1974,03/1996,08/2000 |
| 30.52 | 23/2002,01/2015 |
| 30.51 | 10/1987,06/1988,28/2000,29/2013 |
| 30.51 | 07/2022 |

| Minimum | |
|----------|---------------------------------|
| Pressure | Date(s) / Year(s) |
| 28.62 | 26/2010 |
| 28.85 | 27/2010 |
| 28.95 | 30/1996,19/2007 |
| 29.10 | 18/2007,30/2009 |
| 29.12 | 31/2009,18/2012 |
| 29.14 | 25/2001,30/2004 |
| 29.16 | 27/1995 |
| 29.18 | 04/2002,13/2006,28/2015,22/2019 |
| 29.19 | 29/2015 |
| 29.21 | 18/1981,28/1993 |
| 29.22 | 31/2013 |
| 29.24 | 21/2019 |
| 29.25 | 28/2003 |

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

NOVEMBER

| Maximum | |
|----------|---------------------------------|
| Pressure | Date(s) / Year(s) |
| 30.73 | 08/2022 |
| 30.70 | 20/1978,10/2017,07/2022 |
| 30.69 | 13/1996,14/2004 |
| 30.67 | 29/1999,30/1999 |
| 30.65 | 14/1996,08/2003 |
| 30.63 | 13/2004,07/2014 |
| 30.62 | 21/1978 |
| 30.60 | 21/1984,23/2013,06/2014 |
| 30.59 | 15/1996,15/2004,12/2013,01/2014 |
| 30.59 | 14/2018 |
| 30.58 | 09/2003,24/2013 |
| 30.57 | 13/2004,21/2020 |
| 30.56 | 24/2023 |
| | |
| | |
| | |

| Minimum | |
|----------|-------------------|
| Pressure | Date(s) / Year(s) |
| 28.60 | 10/1998 |
| 28.67 | 11/1998 |
| 28.89 | 28/1994 |
| 28.90 | 23/1983 |
| 28.91 | 20/1983 |
| 28.94 | 16/1988 |
| 29.02 | 24/2014 |
| 29.04 | 29/2016 |
| 29.08 | 12/2015 |
| 29.11 | 02/1991 |
| 29.13 | 12/2015 |
| 29.14 | 28/2005 |
| 29.15 | 13/2005,17/2013 |
| 29.16 | 21/1994 |
| 29.17 | 29/2005 |

DECEMBER

| Maximum | |
|----------|-------------------------|
| Pressure | Date(s) / Year(s) |
| 30.78 | 27/2017 |
| 30.67 | 09/1982,02/2000 |
| 30.65 | 23/1989 |
| 30.63 | 08/1982,22/1989 |
| 30.61 | 01/1973,19/1991 |
| 30.60 | 20/1980,25/2000 |
| 30.59 | 13/2023 |
| 30.58 | 18/1991,28/2017,08/2018 |
| 30.57 | 21/1980 |
| 30.56 | 20/1983,03/2000,18/2016 |
| 30.55 | 06/1975,19/1983,27/1991 |
| 30.54 | 07/1975,08/2005,21/2022 |
| | |
| | |
| | |

| Minimum | |
|----------|---------------------------------|
| Pressure | Date(s) / Year(s) |
| 28.97 | 24/2015 |
| 28.99 | 16/2021 |
| 29.02 | 23/2007 |
| 29.10 | 01/1981 |
| 29.11 | 02/1981 |
| 29.12 | 05/1979,04/2017 |
| 29.13 | 05/2017 |
| 29.14 | 23/2020 |
| 29.15 | 12/1987,20/1988,09/2009 |
| 29.16 | 26/1985,11/1987 |
| 29.17 | 21/1984,29/1999 |
| 29.19 | 04/1978,05/1978,28/1982,12/2004 |
| 29.20 | 07/1979,24/2007 |
| 29.21 | 22/1984,23/1988 |

RHINELANDER MAXIMUM / MINIMUM PRESSURE

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-------|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|--|-------|
| 1973 | Max | 30.62 | 30.57 | 30.38 | 30.35 | 30.26 | 30.14 | | 30.32 | 30.34 | 30.35 | 30.26 | 30.40 | 30.61 | | 30.62 |
| | Min | 29.26 | 29.65 | 29.27 | 29.58 | 29.42 | 29.59 | | 29.65 | 29.75 | 29.80 | 29.32 | 29.30 | 29.47 | | 29.26 |
| 1974 | Max | 30.44 | 30.37 | 30.51 | 30.40 | 30.35 | 30.29 | | 30.30 | 30.32 | 30.39 | 30.52 | 30.45 | 30.37 | | 30.52 |
| | Min | 29.36 | 29.44 | 29.00 | 29.41 | 29.33 | 29.41 | | 29.63 | 29.67 | 29.57 | 29.71 | 29.55 | 29.47 | | 29.00 |
| 1975 | Max | 30.47 | 30.61 | 30.58 | 30.59 | 30.31 | 30.35 | | 30.37 | 30.37 | 30.47 | 30.49 | 30.35 | 30.55 | | 30.61 |
| | Min | 28.66 | 29.01 | 29.26 | 29.17 | 29.45 | 29.42 | | 29.72 | 29.69 | 29.68 | 29.57 | 29.21 | 29.63 | | 28.66 |
| 1976 | Max | 30.32 | 30.41 | 30.24 | 30.47 | 30.31 | 30.49 | | 30.28 | 30.40 | 30.37 | 30.55 | 30.38 | 30.36 | | 30.55 |
| | Min | 29.42 | 29.28 | 29.15 | 29.59 | 29.44 | 29.40 | | 29.76 | 29.73 | 29.70 | 29.34 | 29.46 | 29.31 | | 29.15 |
| 1977 | Max | 30.34 | 30.44 | 30.27 | 30.43 | 30.28 | 30.27 | | 30.40 | 30.21 | 30.32 | 30.45 | 30.50 | 30.49 | | 30.50 |
| | Min | 29.05 | 28.88 | 29.05 | 29.30 | 29.53 | 29.48 | | 29.52 | 29.69 | 29.53 | 29.38 | 29.37 | 29.25 | | 28.88 |
| 1978 | Max | 30.50 | 30.57 | 30.53 | 30.36 | 30.30 | 30.38 | | 30.24 | 30.32 | 30.49 | 30.46 | 30.70 | 30.41 | | 30.70 |
| | Min | 29.33 | 29.49 | 29.41 | 29.38 | 29.33 | 29.65 | | 29.69 | 29.56 | 29.75 | 29.40 | 29.49 | 29.19 | | 29.19 |
| 1979 | Max | 30.47 | 30.84 | 30.42 | 30.46 | 30.39 | 30.36 | | 30.42 | 30.47 | 30.29 | 30.24 | 30.35 | 30.53 | | 30.84 |
| | Min | 29.49 | 29.59 | 29.45 | 29.45 | 29.51 | 29.57 | | 29.72 | 29.59 | 29.63 | 29.43 | 29.31 | 29.12 | | 29.12 |
| 1980 | Max | 30.47 | 30.61 | 30.69 | 30.18 | 30.28 | 30.24 | | 30.17 | 30.24 | 30.30 | 30.23 | 30.46 | 30.60 | | 30.69 |
| | Min | 28.97 | 29.52 | 29.26 | 29.43 | 29.36 | 29.61 | | 29.75 | 29.62 | 29.60 | 29.26 | 29.29 | 29.40 | | 28.97 |
| 1981 | Max | 30.54 | 30.53 | 30.30 | 30.65 | 30.37 | 30.26 | | 30.33 | 30.25 | 30.39 | 30.34 | 30.47 | 30.35 | | 30.65 |
| | Min | 29.19 | 29.28 | 29.25 | 29.10 | 29.60 | 29.45 | | 29.73 | 29.68 | 29.55 | 29.21 | 29.39 | 29.10 | | 29.10 |
| 1982 | Max | 30.47 | 30.63 | 30.47 | 30.41 | 30.27 | 30.23 | | 30.26 | 30.32 | 30.41 | 30.42 | 30.47 | 30.67 | | 30.67 |
| | Min | 28.96 | 29.54 | 29.14 | 28.63 | 29.63 | 29.65 | | 29.61 | 29.75 | 29.73 | 29.51 | 29.18 | 29.19 | | 28.63 |
| 1983 | Max | 30.48 | 30.27 | 30.23 | 30.21 | 30.32 | 30.21 | | 30.31 | 30.30 | 30.62 | 30.57 | 30.47 | 30.56 | | 30.62 |
| | Min | 29.37 | 29.41 | 29.45 | 29.12 | 29.49 | 29.55 | | 29.55 | 29.75 | 29.54 | 29.63 | 28.90 | 29.43 | | 28.90 |
| 1984 | Max | 30.71 | 30.35 | 30.59 | 30.43 | 30.39 | 30.29 | | 30.32 | 30.25 | 30.43 | 30.41 | 30.60 | 30.49 | | 30.71 |
| | Min | 29.32 | 29.37 | 29.31 | 29.05 | 29.58 | 29.36 | | 29.68 | 29.69 | 29.66 | 29.31 | 29.46 | 29.17 | | 29.05 |
| 1985 | Max | 30.39 | 30.41 | 30.52 | 30.29 | 30.24 | 30.26 | | 30.25 | 30.29 | 30.66 | 30.39 | 30.50 | 30.35 | | 30.66 |
| | Min | 29.32 | 29.49 | 29.19 | 29.31 | 29.05 | 29.48 | | 29.56 | 29.72 | 29.28 | 29.35 | 29.56 | 29.16 | | 29.05 |
| 1986 | Max | 30.58 | 30.23 | 30.41 | 30.22 | 30.35 | 30.29 | | 30.21 | 30.34 | 30.48 | 30.45 | 30.54 | 30.45 | | 30.58 |
| | Min | 29.56 | 29.41 | 29.27 | 29.44 | 29.42 | 29.62 | | 29.63 | 29.67 | 29.49 | 29.64 | 29.40 | 29.56 | | 29.27 |

RHINELANDER MAXIMUM / MINIMUM PRESSURE

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-------|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|--|-------|
| 1987 | Max | 30.34 | 30.47 | 30.49 | 30.38 | 30.45 | 30.25 | | 30.20 | 30.34 | 30.24 | 30.51 | 30.55 | 30.50 | | 30.55 |
| | Min | 29.49 | 28.91 | 29.38 | 29.33 | 29.65 | 29.65 | | 29.71 | 29.65 | 29.72 | 29.39 | 29.32 | 29.15 | | 28.91 |
| 1988 | Max | 30.49 | 30.60 | 30.35 | 30.30 | 30.28 | 30.30 | | 30.16 | 30.15 | 30.39 | 30.51 | 30.29 | 30.46 | | 30.60 |
| | Min | 29.35 | 29.02 | 29.38 | 29.47 | 29.27 | 29.64 | | 29.71 | 29.64 | 29.20 | 29.32 | 28.94 | 29.15 | | 28.94 |
| 1989 | Max | 30.38 | 30.87 | 30.47 | 30.23 | 30.32 | 30.37 | | 30.37 | 30.32 | 30.44 | 30.63 | 30.28 | 30.65 | | 30.87 |
| | Min | 29.23 | 29.40 | 29.28 | 29.57 | 29.33 | 29.69 | | 29.70 | 29.64 | 29.70 | 29.50 | 29.37 | 29.45 | | 29.23 |
| 1990 | Max | 30.40 | 30.53 | 30.26 | 30.54 | 30.39 | 30.26 | | 30.23 | 30.39 | 30.39 | 30.37 | 30.40 | 30.35 | | 30.54 |
| | Min | 29.23 | 29.29 | 29.62 | 29.48 | 29.52 | 29.33 | | 29.65 | 29.57 | 29.59 | 29.43 | 29.20 | 29.37 | | 29.20 |
| 1991 | Max | 30.57 | 30.44 | 30.55 | 30.32 | 30.30 | 30.22 | | 30.24 | 30.24 | 30.30 | 30.29 | 30.39 | 30.41 | | 30.57 |
| | Min | 29.55 | 29.55 | 29.52 | 29.22 | 29.37 | 29.44 | | 29.54 | 29.65 | 29.38 | 29.21 | 29.36 | 29.54 | | 29.21 |
| 1992 | Max | 30.46 | 30.49 | 30.34 | 30.47 | 30.38 | 30.30 | | 30.27 | 30.37 | 30.40 | 30.38 | 30.43 | 30.48 | | 30.49 |
| | Min | 29.64 | 29.60 | 29.42 | 29.20 | 29.52 | 29.56 | | 29.67 | 29.63 | 29.58 | 29.52 | 28.89 | 29.73 | | 28.89 |
| 1993 | Max | 30.57 | 30.44 | 30.55 | 30.32 | 30.30 | 30.22 | | 30.24 | 30.24 | 30.30 | 30.29 | 30.39 | 30.41 | | 30.57 |
| | Min | 29.55 | 29.55 | 29.52 | 29.22 | 29.37 | 29.44 | | 29.54 | 29.65 | 29.38 | 29.21 | 29.36 | 29.54 | | 29.21 |
| 1994 | Max | 30.46 | 30.49 | 30.34 | 30.47 | 30.38 | 30.30 | | 30.27 | 30.37 | 30.40 | 30.38 | 30.43 | 30.48 | | 30.49 |
| | Min | 29.64 | 29.60 | 29.42 | 29.20 | 29.52 | 29.56 | | 29.67 | 29.63 | 29.58 | 29.52 | 28.89 | 29.73 | | 28.89 |
| 1995 | Max | 30.26 | 30.30 | 30.51 | 30.31 | 30.33 | 30.24 | | 30.17 | 30.31 | 30.36 | 30.28 | 30.25 | 30.39 | | 30.51 |
| | Min | 29.43 | 29.13 | 29.27 | 29.33 | 29.39 | 29.50 | | 29.60 | 29.72 | 29.64 | 29.16 | 29.31 | 29.29 | | 29.13 |
| 1996 | Max | 30.49 | 30.35 | 30.43 | 30.36 | 30.36 | 30.23 | | 30.27 | 30.30 | 30.39 | 30.52 | 30.69 | 30.32 | | 30.69 |
| | Min | 29.20 | 29.31 | 29.28 | 29.01 | 29.45 | 29.73 | | 29.73 | 29.83 | 29.47 | 28.95 | 29.49 | 29.40 | | 28.95 |
| 1997 | Max | 30.52 | 30.56 | 30.49 | 30.47 | 30.52 | 30.34 | | 30.46 | 30.29 | 30.52 | 30.49 | 30.40 | 30.20 | | 30.56 |
| | Min | 29.24 | 29.56 | 29.43 | 29.10 | 29.47 | 29.44 | | 29.45 | 29.47 | 29.14 | 29.35 | 29.20 | 29.52 | | 29.10 |
| 1998 | Max | 30.35 | 30.31 | 30.53 | 30.42 | 30.14 | 30.20 | | 30.35 | 30.38 | 30.24 | 30.48 | 30.37 | 30.42 | | 30.53 |
| | Min | 29.45 | 29.34 | 29.38 | 29.36 | 29.41 | 29.35 | | 29.72 | 29.67 | 29.63 | 29.46 | 28.60 | 29.52 | | 28.60 |
| 1999 | Max | 30.57 | 30.48 | 30.62 | 30.49 | 30.32 | 30.35 | | 30.25 | 30.37 | 30.30 | 30.37 | 30.67 | 30.38 | | 30.67 |
| | Min | 29.22 | 29.25 | 29.35 | 29.45 | 29.18 | 29.70 | | 29.58 | 29.57 | 29.61 | 29.47 | 29.56 | 29.17 | | 29.17 |
| 2000 | Max | 30.67 | 30.41 | 30.47 | 30.44 | 30.23 | 30.32 | | 30.27 | 30.34 | 30.48 | 30.52 | 30.32 | 30.67 | | 30.67 |
| | Min | 29.08 | 29.52 | 29.20 | 29.26 | 29.43 | 29.32 | | 29.78 | 29.61 | 29.47 | 29.51 | 29.56 | 29.49 | | 29.08 |

RHINELANDER MAXIMUM / MINIMUM PRESSURE

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-------|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|--|-------|
| 2001 | Max | 30.41 | 30.54 | 30.39 | 30.43 | 30.32 | 30.29 | | 30.33 | 30.30 | 30.51 | 30.61 | 30.36 | 30.26 | | 30.61 |
| | Min | 29.28 | 29.00 | 29.25 | 29.14 | 29.36 | 29.49 | | 29.80 | 29.70 | 29.54 | 29.14 | 29.26 | 29.40 | | 29.00 |
| 2002 | Max | 30.38 | 30.39 | 30.45 | 30.40 | 30.46 | 30.37 | | 30.37 | 30.44 | 30.31 | 30.52 | 30.41 | 30.53 | | 30.53 |
| | Min | 29.34 | 29.37 | 29.21 | 29.56 | 29.49 | 29.68 | | 29.68 | 29.60 | 29.42 | 29.18 | 29.22 | 29.22 | | 29.18 |
| 2003 | Max | 30.44 | 30.54 | 30.27 | 30.44 | 30.45 | 30.24 | | 30.23 | 30.43 | 30.22 | 30.29 | 30.65 | 30.48 | | 30.65 |
| | Min | 29.19 | 29.40 | 29.50 | 29.53 | 29.41 | 29.63 | | 29.69 | 29.75 | 29.46 | 29.25 | 29.36 | 29.42 | | 29.19 |
| 2004 | Max | 30.43 | 30.46 | 30.49 | 30.38 | 30.41 | 30.35 | | 30.44 | 30.31 | 30.35 | 30.34 | 30.69 | 30.51 | | 30.69 |
| | Min | 29.53 | 29.36 | 29.43 | 29.40 | 29.33 | 29.39 | | 29.62 | 29.57 | 29.57 | 29.14 | 29.39 | 29.19 | | 29.14 |
| 2005 | Max | 30.67 | 30.35 | 30.26 | 30.39 | 30.49 | 30.24 | | 30.30 | 30.29 | 30.31 | 30.35 | 30.36 | 30.54 | | 30.67 |
| | Min | 29.38 | 29.45 | 29.19 | 29.34 | 29.59 | 29.50 | | 29.64 | 29.70 | 29.70 | 29.55 | 29.14 | 29.37 | | 29.14 |
| 2006 | Max | 30.32 | 30.50 | 30.45 | 30.26 | 30.22 | 30.26 | | 30.31 | 30.33 | 30.34 | 30.46 | 30.34 | 30.59 | | 30.59 |
| | Min | 29.29 | 29.38 | 29.19 | 29.53 | 29.46 | 29.73 | | 29.70 | 29.71 | 29.55 | 29.18 | 29.38 | 29.30 | | 29.18 |
| 2007 | Max | 30.46 | 30.54 | 30.64 | 30.32 | 30.41 | 30.28 | | 30.36 | 30.29 | 30.36 | 30.61 | 30.48 | 30.55 | | 30.64 |
| | Min | 29.39 | 29.39 | 28.99 | 29.42 | 29.60 | 29.57 | | 29.54 | 29.68 | 29.54 | 29.05 | 29.47 | 29.12 | | 28.99 |
| 2008 | Max | 30.71 | 30.49 | 30.51 | 30.43 | 30.47 | 30.18 | | 30.24 | 30.25 | 30.40 | 30.53 | 30.57 | 30.65 | | 30.71 |
| | Min | 29.09 | 29.26 | 29.56 | 29.40 | 29.33 | 29.46 | | 29.64 | 29.74 | 29.53 | 29.44 | 29.38 | 29.38 | | 29.09 |
| 2009 | Max | 30.60 | 30.66 | 30.75 | 30.52 | 30.35 | 30.29 | | 29.95 | 30.33 | 30.38 | 30.48 | 30.58 | 30.54 | | 30.75 |
| | Min | 29.26 | 29.31 | 29.38 | 29.36 | 29.47 | 29.50 | | 29.65 | 29.46 | 29.27 | 29.10 | 29.54 | 29.22 | | 29.10 |
| 2010 | Max | 30.58 | 30.38 | 30.40 | 30.40 | 30.33 | 30.34 | | 30.39 | 30.25 | 30.33 | 30.52 | 30.50 | 30.54 | | 30.58 |
| | Min | 29.03 | 29.81 | 29.55 | 29.33 | 29.34 | 29.52 | | 29.69 | 29.66 | 29.41 | 28.61 | 29.38 | 29.43 | | 28.61 |
| 2011 | Max | 30.54 | 30.56 | 30.58 | 30.34 | 30.37 | 30.28 | | 30.22 | 30.11 | 30.43 | 30.42 | 30.39 | 30.46 | | 30.58 |
| | Min | 29.38 | 29.22 | 29.50 | 29.21 | 29.42 | 29.47 | | 29.58 | 29.55 | 29.49 | 29.45 | 29.21 | 29.53 | | 29.21 |
| 2012 | Max | 30.43 | 30.52 | 30.55 | 30.38 | 30.35 | 30.23 | | 30.22 | 30.21 | 30.36 | 30.49 | 30.55 | 30.37 | | 30.55 |
| | Min | 29.37 | 29.37 | 29.44 | 29.26 | 29.34 | 29.52 | | 29.61 | 29.69 | 29.65 | 29.12 | 29.58 | 29.48 | | 29.12 |
| 2013 | Max | 30.55 | 30.51 | 30.37 | 30.40 | 30.44 | 30.21 | | 30.33 | 30.27 | 30.48 | 30.51 | 30.60 | 30.53 | | 30.60 |
| | Min | 29.32 | 29.26 | 29.45 | 29.11 | 29.50 | 29.63 | | 29.65 | 29.75 | 29.68 | 29.22 | 29.15 | 29.74 | | 29.11 |
| 2014 | Max | 30.55 | 30.49 | 30.57 | 30.37 | 30.28 | 30.18 | | 30.33 | 30.23 | 30.41 | 30.53 | 30.45 | 30.62 | | 30.62 |
| | Min | 29.30 | 28.88 | 29.42 | 29.43 | 29.50 | 29.57 | | 29.50 | 29.66 | 29.42 | 29.43 | 29.02 | 29.49 | | 28.88 |

RHINELANDER MAXIMUM / MINIMUM PRESSURE

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-------|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|--|-------|
| 2015 | Max | 30.69 | 30.54 | 30.40 | 30.37 | 30.53 | 30.34 | | 30.15 | 30.21 | 30.39 | 30.59 | 30.50 | 30.47 | | 30.69 |
| | Min | 29.44 | 29.51 | 29.48 | 29.26 | 29.64 | 29.50 | | 29.48 | 29.47 | 29.73 | 29.18 | 29.08 | 28.89 | | 28.89 |
| 2016 | Max | 30.45 | 30.47 | 30.37 | 30.45 | 30.32 | 30.25 | | 30.28 | 30.28 | 30.50 | 30.47 | 30.50 | 30.56 | | 30.56 |
| | Min | 29.38 | 29.11 | 29.22 | 29.51 | 29.67 | 29.58 | | 29.63 | 29.58 | 29.64 | 29.27 | 29.04 | 29.46 | | 29.04 |
| 2017 | Max | 30.88 | 30.41 | 30.64 | 30.39 | 30.34 | 30.20 | | 30.21 | 30.32 | 30.50 | 30.33 | 30.70 | 30.78 | | 30.78 |
| | Min | 29.14 | 29.43 | 29.14 | 29.29 | 29.31 | 29.44 | | 29.74 | 29.54 | 29.65 | 29.33 | 29.29 | 29.12 | | 29.12 |
| 2018 | Max | 30.70 | 30.79 | 30.59 | 30.52 | 30.29 | 30.24 | | 30.50 | 30.26 | 30.47 | 30.42 | 30.59 | 30.58 | | 30.79 |
| | Min | 29.47 | 29.31 | 29.78 | 29.60 | 29.54 | 29.73 | | 29.72 | 29.60 | 29.51 | 29.32 | 29.40 | 29.45 | | 29.31 |
| 2019 | Max | 30.58 | 30.87 | 30.45 | 30.48 | 30.35 | 30.20 | | 30.26 | 30.38 | 30.38 | 30.53 | 30.56 | 30.48 | | 30.87 |
| | Min | 29.40 | 29.09 | 29.22 | 29.46 | 29.64 | 29.50 | | 29.68 | 29.61 | 29.50 | 29.18 | 29.31 | 29.26 | | 29.09 |
| 2020 | Max | 30.88 | 30.74 | 30.78 | 30.26 | 30.37 | 30.46 | | 30.20 | 30.19 | 30.52 | 30.39 | 30.57 | 30.51 | | 30.88 |
| | Min | 29.33 | 29.28 | 29.36 | 29.43 | 29.72 | 29.14 | | 29.64 | 29.60 | 29.46 | 29.39 | 29.19 | 29.14 | | 29.14 |
| 2021 | Max | 30.69 | 30.64 | 30.59 | 30.58 | 30.49 | 30.22 | | 30.31 | 30.29 | 30.34 | 30.37 | 30.42 | 30.45 | | 30.69 |
| | Min | 29.46 | 29.31 | 29.39 | 29.34 | 29.49 | 29.46 | | 29.74 | 29.63 | 29.59 | 29.53 | 29.23 | 28.99 | | 28.99 |
| 2022 | Max | 30.66 | 30.70 | 30.51 | 30.47 | 30.45 | 30.35 | | 30.32 | 30.31 | 30.59 | 30.51 | 30.73 | 30.54 | | 30.73 |
| | Min | 29.40 | 29.23 | 29.33 | 29.26 | 29.26 | 29.61 | | 29.41 | 29.62 | 29.72 | 29.44 | 29.20 | 29.38 | | 29.20 |
| 2023 | Max | 30.46 | 30.68 | 30.64 | 30.63 | 30.53 | 30.19 | | 30.21 | 30.36 | 30.28 | 30.36 | 30.56 | 30.59 | | 30.68 |
| | Min | 29.41 | 29.14 | 29.34 | 29.33 | 29.45 | 29.55 | | 29.67 | 29.49 | 29.68 | 29.62 | 29.47 | 29.48 | | 29.14 |
| 2024 | Max | 30.56 | 30.41 | 30.40 | 30.35 | 30.29 | 30.42 | | 30.37 | 30.38 | 30.38 | | | | | |
| | Min | 29.30 | 29.20 | 29.21 | 29.42 | 29.31 | 29.42 | | 29.66 | 29.71 | 29.75 | | | | | |
| 2025 | Max | | | | | | | | | | | | | | | |
| | Min | | | | | | | | | | | | | | | |
| 2026 | Max | | | | | | | | | | | | | | | |
| | Min | | | | | | | | | | | | | | | |
| 2027 | Max | | | | | | | | | | | | | | | |
| | Min | | | | | | | | | | | | | | | |
| 2028 | Max | | | | | | | | | | | | | | | |
| | Min | | | | | | | | | | | | | | | |

DROUGHTS SINCE 1900 ACROSS NC/NE WISCONSIN

2023 Into 2024 Coming Soon

DROUGHTS SINCE 1900 ACROSS NC/NE WISCONSIN

Here is a look at some of the more significant droughts across north central and from normal during these periods. In some cases, there was sporadic locally heavy rain northeast Wisconsin since 1900. Some caution should be used when looking at precipitation departures amounts during a particular month that was localized. A good example would be summer time thunderstorms that can bring locally heavy rains. These isolated locally heavy rain events can obscure the magnitude of the drought at that location compared to surrounding sites. The departures from normal were calculated using the 1971-2000 normals since many sites have different starting dates and may not have had a long period of record at the time of the drought. Also, as you go further back in time, there were fewer locations that had a complete precipitation data set during the period. Only sites that had a complete data set were used in this study.

For your information, Rice Reservoir is near Tomahawk and Lac Vieux Desert is in Vilas County. Locations were ranked by the total precipitation deficit.

DROUGHT 1907-1910

Four years of below normal precipitation were noted during this period, with many consecutive months of below normal precipitation. The fall of 1908 was very dry, especially October 1908 when monthly precipitation totals were generally under an inch and a half. Green Bay reported only a tenth of an inch of rain during the month. The precipitation deficits were the greatest across north-central into northeast Wisconsin.

The first signs of the drought breaking occurred during August and September 1910 with above normal precipitation across much of the area. Much of the impacts of the drought were mitigated in 1911 with precipitation totals for the year running 5 to 10 inches above normal. Some yearly precipitation totals for 1911 include: 42.94 inches at Wisconsin Rapids, 40.79 inches at Rhinelander, 40.62 inches at Waupaca, 40.36 inches at Merrill, 37.01 inches at Manitowoc, 36.65 inches at Appleton and 34.67 inches at Oshkosh. Normal precipitation is around 30 inches across the region.

| LOCATION | 1907-1910 PCPN TOTAL | NORMAL (INCHES) | DEFICIT (INCHES) | PERCENT OF NORMAL |
|--------------|-------------------------|--------------------|---------------------|----------------------|
| Wisc. Rapids | 97.53 | 129.68 | -32.15 | 75 |
| Wausau | 103.79 | 133.44 | -29.65 | 78 |
| Merrill | 102.38 | 129.64 | -27.26 | 79 |
| Waupaca | 110.09 | 134.44 | -24.35 | 82 |
| Minocqua Dam | 108.23 | 128.40 | -20.17 | 84 |
| Oconto | 108.11 | 126.80 | -18.69 | 85 |
| Manitowoc | 107.83 | 121.96 | -14.13 | 85 |
| Oshkosh | 112.38 | 126.28 | -13.90 | 89 |
| Appleton | 107.85 | 120.64 | -12.79 | 89 |
| Hancock | 114.52 | 126.48 | -11.96 | 90 |
| Green Bay | 105.15 | 116.76 | -11.61 | 90 |
| New London | 114.52 | 123.28 | - 8.76 | 93 |
| Sturgeon Bay | 137.72 | 126.12 | +11.60 | 109 |

DROUGHTS SINCE 1900 ACROSS NC/NE WISCONSIN

DROUGHT 1917

The fall of 1916 (September through November) was extremely wet. The weather pattern abruptly shifted with below normal precipitation during December 1916. There were three periods of well below normal monthly precipitation totals, January and February followed by the second period of dry weather in July and August. The drought peaked during November and December 1917 with precipitation running several inches below normal. The weather pattern then shifted abruptly to a very wet pattern during January and February of 1918. Precipitation amounts in these two months alone were 1 to 3 inches above normal at most places. The year 1918 ended up ranging from near normal in a few places to as much as 5 to 6 inches above normal across northeast Wisconsin. Above normal precipitation was reported for a second year in a row during 1919.

| LOCATION | 1917 PCPN TOTAL | NORMAL (INCHES) | DEFICIT (INCHES) | PERCENT OF NORMAL |
|--------------------|--------------------|--------------------|---------------------|----------------------|
| Phelps | 20.21 | 30.87 | -10.66 | 65 |
| Rhinelanders | 21.48 | 31.90 | -10.42 | 67 |
| Oconto | 23.25 | 31.70 | - 8.45 | 73 |
| Merrill | 24.71 | 32.41 | - 7.70 | 76 |
| Green Bay | 22.27 | 29.19 | - 6.92 | 76 |
| Waupaca | 29.05 | 33.36 | - 5.22 | 87 |
| Rest Lake | 27.53 | 32.64 | - 5.11 | 84 |
| Kewaunee | 25.20 | 30.30 | - 5.10 | 83 |
| Antigo | 26.97 | 30.63 | - 3.66 | 88 |
| Crivitz High Falls | 26.47 | 29.83 | - 3.36 | 89 |
| Wisconsin Rapids | 29.39 | 32.42 | - 3.03 | 91 |
| Manitowoc | 27.92 | 30.49 | - 2.57 | 92 |
| Appleton | 27.98 | 30.16 | - 2.18 | 93 |
| Stevens Point | 30.95 | 32.13 | - 1.18 | 96 |
| New London | 29.70 | 30.82 | - 1.12 | 96 |
| Marshfield | 32.63 | 33.06 | - 0.43 | 99 |
| Oshkosh | 32.05 | 31.57 | + 0.48 | 102 |

DROUGHTS SINCE 1900 ACROSS NC/NE WISCONSIN

DROUGHT 1920-1925

First signs of drought conditions began in December 1919 with much below normal precipitation. Many locations reported under an inch of precipitation during the month. The drought of 1920 to 1925 can be characterized by persistent below normal monthly precipitation totals. Early in the drought period, there were periodic heavy rains due to thunderstorm activity at Sturgeon Bay that brought well above normal precipitation to a small area across Door County. 1926 brought drought relief to many areas of north-central and northeast Wisconsin. Some yearly precipitation totals for 1926 include: 37.24 inches at New London, 37.02 inches at Wausau, 36.84 inches at Oshkosh, 36.59 inches at Marinette, 36.47 inches at Merrill, 36.54 inches at Stevens Point, 35.90 inches at Antigo and 35.08 inches at Oconto.

There were some portions of northeast Wisconsin that never really recovered from the 1920 to 1925 drought that included areas from Green Bay, Kewaunee, Manitowoc and Sturgeon Bay. Although precipitation totals were slightly above normal in 1926, precipitation deficits of a few inches were reported each year from 1927 through 1929. A case could be made that the drought conditions persisted in this portion of the state from 1920 to 1937.

| LOCATION | 1920-1925 PCPN TOTAL | NORMAL (INCHES) | DEFICIT (INCHES) | PERCENT OF NORMAL |
|------------------|-------------------------|--------------------|---------------------|----------------------|
| Wausau | 165.57 | 200.16 | -34.59 | 83 |
| Marinette | 166.68 | 194.40 | -27.72 | 86 |
| Rhineland | 164.99 | 191.40 | -26.41 | 86 |
| Merrill | 169.16 | 194.46 | -25.30 | 98 |
| Antigo | 159.95 | 183.78 | -23.83 | 87 |
| Marshfield | 174.56 | 198.36 | -23.80 | 88 |
| Minocqua Dam | 173.72 | 192.60 | -18.88 | 90 |
| Sturgeon Bay | 173.40 | 189.18 | -15.78 | 92 |
| Oshkosh | 174.11 | 189.42 | -15.31 | 92 |
| Phelps | 177.27 | 185.22 | - 7.95 | 96 |
| Waupaca | 194.37 | 201.66 | - 7.29 | 96 |
| Green Bay | 168.39 | 175.14 | - 6.75 | 96 |
| Wisconsin Rapids | 192.94 | 194.52 | - 2.13 | 99 |
| Stevens Point | 203.93 | 192.78 | +11.15 | 106 |
| Manitowoc | 202.86 | 182.94 | +19.92 | 111 |
| New London | 206.86 | 184.92 | +21.94 | 112 |

DROUGHTS SINCE 1900 ACROSS NC/NE WISCONSIN

DROUGHT 1930-1937

Some portions of northeast Wisconsin did not fully recover from the drought of 1920 to 1925 as precipitation totals were near normal or a few inches below during the late 1920s from Green Bay to Kewaunee to Manitowoc and sturgeon bay.

The 1930s are known as the dust bowl years across the plains. The droughts of the 1930s were characterized by very hot summers with intense heat waves which did not spare Wisconsin. Somewhere across north central and northeast Wisconsin, 100 degree temperatures were reported each year. The drought peaked in 1936 with the warmest July and month on record for many locations in the region. July 1936 also went down in the record books as the most days in the 100s in a given month and also recorded the most consecutive days with highs above 100. The intense heat wave peaked between July 7th and July 14th.

1936 went down in the record books as the third driest year on record at Green Bay. Seven years of precipitation deficits of 3 to 10 inches took its toll. The hardest hit area with respect to precipitation deficits was from Marinette and Oconto into Green Bay and the Fox Cities west to Antigo and Merrill. 1938 brought much above normal precipitation totals to locations north and west of Green Bay and the Fox Cities. Some totals include: 52.13 inches at Stevens Point, 52.05 inches at Rest Lake, 48.72 inches at Wausau, 46.81 inches at Wisconsin Rapids, 45.73 inches at Long Lake Dam, 43.83 inches at Oshkosh, 42.01 inches at Hancock, 41.51 inches at Rhinelander, 40.08 inches at Shawano and 38.25 inches at Crivitz High Falls.

Although precipitation was only a few inches above normal, areas from Green Bay, Kewaunee, Manitowoc and Sturgeon Bay continued to experience near or below normal precipitation from 1939 to 1942. It appears this portion of the state went through a period of 25 to 30 years of near or below normal precipitating if you include the drought conditions from 1943 to 1948.

| LOCATION | 1930-1937 PCPN TOTAL | NORMAL (INCHES) | DEFICIT (INCHES) | PERCENT OF NORMAL |
|--------------------|-------------------------|--------------------|---------------------|----------------------|
| Oconto | 189.11 | 253.60 | -64.49 | 75 |
| Marinette | 204.52 | 259.20 | -54.68 | 79 |
| Sturgeon Bay | 197.83 | 252.24 | -54.41 | 79 |
| Waupaca | 215.85 | 268.88 | -53.03 | 80 |
| Green Bay | 185.56 | 233.52 | -47.96 | 79 |
| Wausau | 220.33 | 266.88 | -46.55 | 83 |
| Oshkosh | 206.71 | 252.56 | -45.85 | 82 |
| Appleton | 197.89 | 241.28 | -43.39 | 82 |
| Merrill | 218.19 | 259.28 | -41.09 | 84 |
| Crivitz High Falls | 200.31 | 238.64 | -38.33 | 84 |
| Wisconsin Rapids | 222.02 | 259.36 | -37.34 | 86 |
| Brillion | 198.18 | 233.68 | -35.50 | 85 |
| Marshfield | 231.77 | 264.48 | -32.71 | 88 |
| Hancock | 221.00 | 252.96 | -31.96 | 87 |
| Shawano | 221.79 | 251.84 | -30.05 | 88 |
| Antigo | 219.07 | 245.04 | -25.97 | 89 |
| Stevens Point | 233.45 | 257.04 | -23.59 | 91 |
| Rhinelander | 232.47 | 255.20 | -22.73 | 91 |
| New London | 227.93 | 246.56 | -18.63 | 92 |
| Phelps | 229.11 | 246.96 | -17.85 | 93 |
| Minocqua dam | 242.41 | 256.80 | -14.39 | 94 |
| Manitowoc | 232.01 | 243.92 | -11.91 | 95 |

DROUGHTS SINCE 1900 ACROSS NC/NE WISCONSIN

DROUGHT 1943-1948

The first signs of drought conditions were noted in November and December of 1942. Persistent below normal precipitation was noted between 1943 and 1948 with the greatest deficits across north central and portions of northeast Wisconsin.

This drought period had one interesting trend that the other droughts did not have. From 1943 to 1948, there were localized heavy rains events in different sections of north central and northeast Wisconsin from month to month during the summer months and each year during the drought period. After closer analysis, these heavy rains were very localized and shifted from month to month and location to location each year, therefore one particular location did not see a prolonged period of wet weather during this period of drought. Drought conditions slowly improved as precipitation totals were at or slightly above normal from 1949 to 1951 at most locations.

| LOCATION | 1943-1948 PCPN TOTAL | NORMAL (INCHES) | DEFICIT (INCHES) | PERCENT OF NORMAL |
|------------------|-------------------------|--------------------|---------------------|----------------------|
| Waupaca | 172.67 | 201.66 | -28.99 | 86 |
| Shawano | 162.95 | 188.88 | -25.93 | 86 |
| Kewaunee | 155.98 | 181.80 | -25.82 | 86 |
| Sturgeon Bay | 163.85 | 189.18 | -25.33 | 87 |
| Merrill | 170.32 | 194.46 | -24.14 | 88 |
| Oshkosh | 166.39 | 189.42 | -23.03 | 88 |
| Oconto | 168.24 | 190.20 | -21.96 | 88 |
| Minocqua Dam | 171.71 | 192.60 | -20.89 | 89 |
| Rhineland | 170.85 | 191.40 | -20.55 | 89 |
| Marinette | 175.02 | 194.40 | -19.38 | 90 |
| Hancock | 171.12 | 189.72 | -18.60 | 90 |
| Manitowoc | 164.96 | 182.94 | -17.98 | 90 |
| Marshfield | 181.33 | 198.36 | -17.03 | 91 |
| Wisconsin Rapids | 179.53 | 194.52 | -14.99 | 92 |
| Brillion | 160.87 | 175.26 | -14.39 | 92 |
| Green Bay | 161.01 | 175.14 | -14.13 | 92 |
| Phelps | 173.81 | 185.22 | -11.41 | 94 |
| Wausau | 191.66 | 200.16 | - 8.50 | 96 |
| Antigo | 176.14 | 183.78 | - 7.64 | 96 |
| Appleton | 175.38 | 180.96 | - 5.58 | 97 |
| New London | 179.49 | 184.92 | - 5.43 | 97 |

DROUGHTS SINCE 1900 ACROSS NC/NE WISCONSIN

DROUGHT 1952-1958

During the drought of 1952 to 1958, there was persistent below normal precipitation each year. The winters during this period were especially dry with well below normal snowfall at most locations in most years. The rate of recovery from this drought varied as precipitation varied greatly from near normal to as much as 10 inches above normal from 1959 to 1961.

| LOCATION | 1952-1958 PCPN TOTAL | NORMAL (INCHES) | DEFICIT (INCHES) | PERCENT OF NORMAL |
|--------------------|-------------------------|--------------------|---------------------|----------------------|
| Oconto | 221.90 | 177.53 | -47.79 | 78 |
| Oshkosh | 177.53 | 220.99 | -43.46 | 80 |
| Waupaca | 191.82 | 235.27 | -43.45 | 82 |
| Sturgeon Bay | 181.54 | 220.71 | -39.17 | 82 |
| Marinette | 187.98 | 226.80 | -38.82 | 83 |
| Kewaunee | 173.14 | 212.10 | -38.96 | 82 |
| Hancock | 184.86 | 221.34 | -36.48 | 84 |
| Merrill | 192.66 | 226.87 | -34.21 | 85 |
| Two Rivers | 178.48 | 212.24 | -33.76 | 84 |
| Wisconsin Rapids | 196.28 | 226.94 | -30.66 | 86 |
| Wausaukee | 203.12 | 233.52 | -30.40 | 87 |
| Wausau | 186.40 | 216.79 | -30.39 | 86 |
| Rhineland | 193.28 | 223.30 | -30.02 | 86 |
| Green Bay | 174.46 | 204.33 | -29.87 | 85 |
| Manitowoc | 184.77 | 213.43 | -28.66 | 87 |
| Stevens Point | 197.08 | 224.91 | -27.83 | 87 |
| Shawano | 192.91 | 220.36 | -27.45 | 88 |
| Marshfield | 205.94 | 231.42 | -25.48 | 89 |
| Crivitz High Falls | 184.58 | 208.81 | -24.23 | 88 |
| Chilton | 196.33 | 220.50 | -24.17 | 89 |
| New London | 191.86 | 215.74 | -23.88 | 89 |
| Rice Reservoir | 206.47 | 230.09 | -23.62 | 90 |
| Washington Island | 176.98 | 199.78 | -22.80 | 89 |
| Antigo | 201.00 | 214.41 | -13.41 | 94 |
| Appleton | 198.93 | 211.12 | -12.19 | 94 |
| Lac Vieux Desert | 227.68 | 236.81 | - 9.13 | 96 |
| Minocqua Dam | 215.23 | 224.70 | - 9.47 | 96 |
| Eagle River | 220.42 | 207.13 | +13.29 | 106 |

DROUGHTS SINCE 1900 ACROSS NC/NE WISCONSIN

DROUGHT 1962-1964

Below normal precipitation was observed during January of 1962. Persistent below normal monthly precipitation totals were observed during the remainder of the period. The peak of the drought occurred in 1963 when yearly precipitation totals ranged from 7 to 12 inches below normal. Precipitation then returned closer to normal during 1964. The drought was alleviated fairly quickly across portions of central and northeast Wisconsin during 1965. Very heavy rainfall totals were reported during September with amounts in the 8 to 12 inch range. The very heavy rains missed far northern Wisconsin. Drought conditions were slower to improve in this portion of the state. Precipitation was at or above normal from 1966 to 1972 to help alleviate the drought in that portion of the state.

Looking at the later 1960s, there was a small area of dry conditions from 1966 to 1971 in the Green Bay, Two Rivers and Manitowoc areas.

| LOCATION | 1962-1964 PCPN TOTAL | NORMAL (INCHES) | DEFICIT (INCHES) | PERCENT OF NORMAL |
|--------------------|-------------------------|--------------------|---------------------|----------------------|
| Rhinelanders | 73.50 | 95.70 | -22.20 | 77 |
| Minocqua Dam | 78.56 | 96.30 | -17.74 | 81 |
| Two Rivers | 73.43 | 90.96 | -17.53 | 81 |
| Manitowoc | 74.45 | 91.47 | -17.02 | 81 |
| Hancock | 78.96 | 94.86 | -15.90 | 83 |
| Rice Reservoir | 82.84 | 98.61 | -15.77 | 84 |
| Oshkosh | 79.98 | 94.71 | -14.73 | 84 |
| Wausau | 85.44 | 100.08 | -14.64 | 85 |
| Sturgeon Bay | 80.05 | 94.59 | -14.54 | 85 |
| Brillion | 73.15 | 87.63 | -14.48 | 83 |
| Clintonville | 81.91 | 96.12 | -14.21 | 86 |
| Waupaca | 87.30 | 100.83 | -13.53 | 86 |
| Chilton | 81.67 | 94.50 | -12.83 | 86 |
| New London | 79.74 | 92.46 | -12.72 | 86 |
| Green Bay | 75.51 | 87.57 | -12.06 | 86 |
| Rest Lake | 85.97 | 97.92 | -11.95 | 88 |
| Stevens Point | 84.60 | 96.39 | -11.79 | 88 |
| Wisconsin Rapids | 85.55 | 97.26 | -11.71 | 88 |
| Antigo | 80.50 | 91.89 | -11.39 | 88 |
| Laona | 84.20 | 95.13 | -10.93 | 89 |
| Lac Vieux Desert | 90.70 | 101.49 | -10.79 | 89 |
| Crivitz High Falls | 78.74 | 89.49 | -10.75 | 88 |
| Appleton | 82.57 | 90.48 | - 7.91 | 91 |
| Marinette | 90.07 | 97.20 | - 7.13 | 93 |
| Shawano | 87.52 | 94.44 | - 6.92 | 93 |
| Stratford | 89.55 | 96.12 | - 6.57 | 93 |
| Phelps | 86.51 | 92.61 | - 6.10 | 93 |
| Marshfield | 93.92 | 99.18 | - 5.26 | 95 |
| Goodman | 88.98 | 92.13 | - 3.15 | 97 |
| Eagle River | 86.44 | 88.77 | - 2.33 | 97 |

DROUGHTS SINCE 1900 ACROSS NC/NE WISCONSIN

DROUGHT 1974-1976

Precipitation during 1974 averaged a few inches below normal while 1975 precipitation totals were at or slightly above normal across the region. The most severe portion of the drought occurred in 1976 from August to December. November of 1976 was extremely dry with most locations reporting under a quarter of inch of precipitation during the month. There were even a few locations that only reported a trace of precipitation during the month. Many locations reported their driest November on record. 1976 ended up as the driest year on record with 20.33 inches at Appleton and 21.43 inches at Wausau and 21.61 inches at Stevens Point. Green bay ended the year as the second driest year on record with 17.85 inches. The drought was alleviated by above normal precipitation during the late 1970s and early 1980s.

| LOCATION | 1974-1976 PCPN TOTALS | NORMAL (INCHES) | DEFICIT (INCHES) | PERCENT OF NORMAL |
|--------------------|--------------------------|--------------------|---------------------|----------------------|
| Minocqua Dam | 71.62 | 96.30 | -24.68 | 74 |
| Waupaca | 79.09 | 100.83 | -21.74 | 78 |
| Wausau | 78.52 | 100.08 | -21.56 | 78 |
| Hancock | 73.74 | 94.86 | -21.12 | 78 |
| Goodman | 71.45 | 92.13 | -20.68 | 78 |
| Lac Vieux Desert | 80.95 | 101.49 | -20.54 | 80 |
| Stevens Point | 75.85 | 96.39 | -20.54 | 79 |
| Rhineland | 76.27 | 95.70 | -19.43 | 80 |
| Stratford | 77.98 | 96.12 | -18.14 | 81 |
| Eagle River | 71.20 | 88.77 | -17.57 | 80 |
| Brillion | 71.75 | 87.63 | -15.88 | 82 |
| Oconto | 79.56 | 95.10 | -15.54 | 84 |
| Clintonville | 81.12 | 96.12 | -15.00 | 84 |
| Rice Reservoir | 83.72 | 98.61 | -14.89 | 85 |
| Marshfield | 84.94 | 99.18 | -14.24 | 86 |
| Oshkosh | 80.96 | 94.71 | -13.75 | 85 |
| Kewaunee | 77.17 | 90.90 | -13.73 | 85 |
| Marinette | 83.75 | 97.20 | -13.45 | 86 |
| Sturgeon Bay | 81.84 | 94.59 | -12.75 | 87 |
| Laona | 84.22 | 95.13 | -10.91 | 89 |
| Chilton | 83.78 | 94.50 | -10.72 | 89 |
| Phelps | 82.33 | 92.61 | -10.28 | 89 |
| Appleton | 80.89 | 90.48 | - 9.59 | 89 |
| Crivitz High Falls | 81.37 | 89.49 | - 8.12 | 91 |
| Rest Lake | 92.97 | 97.92 | - 4.95 | 95 |
| New London | 90.29 | 92.16 | - 1.87 | 98 |
| Antigo | 85.24 | 91.89 | - 6.65 | 93 |
| Manitowoc | 84.90 | 91.47 | - 6.57 | 93 |
| Green Bay | 81.65 | 87.57 | - 5.92 | 93 |
| Two Rivers | 85.22 | 90.96 | - 5.74 | 94 |
| Washington Island | 80.19 | 85.62 | - 5.43 | 94 |

DROUGHTS SINCE 1900 ACROSS NC/NE WISCONSIN

DROUGHT 1987-1989

Below normal precipitation was first observed in January 1987. Persistent below normal monthly precipitation totals were observed throughout the period. At most locations, the year 1989 recorded the greatest departure from the yearly precipitation normals.

The dissipation of the drought varied greatly across the region. Across central into northeast Wisconsin including Stevens Point to Waupaca to Marinette and locations to the south and east the drought was slower to dissipate as precipitation was at or slightly above normal during the early 1990s. The drought was quicker to dissipate across portions of north-central Wisconsin where precipitation amounts were well above normal in many locations during 1990 and 1991. Rhinelander recorded back to back years of 40 inches of precipitation, while Wausau was just shy of 40 inches both years.

| LOCATION | 1987-1989 PCPN TOTAL | NORMAL (INCHES) | DEFICIT (INCHES) | PERCENT OF NORMAL |
|-------------------|-------------------------|--------------------|---------------------|----------------------|
| Rhinelander | 62.39 | 95.70 | -33.31 | 65 |
| Stratford | 69.18 | 96.12 | -26.94 | 72 |
| Rice Reservoir | 72.08 | 98.61 | -26.53 | 73 |
| Marshfield | 73.05 | 99.18 | -26.13 | 74 |
| Merrill | 71.57 | 97.23 | -25.66 | 74 |
| Shawano | 69.20 | 94.44 | -25.24 | 73 |
| Phelps | 68.90 | 92.61 | -23.71 | 74 |
| Clintonville | 73.23 | 96.12 | -22.89 | 76 |
| Laona | 73.67 | 95.13 | -21.46 | 77 |
| Wausau | 78.78 | 100.08 | -21.30 | 79 |
| Chilton | 73.34 | 94.50 | -21.16 | 78 |
| Eagle River | 67.84 | 88.77 | -20.93 | 76 |
| Manitowoc | 70.70 | 91.47 | -20.77 | 77 |
| Green Bay | 67.59 | 87.57 | -19.98 | 77 |
| Two Rivers | 72.96 | 90.96 | -18.00 | 80 |
| Hancock | 76.87 | 94.86 | -17.99 | 81 |
| Appleton | 72.52 | 90.48 | -17.96 | 80 |
| Lac Vieux Desert | 84.02 | 101.49 | -17.47 | 83 |
| Goodman | 74.96 | 92.13 | -17.17 | 81 |
| Oshkosh | 77.92 | 94.71 | -16.79 | 82 |
| Wisconsin Rapids | 80.86 | 97.26 | -16.40 | 83 |
| Kewaunee | 74.84 | 90.90 | -16.06 | 82 |
| Brillion | 72.70 | 87.63 | -14.93 | 83 |
| Waupaca | 86.38 | 100.83 | -14.45 | 86 |
| Minocqua Dam | 82.09 | 96.30 | -14.21 | 85 |
| Stevens Point | 82.32 | 96.39 | -14.07 | 85 |
| Washington Island | 74.60 | 85.62 | -11.02 | 87 |
| Sturgeon Bay | 83.79 | 94.59 | -10.80 | 89 |

DROUGHTS SINCE 1900 ACROSS NC/NE WISCONSIN

Here is a look at some of the more significant droughts across north central and from normal during these periods. In some cases, there was sporadic locally heavy rain northeast Wisconsin since 1900. Some caution should be used when looking at precipitation departures amounts during a particular month that was localized. A good example would be summer time thunderstorms that can bring locally heavy rains. These isolated locally heavy rain events can obscure the magnitude of the drought at that location compared to surrounding sites. The departures from normal were calculated using the 1971-2000 normals since many sites have different starting dates and may not have had a long period of record at the time of the drought. Also, as you go further back in time, there were fewer locations that had a complete precipitation data set during the period. Only sites that had a complete data set were used in this study.

For your information, Rice Reservoir is near Tomahawk and Lac Vieux Desert is in Vilas County. Locations were ranked by the total precipitation deficit.

DROUGHT 2003 - MAY 2010

| LOCATION | 2003- MAY 2010 PCPN TOTAL | NORMAL (INCHES) | DEFICIT (INCHES) | PERCENT OF NORMAL |
|-------------------|------------------------------|--------------------|---------------------|----------------------|
| Rest Lake | 178.44 | 237.86 | -59.42 | 75 |
| Rice Reservoir | 185.11 | 239.98 | -54.87 | 77 |
| Stratford | 179.36 | 233.67 | -54.31 | 77 |
| Wausau | 204.24 | 243.81 | -39.57 | 84 |
| Minocqua Dam | 197.24 | 234.29 | -37.05 | 84 |
| Eagle River | 179.85 | 216.16 | -36.31 | 84 |
| Antigo | 187.99 | 223.32 | -35.33 | 84 |
| Merrill | 203.94 | 236.63 | -32.69 | 86 |
| Marshfield | 209.53 | 241.88 | -32.35 | 87 |
| Marinette | 208.29 | 238.33 | -30.04 | 87 |
| Waupaca | 218.94 | 246.71 | -27.77 | 89 |
| Rhineland | 205.69 | 232.75 | -27.47 | 88 |
| Lac Vieux Desert | 222.30 | 247.08 | -24.78 | 90 |
| Wisconsin Rapids | 214.31 | 237.50 | -23.19 | 90 |
| Wausaukee | 207.39 | 227.00 | -19.61 | 91 |
| Clintonville | 216.74 | 234.76 | -18.02 | 92 |
| Shawano | 213.54 | 230.78 | -17.24 | 92 |
| Kewaunee | 205.03 | 222.25 | -17.22 | 92 |
| Phelps | 207.86 | 225.08 | -17.22 | 92 |
| Stevens Point | 222.15 | 235.45 | -13.30 | 94 |
| Laona | 220.21 | 232.22 | -12.01 | 94 |
| Washington Island | 201.22 | 208.78 | - 7.56 | 96 |
| Hancock | 224.51 | 231.57 | - 7.06 | 97 |
| Oconto | 227.26 | 233.09 | - 5.83 | 97 |
| Oshkosh | 225.20 | 231.44 | - 6.24 | 97 |
| Chilton | 225.44 | 230.94 | - 5.50 | 98 |
| Peshtigo | 222.36 | 226.16 | - 3.80 | 98 |
| Sturgeon Bay | 228.89 | 231.32 | - 2.43 | 99 |
| Two Rivers | 223.63 | 223.26 | + 0.37 | 100 |
| Green Bay | 216.79 | 213.92 | + 2.87 | 101 |
| Manitowoc | 229.12 | 224.08 | + 5.04 | 102 |
| New London | 231.70 | 226.15 | + 5.55 | 102 |
| Brillion | 221.64 | 213.87 | + 7.77 | 104 |
| Appleton | 233.57 | 221.34 | +12.23 | 105 |

