

NOAA - National Weather Service


Tampa Bay Area 2525 14th Avenue SE, Ruskin, Florida 33570 813-645-2323 https://weather.gov/tampabay

April 2023 Climate Summary for West Central and Southwest Florida

Temperatures averaged about 2 to 5 degrees Fahrenheit above normal in April with numerous sites ending up in the Top Ten Warmest for April.

APRIL TEMPERATURE RANKINGS (°F):

| | April 2023 | 3 | Normal | Dep fm | Records |
|------------------------|------------------|--------|----------|--------|----------|
| Location | Rank Av | g Temp | Apr Temp | Normal | Began |
| | | | | | |
| Fort Myers Area | 2nd Warmest | 79.0° | 74.8° | +5.2° | Jan 1902 |
| Plant City | 1st Warmest | 77.9° | 73.5° | +4.4° | Sep 1892 |
| St Petersburg Area | 2nd Warmest | 77.2° | 74.1° | +3.1° | Aug 1914 |
| Lakeland Area | 2nd Warmest | 77.0° | 73.2° | +3.8° | Jan 1915 |
| Tampa Area | 3rd Warmest | 77.0° | 73.9° | +3.1° | Apr 1890 |
| Venice | 2nd Warmest | 76.6° | 72.5° | +4.1° | May 1955 |
| Punta Gorda Area | 4th Warmest(tie) | 76.6° | 73.1° | +3.5° | May 1914 |
| Sarasota-Bradenton Are | ea 1st Warmest | 76.2° | 72.6° | +3.6° | Jan 1911 |
| Winter Haven Area | 7th Warmest | 76.2° | 73.8° | +2.4° | Mar 1941 |
| Bartow | 7th Warmest(tie) | 75.9° | 72.5° | +3.4° | Jun 1892 |
| Wauchula 2 N | 3rd Warmest | 75.6° | 71.0° | +4.6° | Jan 1933 |
| Archbold Bio Stn | 2nd Warmest(tie) | 75.0° | 71.7° | +3.3° | Jan 1969 |
| Myakka River State Pk | 4th Warmest | 74.9° | 72.5° | +2.4° | Mar 1956 |
| St. Leo | 8th Warmest(tie) | 74.9° | 71.4° | +3.5° | Apr 1895 |
| Inverness 3 SE | 5th Warmest | 74.2° | 68.5° | +5.7° | Jul 1948 |
| Tarpon Springs | 18th Warmest | 74.2° | 72.2° | +2.0° | Jan 1892 |
| Brooksville Area | 7th Warmest | 74.3° | 69.2° | +5.1° | Jan 1892 |
| Chiefland 5 ESE | 18th Warmest | 70.0° | 68.4° | +1.6° | Jul 1956 |




Graphics Source: NOAA Regional Climate Centers

Contact: Paul Close, Paul.Close@noaa.gov Date: 05/15/2023

As far as rainfall, April is usually one of the drier months of the year, and in areas from around Tampa Bay north across the Nature Coast this was true. However, we did see a couple of cold fronts along with a few upper-level disturbances that brought some decent showers and thunderstorms to the eastern half of the Florida peninsula and southwest Florida.

APRIL RAINFALL (inches):

| | April | 2023 | Normal | Dep fm | Records |
|-------------------------|---------------|------------|----------|--------|----------|
| Location | Rank | Rain Total | Apr Rain | Normal | Began |
| | | | | | |
| Punta Gorda Area | 4th Wettest | 6.07 | 2.23 | +3.84 | May 1914 |
| Archbold Bio Stn | 4th Wettest | 5.64 | 2.54 | +3.10 | Jan 1969 |
| Bartow | 28th Wettest | 4.24 | 2.72 | +1.52 | Jun 1892 |
| Plant City | 28th Wettest | 4.04 | 2.88 | +1.16 | Jan 1893 |
| Fort Myers Area | 18th Wettest | 3.99 | 2.44 | +1.55 | Jan 1902 |
| Sarasota-Bradenton Area | 23rd Wettest | 3.63 | 2.46 | +1.17 | Jan 1911 |
| Winter Haven Area | 25th Wettest | 2.87 | 2.50 | +0.37 | Mar 1941 |
| St. Leo | 79th Driest | 2.86 | 3.06 | -0.20 | Apr 1895 |
| Venice | 39th Driest | 2.11 | 2.47 | -0.36 | May 1955 |
| Chiefland 5 ESE | 29th Driest | 2.09 | 2.97 | -0.88 | Jul 1956 |
| Inverness 3 SE | 27th Driest | 1.59 | 2.69 | -1.10 | Jul 1948 |
| Brooksville Area | 45th Driest | 1.56 | 2.18 | -0.62 | Jan 1892 |
| Myakka River State Pk | 32nd Driest | 1.56 | 2.98 | -1.42 | Sep 1943 |
| Wauchula 2 N | 25th Driest | 1.38 | 2.92 | -1.54 | Jan 1933 |
| Lakeland Area | 30th Driest | 1.22 | 2.82 | -1.60 | Jan 1915 |
| Tarpon Springs | 44th Driest(t | ie) 1.22 | 2.69 | -1.47 | Jan 1892 |
| Tampa Area | 36th Driest | 0.88 | 2.55 | -1.67 | Apr 1890 |
| St. Petersburg Area | 28th Driest | 0.72 | 1.93 | -1.21 | Aug 1914 |



April 2023 Rainfall

Percent of Normal Rain

Date: 05/15/2023

Percent

600

400

300

200

150

125 110

100 -

90 -

75 -

50 -

25 -

10 -

5 -

Contact: Paul Close, Paul.Close@noaa.gov

On the following pages are tables of the top ten warmest, coolest, wettest, and driest Aprils at some official NWS locations, which includes the average/total so far for this April where available, and the 1991-2020 average temperature and rainfall for the month of April.

CHIEFLAND 5 ESE (records began in July 1956):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|-----------------|-----------------|-----------------|
| 1 73.0 in 1991 | 1 63.4 in 1961 | 1 14.61 in 1982 | 1 0.00 in 1967 |
| 2 72.5 in 2002 | 2 64.8 in 2005 | 2 8.46 in 1997 | 2 0.30 in 1963 |
| 3 72.2 in 1999 | 3 64.9 in 2004 | 3 7.39 in 1995 | 3 0.31 in 1969 |
| 4 71.8 in 1970 | 4 65.0 in 1962 | 4 7.16 in 1985 | 4 0.42 in 2016 |
| 5 71.5 in 2020 | 5 65.3 in 1993 | 5 7.13 in 1991 | 5 0.79 in 1989 |
| 6 71.3 in 2017 | 6 65.5 in 2000 | 6 6.65 in 1957 | 6 0.80 in 2000 |
| 71.3 in 2011 | 7 65.6 in 2007 | 7 6.48 in 1983 | 7 0.88 in 2001 |
| 8 71.2 in 1911 | 8 66.4 in 1966 | 8 6.22 in 2005 | 0.88 in 1998 |
| 71.2 in 1965 | 9 66.6 in 1984 | 9 6.20 in 1961 | 9 0.91 in 1993 |
| 10 70.9 in 1994 | 10 66.9 in 1986 | 10 6.12 in 1979 | 0.91 in 1981 |
| | | | |
| 18 70.0 in 2023 | | 37 2.09 in 2023 | 29 2.09 in 2023 |

Normal Temperature for April at CHIF1 = 68.4° Normal Rainfall for April at CHIF1 = 2.97 in.

INVERNESS 3 SE (records began in July 1948):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|----------------|-----------------|-----------------|-----------------|
| 1 75.5 in 1954 | 1 64.8 in 1993 | 1 7.88 in 1953 | 1 0.00 in 1967 |
| 2 74.9 in 2015 | 2 66.1 in 2004 | 2 5.89 in 1991 | 2 0.06 in 2001 |
| 3 74.5 in 1968 | 3 66.2 in 2000 | 3 5.76 in 2011 | 3 0.07 in 1998 |
| 4 74.3 in 1967 | 4 66.3 in 2007 | 4 5.52 in 2021 | 4 0.20 in 1978 |
| 5 74.2 in 2023 | 5 66.4 in 1996 | 5 5.49 in 2022 | 5 0.26 in 1987 |
| 6 74.1 in 1965 | 6 66.8 in 2003 | 6 5.20 in 1997 | 6 0.31 in 1977 |
| 7 74.0 in 1970 | 66.8 in 1992 | 7 5.15 in 1959 | 0.31 in 1974 |
| 8 73.5 in 2002 | 8 67.1 in 1998 | 8 5.01 in 2018 | 8 0.65 in 1999 |
| 9 73.1 in 1969 | 9 67.3 in 1988 | 9 5.00 in 1982 | 9 0.73 in 1968 |
| 73.1 in 1963 | 10 67.4 in 1950 | 10 4.89 in 1984 | 10 0.76 in 1981 |
| | | | |
| | | 49 1.59 in 2023 | 27 1.59 in 2023 |

Normal Temperature for April at INVF1 = 68.5° Normal Rainfall for April at INVF1 = 2.69 in.

Contact: Paul Close, Paul.Close@noaa.gov

BROOKSVILLE AREA (records began in January 1892):

| Warmest Aprils Cool | lest Aprils Wettes | t Aprils D | riest Aprils |
|----------------------------|--------------------|--------------|---------------|
| 1 75.5 in 1947 1 64 | 4.3 in 2005 1 14.4 | 9 in 1928 1 | Trace in 2017 |
| 75.5 in 1945 64 | 4.3 in 2004 2 8.0 | 5 in 1900 | Trace in 1967 |
| 75.5 in 1929 3 64 | 4.8 in 1901 3 7.5 | 4 in 1935 3 | 0.04 in 2001 |
| 4 75.2 in 2015 4 65 | 5.3 in 2000 4 7.4 | 1 in 1949 4 | 0.10 in 1903 |
| 5 74.5 in 1927 5 66 | 5.8 in 2007 5 7.3 | 8 in 1991 5 | 0.16 in 1977 |
| 6 74.4 in 1994 6 67 | 7.1 in 1950 6 6.9 | 2 in 1953 6 | 0.20 in 1981 |
| 7 74.3 in 2023 7 67 | 7.3 in 1892 7 6.4 | 8 in 1937 7 | 0.21 in 1932 |
| 8 74.0 in 1909 8 67 | 7.5 in 1998 8 6.3 | 9 in 1918 8 | 0.25 in 2006 |
| 9 73.9 in 2020 9 67 | 7.6 in 1926 9 6.3 | 3 in 1982 9 | 0.26 in 1998 |
| 10 73.8 in 1981 10 67 | 7.7 in 1952 10 6.2 | 0 in 1926 10 | 0.32 in 1896 |
| | | | • |
| | 85 1.5 | 6 in 2023 45 | 1.56 in 2023 |

Normal Temperature for April at BKV = 69.2° Normal Rainfall for April at BKV = 2.18 in.

ST. LEO (records began in April 1895):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|-----------------|-----------------|-----------------|
| 1 76.8 in 1908 | 1 66.4 in 1931 | 1 15.55 in 1953 | 1 Trace in 1967 |
| 2 76.0 in 1954 | 2 66.7 in 1987 | 2 11.22 in 1928 | 2 0.06 in 1981 |
| 76.0 in 1947 | 66.7 in 1928 | 3 7.41 in 1937 | 0.06 in 1922 |
| 4 75.7 in 1945 | 4 67.7 in 1950 | 4 7.02 in 1997 | 4 0.09 in 2001 |
| 5 75.5 in 2015 | 67.7 in 1915 | 5 6.86 in 1991 | 5 0.11 in 1903 |
| 6 75.4 in 2002 | 67.7 in 1901 | 6 6.75 in 1949 | 6 0.12 in 1963 |
| 7 75.3 in 1994 | 7 68.0 in 1903 | 6.75 in 1941 | 7 0.13 in 2017 |
| 8 74.9 in 2023 | 8 68.4 in 1916 | 8 6.61 in 2018 | 8 0.20 in 1911 |
| 74.9 in 1991 | 9 68.6 in 1993 | 9 6.33 in 1895 | 9 0.21 in 1998 |
| 10 74.6 in 2006 | 10 68.7 in 1913 | 10 6.32 in 2020 | 10 0.23 in 1896 |
| 74.6 in 1999 | | | • • • |
| | | 50 2.86 in 2023 | 79 2.86 in 2023 |

Normal Temperature for April at STLF1 = 71.4° Normal Rainfall for April at STLF1 = 3.06 in.

Contact: Paul Close, Paul.Close@noaa.gov

TARPON SPRINGS (records began in January 1892):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|----------------|-----------------|-----------------|
| 1 76.5 in 2015 | 1 65.7 in 1987 | 1 7.63 in 1931 | 1 0.00 in 1967 |
| 2 76.4 in 1947 | 2 67.1 in 1915 | 2 7.20 in 1942 | 2 Trace in 1896 |
| 3 76.0 in 1991 | 3 67.2 in 1962 | 3 6.97 in 1949 | 3 0.05 in 1922 |
| 4 75.3 in 1945 | 4 67.4 in 1950 | 4 6.66 in 1928 | 4 0.07 in 1981 |
| 5 75.1 in 1994 | 67.4 in 1940 | 5 6.31 in 1953 | 0.07 in 1972 |
| 6 75.0 in 2020 | 6 67.5 in 1903 | 6 6.01 in 1957 | 6 0.08 in 1923 |
| 7 74.9 in 1948 | 7 67.8 in 1916 | 7 6.00 in 2020 | 7 0.16 in 1998 |
| 8 74.8 in 1922 | 8 67.9 in 1971 | 8 5.97 in 1933 | 8 0.18 in 1903 |
| 74.8 in 1912 | 67.9 in 1961 | 9 5.90 in 1959 | 9 0.20 in 2017 |
| 10 74.7 in 2002 | 67.9 in 1910 | 10 5.70 in 1941 | 10 0.23 in 1910 |
| 74.7 in 1929 | | ••• | |
| 12 74.6 in 2017 | | 85 1.22 in 2023 | 44 1.22 in 2023 |
| 74.6 in 1954 | | 1.22 in 1962 | 1.22 in 1962 |
| 74.6 in 1908 | | 1.22 in 1919 | 1.22 in 1919 |
| 15 74.5 in 1927 | | | |
| 16 74.4 in 1911 | | | |
| 17 74.3 in 2011 | | | |
| 18 74.2 in 2023 | | | |

Normal Temperature for April at TRPF1 = 72.2° Normal Rainfall for April at TRPF1 = 2.69 in.

TAMPA AREA (records began in April 1890):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|----------------|-----------------|-----------------|
| 1 78.0 in 2015 | 1 66.3 in 1987 | 1 10.71 in 1997 | 1 Trace in 1981 |
| 2 77.1 in 2017 | 2 66.7 in 1901 | 2 8.04 in 1920 | Trace in 1967 |
| 3 77.0 in 2023 | 3 67.2 in 1993 | 3 7.23 in 1931 | 3 0.02 in 2001 |
| 4 76.9 in 2022 | 4 67.7 in 1950 | 4 6.76 in 2022 | 4 0.05 in 1969 |
| 5 76.8 in 1991 | 5 68.1 in 1903 | 5 6.73 in 2020 | 5 0.16 in 1922 |
| 6 76.6 in 1947 | 6 68.2 in 1899 | 6 6.59 in 1957 | 0.16 in 1898 |
| 7 76.4 in 1908 | 7 68.6 in 1983 | 7 6.14 in 1933 | 7 0.21 in 1963 |
| 8 76.3 in 2011 | 68.6 in 1961 | 8 5.75 in 1926 | 8 0.31 in 1892 |
| 76.3 in 2002 | 68.6 in 1915 | 9 5.48 in 1959 | 9 0.35 in 1938 |
| 10 76.0 in 1945 | 68.6 in 1891 | 10 5.38 in 1895 | 10 0.37 in 1946 |
| | | | |
| | | 99 0.88 in 2023 | 36 0.88 in 2023 |

Normal Temperature for April at TPA = 73.9° Normal Rainfall for April at TRA = 2.55 in.

Contact: Paul Close, Paul.Close@noaa.gov

ST. PETERSBURG (records began in August 1914):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|-----------------|-----------------|-----------------|
| 1 78.6 in 2015 | 1 68.5 in 1950 | 1 9.73 in 1997 | 1 0.00 in 1967 |
| 2 77.2 in 2023 | 2 68.7 in 1987 | 2 9.09 in 1920 | 2 Trace in 1981 |
| 3 77.0 in 2011 | 3 68.9 in 1993 | 3 8.45 in 1951 | 3 0.01 in 1974 |
| 77.0 in 1947 | 4 69.2 in 1952 | 4 7.69 in 1933 | 4 0.04 in 2001 |
| 5 76.9 in 2002 | 5 69.3 in 1983 | 5 7.39 in 1957 | 5 0.07 in 1987 |
| 6 76.6 in 1991 | 6 70.1 in 1916 | 6 7.20 in 2003 | 6 0.11 in 1998 |
| 7 76.5 in 2020 | 7 70.2 in 1915 | 7 6.16 in 1960 | 7 0.24 in 1932 |
| 76.5 in 2013 | 8 70.4 in 1951 | 8 6.09 in 1948 | 8 0.25 in 1977 |
| 9 76.1 in 1929 | 9 70.6 in 1931 | 9 5.81 in 1931 | 9 0.27 in 2006 |
| 10 76.0 in 1981 | 10 70.8 in 1996 | 10 5.46 in 1941 | 0.27 in 1963 |
| 76.0 in 1954 | 70.8 in 1961 | • • • | • • • |
| 76.0 in 1922 | | 82 0.72 in 2023 | 28 0.72 in 2023 |

Normal Temperature for April at SPG = 74.1° Normal Rainfall for April at SPG = 1.93 in.

PLANT CITY (Temperature records began in Sep 1892 and Rainfall records began in Jan 1893):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|----------------------------------|----------------------------------|----------------------------------|--------------------------------|
| 1 77.9 in 2023 2 77.2 in 2020 | 1 65.0 in 1901 2 65.5 in 1987 | 1 7.29 in 1931 2 7.13 in 1957 | 1 0.00 in 2001 0.00 in 1981 |
| 3 76.9 in 2015 | 3 65.9 in 1931 | 3 7.11 in 1933 | 0.00 in 1967 |
| 4 76.1 in 1947 | 4 67.4 in 1932 | 4 6.56 in 1928 | 4 0.16 in 1987 |
| 5 75.9 in 1912 | 5 67.6 in 1983 | 5 6.53 in 1941 | 5 0.20 in 1923 |
| 6 75.8 in 1911 | 67.6 in 1902 | 6 6.40 in 1937 | 0.20 in 1911 |
| 7 75.7 in 1945 | 7 67.7 in 2005 | 7 6.36 in 1947 | 7 0.26 in 1938 |
| 8 75.6 in 2011 | 8 67.9 in 1993 | 8 6.06 in 1997 | 8 0.27 in 1963 |
| 9 75.5 in 1991 | 9 68.0 in 1940 | 9 6.00 in 1951 | 9 0.31 in 1977 |
| 10 75.3 in 2017 | 10 68.2 in 1925 | 10 5.78 in 1959 | 10 0.32 in 1898 |
| | | | • • • |
| | | 28 4.04 in 2023 | 98 4.04 in 2023 |

Normal Temperature for April at PLCF1 = 73.5° Normal Rainfall for April at PLCF1 = 2.88 in.

Contact: Paul Close, Paul.Close@noaa.gov

LAKELAND AREA (records began in January 1915):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|-----------------|-----------------|-----------------|
| 1 77.2 in 2015 | 1 67.3 in 1950 | 1 8.48 in 1959 | 1 0.00 in 1967 |
| 2 77.0 in 2023 | 2 68.3 in 2005 | 2 8.36 in 1939 | 2 0.04 in 2001 |
| 3 76.6 in 2020 | 68.3 in 1952 | 3 8.35 in 1934 | 3 0.05 in 1963 |
| 4 76.5 in 1991 | 4 68.5 in 1987 | 4 8.15 in 1951 | 4 0.09 in 1981 |
| 5 76.3 in 1994 | 5 68.6 in 1961 | 5 7.71 in 1928 | 5 0.22 in 1977 |
| 6 76.2 in 1922 | 68.6 in 1951 | 6 6.84 in 1997 | 6 0.25 in 1922 |
| 7 76.1 in 2011 | 7 68.7 in 2007 | 7 6.77 in 1957 | 7 0.42 in 1972 |
| 8 75.8 in 1947 | 8 68.9 in 1973 | 8 6.66 in 1920 | 0.42 in 1969 |
| 9 75.6 in 1945 | 9 69.0 in 1983 | 9 5.82 in 1926 | 9 0.43 in 1932 |
| 10 75.4 in 1929 | 10 69.5 in 1931 | 10 5.60 in 1941 | 10 0.44 in 1945 |
| | 69.5 in 1915 | | |
| | | 79 1.22 in 2023 | 30 1.22 in 2023 |

Normal Temperature for April at LLDF1 = 73.2° Normal Rainfall for April at LLDF1 = 2.82 in.

WINTER HAVEN AREA (records began in March 1941):

| Warmest Aprils | Coolest Aprils | Wettest Ap | rils D | riest Aprils |
|-------------------|-----------------|------------------------|---------|------------------------------|
| | | 1 7.36 in 2 7.29 in | | 0.00 in 1981 0.00 in 1967 |
| 3 77.5 in 1991 | 68.5 in 1973 | 3 6.51 in | 2008 3 | 0.18 in 1963 |
| 4 77.1 in 1945 | 4 69.0 in 1961 | 4 6.34 in | 1957 4 | 0.28 in 1946 |
| 5 76.6 in 2002 | 5 69.1 in 1971 | 5 5.55 in | 1947 5 | 0.46 in 1952 |
| 6 76.3 in 2011 | 6 69.7 in 2005 | 6 5.30 in | 1960 6 | 0.51 in 2017 |
| 7 76.2 in 2023 | 69.7 in 1962 | 7 5.11 in | 1997 7 | 0.56 in 2001 |
| 8 76.0 in 2020 | 8 69.9 in 1993 | 8 5.01 in | 1959 8 | 0.61 in 1978 |
| 9 75.8 in 1994 | 9 70.0 in 1951 | 9 4.42 in | 2018 9 | 0.62 in 1968 |
| 10 75.7 in 1948 1 | .0 70.1 in 2004 | 4.42 in | 1991 10 | 0.64 in 1986 |
| | • | | | • |
| | 2 | 5 2.87 in | 2023 55 | 2.87 in 2023 |

Normal Temperature for April at GIF = 73.8° Normal Rainfall for April at GIF = 2.50 in.

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

BARTOW (records began in June 1892):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|-----------------|-----------------|------------------|
| 1 78.7 in 1908 | 1 65.9 in 1926 | 1 9.70 in 1920 | 1 0.00 in 1967 |
| 2 77.2 in 1945 | 2 66.3 in 1901 | 2 8.40 in 1951 | 2 Trace in 2000 |
| 3 76.1 in 1991 | 3 66.9 in 1915 | 3 6.89 in 1941 | Trace in 1907 |
| 4 76.0 in 1999 | 4 67.3 in 1928 | 4 6.69 in 1934 | 4 0.04 in 1922 |
| 76.0 in 1947 | 5 68.0 in 1913 | 5 6.43 in 1937 | 5 0.11 in 1981 |
| 76.0 in 1922 | 6 68.1 in 1987 | 6 6.14 in 1935 | 6 0.17 in 1938 |
| 7 75.9 in 2023 | 7 68.4 in 1950 | 7 6.12 in 1954 | 7 0.20 in 1987 |
| 75.9 in 2014 | 68.4 in 1931 | 6.12 in 1895 | 8 0.21 in 2006 |
| 9 75.7 in 1965 | 9 68.8 in 1952 | 9 5.94 in 1933 | 9 0.28 in 2001 |
| 10 75.6 in 2002 | 10 68.9 in 1937 | 10 5.87 in 1991 | 10 0.34 in 1919 |
| 75.6 in 1954 | | • • • | • • • |
| | | 28 4.24 in 2023 | 103 4.24 in 2023 |

Normal Temperature for April at BARF1 = 72.5° Normal Rainfall for April at BARF1 = 2.72 in.

SARASOTA-BRADENTON AREA (records began in January 1911):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|----------------|----------------|-----------------|-----------------|
| 1 76.2 in 2023 | 1 65.9 in 1987 | 1 10.23 in 1957 | 1 0.00 in 1967 |
| 2 75.9 in 2015 | 2 67.0 in 1916 | 2 9.82 in 1920 | 2 Trace in 2017 |
| 75.9 in 1945 | 3 67.1 in 1915 | 3 8.78 in 1997 | 3 0.01 in 1923 |
| 4 75.2 in 2020 | 4 67.5 in 1931 | 4 7.36 in 2020 | 4 0.03 in 1981 |
| 5 75.1 in 1994 | 5 67.8 in 1986 | 5 7.22 in 1933 | 5 0.08 in 1963 |
| 6 75.0 in 2017 | 6 68.3 in 2005 | 6 7.09 in 1951 | 6 0.10 in 1998 |
| 7 74.9 in 1947 | 68.3 in 1950 | 7 5.55 in 1930 | 7 0.10 in 1922 |
| 8 74.6 in 2002 | 8 68.4 in 1993 | 8 5.11 in 1953 | 8 0.14 in 2006 |
| 9 74.5 in 2022 | 9 68.5 in 1971 | 9 4.87 in 1916 | 0.14 in 2001 |
| 74.5 in 1954 | 68.5 in 1940 | 10 4.85 in 1960 | 10 0.15 in 1938 |
| | | • • • | |
| | | 23 3 63 in 2023 | 91 3 63 in 2023 |

Normal Temperature for April at SRQ = 72.6° Normal Rainfall for April at SRQ = 2.46 in.

Contact: Paul Close, Paul.Close@noaa.gov

VENICE (records began in May 1955):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|-----------------|-----------------|-----------------|
| 1 76.9 in 2015 | 1 65.5 in 1987 | 1 13.85 in 1957 | 1 0.00 in 1967 |
| 2 76.6 in 2023 | 2 68.0 in 1986 | 2 7.86 in 1997 | 2 0.06 in 1975 |
| 3 76.2 in 2011 | 3 68.5 in 1993 | 3 6.10 in 1962 | 3 0.07 in 1987 |
| 4 76.1 in 1994 | 4 68.6 in 2005 | 4 5.20 in 1993 | 0.07 in 1978 |
| 5 75.9 in 2013 | 5 68.8 in 1983 | 5 5.18 in 1984 | 5 0.09 in 1963 |
| 6 75.5 in 2002 | 68.8 in 1962 | 6 5.09 in 1991 | 6 0.15 in 2006 |
| 7 75.0 in 2020 | 7 69.0 in 1988 | 7 4.51 in 2013 | 7 0.16 in 2001 |
| 8 74.5 in 2017 | 8 69.3 in 1984 | 4.51 in 1982 | 8 0.17 in 1970 |
| 74.5 in 1999 | 9 69.4 in 2007 | 9 4.12 in 1966 | 9 0.18 in 1999 |
| 10 74.4 in 2012 | 10 69.6 in 1956 | 10 4.01 in 2004 | 10 0.24 in 1972 |
| | | • • • | • • • |
| | | 30 2.11 in 2023 | 39 2.11 in 2023 |

Normal Temperature for April at $VNCF1 = 72.5^{\circ}$ Normal Rainfall for April at VNCF1 = 2.47 in.

MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|----------------|-----------------|-----------------|-----------------|
| 1 77.0 in 2015 | 1 66.5 in 1987 | 1 8.93 in 1997 | 1 0.00 in 2001 |
| 2 76.0 in 1999 | 2 67.8 in 1962 | 2 7.85 in 1993 | 2 Trace in 1981 |
| 3 75.7 in 1994 | 3 68.0 in 1961 | 3 7.10 in 1954 | 3 0.02 in 1987 |
| 4 74.9 in 2023 | 4 68.3 in 2005 | 4 7.02 in 1948 | 4 0.04 in 1946 |
| 5 74.8 in 1982 | 5 68.4 in 1986 | 5 6.82 in 1957 | 5 0.10 in 2006 |
| 6 74.7 in 2013 | 6 68.7 in 1973 | 6 6.54 in 2020 | 6 0.12 in 1970 |
| 74.7 in 2011 | 7 69.2 in 2004 | 7 6.22 in 1951 | 7 0.15 in 1978 |
| 74.7 in 1981 | 8 69.3 in 1971 | 8 5.58 in 1995 | 8 0.20 in 1998 |
| 9 74.4 in 2002 | 9 69.7 in 1983 | 9 5.17 in 2008 | 9 0.33 in 1971 |
| 74.4 in 1970 | 10 70.0 in 1963 | 10 5.05 in 1982 | 10 0.43 in 1950 |
| | | • • • | |
| | | 46 1.56 in 2023 | 32 1.56 in 2023 |

Normal Temperature for April at MKCF1 = 72.5° Normal Rainfall for April at MKCF1 = 2.98 in.

Contact: Paul Close, Paul.Close@noaa.gov

WAUCHULA 2 N (records began in January 1933):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|----------------|-----------------|-----------------|
| 1 55 0 1 1045 | 1 65 5 1 1050 | 1 0 06 1 1051 | 1 0 00 1 0001 |
| 1 77.2 in 1945 | 1 65.7 in 1950 | 1 8.26 in 1951 | 1 0.00 in 2001 |
| 2 76.3 in 1947 | 2 66.7 in 1993 | 2 7.75 in 1947 | 0.00 in 1978 |
| 3 75.6 in 2023 | 66.7 in 1987 | 3 6.94 in 1962 | 0.00 in 1967 |
| 4 75.4 in 2015 | 4 66.8 in 2004 | 4 6.60 in 1995 | 4 0.03 in 1963 |
| 5 74.8 in 1968 | 5 67.6 in 1983 | 5 6.55 in 1953 | 5 0.05 in 1971 |
| 6 74.7 in 1991 | 6 67.9 in 1952 | 6 6.44 in 1992 | 6 0.08 in 1981 |
| 7 74.5 in 1970 | 7 68.1 in 1951 | 7 6.36 in 1934 | 7 0.13 in 1970 |
| 8 74.4 in 1975 | 8 68.3 in 2000 | 8 6.16 in 2021 | 8 0.16 in 1987 |
| 9 74.2 in 1965 | 9 68.5 in 2007 | 9 5.95 in 1997 | 9 0.22 in 1945 |
| 10 74.1 in 2020 | 68.5 in 1997 | 10 5.44 in 1933 | 10 0.23 in 1975 |
| 74.1 in 1982 | | • • • | • • • |
| 74.1 in 1939 | | 63 1.38 in 2023 | 25 1.38 in 2023 |

Normal Temperature for April at WAUF1 = 71.0° Normal Rainfall for April at WAUF1 = 2.92 in.

ARCHBOLD BIO STN (records began in January 1969):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|-----------------|-----------------|-----------------|
| 1 76.6 in 2015 | 1 63.0 in 1987 | 1 9.53 in 2021 | 1 0.03 in 2006 |
| 2 75.0 in 2023 | 2 66.4 in 1986 | 2 5.90 in 1972 | 2 0.08 in 1971 |
| 75.0 in 2020 | 3 66.7 in 2004 | 3 5.65 in 2015 | 3 0.16 in 1981 |
| 4 74.8 in 1991 | 4 66.9 in 1993 | 4 5.64 in 2023 | 4 0.19 in 1970 |
| 5 74.4 in 2011 | 5 67.4 in 2005 | 5 5.47 in 1997 | 5 0.21 in 1986 |
| 6 74.1 in 1994 | 67.4 in 1983 | 6 5.37 in 2013 | 6 0.42 in 2016 |
| 7 73.7 in 1982 | 7 67.7 in 2000 | 7 4.91 in 1992 | 7 0.43 in 1978 |
| 8 73.5 in 1975 | 8 68.6 in 1971 | 8 4.90 in 1973 | 8 0.52 in 1987 |
| 9 73.4 in 2013 | 9 68.7 in 1992 | 9 4.15 in 1982 | 9 0.59 in 2009 |
| 10 73.1 in 2017 | 10 68.8 in 2007 | 10 4.10 in 2004 | 10 0.69 in 1977 |
| | 68.8 in 1984 | | |

Normal Temperature for April at ACHF1 = 71.7° Normal Rainfall for April at ACHF1 = 2.54 in.

Contact: Paul Close, Paul.Close@noaa.gov

PUNTA GORDA AREA (records began in May 1914):

| Wá | armest | : Ap | prils | C | polest | t Ag | prils | We | ttest | Apı | rils | D | riest A | Apri | ils |
|----|----------------------|------|-------|----|----------------------|------|-------|----|----------------------|-----|--------------|----|---------|------|------|
| 2 | 78.7 78.2 76.9 | in | 1947 | 2 | 67.9 68.7 69.1 | in | 1915 | 2 | 8.70 7.93 7.08 | in | 1957 | 1 | 0.00 | in | |
| _ | 76.6 | | | J | 69.1 | | | 4 | 6.07 | | | 4 | Trace | | |
| | 76.6 | in | 2015 | 5 | 69.2 | in | 2005 | 5 | 5.80 | in | 1994 | | Trace | in | 1967 |
| | 76.6 | in | 1994 | 6 | 69.7 | in | 1971 | 6 | 5.52 | in | 1941 | 6 | 0.03 | in | 1922 |
| 7 | 76.1 | in | 1954 | 7 | 70.0 | in | 1993 | 7 | 5.36 | in | 1947 | 7 | 0.05 | in | 2006 |
| 8 | 76.0 | in | 1991 | | 70.0 | in | 1986 | 8 | 5.20 | in | 1933 | 8 | 0.09 | in | 1970 |
| | 76.0 | in | 1946 | 9 | 70.1 | in | 2000 | 9 | 5.15 | in | 1997 | 9 | 0.10 | in | 2001 |
| 10 | 75.9 | in | 1948 | 10 | 70.2 | in | 1950 | 10 | 5.08 5.08 | | 1965 1948 | 10 | 0.11 | in | 1987 |

Normal Temperature for April at PGD = 73.1° Normal Rainfall for April at PGD = 2.23 in.

FORT MYERS AREA (records began in January 1902):

| Wa | ırmest | . Ar | prils | Co | polest | t Ar | orils | Wet | test | Apr | rils | Di | riest A | Apri | ils |
|----|--------|------|-------|----|--------|------|-------|-----|------|-----|------|-----|---------|------|------|
| 1 | 79.2 | in | 2020 | 1 | 68.5 | in | 1950 | 1 | 8.42 | in | 1939 | 1 | Trace | in | 1970 |
| 2 | 79.0 | in | 2023 | 2 | 68.8 | in | 1987 | 2 | 7.66 | in | 1941 | | Trace | in | 1967 |
| 3 | 78.8 | in | 2015 | 3 | 69.3 | in | 1915 | 3 | 6.06 | in | 1933 | | Trace | in | 1903 |
| 4 | 77.7 | in | 2011 | 4 | 69.6 | in | 1903 | 4 | 5.89 | in | 1930 | 4 | 0.01 | in | 2006 |
| | 77.7 | in | 1991 | 5 | 70.1 | in | 1983 | 5 | 5.83 | in | 2022 | | 0.01 | in | 1946 |
| | 77.7 | in | 1947 | | 70.1 | in | 1910 | 6 | 5.68 | in | 1994 | 6 | 0.02 | in | 1922 |
| 7 | 77.5 | in | 2022 | 7 | 70.2 | in | 1952 | 7 | 5.61 | in | 1916 | 7 | 0.08 | in | 1981 |
| 8 | 77.4 | in | 1994 | 8 | 70.4 | in | 1971 | 8 | 5.50 | in | 1949 | | 0.08 | in | 1950 |
| 9 | 77.3 | in | 1908 | 9 | 70.6 | in | 1931 | 9 | 5.34 | in | 1995 | 9 | 0.11 | in | 1974 |
| 10 | 76.9 | in | 2018 | 10 | 70.8 | in | 2005 | 10 | 5.01 | in | 1991 | 10 | 0.14 | in | 1987 |
| | 76.9 | in | 2013 | | 70.8 | in | 1993 | | | | | | | | |
| | 76.9 | in | 2002 | | 70.8 | in | 1961 | 18 | 3.99 | in | 2023 | 105 | 3.99 | in | 2023 |
| | 76.9 | in | 1945 | | 70.8 | in | 1907 | | | | | | | | |
| | | | | | 70.8 | in | 1902 | | | | | | | | |

Normal Temperature for April at FMY = 74.8° Normal Rainfall for April at FMY = 2.44 in.

For more Climate information visit our web site at the following link: https://www.weather.gov/tampabay and then go to the Climate and Past Weather drop down menu above the graphical forecast images.

Contact: Paul Close, Paul.Close@noaa.gov Date: 05/15/2023