

NOAA - National Weather Service

Tampa Bay Area 2525 14th Avenue SE, Ruskin, Florida 33570 813-645-2323 https://weather.gov/tampabay

August and Summer 2024 Climate Summary for West Central and Southwest Florida

For August and for the Summer (June/July/August) temperatures across West Central and Southwest Florida averaged from about 0.5 to 3 degrees above normal, with several sites ending up in the Top Ten Warmest for August, Top Three Warmest for Summer (June/July/August), and a few in the Top Ten Warmest Month overall.

AUGUST TEMPERATURE RANKINGS (°F):

	August 2024		Normal	Dep fm	Records
Location	Ranking Avg	Temp	Aug Temp	Normal	Began
Plant City	2nd Warmest(tie)	86.6°	83.6°	+3.0°	Sep 1892
St Petersburg Area	3rd Warmest	86.2°	84.0°	+2.2°	Aug 1914
Punta Gorda Area	2nd Warmest	86.0°	83.5°	+2.5°	May 1914
Venice	5th Warmest	85.1°	83.1°	+2.0°	May 1955
Winter Haven Area	5th Warmest(tie)	84.9°	84.1°	+0.8°	Mar 1941
Fort Myers Area	3rd Warmest(tie)	84.8°	83.4°	+1.4°	Jan 1902
Tampa Area	9th Warmest(tie)	84.7°	84.0°	+0.7°	Apr 1890
Lakeland Area	4th Warmest(tie)	84.6°	83.3°	+1.3°	Jan 1915
Tarpon Springs	10th Warmest(tie)	84.0°	83.3°	+0.7°	Jan 1892
Sarasota-Bradenton Area	9th Warmest(tie)	83.7°	83.4°	+0.3°	Jan 1911
Wauchula	5th Warmest(tie)	83.6°	82.3°	+1.3°	Jan 1933
Brooksville Area	5th Warmest	83.3°	81.5°	+1.8°	Jan 1892
Myakka River State Pk	16th Warmest	83.3°	83.1°	+0.2°	Mar 1956
Bartow	22nd Warmest(tie)	83.3°	82.3°	+1.0°	Jun 1892
Archbold Bio Stn	5th Warmest(tie)	83.1°	82.1°	+1.0°	Jan 1969
St. Leo	17th Warmest(tie)	83.1°	81.4°	+1.7°	Apr 1895
Chiefland 5 ESE	6th Warmest(tie)	82.7°	80.8°	+1.9°	Jul 1956


86.5

86 85.5 85 84.5 84 83.5


83 82.5

82

81.5



Departure from Normal Temperature (F) 8/1/2024 - 8/31/2024



Graphics Source: NOAA Regional Climate Centers

Contact: Paul Close, Paul.Close@noaa.gov

Date: 9/05/2024


SUMMER TEMPERATURE RANKINGS (°F):

86.5 86 85.5 85 84.5 84


83

82

Temperature (F) 6/1/2024 - 8/31/2024



Departure from Normal Temperature (F) 6/1/2024 - 8/31/2024



Graphics Source: NOAA Regional Climate Centers

The table below list how August 2024 ranked versus any other month since records began at each location. A few sites ended up in the Top Ten for the Warmest Month since records began.

WARMEST MONTH TEMPERATURE RANKINGS (°F):

	August 20	24	Record	Records
Location	Ranking A	vg Temp	Month and Year	: Began
Plant City	4th Warmest(tie)	86.6°	87.8° in Aug 202	23 Sep 1892
St Petersburg Area	6th Warmest	86.2°	87.5° in Aug 200)5 Aug 1914
Punta Gorda Area	3rd Warmest	86.0°	86.7° in Jul 202	24 May 1914
Venice	13th Warmest		88.1° in Sep 198	88 May 1955
Winter Haven Area	10th Warmest(tie)	84.9°	86.1° in Jul 202	24 Mar 1941
Fort Myers Area	10th Warmest(tie)	84.8°	86.1° in Jul 202	23 Jan 1902
Tampa Area	20th Warmest(tie)	84.7°	86.9° in Aug 202	-
Lakeland Area	11th Warmest(tie)	84.6°	86.0° in Aug 202	23 Jan 1915
Tarpon Springs	25th Warmest(tie)	84.0°	85.2° in Aug 202	20* Jan 1892
Sarasota-Bradenton Area	19th Warmest(tie)	83.7°	86.2° in Jul 202	23 Jan 1911
Wauchula	11th Warmest(tie)	83.6°	85.4° in Aug 200	9 Jan 1933
Brooksville Area	11th Warmest(tie)	83.3°	84.6° in Jul 202	4* Jan 1892
Myakka River State Pk	29th Warmest	83.3°	86.7° in Aug 199	3 Mar 1956
Bartow	49th Warmest(tie)	83.3°	87.4° in Aug 201	.4 Jun 1892
Archbold Bio Stn	11th Warmest(tie)	83.1°	83.9° in Aug 202	23 Jan 1969
St. Leo	38th Warmest(tie)	83.1°	86.4° in Jun 199	98 Apr 1895
Chiefland 5 ESE	14th Warmest(tie)	82.7°	84.5° in Aug 202	3 Jul 1956


*Last of Multiple Occurrences

As for rainfall it's was a wet August in many areas thanks to Debby with amounts ranging from as little as 6 inches over the interior to over 20 inches in portions of Manatee and Sarasota Counties. For the summer (June/July/August) totals ranged from around 20 inches to over 40 inches.


AUGUST RAINFALL RANKINGS (inches):

Location	August Rank	2024 Rain Total	Normal Aug Rain	Dep fm Normal	Records Began
			-		-
Sarasota-Bradenton Ar	rea*	23.55*	9.11	+14.44	Jan 1911
Venice	1st Wettest	21.96	8.34	+13.62	May 1955
Myakka River State Pk	4th Wettest	17.90	10.12	+7.78	Sep 1943
Tampa Area	3rd Wettest	17.78	9.03	+8.75	Apr 1890
Chiefland 5 ESE	11th Wettest	14.20	9.87	+4.33	Jul 1956
Plant City	8th Wettest	14.15	8.85	+5.30	Feb 1893
St. Leo	10th Wettest	13.79	8.28	+5.51	Apr 1895
Punta Gorda Area	8th Wettest	12.75	9.11	+3.64	May 1914
Fort Myers Area	19th Wettest	12.20	10.43	+1.77	Jan 1902
Tarpon Springs	28th Wettest	11.96	9.66	+2.30	Jan 1892
Lakeland Area	13th Wettest	10.73	9.08	+1.65	Jan 1915
Brooksville Area	35th Wettest	10.03	8.12	+1.91	Jan 1892
Wauchula	19th Wettest	9.98	8.46	+1.52	Jan 1933
Bartow	38th Wettest	9.43	7.78	+1.65	Jun 1892
Winter Haven Area	23rd Wettest	8.50	6.52	+1.98	Mar 1941
Archbold Bio Stn	24th Driest	7.27	8.49	-1.22	Jan 1969

* Rainfall was missing on August 5th at Sarasota-Bradenton due to equipment failure. Radar estimates and local rain gauges indicate that 3 to 4 inches of rain fell on this day which would make this the Wettest August on record.



August 2024 Rainfall



Percent of Normal


Contact: Paul Close, Paul.Close@noaa.gov


Date: 9/05/2024

SUMMER RAINFALL RANKINGS (inches):

Location	Summe Rank	r 2024 Rain Total	Normal Sum Rain	Dep fm Normal	Records Began
Sarasota-Bradenton Fort Myers Area Tampa Area Myakka River State Venice Plant City Brooksville Area St. Leo Lakeland Area Punta Gorda Area Tarpon Springs Chiefland 5 ESE Bartow Archbold Bio Stn Wauchula	1st Wettes 2nd Wettes	t 43.87 t 38.52 t 38.00 t 37.69 t 34.35 t 29.85 t 27.53 t 27.17 t 26.68 t 26.41 25.85 t 24.79 24.71	23.55 29.47 24.15 29.88 23.54 27.21 25.44 24.72 26.62 26.41 25.77 26.22 23.62 25.68 24.61	+23.77 +14.40 +14.37 +8.12 +14.15 +7.14 +4.41 +2.81 +0.55 +0.27 +0.64 -0.37 +1.17 -0.97 -0.15	Jan 1911 Jan 1902 Apr 1890 Sep 1943 May 1955 Feb 1893 Jan 1892 Apr 1895 Jan 1915 May 1914 Jan 1892 Jul 1956 Jun 1892 Jan 1969 Jan 1933
Winter Haven Area	37th Wettes	t 22.39	21.32	+1.07	Mar 1941

* Rainfall was missing on August 5th due to equipment failure. Radar estimates and local rain gauges indicate that 3 to 4 inches of rain fell on this day which would increase the Summer rainfall total to over 50 inches.





On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest August's and Summers at some official NWS locations, which includes the average/total for this August and Summer where available, as well as the 1991-2020 Normal (average) temperature and rainfall for these time periods. Also included are tables listing the Top Ten Warmest Average Monthly Temperatures, Warmest Monthly Average Maximum Temperatures, and the Warmest Monthly Average Minimum Temperatures.

Wa	rmest August's	Co	olest August's	We	ttest August's	Dri	est August's
1	84.5 in 2023	1	78.3 in 1969	1	20.44 in 1971	1	3.17 in 1980
2	83.4 in 1980	2	78.9 in 1967	2	17.10 in 1986	2	3.71 in 1973
3	82.9 in 2020	3	79.0 in 1994	3	16.59 in 1985	3	3.84 in 2023
4	82.9 in 2018	4	79.3 in 2008	4	16.44 in 2015	4	3.97 in 2000
5	82.8 in 1999	5	79.4 in 1996	5	14.61 in 1988	5	4.06 in 1956
6	82.7 in 2024	6	79.5 in 2003	6	14.55 in 1961	6	5.28 in 2014
	82.7 in 2022		79.5 in 2002	7	14.43 in 1979	7	5.36 in 2009
	82.7 in 2016		79.5 in 1979	8	14.33 in 2010	8	5.50 in 1963
9	82.6 in 2015	9	79.7 in 2004		14.33 in 1966	9	5.51 in 1976
10	82.5 in 2011		79.7 in 1966	10	14.23 in 1968	10	5.72 in 1987
	82.5 in 1987			11	14.20 in 2024		

Normal August Temp at CHIF1 = 80.8°

CHIEFLAND 5 ESE (records began in July 1956):

Normal August Rain at CHIF1 = 9.87 in.

Warmest Summers Coolest Summers			est Summers	Wettest Summers			Driest Summers		
1	82.9 in 2016	1	79.0 in 1965	1	37.95 in 2012	1	15.28 in 1973		
2	82.7 in 2024	2	79.1 in 1974	2	36.55 in 2019	2	15.58 in 2014		
3	82.6 in 1998		79.1 in 1966	3	36.38 in 2001	3	18.48 in 1969		
4	82.5 in 2015	4	79.2 in 1969	4	35.41 in 1965	4	18.49 in 1972		
5	82.4 in 2023	5	79.4 in 2008	5	34.90 in 2018	5	18.54 in 2006		
6	82.3 in 2022		79.4 in 2002	6	34.89 in 1964	6	18.76 in 1998		
7	82.0 in 2018		79.4 in 1994	7	34.88 in 2003	7	19.05 in 2011		
8	81.9 in 2017		79.4 in 1972	8	34.30 in 2013	8	19.17 in 1977		
9	81.8 in 2020	9	79.5 in 1979	9	34.21 in 1974	9	19.48 in 1993		
10	81.7 in 2011		79.5 in 1963	10	33.23 in 1988	10	19.57 in 2007		
				• • •		• • •			
				35	25.85 in 2024	30	25.85 in 2024		
	Normal Summer Temp at CHIF1 = 80.2° Normal Summer Rain at CHIF1 = 26.22 in.								

	Warme Av		Mont Temp	_		Warme Avg			_		Warme Avg			-
1	84.5	in	Aug	2023	1	95.4	in	Jun	1989	1	74.9	in	Aug	2021
2	83.8	in	Jul	2016	2	94.6	in	Jul	1983	2	74.5	in	Aug	2023
3	83.5	in	Jul	2023		94.6	in	Jun	1977	3	74.4	in	Aug	2015
4	83.4	in	Aug	1980	4	94.5	in	Aug	2023	4	74.3	in	Aug	2019
5	83.2	in	Sep	2018		94.5	in	Jun	1998	5	74.2	in	Jul	2023
6	83.1	in	Jul	2024		94.5	in	Jul	1981	6	74.1	in	Aug	2024
	83.1	in	Jul	1983	7	94.3	in	Aug	1980	7	73.9	in	Aug	2020
8	83.0	in	Jul	1998	8	94.2	in	Jul	1987		73.9	in	Sep	2018
	83.0	in	Jul	1987	9	94.1	in	Jun	1985		73.9	in	Aug	2018
10	82.9	in	Aug	2020	10	94.0	in	Jul	2016	10	73.8	in	Jul	2024
	82.9	in	Aug	2018	• •						73.8	in	Aug	2016
12	82.8	in	Jul	2015	76	91.6	in	Aug	2024		73.8	in	Aug	2010
	82.8	in	Aug	1999		91.6	in	Jul	1995		73.8	in	Aug	1999
14	82.7	in	Aug	2024		91.6	in	Jun	1960		73.8	in	Jul	1998
	82.7	in	Aug	2022										
	82.7	in	Aug	2016										

INVERNESS 3 SE (records began in July 1948):

Warmest A	ugust's	Сос	lest	Aug	gust's	Wet	test A	Augu	ıst's	Drie	est August's
1 84.4 i	n 2011	1	78.1	in	1994	1	16.70	in	1949	1	1.77 in 1963
2 84.0 i:	n 2010	2	78.5	in	2004	2	16.58	in	2008	2	2.43 in 1993
3 83.7 i	n 1954	3	79.8	in	1997	3	16.19	in	1961	3	3.08 in 2013
4 83.4 i	n 1956	4	79.9	in	1976	4	15.87	in	1953	4	3.27 in 1999
5 83.3 i	n 2022	5	80.0	in	1992	5	15.03	in	1992	5	3.86 in 1989
83.3 i:	n 2016	6	80.2	in	2003	6	13.35	in	1985	6	3.88 in 1997
7 83.2 i	n 2020	7	80.4	in	2002	7	13.15	in	1970	7	4.18 in 2014
83.2 i:	n 1955		80.4	in	1996	8	12.97	in	1965	8	4.48 in 1987
9 83.0 i	n 1983	9	80.7	in	1986	9	12.63	in	2019	9	4.50 in 1973
83.0 i:	n 1963		80.7	in	1949	10	12.43	in	1968	10	4.57 in 2001
			80.7	in	1948						

Average Temperature for August 1-25, 2024 = 83.3° Normal August Temp at INVF1 = 80.7°

Total Rainfall for August 1-25, 2024 = 9.27 in. Normal August Rain at INVF1 = 8.69 in.

Warmest Summers	Coolest Summers	Wettest Summers	Driest Summers
1 83.9 in 2010	1 78.4 in 1994	1 37.83 in 1965	1 14.38 in 1993
2 83.4 in 2016	2 79.6 in 2003	2 36.34 in 2003	2 14.48 in 1952
3 83.2 in 2022	79.6 in 1995	3 35.38 in 1985	3 14.73 in 1998
83.2 in 2011	4 79.9 in 1997	4 35.23 in 1949	4 15.10 in 1997
5 83.0 in 1998	5 80.0 in 2004	5 35.17 in 1953	5 16.47 in 1979
6 82.9 in 2020	6 80.1 in 2018	6 34.33 in 1960	6 17.02 in 1999
82.9 in 2019	7 80.2 in 1991	7 34.30 in 1982	7 17.32 in 1987
8 82.6 in 1981	8 80.3 in 2001	8 34.06 in 2002	8 17.39 in 1972
82.6 in 1969	80.3 in 1996	9 33.99 in 2012	9 17.84 in 2006
82.6 in 1954	80.3 in 1986	10 32.74 in 2008	10 17.96 in 1956
82.6 in 1952			

Average Temperature for June 1 - August 25, 2024 = 83.6° Normal Summer Temp at INVF1 = 80.4°

Total Rainfall for June 1 - August 25, 2024 = 24.00 in. Normal Summer Rain at INVF1 = 24.62 in.

	Warmest Monthly				Warme	-	Warmest Monthly Avg Min Temps							
	٨٦	7g '_	ſemp			Avg	Маз	k Ter	nps		Avg	Mır	ı 'l'er	nps
	84.6 84.4					96.8 95.9					75.1 74.7			
	84.3					95.9					74.7			
						95.7				5			2	
	84.2				4	95.1	ΤΠ	Jun	ZUII		74.5		_	
5	84.0	in	Aug	2010	5	95.1	in	Jun	2015	5	74.3	in	Aug	2019
	84.0	in	Jul	2010		95.1	in	Jun	1981		74.3	in	Aug	2011
7	83.8	in	Jul	1969	7	95.0	in	Aug	1956	7	74.2	in	Aug	2020
8	83.7	in	Aug	1954	8	94.7	in	Jul	2010	8	74.1	in	Jul	1969
9	83.6	in	Jun	1981		94.7	in	Jun	1950	9	74.0	in	Aug	2022
10	83.5	in	Ju3	2020	10	94.5	in	Jun	1977		74.0	in	Aug	1983
	83.5	in	Jun	2010		94.5	in	Aug	1955					
	83.5	in	Jul	1979				-						

Average Temperature for August 1-25, $2024 = 83.3^{\circ}$ Average Max Temperature for August 1-25, $2024 = 92.2^{\circ}$ Average Min Temperature for August 1-25, $2024 = 74.4^{\circ}$

BROOKSVILLE AREA (records began in January 1892):

Wa	rmest August's	Coolest August's	Wettest August's	Driest August's
1 2 3 4	84.6 in 2023 83.9 in 1926 83.8 in 2011 83.5 in 2017	1 79.1 in 1922 79.1 in 1894 3 79.2 in 1994 4 79.3 in 1932	1 23.95 in 1949 2 20.91 in 1945 3 17.47 in 1905 4 17.13 in 1928	1 2.61 in 1955 2 2.65 in 1958 3 2.68 in 2002 4 2.76 in 1963
5	83.3 in 2024	79.3 in 1892	5 16.34 in 1901	5 3.45 in 1919
6	83.2 in 1928	6 79.5 in 1949	6 14.84 in 1965	6 3.68 in 2009
7	83.1 in 1927	79.5 in 1920	14.84 in 1957	7 3.76 in 1916
8	83.0 in 2022	79.5 in 1898	8 14.19 in 1995	8 3.88 in 1951
9	82.9 in 2013	9 79.6 in 1904	9 13.74 in 1910	9 4.12 in 1976
	82.9 in 1963	10 79.7 in 1901	10 13.68 in 1939	10 4.15 in 1997
	82.9 in 1941			
	82.9 in 1933		35 10.03 in 2024	97 10.03 in 2024

Normal August Temp at BKV = 81.5° Normal August Rain at BKV = 8.12 in.

Wa	rmest Summers	Co	olest Summers	We	ttest Summers	Dr	iest Summers
1	83.6 in 1927	1	78.4 in 1894	1	57.08 in 1945	1	13.03 in 1996
2	83.5 in 2024	2	78.8 in 1920	2	41.37 in 2003	2	13.05 in 1997
3	83.0 in 2023	3	79.0 in 1922	3	41.33 in 1949	3	14.06 in 1979
4	82.6 in 2011	4	79.1 in 1921	4	39.60 in 1943	4	14.34 in 1958
5	82.5 in 2022	5	79.3 in 1904	5	38.64 in 1928	5	14.97 in 1931
6	82.4 in 1928	6	79.4 in 1947	6	38.55 in 1906	6	14.99 in 1954
7	82.3 in 2017		79.4 in 1946	7	37.96 in 2013	7	15.06 in 1902
	82.3 in 1981	8	79.5 in 1965	8	37.46 in 1905	8	15.56 in 1973
9	82.2 in 2019		79.5 in 1949	9	36.81 in 2012	9	15.84 in 1955
	82.2 in 2010		79.5 in 1919	10	34.93 in 2015	10	15.90 in 1916
	82.2 in 1998						
				31	29.85 in 2024	99	29.85 in 2024
	mal Summer Temp mal Summer Rain						

				chly		Warme Avg			chly nps		Warme Avg			-
		in	Aug	2023	2	97.0 95.5	in	Jul	1930	2	75.1 74.9	in	Aug	1941
	84.2				3	95.2					74.8		-	
	83.9		-						1927		74.7			
5	83.8					95.1		_			74.6		-	
	83.8	in	Aug	2011	6	94.9	in	Aug	1926	6	74.5	in	Aug	2023
7	83.6	in	Jul	1930	7	94.8	in	Aug	2023	7	74.4	in	Jul	1942
	83.6	in	Jul	1927		94.8	in	Jun	1998	8	74.3	in	Aug	2017
9	83.5	in	Aug	2017	9	94.6	in	Jul	2024	9	74.2	in	Aug	2010
	83.5	in	Jul	1931	10	94.3	in	Jun	1935		74.2	in	Aug	1909
11	83.3	in	Aug	2024	• • •					11	74.0	in	Aug	2024
	83.3	in	Jul	1942	44	92.5	in	Aug	2024		74.0	in	Aug	2019
						92.5	in	Jun	2022				_	
						92.5	in	Auq	2011					
						92.5	in	Juĺ	2011					
						92.5								
						92.5								

ST LEO (records began in April 1895):

Warme	est A	ugust's	Co	olest	Aug	gust's	We	ttest A	ugu	ıst's	Dri	est Aı	ıgus	st's
2 84 3 84 4 84 5 84 6 83	4.7 in 4.2 in 4.1 in 4.0 in 3.9 in	n 2007 n 2005 n 2023 n 1900 n 1987 n 1941	2 4	79.4 79.4 79.5 79.5 79.5	in in in in	1930 1919 1904	2 3 4 5 6	19.75 17.60 16.99 16.26 16.08	in in in in	1898 1901 1945 1979 1905 1965	2 3 4 5 6	2.16 2.72 2.97 3.05 3.78 3.90	in in in in	1980 1921 1915 1938 1941
		n 1924 n 2006		79.7 79.8			7 8	14.97		1967	7	4.03 4.03		
83 83 12 83 83 15 83 16 83	3.6 in 3.6 in 3.5 in 3.5 in 3.5 in 3.5 in 3.4 in 3.2 in	n 2006 n 1983 n 1951 n 1899 n 1980 n 1963 n 1954 n 2009 n 1998 n 2024	8 9	80.1	in		8 9 10	14.20	in			4.03 4.17 4.25	in	1924
83 83 Norma	3.1 in 3.1 in 3.1 in 1 Augn	n 1999 n 1995 n 1993 n 1989 ust Temp a ust Rain a												

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

Warmest Summers	Coolest Summers We	ettest Summers	Driest Summers
<pre>2 83.4 in 2005 3 83.2 in 1987 83.2 in 1900 5 83.0 in 2024 83.0 in 2006 7 82.9 in 1981 82.9 in 1896</pre>	2 78.5 in 1919 2 3 78.6 in 1920 3 4 78.8 in 1930 4 5 78.9 in 1923 5	34.48 in 2002 33.33 in 2003 32.26 in 1906	2 14.51 in 1958 3 15.09 in 1951 4 15.97 in 1987 5 15.98 in 1915 6 16.10 in 1980 16.10 in 1902 8 16.20 in 1921 9 16.94 in 1997 10 17.01 in 1952
Normal Summer Temp at Normal Summer Rain at			
Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Mon Avg Min Te	thly mps
3 84.7 in Aug 2005 4 84.3 in Jul 2005 84.3 in Jul 1998 6 84.2 in Aug 2023 7 84.1 in Aug 1900 8 84.0 in Aug 1987 9 83.9 in Jul 1942 83.9 in Aug 1941 38 83.1 in Aug 2024	<pre>1 96.7 in Jun 1998 2 95.4 in Jun 1898 3 95.0 in Jun 1981 95.0 in Jul 1896 5 94.8 in Aug 2007 6 94.7 in Aug 1987 94.7 in Aug 1900 94.7 in Jun 1899 94.7 in Jun 1897 10 94.5 in Jul 1942 243 90.9 in Aug 2024 90.9 in Jul 2011 90.9 in May 2008 90.9 in Jul 2001 90.9 in Sep 1993 90.9 in Aug 1992 90.9 in Jul 1986 90.9 in Sep 1977 90.9 in Jul 1954 90.9 in Jul 1937 90.9 in Jul 1930 90.9 in Jul 1913 90.9 in Jun 1900</pre>	3 75.2 in Aug 4 75.1 in Jul 75.1 in Aug 6 74.9 in Aug 7 74.7 in Aug 74.7 in Jul 9 74.6 in Jul	2024 2023 2005 1995 2007 2005 1998 2024

Wa	rmest August's	Со	olest August's	We	ttest August's	Dr	iest August's
1	85.2 in 2020	1	79.5 in 1905	1	23.60 in 1949	1	1.96 in 1930
2	84.9 in 1995		79.5 in 1904	2	20.99 in 1906	2	2.02 in 1899
3	84.3 in 1993	3	79.6 in 1969	3	18.97 in 2017	3	2.39 in 1963
4	84.2 in 2014		79.6 in 1900	4	18.52 in 1969	4	2.57 in 2001
	84.2 in 2007	5	80.1 in 1967	5	17.77 in 1957	5	2.84 in 1964
	84.2 in 1999		80.1 in 1892	6	17.06 in 1928	6	2.90 in 1934
	84.2 in 1997	7	80.2 in 1894	7	16.99 in 2010	7	3.70 in 2006
8	84.1 in 2019	8	80.4 in 1911	8	16.80 in 1905	8	3.72 in 1921
	84.1 in 2017		80.4 in 1910	9	16.67 in 1939	9	4.33 in 1916
10	84.0 in 2024		80.4 in 1907	10	16.05 in 1898	10	4.39 in 1936
	84.0 in 2005						
	84.0 in 2004			28	11.96 in 2024	105	11.96 in 2024
	84.0 in 1941						

TARPON SPRINGS (records began in January 1892):

Normal August Temp at TRPF1 = 83.3° Normal August Rain at TRPF1 = 9.66 in

Wa	rmest	Sun	nmers	Сос	olest	Sun	nmers	Wet	test S	Sumr	ners	Dr	iest Sı	ımme	rs
1	84.5	in	2020	1	79.0	in	1904	1	45.10	in	1909	1	11.64	in	1952
2	84.4	in	2004		79.0	in	1900	2	44.25	in	2012	2	12.65	in	1956
3	84.3	in	2024	3	79.1	in	1894	3	41.21	in	1906	3	12.87	in	1970
4	84.1	in	1998	4	79.4	in	1907	4	37.71	in	1957	4	13.49	in	1916
5	83.9	in	1993	5	79.5	in	1895	5	37.51	in	2015	5	13.64	in	1914
6	83.8	in	2019	6	79.6	in	1974	6	37.28	in	2019	6	14.17	in	1980
	83.8	in	2016		79.6	in	1939	7	36.54	in	1943	7	14.80	in	1976
	83.8	in	2005		79.6	in	1910	8	36.47	in	1939	8	14.90	in	1902
9	83.7	in	1997	9	79.7	in	1908	9	36.17	in	1928	9	15.07	in	1988
10	83.6	in	2014	10	79.8	in	1892	10	36.10	in	1945	10	15.17	in	1993
	83.6	in	2010					• • •				• • •			
								39	26.41	in	2024	93	26.41	in	2024

Normal Summer Temp at TRPF1 = 82.8° Normal Summer Rain at TRPF1 = 25.77 in

			Mont Cemp	chly					chly nps		Warme Avg			-
1				2020 1932		95.0 94.9				1	78.4 78.4		_	
З				2020					1932	З	78.2			
				2024					1925		78.1			
-				1993		94.4		-			77.9		-	
6				1995					1997		77.8			
	84.8		-						1942		77.6			
8	84.7	in	Jul	2016	8	94.0	in	Aug	1998	8	77.5	in	Jul	2007
	84.7	in	Jul	1997				-	1992		77.4			
10	84.6	in	Jul	2004	10	93.7	in	Sep	1997		77.4	in	Aug	2005
	84.6	in	Jun	2004		93.7	in	Aug	1995		•			
														0004
••	•				• • •						76.6			
25			_		104			_			76.6	in	Sep	2018
25	84.0	in	Jun	2019		91.5	in	Jun	2024		76.6 76.6	in in	Sep Jul	2018 2018
25	84.0 84.0	in in	Jun Aug	2019 2005		91.5 91.5	in in	Jun Aug	2024 2018		76.6 76.6 76.6	in in in	Sep Jul Aug	2018 2018 2016
25	84.0 84.0 84.0	in in in	Jun Aug Aug	2019 2005 2004		91.5 91.5 91.5	in in in	Jun Aug Sep	2024 2018 1995		76.6 76.6 76.6 76.6	in in in	Sep Jul Aug Jun	2018 2018 2016 2016
25	84.0 84.0 84.0 84.0	in in in in	Jun Aug Aug Jul	2019 2005 2004 1992		91.5 91.5 91.5 91.5	in in in in	Jun Aug Sep Jul	2024 2018 1995 1994		76.6 76.6 76.6	in in in	Sep Jul Aug Jun	2018 2018 2016 2016
25	84.0 84.0 84.0 84.0 84.0	in in in in	Jun Aug Aug Jul Aug	2019 2005 2004 1992 1941		91.5 91.5 91.5 91.5 91.5	in in in in	Jun Aug Sep Jul Jul	2024 2018 1995 1994 1991		76.6 76.6 76.6 76.6	in in in	Sep Jul Aug Jun	2018 2018 2016 2016
25	84.0 84.0 84.0 84.0 84.0	in in in in	Jun Aug Aug Jul Aug	2019 2005 2004 1992		91.5 91.5 91.5 91.5 91.5 91.5	in in in in in	Jun Aug Sep Jul Jul Jul	2024 2018 1995 1994 1991 1990		76.6 76.6 76.6 76.6	in in in	Sep Jul Aug Jun	2018 2018 2016 2016
25	84.0 84.0 84.0 84.0 84.0	in in in in	Jun Aug Aug Jul Aug	2019 2005 2004 1992 1941		91.5 91.5 91.5 91.5 91.5 91.5 91.5	in in in in in in	Jun Aug Sep Jul Jul Jul Aug	2024 2018 1995 1994 1991 1990 1975		76.6 76.6 76.6 76.6	in in in	Sep Jul Aug Jun	2018 2018 2016 2016
25	84.0 84.0 84.0 84.0 84.0	in in in in	Jun Aug Aug Jul Aug	2019 2005 2004 1992 1941		91.5 91.5 91.5 91.5 91.5 91.5 91.5 91.5	in in in in in in	Jun Aug Sep Jul Jul Jul Aug Aug	2024 2018 1995 1994 1991 1990 1975 1954		76.6 76.6 76.6 76.6	in in in	Sep Jul Aug Jun	2018 2018 2016 2016
25	84.0 84.0 84.0 84.0 84.0	in in in in	Jun Aug Aug Jul Aug	2019 2005 2004 1992 1941		91.5 91.5 91.5 91.5 91.5 91.5 91.5 91.5	in in in in in in in	Jun Aug Sep Jul Jul Jul Aug Aug	2024 2018 1995 1994 1991 1990 1975 1954 1945		76.6 76.6 76.6 76.6	in in in	Sep Jul Aug Jun	2018 2018 2016 2016
25	84.0 84.0 84.0 84.0 84.0	in in in in	Jun Aug Aug Jul Aug	2019 2005 2004 1992 1941		91.5 91.5 91.5 91.5 91.5 91.5 91.5 91.5	in in in in in in in in	Jun Aug Sep Jul Jul Jul Aug Aug Aug	2024 2018 1995 1994 1991 1990 1975 1954 1945 1927		76.6 76.6 76.6 76.6	in in in	Sep Jul Aug Jun	2018 2018 2016 2016
25	84.0 84.0 84.0 84.0 84.0	in in in in	Jun Aug Aug Jul Aug	2019 2005 2004 1992 1941		91.5 91.5 91.5 91.5 91.5 91.5 91.5 91.5	in in in in in in in in	Jun Aug Sep Jul Jul Jul Aug Aug Aug Oct	2024 2018 1995 1994 1991 1990 1975 1954 1945 1927		76.6 76.6 76.6 76.6	in in in	Sep Jul Aug Jun	2018 2018 2016 2016

TAMPA AREA (records began in April 1890):

Wa	rmest	August's	Со	olest	Aug	gust ' s	We	ttest A	Augi	ıst's	Dr	iest A	ugust	:'s
1		in 2023	1			1905	1	18.59			1	0.78		
2	85.6	in 2022	2	80.3	in	1967	2	17.83	in	1898	2	2.35	in 1	L952
3	85.1	in 2011		80.3	in	1913	3	17.78	in	2024	3	2.38	in 1	L921
	85.1	in 1941	4	80.4	in	1922	4	16.47	in	2015	4	2.83	in 2	2001
5	85.0	in 2021	5	80.5	in	1901	5	15.17	in	1932	5	3.27	in 1	L990
	85.0	in 2017	6	80.6	in	1904	6	14.90	in	2003	6	3.47	in 1	L924
7	84.9	in 2007		80.6	in	1890	7	14.66	in	1905	7	3.52	in 2	2009
8	84.8	in 2020	8	80.7	in	1939	8	14.60	in	2018	8	3.63	in 1	L919
9	84.7	in 2024		80.7	in	1911	9	14.29	in	1939	9	3.75	in 1	L907
	84.7	in 2005	10	80.8	in	1969 1957 1898	10	14.03	in	2004	10	3.87	in 1	941
		ugust Temp ugust Rain												

Wa	rmest	Sur	nmers	Сос	olest	Sur	nmers	
1	85.7	in	2022	1	80.1	in	1910	
2	85.6	in	2023	2	80.2	in	1955	
3	84.8	in	2020		80.2	in	1913	
4	84.6	in	2024		80.2	in	1904	
	84.6	in	2021	5	80.3	in	1967	
6	84.5	in	2010	6	80.4	in	1965	
7	84.4	in	2011	7	80.5	in	1968	
8	84.2	in	1998		80.5	in	1890	
9	83.9	in	2018	9	80.6	in	1907	
	83.9	in	2017		80.6	in	1899	
	83.9	in	2016		80.6	in	1894	

1	43.03	in	1945	1	11.16	in	1993
2	38.52	in	2024	2	13.15	in	1956
3	36.13	in	2012	3	13.25	in	1970
4	34.79	in	1909	4	13.85	in	1978
5	34.67	in	1960	5	14.00	in	1977
6	34.54	in	2015	6	14.25	in	1918
7	33.71	in	1925	7	15.05	in	1931
8	33.68	in	1896	8	15.65	in	2001
9	33.66	in	1995	9	15.73	in	1944
10	33.46	in	1957	10	15.88	in	1952

Wettest Summers Driest Summers

Normal Summer Temp at TPA = 83.6° Normal Summer Rain at TPA = 24.15 in

			Mont Cemp	-		Warme Avg			-		Warme Avg			-
2 3 4	86.5	in in in	Jul Jul Sep		2 3 4	94.3 93.5 93.4 93.3 93.0	in in in	Aug Jul Jul	1951 2022 2023	2 3 4	79.7 79.5 79.2 78.8 78.6	in in in	Aug Jul Aug	2023 2022 2011
8	85.6 85.5 85.2 85.1 85.1	in in in	Jul Jun Aug	2020 2022 2011	8	92.9 92.8 92.7	in in in	Jul Jun Jul	1952	7 10	78.5 78.3 78.3 78.3 78.2 78.1	in in in in	Aug Jul Aug Aug	2021 2020 2017 2010
20			_	2024 2005	77	91.2 91.2 91.2 91.2 91.2 91.2 91.2 91.2 91.2	in in in in in	Aug Jul Aug Jul Jun Jun	2013 2010 1991 1988 1987 1969		78.1 78.1	in	Jul	2021

ST PETERSBURG (records began in August 1914):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 87.5 in 2005	1 80.8 in 1922	1 21.85 in 1939	1 0.82 in 1938
2 86.8 in 2023	2 81.3 in 1939	2 19.57 in 1949	2 2.91 in 1984
3 86.2 in 2024	3 81.4 in 1947	3 18.62 in 1915	3 2.96 in 1941
4 85.7 in 2013	4 81.5 in 1953	4 17.93 in 1967	4 3.21 in 1998
5 85.4 in 2017	5 81.6 in 1957	5 17.75 in 1995	5 3.33 in 1951
6 85.3 in 2014	6 81.8 in 1995	6 16.65 in 1971	6 3.37 in 1919
85.3 in 1941	81.8 in 1994	7 16.53 in 1945	7 3.40 in 1933
8 85.2 in 2007	81.8 in 1974	8 16.04 in 1922	8 3.66 in 2005
9 85.0 in 2010	81.8 in 1917	9 15.49 in 2016	9 3.67 in 1996
85.0 in 1980	10 81.9 in 2016	10 15.33 in 1947	10 4.30 in 1914
	81.9 in 1967		
	81.9 in 1949		

Normal Temp August at SPG = 84.0°

Total Rainfall for August 2024 = Several Days Missing Normal August Rain at SPG = 8.39 in.

Warmest	Со	Coolest Summers			W	Wettest Summers					Driest Summers				
	in 2024	1	80.9			1		47.62			1	L	10.52	in	1931
2 85.7	in 2005	2	81.1 :	in	1974	2		45.31	in	1939	2	2	11.17	in	1984
3 85.6	in 2010		81.1 :	in	1955	3		40.99	in	1995	3	3	11.48	in	1970
4 85.1	in 2023	4	81.2 :	in	1947	4		38.08	in	1943	4	ł	12.32	in	1930
5 84.6	in 1987	5	81.4	in	1920	5		36.66	in	1947	5	5	12.39	in	1916
6 84.5	in 2020	6	81.6	in	1995	6		35.03	in	2016	e	5	13.10	in	1996
84.5	in 2017		81.6	in	1923	7		35.00	in	1922	7	1	13.14	in	1993
84.5	in 1998		81.6	in	1919	8		34.49	in	1974	8	3	14.18	in	1941
9 84.3	in 2022	9	81.7 :	in	1968	9		33.26	in	1959	ç)	14.31	in	1966
84.3	in 2013		81.7 :	in	1965	10		32.62	in	1971	10)	14.99	in	1951
84.3	in 1980		81.7 :	in	1956										
			81.7 :	in	1953										
			81.7	in	1917										

Normal Summer Temp at SPG = 83.5°

Total Rainfall for Summer 2024 = Several Days Missing in August Normal Summer Rain at SPG = 22.67 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	_				
1 87.5 in Aug 2005 2 87.0 in Jul 2024 3 86.8 in Aug 2023 4 86.7 in Jul 2005 5 86.5 in Jun 2010 6 86.2 in Aug 2024 7 85.8 in Jul 2023 8 85.7 in Aug 2013 85.7 in Sep 2005 85.7 in Jul 1932	<pre>1 93.7 in Aug 2005 2 93.5 in Jul 1932 3 93.0 in Jul 2024 4 92.9 in Jun 2010 5 92.8 in Jul 1987 92.8 in Jul 1987 92.8 in Jul 1931 8 92.7 in Jul 2005 9 92.5 in Aug 1980 92.5 in Jun 1977 30 91.7 in Aug 2024 91.7 in Jun 2024 91.7 in Jul 1972 91.7 in Jul 1972 91.7 in Jul 1972 91.7 in Aug 1934 91.7 in Aug 1934 91.7 in Aug 1924</pre>	<pre>2 81.3 in Aug 2005 3 80.9 in Jul 2024 4 80.8 in Aug 2024 5 80.7 in Jul 2023 80.7 in Jul 2005 7 80.1 in Aug 2010 80.1 in Jun 2010 9 80.0 in Sep 2005</pre>				

PLANT CITY (Temperature records began in September 1892 and Rainfall records began in February 1893):

Wa	Warmest August's		Co	Coolest August's			Wet	test A	ugu	ıst's	Driest August's			
1	87.8	in 2023	1	78.7	in	1930	1	17.79	in	2004	1	1.87 in 1902		
2	86.6	in 2024	2	79.1	in	1907	2	17.48	in	1953	2	2.44 in 1960		
	86.6	in 2022	3	79.6	in	1939	3	17.17	in	1949	3	3.62 in 1912		
4	85.6	in 2017		79.6	in	1906	4	16.43	in	2019	4	3.88 in 2021		
5	85.4	in 2021	5	79.7	in	1931	5	15.69	in	1906	5	3.98 in 1996		
	85.4	in 2020	6	79.9	in	1905	6	15.06	in	1898	6	4.08 in 1954		
7	84.6	in 2018	7	80.1	in	2000	7	14.96	in	1939	7	4.29 in 1991		
8	84.3	in 2011	8	80.2	in	1933	8	14.15	in	2024	8	4.58 in 1997		
9	84.1	in 2019		80.2	in	1911	9	14.04	in	1967	9	4.76 in 1914		
10	83.9	in 2007	10	80.3	in	1973	10	13.95	in	1979	10	4.80 in 1934		
	83.9	in 1980		80.3	in	1967								
				80.3	in	1904								

Normal Temp August at PLCF1 = 83.6° Normal Rain August at PLCF1 = 8.85 in.

Warmest Summers		Coolest Summers	Wettest Summers	Driest Summers			
1	86.5 in 2024	1 79.7 in 1919	1 41.73 in 1943	1 14.60 in 1956			
	86.5 in 2023	2 79.8 in 1923	2 40.04 in 1910	2 14.98 in 1915			
3	85.6 in 2022	3 79.9 in 1921	3 39.69 in 1945	3 15.23 in 1989			
4	85.1 in 2020	79.9 in 1920	4 39.40 in 2004	4 15.34 in 1993			
5	84.6 in 2021	5 80.2 in 1967	5 38.91 in 2019	5 15.36 in 1961			
	84.6 in 2017	80.2 in 1947	6 38.77 in 2017	6 15.52 in 1952			
7	84.5 in 2019	80.2 in 1930	7 37.53 in 1939	7 16.01 in 1951			
8	84.1 in 2018	8 80.3 in 1966	8 36.18 in 1925	8 17.02 in 1970			
9	84.0 in 2016	80.3 in 1965	9 36.08 in 1906	9 17.30 in 1988			
10	83.4 in 2010	10 80.4 in 1974	10 35.94 in 1905	10 17.39 in 1987			
		80.4 in 1968	11 35.02 in 1953				
		80.4 in 1929	12 34.82 in 2012				
			13 34.71 in 1986				
			14 34.64 in 1928				
			15 34.35 in 2024				

Normal Summer Temp at PLCF1 = 83.2° Normal Summer Rain at PLCF1 = 27.21 in.

	Warme Av		Mont Cemp	-		Warme Avg			_	Warmest Monthly Avg Min Temps				
	87.8					99.3					76.8			
2	87.5	in	Jul	2023	2	99.2	in	Jul	2023	2	76.4	in	Aug	2024
3	87.3	in	Jul	2024	3	97.8	in	Jul	2024	3	76.3	in	Aug	2023
4	86.6	in	Aug	2024	4	97.6	in	Aug	2022	4	75.9	in	Aug	2021
	86.6	in	Aug	2022	5	96.9	in	Aug	2024		75.9	in	Aug	2020
6	85.9	in	Jul	2022	6	96.7	in	Jun	2024		75.9	in	Jul	2020
7	85.7	in	Jun	2024	7	96.5	in	Jul	2022	7	75.8	in	Jul	2023
8	85.6	in	Aug	2017		96.5	in	Jun	1911		75.8	in	Aug	2011
9	85.5	in	Jul	2020	9	96.4	in	May	2024	9	75.7	in	Aug	2019
10	85.4	in	Aug	2021		96.4	in	Jun	2023		75.7	in	Aug	2017
	85.4	in	Aug	2020										

LAKELAND (records began in January 1915):

Warmest August's	Coolest August's	Wettest August's	Driest August's			
1 86.0 in 2023	1 80.0 in 1967	1 15.57 in 1948	1 3.40 in 1942			
2 85.1 in 1987	2 80.5 in 1973	2 15.19 in 2010	2 3.58 in 1921			
3 84.8 in 2022	80.5 in 1949	3 14.15 in 1935	3 3.65 in 1947			
4 84.6 in 2024	4 80.6 in 1939	4 13.49 in 1915	4 3.73 in 1930			
84.6 in 1995	80.6 in 1923	5 12.63 in 2019	5 3.89 in 1950			
6 84.4 in 2021	80.6 in 1920	6 12.52 in 2004	6 3.98 in 1960			
84.4 in 1989	7 80.8 in 1969	7 12.23 in 2015	7 4.22 in 2021			
8 84.3 in 2020	80.8 in 1957	8 11.97 in 1928	8 4.56 in 1982			
84.3 in 2011	9 80.9 in 1959	9 11.93 in 1949	9 4.61 in 1934			
84.3 in 2010	10 81.0 in 1953	10 11.37 in 2016	10 4.68 in 1970			
	81.0 in 1922	11 10.93 in 1988				
		12 10.87 in 2007				
		13 10.73 in 2024				

Normal Temp August at LLDF1 = 83.3° Normal Rain August at LLDF1 = 9.08 in.

Warmest Summers		Coolest Summers	Wettest Summers	Driest Summers			
1	84.8 in 2024	1 79.7 in 1919	1 43.60 in 2017	1 13.76 in 1958			
2	84.6 in 2023	2 79.8 in 1923	2 36.50 in 2015	2 13.88 in 1998			
	84.6 in 2010	3 79.9 in 1921	3 34.42 in 2019	3 13.96 in 1918			
4	84.4 in 1987	79.9 in 1920	4 33.76 in 2013	4 14.67 in 1972			
5	84.1 in 2022	5 80.2 in 1967	5 33.29 in 1994	5 15.35 in 1936			
6	84.0 in 2016	80.2 in 1947	6 32.40 in 2005	6 15.51 in 1931			
7	83.8 in 2020	80.2 in 1930	7 32.12 in 1968	7 16.05 in 1950			
	83.8 in 1998	8 80.3 in 1966	8 31.87 in 2001	8 16.71 in 1942			
	83.8 in 1989	80.3 in 1965	9 31.78 in 1948	9 16.92 in 1954			
10	83.6 in 1995	10 80.4 in 1974	10 31.59 in 1995	10 16.95 in 1921			
		80.4 in 1968	• • •				
		80.4 in 1929	28 27.17 in 2024				

Normal Summer Temp at LLDF1 = 82.8° Normal Summer Rain at LLDF1 = 26.62 in.

	Warme Av		Mont Cemp	chly		Warme Avg		Mont « Ter	-	Warmest Monthly Avg Min Temps				
1	86.0	in	Aug	2023	1	96.5	in	Aug	1987	1	77.4	in	Aug	2023
2	85.5	in	Jul	2024	2	96.3	in	Jul	1992	2	76.6	in	Jul	2023
	85.5	in	Jul	2023	3	96.0	in	Jun	1998	3	76.4	in	Jul	2024
4	85.1	in	Jul	2016		96.0	in	Jul	1987	4	76.3	in	Aug	2024
	85.1	in	Aug	1987	5	95.6	in	Aug	1989	5	76.2	in	Aug	2010
6	84.9	in	Jul	1992	6	95.4	in	Jul	1993	6	76.1	in	Aug	2021
7	84.8	in	Aug	2022	7	95.0	in	Jul	1989	7	76.0	in	Aug	2020
	84.8	in	Jun	2010	8	94.9	in	Jun	2010	8	75.8	in	Aug	2019
	84.8	in	Jul	1987		94.9	in	Jun	1985		75.8	in	Jul	2016
10	84.7	in	Jul	2022		94.9	in	Jul	1981		75.8	in	Aug	2011
11	84.6	in	Aug	2024	• • •									
	84.6	in	Aug	1995	54	93.0	in	Aug	2024					
						93.0	in	Jul	1985					

WINTER HAVEN AREA (records began in March 1941):

Wa	rmest	Aug	gust's	Со	olest	Aug	gust ' s	Wet	ttest 2	Augi	ıst's	Dr	iest August's	
1	85.6	in	1989	1	80.0	in	1972	1	14.59	in	1949	1	1.78 in 1960	
2	85.5	in	2023	2	80.4	in	1971	2	12.76	in	1977	2	1.88 in 1998	
3	85.3	in	2005		80.4	in	1967	3	12.42	in	2022	3	2.04 in 1980	
4	85.0	in	2020	4	80.6	in	1957	4	12.21	in	1952	4	2.63 in 1942	
5	84.9	in	2024	5	80.8	in	1969	5	11.94	in	1992	5	2.80 in 2005	
	84.9	in	2022		80.8	in	1959	6	11.78	in	1995	6	3.09 in 1954	
	84.9	in	2019	7	80.9	in	1968	7	11.39	in	1981	7	3.65 in 1970	
	84.9	in	2007	8	81.0	in	1982		11.39	in	1957	8	3.73 in 1955	
	84.9	in	1941		81.0	in	1962	9	11.25	in	1948	9	3.88 in 2021	
10	84.7	in	2011	10	81.1	in	2008	10	11.22	in	2011	10	3.96 in 1945	
					81.1	in	1990							
								23	8.50	in	2024			
Nor	mal Te	∋mp	August a	at Gi	IF = 8	34.1	°							

Normal Temp August at GIF = 84.1° Normal Rain August at GIF = 6.52 in.

Warmest Summers	Coolest Summers We	ettest Summers	Driest Summers
<pre>2 84.8 in 1989 3 84.7 in 2022 84.7 in 2019 84.7 in 2010 84.7 in 1998 7 84.4 in 2016 8 84.3 in 2020</pre>	2 79.7 in 1972 2 79.7 in 1971 3 4 80.0 in 1974 4 5 80.4 in 1967 5 6 80.7 in 1963 6 80.7 in 1962 7 8 80.8 in 1965 8 9 80.9 in 1959 9 0 81.0 in 1966 10	34.87 in 1945 32.95 in 1992 32.77 in 1995 30.66 in 1981 30.57 in 2015 30.08 in 1948 29.77 in 1974 29.75 in 2019 28.69 in 1965	3 12.14 in 1998 4 14.37 in 1963 5 14.62 in 1997 6 14.88 in 1972 7 14.98 in 2009 8 15 10 in 1979
Normal Summer Temp at Normal Summer Rain at	GIF = 83.8°		
	Warmest Monthly Avg Max Temps 1 96.2 in Jun 1985 2 95.8 in Jun 1998		
85.6 in Aug 1989 4 85.5 in Aug 2023 85.5 in Jul 2016 6 85.3 in Aug 2005 7 85.0 in Aug 2020 85.0 in Sep 2018 85.0 in Jul 2005 10 84.9 in Aug 2024	3 95.5 in Jul 2024 95.5 in Aug 1989 5 95.4 in Jul 1942 6 95.3 in Aug 1941 7 95.0 in Jul 2016	3 76.7 in Jul 4 76.6 in Aug 76.6 in Aug 76.6 in Jul 7 76.5 in Aug 76.5 in Aug 9 76.4 in Jul	2024 2023 2020 2005 2024 2010 2022
84.9 in Aug 2019	<pre>48 93.2 in Aug 2024 93.2 in Sep 2018 93.2 in Jun 2015 93.2 in Jul 2010 93.2 in Jul 2010 93.2 in Jul 1993 93.2 in Jul 1990 93.2 in Jun 1951 93.2 in Jun 1945</pre>		

BARTOW (records began in June 1892):

Wa	rmest	Aug	gust's	Сос	lest	Aug	gust ' s	Wet	test A	Augı	ıst's	Dri	est Au	igus	st's
1	87.4	in	2014	1	79.7	in	1913	1	14.62	in	1905	1	1.60	in	2014
2	86.1	in	2013	2	79.9	in	1894	2	14.39	in	1949	2	2.45	in	1912
3	84.6	in	2023	3	80.3	in	1898	3	14.38	in	1909	3	2.60	in	1987
	84.6	in	1987	4	80.5	in	1967	4	13.38	in	2003	4	2.98	in	1936
	84.6	in	1951	5	80.6	in	1975		13.38	in	2002	5	3.02	in	1950
6	84.4	in	1998		80.6	in	1947	6	13.01	in	1981	6	3.18	in	1938
7	84.2	in	2011		80.6	in	1916	7	12.83	in	1928	7	3.57	in	1930
8	84.1	in	1941	8	80.7	in	1911	8	12.65	in	1992	8	3.74	in	1996
	84.1	in	1924		80.7	in	1892	9	12.57	in	2012	9	4.08	in	2010
10	83.9	in	2010	10	80.8	in	1901	10	12.39	in	1901	10	4.22	in	2021
	83.9	in	2005												
	83.9	in	1999					38	9.43	in	2024	94	9.43	in	2024
	83.9	in	1997												

22 83.3 in 2024

. . .

83.3 in 1983 83.3 in 1958

Normal Temp August at BARF1 = 82.3° Normal Rain August at BARF1 = 7.78 in.

Wa	rmest	Sur	nmers	Сос	olest	Sun	nmers	Wet	test S	Sumr	mers	Dr	iest Sı	ımme	rs
1	85.6	in	2014	1	79.0	in	1894	1	36.81	in	2003	1	13.22	in	1964
2	84.8	in	1998	2	79.4	in	1913	2	36.13	in	1909	2	13.28	in	1950
3	84.5	in	2013	3	79.8	in	1892	3	35.84	in	2012	3	14.92	in	1931
4	83.9	in	2010	4	79.9	in	1947	4	35.15	in	1924	4	15.39	in	1996
5	83.7	in	1987	5	80.3	in	1936	5	35.01	in	1939	5	15.47	in	1979
6	83.6	in	2024		80.3	in	1916	6	34.85	in	1949	6	15.56	in	1902
7	83.5	in	2023	7	80.4	in	1976	7	34.31	in	2005	7	15.67	in	1987
8	83.3	in	2016		80.4	in	1974	8	34.14	in	1945	8	15.97	in	2007
	83.3	in	1969		80.4	in	1972	9	33.82	in	1934	9	16.40	in	2014
10	83.2	in	1981		80.4	in	1935	10	33.42	in	1928	10	16.42	in	1936
	83.2	in	1958												
								55	24.79	in	2024	78	24.79	in	2024
			er Temp a er Rain a				L.9° 3.62 in.								

	Warmest Monthl Avg Temp	-	Warmest Avg Max		-		est Mon [.] Min Ter	-
2 3 4 5 6	87.4 in Aug 20 86.1 in Aug 20 85.9 in Jun 19 85.7 in Jun 20 85.4 in Jul 20 84.7 in Jul 19 84.6 in Aug 20	013 2 098 3 015 0 014 5 032 6 023 0 087 8	96.8 in 96.0 in 95.9 in 95.6 in 95.4 in 95.4 in 95.3 in	Jun Aug Jun Aug Jun Jun Aug	1998 2014 1927 1924 1981 1898 1951	2 78.0 3 77.0 77.0 5 76.6 6 75.7 75.7 3 75.6	in Aug in Aug in Jun in Jul in Jul in Jun in Aug in Sep	2013 2015 2014 2013 1998 1995 2014
10	84.6 in Aug 19 84.5 in Jul 19		95.0 in 94.9 in			75.2	in Aug in Aug in Aug	2023
	83.3 in Aug 20 83.3 in Jun 20 83.3 in Jul 19 83.3 in Jul 19 83.3 in Aug 19 83.3 in Jul 19 83.3 in Aug 19 83.3 in Aug 19 83.3 in Jul 19 83.3 in Sep 19	185 113 996 993 983 962 958 957		Jul Jul Sep May Aug Jun Jul	2003 . 1989 2 1978 1975 1970 1931 1913	75.2 7 74.5 74.5 74.5 74.5 74.5	in Aug in Jul in Jul in Aug in Sep in Jul in Jul	1903 2024 2023 2012 2002 1987

SARASOTA-BRADENTON (records began in January 1911):

Wa	Warmest August's		olest August's	We	ttest August's	Dri	.est August's
1 2	85.9 in 2023 85.2 in 2020	1 2		1 2	24.42 in 1981 20.97 in 2017	1 2	2.51 in 1938 2.52 in 1930
_	85.0 in 2014	2	79.9 in 1947	3	19.97 in 1959	3	3.09 in 1944
4	84.7 in 2016	4	80.0 in 1939	4	19.73 in 1949	4	3.10 in 1952
5	84.5 in 2011	5	80.3 in 1967	5	19.35 in 1922	5	3.11 in 2001
6	84.2 in 2007		80.3 in 1931	6	18.14 in 1928	6	3.20 in 1996
7	83.9 in 1995		80.3 in 1927	7	17.79 in 2003	7	3.91 in 2008
8	83.8 in 2005	8	80.4 in 1930	8	17.63 in 1999	8	3.93 in 1963
9	83.7 in 2024		80.4 in 1916	9	17.04 in 1939	9	3.96 in 1984
	83.7 in 1990	10	80.5 in 1934	10	15.92 in 1962	10	3.97 in 2014
	83.7 in 1987		80.5 in 1929				

Normal Temp August at SRQ = 83.4°

Total Rainfall for August 2024 = *23.55 in. Normal Rain August at SRQ = 9.11 in.

* Rainfall was missing on August 5th due to equipment failure. Radar estimates and local rain gauges indicate that 3 to 4 inches of rain fell on this day which would make this the Wettest August on record.

Contact: Paul Close, Paul.Close@noaa.gov

Date: 9/05/2024

Wa	rmest	Sun	nmers	Coc	lest	Sun	nmers	We	ttest S	Sumr	ners	Dr	iest Sı	ımme	rs
1 2	85.0 84.6			1	78.9 78.9			1 2	*47.32 45.69			1	11.09		
_	84.5			3	79.4			3	41.23			3	11.94		1000
4	83.9			-	79.5			4	41.08			4	12.48		T 2 0 T
5	83.7			5	79.7		20,0	5	39.63		1000	5	12.60		2020
6	83.6				79.7			6	38.29		1900	6	12.75		
	83.4				79.8		1000	7	38.23		2010	7	13.10		
8	83.2			8	79.9			8	37.73			8	13.12		
9	83.0				79.9			9	35.21		1000	9	14.67		
10	82.9 82.9			10	80.0	in	1922	10	35.12	in	1981	10	14.80	in	1914

Normal Summer Temp at SRQ = 82.8° Normal Summer Rain at SRQ = 23.55 in.

* Rainfall was missing on August 5th due to equipment failure. Radar estimates and local rain gauges indicate that 3 to 4 inches of rain fell on this day which would increase the Summer rainfall to over 50 inches.

				chly					_		Warme Avg			-
1	86.2	in	Jul	2023	1	94.5	in	Jun	1998	1	78.8	in	Jul	2023
2	85.9	in	Aug	2023	2	94.2	in	Jul	1998		78.8	in	Jul	2020
3	85.8	in	Jul	2020	3	94.1	in	Aug	1998	3	78.0	in	Aug	2023
4	85.4	in	Jul	2016	4	94.0	in	Aug	1938	4	77.8	in	Aug	2011
5	85.2	in	Aug	2020	5	93.8	in	Aug	2023	5	77.5	in	Aug	2020
6	85.0	in	Aug	2014		93.8	in	Jul	2016	6	77.2	in	Jul	2024
7	84.8	in	Sep	2019	7	93.7	in	Aug	1990	7	77.1	in	Jul	2016
8	84.7	in	Aug	2016	8	93.6	in	Jul	2023	8	76.9	in	Aug	2019
9	84.5	in	Aug	2011		93.6	in	Aug	1989		76.9	in	Aug	2016
10	84.3	in	Jul	2024	10	93.5	in	Aug	2014	10	76.8	in	Aug	2024
11	84.2	in	Aug	2007	• •	•								
	84.2	in	Jul	1998	174	90.6	in	Aug	2024					
13	84.0	in	Jul	1962		90.6	in	Jul	2010					
14	83.9	in	Sep	2016		90.6								
	83.9	in	Jul	2014		90.6	in	Aug	1976					
	83.9	in	Jun	1998		90.6	in	Jul	1960					
	83.9	in	Aug	1995		90.6	in	Sep	1954					
18	83.8	in	Aug	2005		90.6	in	Jun	1952					
19	83.7					90.6	in	Aug	1946					
						90.6	in	Jun	1938					
	83.7	in	Aug	1987		90.6	in	Jun	1937					
						90.6	in	Aug	1930					

VENICE (records began in May 1955):

Wa	rmest August's	Coolest A	August's	We	ttest August's	Dri	est August's
1	86.1 in 2023	1 80.5 :	in 1975	1	21.96 in 2024	1	2.96 in 2007
2	86.0 in 2010	80.5 :	in 1967	2	20.18 in 2017	2	3.00 in 2005
3	85.4 in 2011	3 80.6 :	in 1968	3	16.77 in 1981	3	3.04 in 1955
	85.4 in 2009	4 80.9 :	in 1976	4	16.47 in 1967	4	3.10 in 2014
5	85.1 in 2024	5 81.0 :	in 1959	5	15.76 in 1999	5	3.21 in 1997
6	84.8 in 2012	6 81.1 :	in 1969	6	13.69 in 1974	6	3.25 in 1990
7	84.7 in 1998	7 81.2 :	in 1974	7	13.41 in 1971	7	3.28 in 1958
8	84.5 in 1988	81.2 :	in 1957	8	13.11 in 1970	8	3.49 in 1984
9	84.4 in 2019	9 81.4 :	in 1958	9	12.94 in 2016	9	3.51 in 1956
10	84.2 in 1997	10 81.5	in 1977	10	12.56 in 1959	10	4.06 in 1963

Normal Temp August at VNCF1 = 83.1° Normal Rain August at VNCF1 = 8.34 in.

Wa	rmest	Summ	ners	Сос	olest	Sun	nmers	Wet	test S	Sumr	ners	Dr	iest Su	ımme	rs
1	86.2	in 2	2010	1	80.3	in	1975	1	38.01	in	1995	1	11.65	in	2014
2	85.2	in 2	2023	2	80.4	in	1974	2	37.89	in	2017	2	12.14	in	1990
3	85.1	in 1	L998	3	80.5	in	1967	3	37.79	in	1992	3	12.88	in	1997
4	84.9	in 2	2024	4	80.7	in	1984	4	37.69	in	2024	4	13.54	in	1956
5	84.7	in 2	2011		80.7	in	1966	5	36.76	in	1974	5	13.56	in	1979
6	84.0	in 2	2019	6	80.8	in	1956	6	36.72	in	2003	6	13.72	in	2007
7	83.9	in 2	2012	7	80.9	in	1978	7	32.82	in	1999	7	13.77	in	1955
8	83.8	in 2	2020	8	81.0	in	2008	8	32.69	in	2012	8	14.13	in	2009
9	83.5	in 1	L997		81.0	in	1972	9	30.31	in	2005	9	14.26	in	1985
10	83.3	in 2	2022		81.0	in	1959	10	29.35	in	1987		14.26	in	1980
	83.3	in 2	2013												
	83.3	in 2	2004												
	83.3	in 1	L993												
Normal Summer Temp at VNCF1 = 82.						2.5°									
Normal Summer Rain at VNCF1 = 23.54 in.															

			Mont Femp	chly		Warme Avg			-			Warme Avg			-	
1	88.1	in	Sep	1988	1	95.5	in	Sep	1988		1	80.5	in	Sep	1988	
2	86.6	in	Jul	1989	2	95.4	in	Jun	2010		2	79.7	in	Jul	1989	
3	86.4	in	Jun	2010	3	95.3	in	Jun	1998		3	78.8	in	Aug	2010	
4	86.3	in	Jul	2023	4	95.1	in	Jun	2004		4	78.6	in	Sep	1989	
5	86.2	in	Jul	2010	5	94.9	in	Aug	2023		5	78.5	in	Jul	2010	
6	86.1	in	Aug	2023	6	94.8	in	Aug	1998		6	78.1	in	Jul	2023	
7	86.0	in	Aug	2010	7	94.5	in	Jul	2023			78.1	in	Aug	2011	
8	85.7	in	Jun	1998	8	94.2	in	Jul	1998		8	77.7	in	Aug	2024	
9	85.4	in	Aug	2011	9	93.9	in	Jul	1997		9	77.5	in	Jul	2024	
	85.4	in	Aug	2009	10	93.8	in	Jul	2010	1	0	77.3	in	Aug	2023	
	85.4	in	Sep	1989		93.8	in	Aug	2009			77.3	in	Jun	2010	
12	85.3	in	Jul	2024		93.8	in	Auq	1997							
13	85.1	in	Aug	2024		93.8	in	Jul	1996							
			-			93.8	in	Jul	1993							
						•										
					33	92.5	in	Aug	2024							
						92.5	in	Aug	2020							
						92.5	in	Jul	2012							
						92.5	in	Sep	2009							
								_	2005							

MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

Wa	rmest August's	s Co	olest August's	We	ttest August's	Dri	est August's	
1 2	86.7 in 1993 85.0 in 1998	1 2	80.4 in 1962 80.5 in 1959	1 2	19.85 in 1981 18.61 in 1971	1 2	2.81 in 2005 3.44 in 1991	
3	84.8 in 2017	2	80.5 in 1957	3	18.45 in 2003	3	3.94 in 2001	
4	84.3 in 2005	4		4	17.90 in 2024	4	5.05 in 1974	
	84.3 in 1999		80.9 in 1972	5	17.18 in 2016	5	5.11 in 2022	
6	84.1 in 2011		80.9 in 1971	6	16.85 in 2018	6	5.17 in 1976	
7	84.0 in 2019	7	81.1 in 1985	7	16.60 in 1949	7	5.32 in 1996	
	84.0 in 2016	8	81.3 in 2001	8	15.99 in 1980	8	5.33 in 1944	
	84.0 in 2010		81.3 in 1969	9	15.66 in 1999	9	5.35 in 1956	
10	83.9 in 1997		81.3 in 1963	10	15.62 in 1988	10	5.48 in 1948	
11	83.8 in 2015							
12	83.6 in 2023							
13	83.4 in 2014							
	83.4 in 2013							
	83.4 in 1991							
16	83.3 in 2024							
Normal Temp August at MKCF1 = 83.1°								
Nor	mal Rain Augus	st at M	KCF1 = 10.12 in	•				

Contact: Paul Close, Paul.Close@noaa.gov

Warmest Summers	Coolest Summers	Wettest Summers	Driest Summers
1 85.0 in 1998	1 79.8 in 1962	1 47.18 in 2003	1 13.38 in 1956
2 84.0 in 2010			2 16.52 in 1996
3 83.5 in 2017	3 80.3 in 1984		3 17.03 in 1948
		4 43.79 in 1981	4 17.41 in 1961
5 83.3 in 2019	5 80.5 in 1972		5 17.42 in 2009
83.3 in 1999	80.5 in 1963	6 40.81 in 2012	6 18.65 in 1952
83.3 in 1999 7 83.2 in 2018	7 80.6 in 2002	7 40.58 in 1982	7 19.68 in 1944
83.2 in 1993	80.6 in 1986	8 40.14 in 1992	8 20.18 in 1986
9 83.1 in 2005	80.6 in 1971	9 38.00 in 2024	9 20.32 in 1954
83.1 in 1997	80.6 in 1960	9 38.00 in 2024 10 37.94 in 1968	10 20.37 in 1964
11 83.0 in 2024			
83.0 in 2011			
Normal Summer Temp at	t MKCF1 = 82.3°		
Normal Summer Rain at			
		ly Warmest Mont	
Avg Temp	Avg Max Temp	s Avg Min Tem	īps
1 86.7 in Aug 1993	91/_ ו תוול ח ו		1 0 0 0
		998 1 77.5 in Aug	
2 05.2 IN JUN 1998	2 96.3 in Aug 1	998 2 75.7 in Aug	2024
3 85.0 in Aug 1998	2 96.3 in Aug 1 3 95.8 in Aug 1	998 2 75.7 in Aug 993 3 75.6 in Aug	2024 2019
3 85.0 in Aug 1998 85.0 in Jul 1998	2 96.3 in Aug 1 3 95.8 in Aug 1 4 95.7 in Jun 2	998 2 75.7 in Aug 993 3 75.6 in Aug 010 75.6 in Sep	2024 2019 1993
3 85.0 in Aug 1998 85.0 in Jul 1998 5 84.8 in Aug 2017	2 96.3 in Aug 1 3 95.8 in Aug 1 4 95.7 in Jun 2 5 95.6 in Jul 1	998 2 75.7 in Aug 993 3 75.6 in Aug 010 75.6 in Sep 998 5 75.3 in Aug	2024 2019 1993 2017
3 85.0 in Aug 1998 85.0 in Jul 1998 5 84.8 in Aug 2017 6 84.4 in Jun 2010	2 96.3 in Aug 1 3 95.8 in Aug 1 4 95.7 in Jun 2 5 95.6 in Jul 1 95.6 in Jul 1	998 2 75.7 in Aug 993 3 75.6 in Aug 010 75.6 in Sep 998 5 75.3 in Aug 996 75.3 in Aug	2024 2019 1993 2017 2010
3 85.0 in Aug 1998 85.0 in Jul 1998 5 84.8 in Aug 2017 6 84.4 in Jun 2010	2 96.3 in Aug 1 3 95.8 in Aug 1 4 95.7 in Jun 2 5 95.6 in Jul 1 95.6 in Jul 1	998 2 75.7 in Aug 993 3 75.6 in Aug 010 75.6 in Sep 998 5 75.3 in Aug 996 75.3 in Aug	2024 2019 1993 2017 2010
<pre>3 85.0 in Aug 1998 85.0 in Jul 1998 5 84.8 in Aug 2017 6 84.4 in Jun 2010 7 84.3 in Aug 2005 84.3 in Aug 1999</pre>	2 96.3 in Aug 1 3 95.8 in Aug 1 4 95.7 in Jun 2 5 95.6 in Jul 1 95.6 in Jul 1 95.6 in Jun 1 8 95.4 in Jul 1	998 2 75.7 in Aug 993 3 75.6 in Aug 010 75.6 in Sep 998 5 75.3 in Aug 996 75.3 in Aug 985 7 75.2 in Jul 993 8 75.0 in Jul	2024 2019 1993 2017 2010 2005 2024
<pre>3 85.0 in Aug 1998 85.0 in Jul 1998 5 84.8 in Aug 2017 6 84.4 in Jun 2010 7 84.3 in Aug 2005 84.3 in Aug 1999 9 84.2 in Jul 2016</pre>	2 96.3 in Aug 1 3 95.8 in Aug 1 4 95.7 in Jun 2 5 95.6 in Jul 1 95.6 in Jul 1 95.6 in Jun 1 8 95.4 in Jul 1 9 95.2 in Aug 1	998275.7in Aug993375.6in Aug01075.6in Sep998575.3in Aug99675.3in Aug985775.2in Jul993875.0in Jul999974.9in Jul	2024 2019 1993 2017 2010 2005 2024 2017
3 85.0 in Aug 1998 85.0 in Jul 1998 5 84.8 in Aug 2017 6 84.4 in Jun 2010 7 84.3 in Aug 2005 84.3 in Aug 1999 9 84.2 in Jul 2016 10 84.1 in Aug 2011	2 96.3 in Aug 1 3 95.8 in Aug 1 4 95.7 in Jun 2 5 95.6 in Jul 1 95.6 in Jul 1 95.6 in Jun 1 8 95.4 in Jul 1 9 95.2 in Aug 1	998 2 75.7 in Aug 993 3 75.6 in Aug 010 75.6 in Sep 998 5 75.3 in Aug 996 75.3 in Aug 985 7 75.2 in Jul 993 8 75.0 in Jul	2024 2019 1993 2017 2010 2005 2024 2017
<pre>3 85.0 in Aug 1998 85.0 in Jul 1998 5 84.8 in Aug 2017 6 84.4 in Jun 2010 7 84.3 in Aug 2005 84.3 in Aug 1999 9 84.2 in Jul 2016</pre>	2 96.3 in Aug 1 3 95.8 in Aug 1 4 95.7 in Jun 2 5 95.6 in Jul 1 95.6 in Jul 1 95.6 in Jul 1 9 95.2 in Aug 1 95.2 in Sep 1	998 2 75.7 in Aug 993 3 75.6 in Aug 010 75.6 in Sep 998 5 75.3 in Aug 996 75.3 in Aug 996 75.2 in Jul 993 8 75.0 in Jul 993 9 74.9 in Aug	2024 2019 1993 2017 2010 2005 2024 2017
3 85.0 in Aug 1998 85.0 in Jul 1998 5 84.8 in Aug 2017 6 84.4 in Jun 2010 7 84.3 in Aug 2005 84.3 in Aug 1999 9 84.2 in Jul 2016 10 84.1 in Aug 2011	2 96.3 in Aug 1 3 95.8 in Aug 1 4 95.7 in Jun 2 5 95.6 in Jul 1 95.6 in Jul 1 95.6 in Jul 1 9 95.2 in Aug 1 95.2 in Sep 1 192 90.9 in Aug 2	998 2 75.7 in Aug 993 3 75.6 in Aug 010 75.6 in Sep 998 5 75.3 in Aug 996 75.3 in Aug 996 75.2 in Jul 993 8 75.0 in Jul 993 9 74.9 in Aug 091 74.9 in Aug	2024 2019 1993 2017 2010 2005 2024 2017

90.9 in Jun 1984 90.9 in Jun 1978 90.9 in Jun 1970 90.9 in May 1968 90.9 in Jun 1961

Contact: Paul Close, Paul.Close@noaa.gov

WAUCHULA 2 N (records began in January 1933):

Wa	rmest	Aug	gust's	Сос	olest	Aug	gust ' s	Wet	test A	Augı	ıst's	Dri	est Aı	ıgus	st's
1	85.4	in	2009	1	77.7	in	1950	1	15.53	in	1949	1	2.66	in	1982
2	85.2	in	2007	2	80.1	in	1953	2	14.17	in	2010	2	2.97	in	1938
3	84.3	in	2023	3	80.3	in	2000	3	14.04	in	2015	3	3.30	in	1958
4	84.2	in	1941	4	80.4	in	1939	4	13.68	in	1939	4	3.67	in	2005
5	83.6	in	2024	5	80.5	in	1967	5	12.76	in	1992	5	3.75	in	1957
	83.6	in	1993	6	80.7	in	2003	6	12.54	in	1943	6	4.17	in	1965
7	83.5	in	1989		80.7	in	1996	7	12.46	in	1953	7	4.24	in	1970
	83.5	in	1987		80.7	in	1949	8	12.28	in	2003	8	4.48	in	2009
9	83.4	in	2005	9	80.8	in	1959	9	12.11	in	1956	9	4.52	in	1933
10	83.3	in	2016		80.8	in	1947	10	11.45	in	2016	10	4.59	in	1941
	83.3	in	1983												
								19	9.98	in	2024				

Normal Temp August at WAUF1 = 82.3° Normal Rain August at WAUF1 = 8.46 in.

Wa	rmest	Sur	nmers	Co	olest	Sur	nmers	Wet	test S	Sumr	ners	Dr	iest Sı	ımme	rs
1	84.6	in	2009	1	78.3	in	1950	1	43.85	in	1939	1	14.24	in	1999
2	83.5	in	2024	2	79.9	in	2012	2	39.39	in	1943	2	14.30	in	1964
3	83.2	in	2008		79.9	in	1955	3	38.22	in	1949	3	14.60	in	2000
	83.2	in	1993	4	80.0	in	1947	4	37.38	in	1953	4	14.65	in	1958
5	82.9	in	1998	5	80.1	in	1996	5	35.80	in	2017	5	15.13	in	1952
	82.9	in	1987		80.1	in	1956	6	34.17	in	1959	6	16.05	in	1998
7	82.7	in	2016	7	80.2	in	2013	7	34.14	in	1945	7	16.30	in	2018
	82.7	in	2007		80.2	in	2000	8	32.94	in	1974	8	16.51	in	1996
9	82.6	in	1942		80.2	in	1953	9	32.53	in	1968	9	16.97	in	1957
10	82.5	in	1969		80.3	in	1976	10	30.58	in	2013	10	17.21	in	1981
					80.3	in	1965								
								45	24.46	in	2024	43	24.46	in	2024
Nor	Normal Summer Temp at WAUF1 = 81.6°														

Normal Summer Temp at WAUF1 = 81.6" Normal Summer Rain at WAUF1 = 24.61 in.

			chly					chly nps		Warme Avg			_	
1	85.4	in	Aug	2009	1	95.0	in	Aug	2007	1	76.7	in	Aug	2009
2	85.2	in	Aug	2007		95.0	in	Aug	1989	2	76.0	in	Sep	2009
3	84.5	in	Sep	2009	3	94.8	in	Jun	1998	3	75.6	in	Jul	2009
	84.5	in	Jul	2009	4	94.7	in	May	2024	4	75.4	in	Aug	2007
5	84.3	in	Jul	2024		94.7	in	Aug	2023	5	75.1	in	Aug	2008
	84.3	in	Aug	2023	6	94.6	in	Jul	1981	6	74.9	in	Sep	2008
7	84.2	in	Aug	1941	7	94.5	in	Jul	2024	7	74.5	in	Jul	2008
8	83.9	in	Jun	2009		94.5	in	Aug	1987	8	74.3	in	Aug	2024
	83.9	in	Jul	1992		94.5	in	Jul	1942	9	74.2	in	Jul	2024
10	83.8	in	Jul	1942		94.5	in	Aug	1941		74.2	in	Jun	2009
11	83.6	in	Aug	2024				_						
	83.6	in	Jul	2007	64	92.8	in	Aug	2024					
	83.6	in	Aug	1993		92.8	in	Aug	2020					
			-			92.8	in	Jul	2017					
						92.8	in	Jun	2015					
						92.8	in	Aug	1991					
						92.8	in	Aug	1979					
						92.8	in	Jun	1979					
						92.8	in	Jun	1958					
						92.8	in	Jul	1940					

ARCHBOLD BIO STN (records began in January 1969):

Wa	rmest August's	Сс	oolest August's	We	ttest August's	Dri	iest August's
1	83.9 in 2023	1	79.7 in 1994	1	20.05 in 2006	1	1.94 in 2000
2	83.6 in 2016	2	79.9 in 1971	2	17.88 in 2004	2	2.71 in 1984
3	83.4 in 2020	3	80.0 in 1984	3	14.31 in 1999	3	2.75 in 2009
4	83.3 in 2010	4	80.1 in 1974	4	13.70 in 2010	4	3.14 in 2007
5	83.1 in 2024	5	80.2 in 1973	5	12.76 in 1979	5	3.50 in 1987
	83.1 in 2022	6	80.3 in 1976	6	12.33 in 2008	6	4.24 in 1970
7	82.9 in 2017		80.3 in 1972	7	12.12 in 1992	7	4.28 in 1993
8	82.8 in 2014	8	80.4 in 2003	8	11.55 in 2023	8	4.40 in 1997
9	82.7 in 2015		80.4 in 2000	9	11.35 in 2015	9	4.50 in 2020
	82.7 in 2011	10	80.6 in 2002	10	11.22 in 2012	10	4.55 in 2014
				• • •		• • •	
				33	7.27 in 2024	24	7.27 in 2024
			a				

Normal Temp August at ACHF1 = 82.1° Normal Rain August at ACHF1 = 8.49 in.

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

Wa	rmest Summer	s Coole	est Su	mmers	Wet	test S	Sumr	ners	Dr	iest Sı	ımm∈	ers
1	83.3 in 201	.0 1 78	.8 in	1984	1	41.24	in	1974	1	10.76	in	2000
2	82.9 in 201	.6 2 7 9	.3 in	1976	2	40.51	in	2002	2	11.29	in	1987
3	82.8 in 202	4 79	.3 in	1974	3	39.46	in	2013	3	13.75	in	1980
4	82.6 in 202	3 4 7 9	.4 in	1971	4	34.39	in	2023	4	14.20	in	1998
5	82.5 in 201	.7 5 7 9	.8 in	1973	5	34.04	in	2006	5	17.45	in	1997
6	82.2 in 202	2 79	.8 in	1972	6	34.02	in	2008	6	18.50	in	2009
7	82.1 in 202	20 7 7 9	.9 in	2008	7	33.94	in	2001	7	18.57	in	2007
	82.1 in 199	8 79	.9 in	1994	8	33.72	in	2004	8	19.23	in	1985
9	82.0 in 201	.5 9 80	.0 in	2002	9	32.56	in	1992	9	19.49	in	1983
10	81.9 in 201	.9 80	.0 in	1970	10	31.74	in	1986	10	19.78	in	1972
									• • •			
					25	24.71	in	2024	32	24.71	in	2024

Normal Summer Temp at ACHF1 = 81.4° Normal Summer Rain at ACHF1 = 25.68 in.

			Mont Cemp	-		Warmest Monthly Avg Max Temps						Warmest Monthly Avg Min Temps				
2		in in in	Aug Jul Jul	2016	2 3	96.4 96.1 95.5 95.4 95.4	in in in	Jun Jul Aug	2010 2016		3 4	73.5 73.5 73.1 73.0 72.7	in in in	Aug Aug Aug	2023 2010 2016	
	83.4 83.4 83.3	in	Aug	2020	7	95.2 95.1 95.0	in	Jul	2022		7	72.3 72.2 72.1	in	Aug	2019	
	83.3 83.2 83.1	in	Jul	2010	9	94.9 94.9		2	2014 1987		9	72.0 72.0 72.0	in	Aug	2017	
	83.1	in	Aug	2022	87	92.7 92.7 92.7	in in in in	Sep Jun Aug Sep	2024 2016 2008 1994 1987 1986							

PUNTA GORDA AREA (records began in May 1914):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 86.3 in 2023	1 79.8 in 1939	1 19.56 in 1928	1 1.86 in 1927
2 86.0 in 2024	2 80.3 in 1922	2 15.60 in 1995	2 2.07 in 1938
3 85.1 in 1951	3 80.6 in 1969	3 14.01 in 1922	3 2.78 in 1936
4 84.7 in 2014	4 80.8 in 1949	4 13.75 in 2009	4 3.36 in 1976
5 84.5 in 2020	5 80.9 in 1967	5 13.47 in 2017	5 3.41 in 1997
84.5 in 1987	80.9 in 1930	6 13.42 in 1949	6 3.50 in 1984
7 84.4 in 2011	7 81.0 in 1955	7 13.03 in 1959	7 3.55 in 1952
8 84.3 in 2005	81.0 in 1929	8 12.75 in 2024	8 3.82 in 1978
9 84.2 in 2018	81.0 in 1928	9 12.45 in 1967	9 3.93 in 1955
84.2 in 2007	81.0 in 1926	10 12.37 in 2018	10 4.02 in 1943
			4.02 in 1921

Normal Temp August at PGD = 83.5° Normal Rain August at PGD = 9.11 in.

Wa	rmest	Sur	mmers	Co	olest	Sur	nmers	Wet	test S	Sumr	ners	Dr	iest S	amm€	ers
1	85.7	in	2024	1	79.8	in	1929	1	47.45	in	1943	1	9.88	in	1921
2	84.7	in	2023	2	80.3	in	1939	2	43.12	in	2017	2	13.96	in	1932
3	84.2	in	2020	3	80.4	in	1955	3	41.80	in	1912	3	14.17	in	1920
4	84.0	in	2018		80.4	in	1949	4	38.16	in	1992	4	14.88	in	1927
5	83.9	in	1951	5	80.5	in	1971	5	37.93	in	1922	5	15.05	in	1955
6	83.7	in	2010		80.5	in	1938	6	37.24	in	1945	6	15.12	in	1979
7	83.6	in	2016	7	80.6	in	1930	7	34.55	in	2021	7	15.24	in	1956
8	83.5	in	1980		80.6	in	1925	8	33.90	in	1939	8	15.43	in	1952
9	83.4	in	2022		80.6	in	1922	9	33.81	in	1959	9	15.75	in	1990
	83.4	in	2014	10	80.8	in	1974	10	33.24	in	1981	10	15.94	in	2007
	83.4	in	2011		80.8	in	1967								
					80.8	in	1928	32	26.68	in	2024	74	26.68	in	2024
	Normal Summer Temp at PGD = 82.8°														

Normal Summer Rain at PGD = 26.41 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.7 in Jul 2024 2 86.3 in Aug 2023 3 86.0 in Aug 2024 4 85.8 in Jul 2023 5 85.1 in Aug 1951 6 84.7 in Jul 2020 84.7 in Aug 2014 8 84.6 in Sep 2018 9 84.5 in Aug 2024 84.5 in Aug 2020 84.5 in Aug 1987	<pre>1 95.8 in Jul 2024 2 95.5 in Jul 2023 3 95.3 in Aug 2023 4 94.9 in May 2024 94.9 in Aug 1952 6 94.5 in Aug 1951 7 94.4 in Jun 2010 94.4 in Jun 1981 94.4 in Sep 1952 10 94.2 in Jul 1981 94.2 in Jul 1963 19 93.8 in Aug 2024 93.8 in Jun 2024 93.8 in Jun 2024 93.8 in Jun 1980 93.8 in Jul 1979</pre>	<pre>1 78.1 in Aug 2024 2 77.6 in Jul 2024 3 77.2 in Aug 2023 4 76.5 in Aug 2011 5 76.1 in Jul 2023 6 76.0 in Aug 2010 76.0 in Aug 2008 8 75.9 in Aug 2020 75.9 in Sep 2018 75.9 in Jul 2005</pre>
	93.8 in Jul 1979	

FORT MYERS AREA (records began in January 1902):

Wa	rmest August's	s Coolest	August's	We	ttest August's	Dri	est August's
1	85.9 in 2023	1 79.6	in 1906	1	17.64 in 1932	1	3.12 in 1919
2	85.2 in 2022	79.6	in 1904	2	16.95 in 2017	2	3.14 in 1927
3	84.8 in 2024	3 79.7	in 1910	3	16.82 in 2004	3	3.55 in 1934
	84.8 in 1987	4 79.8	in 1908	4	16.80 in 2003	4	3.97 in 1902
5	84.4 in 2014	5 80.0	in 1913	5	16.73 in 1981	5	3.98 in 1963
	84.4 in 2005	6 80.4	in 1911	6	16.22 in 1972	6	4.07 in 1996
	84.4 in 1985	80.4	in 1909	7	15.86 in 1967	7	4.12 in 1958
8	84.3 in 1995	8 80.5	in 1917	8	14.97 in 1990	8	4.26 in 1964
	84.3 in 1981	9 80.6	in 1922	9	14.81 in 1926	9	4.29 in 1955
	84.3 in 1979	80.6	in 1907	10	14.79 in 1979	10	4.32 in 1953
							4.32 in 1924
				19	12.20 in 2024		
Nor	mal Temp Augus	st at FMY =	83.4°				
	mal Rain Augus						

Wa	rmest Summers	Coolest Summers	Wettest Summers	Driest Summers
1	85.3 in 1981	1 79.1 in 1904	1 43.87 in 2024	1 11.12 in 1964
2	85.2 in 2023	2 79.2 in 1910	2 42.27 in 1974	2 14.71 in 1944
3	84.6 in 2010	3 79.7 in 1908	3 42.24 in 2004	3 15.74 in 1963
4	84.5 in 2024	4 79.8 in 1906	4 41.55 in 1912	4 16.67 in 1956
	84.5 in 2022	5 80.0 in 1913	5 40.57 in 2017	5 17.03 in 1970
6	84.2 in 1979	6 80.1 in 1917	6 40.01 in 1995	6 17.20 in 1902
7	84.0 in 1998	7 80.2 in 1903	7 38.76 in 2005	7 17.56 in 1931
8	83.9 in 1987	80.2 in 1907	8 37.58 in 2006	8 17.60 in 1950
	83.9 in 1980	80.2 in 1909	9 36.90 in 1982	9 17.80 in 1980
10	83.7 in 2021	10 80.4 in 1918	10 36.89 in 1943	10 17.90 in 2014
	83.7 in 2016			
Nori	mal Summer Temp	at FMY = 83.0°		

Normal Summer Rain at FMY = 29.47 in.

			Mont Cemp	-		Warme Avg			_		Warme Avg			-
2 4 6	85.9 85.7 85.7 85.3 85.3 85.3 85.2	in in in in in in	Aug Jun Jul Jul Jul Jun Jul	1979 2022 2010 2024	2 4 5 6 7	94.6 94.4 94.2 94.1 94.1	in in in in in in	Jun Jul Aug Jun Jul Aug	2010 1942 1979 1942 1944 2023 1987	3 4 5	78.2 78.2 77.5 77.3 77.1 77.1 77.1 77.0	in in in in in in	Jul Jul Jul Jul Aug Jul	2023 1981 2024 2024 2008 1995 2022
10	84.8 84.8 84.8	in in in	Aug Jul Jul		10	92.3 92.3 92.3 92.3 92.3 92.3 92.3 92.3 92.3	in in in in in in in in	Jul Jul Aug Jul Aug Jun Jun Jul Aug Jun	1992 1981 2024 2020 1998 1984 1975 1964		77.0 76.8 76.8 76.8 76.8	in in in	Aug Aug Sep	2022 2011 1979

For more Climate information visit our web site at the following link: https://www.weather.gov/tampabay and then rollover the Climate and Past Weather drop down menu above the graphical forecast images.