

# NOAA - National Weather Service


Tampa Bay Area 2525 14th Avenue SE, Ruskin, Florida 33570 813-645-2323 https://weather.gov/tampabay

# August and Summer 2025 Weather Summary for West Central and Southwest Florida

For August and for the Summer (June/July/August) temperatures across West Central and Southwest Florida averaged from 0.5 degrees below normal to about 2 degrees above normal, with several sites ending up in the Top Ten Warmest for August and the Summer (June/July/August), and a few in the Top Ten Warmest Month overall.

#### AUGUST TEMPERATURE RANKINGS (°F):


Location	August 2025 Ranking Avg	Temp	Normal Aug Temp	Dep fm Normal	Records Began
Plant City	4th Warmest(tie)	85.6°	83.6°	+2.0°	Sep 1892
Tampa Area	3rd Warmest	85.3°	84.0°	+1.3°	Apr 1890
Lakeland Area	3rd Warmest	85.0°	83.3°	+1.7°	Jan 1915
Winter Haven Area	5th Warmest(tie)	84.9°	84.1°	+0.8°	Mar 1941
Fort Myers Area	3rd Warmest(tie)	84.8°	83.4°	+1.4°	Jan 1902
Punta Gorda Area	11th Warmest(tie)	84.1°	83.5°	+0.6°	May 1914
Bartow	10th Warmest(tie)	83.9°	82.3°	+1.6°	Jun 1892
Wauchula	5th Warmest(tie)	83.6°	82.3°	+1.3°	Jan 1933
Venice	17th Warmest	83.5°	83.1°	+0.4°	May 1955
St. Leo	17th Warmest(tie)	83.1°	81.4°	+1.7°	Apr 1895
Archbold Bio Stn	7th Warmest	83.0°	82.1°	+0.9°	Jan 1969
Sarasota-Bradenton Area	84th Coolest(tie)	83.0°	83.4°	-0.4°	Jan 1911
Brooksville Area	18th Warmest(tie)	82.6°	81.5°	+1.1°	Jan 1892
Chiefland 5 ESE	10th Warmest(tie)	82.5°	80.8°	+1.7°	Jul 1956
Inverness 3 SE	26th Warmest(tie)	82.2°	80.7°	+1.5°	Jul 1948



Graphics Source: NOAA Regional Climate Centers

# SUMMER TEMPERATURE RANKINGS (°F):

		Summer 2025	5	Normal	Dep fm	Records
Location	Rá	anking Avo	g Temp	Sum Temp	Normal	Began
Plant City	4th	Warmest(tie)	85.1°	83.2°	+1.9°	Sep 1892
Tampa Area		Warmest(tie)	84.8°	83.6°	+1.2°	Apr 1890
Winter Haven Area	7th	Warmest	84.6°	83.8°	+0.8°	Mar 1941
Lakeland Area	4th	Warmest(tie)	84.4°	82.8°	+1.6°	Jan 1915
Fort Myers Area	6th	Warmest	84.3°	83.0°	+1.3°	Jan 1902
Punta Gorda Area	6th	Warmest	83.8°	82.8°	+1.0°	May 1914
Venice	9th	Warmest	83.7°	82.5°	+1.2°	May 1955
Bartow	10th	Warmest(tie)	83.2°	81.9°	+1.3°	Jun 1892
Wauchula	7th	Warmest	82.8°	81.6°	+1.2°	Jan 1933
St. Leo	9th	Warmest(tie)	82.8°	81.0°	+1.8°	Apr 1895
Sarasota-Bradenton Area	87th	Coolest(tie)	82.5°	82.8°	-0.3°	Jan 1911
Brooksville Area	6th	Warmest(tie)	82.4°	80.9°	+1.5°	Jan 1892
Archbold Bio Stn	6th	Warmest(tie)	82.3°	81.4°	+0.9°	Jan 1969
Chiefland 5 ESE	9th	Warmest(tie)		80.2°	+1.6°	Jul 1956
Inverness 3 SE	22nd	Warmest(tie)	81.8°	80.4°	+1.4°	Jul 1948



Graphics Source: NOAA Regional Climate Centers

The table below list how August 2025 ranked versus any other month since records began at each location. A few sites ended up in the Top Ten for the Warmest Month since records began.

#### WARMEST MONTH TEMPERATURE RANKINGS (°F):


Location	August 20 Ranking A	25 .vg Temp		Record th and		Reco Beo	ords gan
Plant City	10th Warmest(tie)	85.6°	87.8°	in Aug	2023	Sep	1892
Tampa Area	9th Warmest	85.3°	86.9°	in Aug	2023	Apr	1890
Lakeland Area	7th Warmest	85.0°	86.0°	in Aug	2023	Jan	1915
Winter Haven Area	11th Warmest(tie)	84.9°	86.1°	in Jul	2024	Mar	1941
Fort Myers Area	10th Warmest(tie)	84.8°	86.1°	in Jul	2023	Jan	1902
Punta Gorda Area	21st Warmest(tie)	84.1°	86.7°	in Jul	2024	May	1914
Bartow	22nd Warmest(tie)	83.9°	87.4°	in Aug	2014	Jun	1892
Wauchula	12th Warmest(tie)	83.6°	85.4°	in Aug	2009	Jan	1933
Venice	46th Warmest(tie)	83.5°	88.1°	in Sep	1988	May	1955
St. Leo	39th Warmest(tie)	83.1°	86.4°	in Jun	1998	Apr	1895
Archbold Bio Stn	13th Warmest(tie)	83.0°	83.9°	in Aug	2023	Jan	1969
Sarasota-Bradenton Area	50th Warmest(tie)	83.0°	86.2°	in Jul	2023	Jan	1911
Brooksville Area	36th Warmest(tie)	82.6°	84.6°	in Jul	2024*	Jan	1892
Chiefland 5 ESE	21st Warmest(tie)	82.5°	84.5°	in Aug	2023	Jul	1956
Inverness 3 SE	67th Warmest(tie)	82.2°	84.6°	in Jul	2016	Jul	1948

<sup>\*</sup>Last of Multiple Occurrences


As for rainfall it was variable across the region with amounts ranging from around 4 inches to over 13 inches this August, while summer (June/July/August) totals ranged from as little as 13.5 inches to over 33 inches.

#### AUGUST RAINFALL RANKINGS (inches):

	August	2025	Normal	Dep fm	Records
Location	Rank	Rain Total	Aug Rain	Normal	Began
Plant City	14th Wettest	13.46	8.85	+4.61	Feb 1893
Sarasota-Bradenton Area	25th Wettest	12.78	9.11	+3.67	Jan 1911
Tampa Area	23rd Wettest	11.20	9.03	+2.17	Apr 1890
Archbold Bio Stn	11th Wettest	11.16	8.49	+2.67	Jan 1969
Fort Myers Area	68th Driest	9.11	10.43	-1.32	Jan 1902
Punta Gorda Area	74th Driest	8.89	9.11	-0.22	May 1914
Lakeland Area	78th Driest	8.88	9.08	-0.20	Jan 1915
Chiefland 5 ESE	30th Driest	8.65	9.87	-1.22	Jul 1956
Brooksville Area	52nd Driest	7.41	8.12	-0.71	Jan 1892
Venice	30th Driest	6.97	8.34	-1.37	May 1955
Inverness 3 SE	25th Driest	6.78	8.69	-1.91	Jul 1948
Bartow	58th Driest	6.70	7.78	-1.08	Jun 1892
Wauchula	27th Driest	5.90	8.46	-2.56	Jan 1933
St. Leo	22nd Driest	5.06	8.28	-3.22	Apr 1895
Winter Haven Area	12th Driest	4.16	6.52	-2.36	Mar 1941









Percent of Normal

#### SUMMER RAINFALL RANKINGS (inches):

	Summer	2025	Normal	Dep fm	Records
Location	Rank	Rain Total	Sum Rain	Normal	Began
Archbold Bio Stn	9th Wettest	33.57	25.68	+7.89	Jan 1969
Sarasota-Bradenton Area	14th Wettest	32.52	23.55	+8.97	Jan 1911
Plant City	77th Driest	26.67	27.21	-0.54	Feb 1893
Chiefland 5 ESE	27th Driest	25.37	26.22	-0.85	Jul 1956
Tampa Area	45th Wettest	25.01	24.15	+0.86	Apr 1890
Wauchula	45th Wettest	24.75	24.61	+0.14	Jan 1933
Punta Gorda Area	56th Driest	23.68	26.41	-2.73	May 1914
Venice	41st Driest	22.15	23.54	-1.39	May 1955
Lakeland Area	52nd Driest	22.13	26.62	-4.49	Jan 1915
Fort Myers Area	24th Driest	21.26	29.47	-8.21	Jan 1902
Brooksville Area	35th Driest	20.86	25.44	-4.58	Jan 1892
St. Leo	28th Driest	19.96	24.72	-4.76	Apr 1895
Bartow	30th Driest	19.48	23.62	-4.14	Jun 1892
Inverness 3 SE	6th Driest	16.76	24.62	-7.86	Jul 1948
Winter Haven Area	4th Driest	13.53	21.32	-7.79	Mar 1941



Total Rainfall
June 1 - August 31, 2025



Percent of Normal

June 1 - August 31, 2025

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest August's and Summers at some official NWS locations, which includes the average/total for this August and Summer where available, as well as the 1991-2020 Normal (average) temperature and rainfall for these time periods. Also included are tables listing the Top Ten Warmest Average Monthly Temperatures, Warmest Monthly Average Maximum Temperatures, and the Warmest Monthly Average Minimum Temperatures.

#### CHIEFLAND 5 ESE (records began in July 1956):

Wa	rmest	Aug	gust's	Coc	olest	Aug	gust's	Wet	ttest <i>P</i>	Augı	ıst's	Drie	est Au	ıgus	st's
1	84.5	in	2023	1	78.3	in	1969	1	20.44	in	1971	1	3.17	in	1980
2	83.4	in	1980	2	78.9	in	1967	2	17.10	in	1986	2	3.71	in	1973
3	82.9	in	2020	3	79.0	in	1994	3	16.59	in	1985	3	3.84	in	2023
4	82.9	in	2018	4	79.3	in	2008	4	16.44	in	2015	4	3.97	in	2000
5	82.8	in	1999	5	79.4	in	1996	5	14.61	in	1988	5	4.06	in	1956
6	82.7	in	2024	6	79.5	in	2003	6	14.55	in	1961	6	5.28	in	2014
	82.7	in	2022		79.5	in	2002	7	14.43	in	1979	7	5.36	in	2009
	82.7	in	2016		79.5	in	1979	8	14.33	in	2010	8	5.50	in	1963
9	82.6	in	2015	9	79.7	in	2004		14.33	in	1966	9	5.51	in	1976
10	82.5	in	2025		79.7	in	1966	10	14.23	in	1968	10	5.72	in	1987
	82.5	in	2011												
	82.5	in	1987					39	8.65	in	2025	30	8.65	in	2025

Normal August Temp at CHIF1 =  $80.8^{\circ}$ Normal August Rain at CHIF1 = 9.87 in.

\_\_\_\_\_

Warm	nest Summers	Cool	lest Summers	Wet	test Summ	ers	Drie	est Sun	nmers	
1	82.9 in 2016	1	79.0 in 1965	1	37.95 in	2012	1	15.28	in 1973	3
2	82.7 in 2024	2	79.1 in 1974	2	36.55 in	2019	2	15.58	in 2014	ļ
3	82.6 in 1998		79.1 in 1966	3	36.38 in	2001	3	18.48	in 1969	)
4	82.5 in 2015	4	79.2 in 1969	4	35.41 in	1965	4	18.49	in 1972	2
5	82.4 in 2023	5	79.4 in 2008	5	34.90 in	2018	5	18.54	in 2006	ŝ
6	82.3 in 2022		79.4 in 2002	6	34.89 in	1964	6	18.76	in 1998	3
7	82.0 in 2018		79.4 in 1994	7	34.88 in	2003	7	19.05	in 2011	L
8	81.9 in 2017		79.4 in 1972	8	34.30 in	2013	8	19.17	in 1977	7
9	81.8 in 2025	9	79.5 in 1979	9	34.21 in	1974	9	19.48	in 1993	3
	81.8 in 2020		79.5 in 1963	10	33.23 in	1988	10	19.57	in 2007	7
				39	25.37 in	2025	27	25.37	in 2025	5

Normal Summer Temp at CHIF1 = 80.2° Normal Summer Rain at CHIF1 = 26.22 in.

\_\_\_\_\_

Date: 9/03/2025

	Warme	est	Mont	thly		Warm	est	Mon	thly		Warme	est	Mont	chly
	7A	vg '	Temp			Avg	Max	k Ter	nps		Avg	Mir	n Ter	nps
1	84.5	in	Aug	2023	1	95.4	in	Jun	1989	1	74.9	in	Aug	2021
2	83.8	in	Jul	2016	2	94.6	in	Jul	1983	2	74.5	in	Aug	2023
3	83.5	in	Jul	2023		94.6	in	Jun	1977	3	74.4	in	Aug	2015
4	83.4	in	Aug	1980	4	94.5	in	Aug	2023	4	74.3	in	Aug	2019
5	83.2	in	Sep	2018		94.5	in	Jun	1998	5	74.2	in	Jul	2023
6	83.1	in	Jul	2024		94.5	in	Jul	1981	6	74.1	in	Aug	2024
	83.1	in	Jul	1983	7	94.3	in	Aug	1980	7	73.9	in	Aug	2020
8	83.0	in	Jul	1998	8	94.2	in	Jul	1987		73.9	in	Sep	2018
	83.0	in	Jul	1987	9	94.1	in	Jun	1985		73.9	in	Aug	2018
10	82.9	in	Aug	2020	10	94.0	in	Jul	2016	10	73.8	in	Jul	2024
	82.9	in	Aug	2018		•					73.8	in	Aug	2016
	•				76	91.6	in	Aug	2025		73.8	in	Aug	2010
21	82.5	in	Aug	2025		91.6	in	Jul	2025		73.8	in	Aug	1999
	82.5	in	Aug	2011		91.6	in	Aug	2016		73.8	in	Jul	1998
	82.5	in	Aug	1987		91.6	in	Jul	1995					
						91.6	in	Jun	1960	24	73.3	in	Aug	2025
											73.3	in	Jul	2025
											73.3	in	Jul	2020
											73.3	in	Jul	2015

\_\_\_\_\_

# INVERNESS 3 SE (records began in July 1948):

Wa	rmest	Aug	gust's	Cod	olest	Aug	gust's	Wet	ttest <i>P</i>	Augı	ıst's	Drie	est Aı	ıgus	st's
1	84.4	in	2011	1	78.1	in	1994	1	16.70	in	1949	1	1.77	in	1963
2	84.0	in	2010	2	78.5	in	2004	2	16.58	in	2008	2	2.43	in	1993
3	83.7	in	1954	3	79.8	in	1997	3	16.19	in	1961	3	3.08	in	2013
4	83.4	in	1956	4	79.9	in	1976	4	15.87	in	1953	4	3.27	in	1999
5	83.3	in	2022	5	80.0	in	1992	5	15.03	in	1992	5	3.86	in	1989
	83.3	in	2016	6	80.2	in	2003	6	13.35	in	1985	6	3.88	in	1997
7	83.2	in	2020	7	80.4	in	2002	7	13.15	in	1970	7	4.18	in	2014
	83.2	in	1955		80.4	in	1996	8	12.97	in	1965	8	4.48	in	1987
9	83.0	in	1983	9	80.7	in	1986	9	12.63	in	2019	9	4.50	in	1973
	83.0	in	1963		80.7	in	1949	10	12.43	in	1968	10	4.57	in	2001
					80.7	in	1948								
26	82.2	in	2025									25	6.78	in	2025
	82.2	in	1966												
	82.2	in	1966												
	82.2	in	1960												
	82.2	in	1959												
		_	st Temp a <sup>s</sup> st Rain a <sup>s</sup>												

\_\_\_\_\_\_

Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

Normal Summer Temp at INVF1 = 80.4° Normal Summer Rain at INVF1 = 24.62 in.

-----

<b>C T</b>	00 0		_	20254				_					_	
					113	91.7	in	Aug	2025*	41	72.7	in	Aug	2025*
	83.5	in	Jul	1979							,			
	83.5	in	Jun	2010		94.5	in	Aug	1955		74.0	in	Aug	1983
10	83.5	in	Jul	2020	10	94.5	in	Jun	1977	10	74.0	in	Aug	2022
9	83.6	in	Jun	1981		94.7	in	Jun	1950	9	74.1	in	Jul	1969
8	83.7	in	Aug	1954	8	94.7	in	Jul	2010	8	74.2	in	Aug	2020
7	83.8	in	Jul	1969	7	95.0	in	Aug	1956		74.3	in	Aug	2011
	84.0	in	Jul	2010		95.1	in	Jun	1981	6	74.3	in	Aug	2019
5	84.0	in	Aug	2010	5	95.1	in	Jun	2015		74.5	in	Aug	2010
4	84.2	in	Jul	2023	4	95.7	in	Jun	2011		74.5	in	Aug	2021
3	84.3	in	Jul	2024	3	95.8	in	Jun	2010	3	74.5	in	Aug	2024
2	84.4	in	Aug	2011	2	95.9	in	Jun	1998	2	74.7	in	Jul	2024
1	84.6	in	Jul	2016	1	96.8	in	Jul	2016	1	75.1	in	Jul	2023
	Warme Av		Mont Cemp	_		Warme Avg		Mont K Ter	_		Warme Avg		Mont n Tem	_

#### 67 82.2 in Aug 2025\*

-----

Date: 9/03/2025

<sup>\*</sup>Last of Multiple Occurrences

#### BROOKSVILLE AREA (records began in January 1892):

. . .

18 82.6 in 2025

82.6 in 2010

Normal August Temp at BKV =  $81.5^{\circ}$ Normal August Rain at BKV = 8.12 in.

-----

Wa	rmest	Sur	mmers	Cod	olest	Sur	nmers	We	ttest S	Sumr	ners		Dri	est Si	ımme	ers
1	83.6	in	1927	1	78.4	in	1894	1	57.08	in	1945		1	13.03	in	1996
2	83.5	in	2024	2	78.8	in	1920	2	41.37	in	2003		2	13.05	in	1997
3	83.0	in	2023	3	79.0	in	1922	3	41.33	in	1949		3	14.06	in	1979
4	82.6	in	2011	4	79.1	in	1921	4	39.60	in	1943		4	14.34	in	1958
5	82.5	in	2022	5	79.3	in	1904	5	38.64	in	1928		5	14.97	in	1931
6	82.4	in	2025	6	79.4	in	1947	6	38.55	in	1906		6	14.99	in	1954
	82.4	in	1928		79.4	in	1946	7	37.96	in	2013		7	15.06	in	1902
8	82.3	in	2017	8	79.5	in	1965	8	37.46	in	1905		8	15.56	in	1973
	82.3	in	1981		79.5	in	1949	9	36.81	in	2012		9	15.84	in	1955
10	82.2	in	2019		79.5	in	1919	10	34.93	in	2015	1	0	15.90	in	1916
	82.2	in	2010													
	82.2	in	1998					96	20.86	in	2025	3	5	20.86	in	2025

Normal Summer Temp at BKV =  $80.9^{\circ}$ Normal Summer Rain at BKV = 25.44 in

\_\_\_\_\_

	Warme Av		Mont Cemp	_		Warme Avg		Mont k Ter	_		Warme Avg		Mont n Tem	_
1	84.6	in	Jul	2024	1	97.0	in	Jun	1927	1	75.1	in	Aug	2011
	84.6	in	Aug	2023	2	95.5	in	Jul	1930	2	74.9	in	Aug	1941
3	84.2	in	Jun	1927	3	95.2	in	Jul	1931	3	74.8	in	Aug	1899
4	83.9	in	Aug	1926		95.2	in	Jul	1927	4	74.7	in	Jul	2024
5	83.8	in	Jul	2023	5	95.1	in	May	1927	5	74.6	in	Aug	1995
	83.8	in	Aug	2011	6	94.9	in	Aug	1926	6	74.5	in	Aug	2023
7	83.6	in	Jul	1930	7	94.8	in	Aug	2023	7	74.4	in	Jul	1942
	83.6	in	Jul	1927		94.8	in	Jun	1998	8	74.3	in	Aug	2017
9	83.5	in	Aug	2017	9	94.6	in	Jul	2024	9	74.2	in	Aug	2010
	83.5	in	Jul	1931	10	94.3	in	Jun	1935		74.2	in	Aug	1909
36	82.6	in	Aug	2025*	77	92.0	in	Aug	2025*	41	73.3	in	Aug	2025*

<sup>\*</sup>Last of Multiple Occurrences

# ST LEO (records began in April 1895):

Wa	rmest August's	Coolest August's	Wettest August's	Driest August's
1	84.8 in 2007	1 77.5 in 1922	1 20.16 in 1898	1 2.16 in 1930
2	84.7 in 2005	2 79.4 in 1920	2 19.75 in 1901	2 2.72 in 1980
3	84.2 in 2023	79.4 in 1913	3 17.60 in 1945	3 2.97 in 1921
4	84.1 in 1900	4 79.5 in 1930	4 16.99 in 1979	4 3.05 in 1915
5	84.0 in 1987	79.5 in 1919	5 16.26 in 1905	5 3.78 in 1938
6	83.9 in 1941	79.5 in 1904	6 16.08 in 1965	6 3.90 in 1941
7	83.7 in 1924	7 79.7 in 1992	7 14.97 in 1967	7 4.03 in 1996
8	83.6 in 2006	8 79.8 in 1917	8 14.56 in 1917	4.03 in 1976
	83.6 in 1983	9 80.1 in 1923	9 14.20 in 1942	9 4.17 in 1924
	83.6 in 1951	80.1 in 1911	10 13.79 in 2024	10 4.25 in 2005
	83.6 in 1899			
				22 5.06 in 2025
17	83.1 in 2025			
	02 1 4 2024			

83.1 in 2024 83.1 in 1999

83.1 in 1995

83.1 in 1993

83.1 in 1989

Normal August Temp at STLF1 = 81.4° Normal August Rain at STLF1 = 8.28 in.

Date: 9/03/2025

Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

Wa	rmest Summers	Coolest Summer	s Wettest Summers	Driest Summers
1	84.6 in 1998	1 78.2 in 192	2 1 53.02 in 1945	1 12.71 in 1930
2	83.4 in 2005	2 78.5 in 191	9 2 43.25 in 1901	2 14.51 in 1958
3	83.2 in 1987	3 78.6 in 192	3 40.38 in 1934	3 15.09 in 1951
	83.2 in 1900	4 78.8 in 193	0 4 37.52 in 2012	4 15.97 in 1987
5	83.0 in 2024	5 78.9 in 192	3 5 36.13 in 1898	5 15.98 in 1915
	83.0 in 2006	6 79.2 in 190	4 6 35.05 in 1965	6 16.10 in 1980
7	82.9 in 1981	7 79.3 in 192	7 35.02 in 1943	16.10 in 1902
	82.9 in 1896	8 79.5 in 191	8 8 34.48 in 2002	8 16.20 in 1921
9	82.8 in 2025	79.5 in 191	9 33.33 in 2003	9 16.94 in 1997
	82.8 in 2023	10 79.6 in 193	5 10 32.26 in 1906	10 17.01 in 1952
	82.8 in 2007	79.6 in 191	7	
	82.8 in 1924	79.6 in 191	3	28 19.96 in 2025

Normal Summer Temp at STLF1 =  $81.0^{\circ}$ Normal Summer Rain at STLF1 = 24.72 in

\_\_\_\_\_

	Warme Av		Mont Temp	_		Warme Avg		Mont k Ter	_		Warme Avg		Mont n Ten	-
1	86.4	in	Jun	1998	1	96.7	in	Jun	1998	1	76.1	in	Jun	1998
2	84.8	in	Aug	2007	2	95.4	in	Jun	1898	2	75.8	in	Aug	2023
3	84.7	in	Aug	2005	3	95.0	in	Jun	1981	3	75.2	in	Aug	2024
4	84.3	in	Jul	2005		95.0	in	Jul	1896	4	75.1	in	Jul	2023
	84.3	in	Jul	1998	5	94.8	in	Aug	2007		75.1	in	Aug	2005
6	84.2	in	Aug	2023	6	94.7	in	Aug	1987	6	75.0	in	Aug	2025
7	84.1	in	Aug	1900		94.7	in	Aug	1900		75.0	in	Jul	2025
8	84.0	in	Aug	1987		94.7	in	Jun	1899	8	74.9	in	Aug	1995
9	83.9	in	Jul	1942		94.7	in	Jun	1897	9	74.7	in	Aug	2007
	83.9	in	Aug	1941	10	94.5	in	Jul	1942		74.7	in	Jul	2005
39	83.1	in	Aug	2025*	206	91.2	in	Aug	2025*					

<sup>33 03:1</sup> In hag 2023 200 31:2 In hag 2023

-----

Date: 9/03/2025

<sup>\*</sup>Last of Multiple Occurrences

#### TARPON SPRINGS (records began in January 1892):

Wa	rmest	Aug	gust's	Coc	olest	Aug	gust's	Wet	test A	Augı	ıst's	Dri	est Aı	ıgus	;t <b>'</b> s
1	85.2	in	2020	1	79.5	in	1905	1	23.60	in	1949	1	1.96	in	1930
2	84.9	in	1995		79.5	in	1904	2	20.99	in	1906	2	2.02	in	1899
3	84.3	in	1993	3	79.6	in	1969	3	18.97	in	2017	3	2.39	in	1963
4	84.2	in	2014		79.6	in	1900	4	18.52	in	1969	4	2.57	in	2001
	84.2	in	2007	5	80.1	in	1967	5	17.77	in	1957	5	2.84	in	1964
	84.2	in	1999		80.1	in	1892	6	17.06	in	1928	6	2.90	in	1934
	84.2	in	1997	7	80.2	in	1894	7	16.99	in	2010	7	3.70	in	2006
8	84.1	in	2019	8	80.4	in	1911	8	16.80	in	1905	8	3.72	in	1921
	84.1	in	2017		80.4	in	1910	9	16.67	in	1939	9	4.33	in	1916
10	84.0	in	2024		80.4	in	1907	10	16.05	in	1898	10	4.39	in	1936
	84.0	in	2005												
	84.0	in	2004												
	84.0	in	1941												

Average Temperature for August 1-24, 2025 =  $85.0^{\circ}$  Normal August Temp at TRPF1 =  $83.3^{\circ}$ 

Total Rainfall for August 1-24, 2025 = 6.38 inches Normal August Rain at TRPF1 = 9.66 in

\_\_\_\_\_

Wa	rmest	Summers		Со	olest	Sur	nmers	Wet	test S	Sumr	ners		Dr	iest Sı	ımme	ers
1	84.5	in 2020		1	79.0	in	1904	1	45.10	in	1909		1	11.64	in	1952
2	84.4	in 2004			79.0	in	1900	2	44.25	in	2012		2	12.65	in	1956
3	84.3	in 2024		3	79.1	in	1894	3	41.21	in	1906		3	12.87	in	1970
4	84.1	in 1998		4	79.4	in	1907	4	37.71	in	1957		4	13.49	in	1916
5	83.9	in 1993		5	79.5	in	1895	5	37.51	in	2015		5	13.64	in	1914
6	83.8	in 2019		6	79.6	in	1974	6	37.28	in	2019		6	14.17	in	1980
	83.8	in 2016			79.6	in	1939	7	36.54	in	1943		7	14.80	in	1976
	83.8	in 2005			79.6	in	1910	8	36.47	in	1939		8	14.90	in	1902
9	83.7	in 1997		9	79.7	in	1908	9	36.17	in	1928		9	15.07	in	1988
10	83.6	in 2014	1	. 0	79.8	in	1892	10	36.10	in	1945	1	L 0	15.17	in	1993
	83.6	in 2010														

Average Temperature for June 1 - August 24, 2025 = 84.1 $^{\circ}$  Normal Summer Temp at TRPF1 = 82.8 $^{\circ}$ 

Total Rainfall for June 1 - August 24, 2025 = 20.31 in. Normal Summer Rain at TRPF1 = 25.77 in

\_\_\_\_\_

	Warme Av		Mont Cemp	chly		Warme Avg		Mont k Ter	_		Warme Avg		Mont n Tem	-
1	85.2 85.2		_			95.0 94.9				1	78.4 78.4		_	
3	85.1	in	Jul	2020	3	94.6	in	Jul	1932	3	78.2	in	Jun	2005
4	85.0	in	Jul	2024	4	94.5	in	Sep	1925	4	78.1	in	Aug	2004
	85.0	in	Jul	1993	5	94.4	in	Jul	1997	5	77.9	in	Jul	2004
6	84.9	in	Aug	1995	6	94.3	in	Aug	1997	6	77.8	in	Jun	2004
7	84.8	in	Jul	1942		94.3	in	Jul	1942	7	77.6	in	Aug	2019
8	84.7	in	Jul	2016	8	94.0	in	Aug	1998	8	77.5	in	Jul	2007
	84.7	in	Jul	1997		94.0	in	Jul	1992	9	77.4	in	Aug	2007
10	84.6	in	Jul	2025	10	93.7	in	Sep	1997		77.4	in	Aug	2005
	84.6	in	Jul	2004		93.7	in	Aug	1995					
	84.6	in	Jun	2004										

Average Temperature for August 1-24, 2025 =  $85.0^{\circ}$  Average Max Temperature for August 1-24, 2025 =  $92.5^{\circ}$  Average Min Temperature for August 1-24, 2025 =  $77.5^{\circ}$ 

\_\_\_\_\_

#### TAMPA AREA (records began in April 1890):

Warm	mest August's	Со	olest August's	We	ttest August's	Dri	est August's
1 8	86.9 in 2023	1	80.2 in 1905	1	18.59 in 1949	1	0.78 in 1938
2 8	85.6 in 2022	2	80.3 in 1967	2	17.83 in 1898	2	2.35 in 1952
3 8	85.3 in 2025		80.3 in 1913	3	17.78 in 2024	3	2.38 in 1921
4 8	85.1 in 2011	4	80.4 in 1922	4	16.47 in 2015	4	2.83 in 2001
8	85.1 in 1941	5	80.5 in 1901	5	15.17 in 1932	5	3.27 in 1990
6 8	85.0 in 2021	6	80.6 in 1904	6	14.90 in 2003	6	3.47 in 1924
8	85.0 in 2017		80.6 in 1890	7	14.66 in 1905	7	3.52 in 2009
8 8	84.9 in 2007	8	80.7 in 1939	8	14.60 in 2018	8	3.63 in 1919
9 8	84.8 in 2020		80.7 in 1911	9	14.29 in 1939	9	3.75 in 1907
10 8	84.7 in 2024	10	80.8 in 1969	10	14.03 in 2004	10	3.87 in 1941
8	84.7 in 2005		80.8 in 1957				
			80.8 in 1898	23	11.20 in 2025		

Date: 9/03/2025

Normal August Temp at TPA =  $84.0^{\circ}$ Normal August Rain at TPA = 9.03 in

-----

Wa	rmest	Sur	nmers	Cod	olest	Sur	nmers	Wet	test S	Sumn	ners	Dr	iest Sı	ımm∈	ers
1	85.7	in	2022	1	80.1	in	1910	1	43.03	in	1945	1	11.16	in	1993
			-	2									13.15		
2	85.6	ТП	2023	2	80.2	ΤΠ	1955	2	38.52	ТП	2024	2	13.15	ΤΠ	1936
3	84.8	in	2025		80.2	in	1913	3	36.13	in	2012	3	13.25	in	1970
	84.8	in	2020		80.2	in	1904	4	34.79	in	1909	4	13.85	in	1978
5	84.6	in	2024	5	80.3	in	1967	5	34.67	in	1960	5	14.00	in	1977
	84.6	in	2021	6	80.4	in	1965	6	34.54	in	2015	6	14.25	in	1918
7	84.5	in	2010	7	80.5	in	1968	7	33.71	in	1925	7	15.05	in	1931
8	84.4	in	2011		80.5	in	1890	8	33.68	in	1896	8	15.65	in	2001
9	84.2	in	1998	9	80.6	in	1907	9	33.66	in	1995	9	15.73	in	1944
10	83.9	in	2018		80.6	in	1899	10	33.46	in	1957	10	15.88	in	1952
	83.9	in	2017		80.6	in	1894								
	83.9	in	2016					45	25.01	in	2025	92	25.01	in	2025

Normal Summer Temp at TPA =  $83.6^{\circ}$ Normal Summer Rain at TPA = 24.15 in

\_\_\_\_\_

	Warme Av		Mont Cemp	_		Warme Avg		Mont k Ter		Warme Avg	Mont 1 Ter	_		
1	86.9	in	Aug	2023	1	94.3	in	Aug	2023	1	79.7	in	Jul	2023
2	86.5	in	Jul	2023	2	93.5	in	Aug	1951	2	79.5	in	Aug	2023
3	86.3	in	Jul	2022	3	93.4	in	Jul	2022	3	79.2	in	Jul	2022
4	85.8	in	Sep	2018	4	93.3	in	Jul	2023	4	79.0	in	Jul	2025
5	85.6	in	Jul	2025	5	93.0	in	Sep	2018	5	78.8	in	Aug	2025
	85.6	in	Aug	2022		93.0	in	Jun	1998		78.8	in	Aug	2011
	85.6	in	Jun	1998	7	92.9	in	Jul	1942	7	78.6	in	Aug	2022
8	85.5	in	Jul	2020	8	92.8	in	Jun	1952	8	78.5	in	Sep	2018
9	85.3	in	Aug	2025	9	92.7	in	Jul	1992	9	78.3	in	Aug	2021
10	85.2	in	Jun	2022		92.7	in	Aug	1990		78.3	in	Jul	2020
											78.3	in	Aug	2017
					42	91.8	in	Aug	2025					
						91.8	in	Aug	2020					

#### ST PETERSBURG (records began in August 1914):

Wa	rmest August's	Со	oolest August's	W∈	ettest August's	Dri	est August's
1	87.5 in 2005	1	80.8 in 1922	1	21.85 in 1939	1	0.82 in 1938
2	86.8 in 2023	2	81.3 in 1939	2	19.57 in 1949	2	2.91 in 1984
3	86.2 in 2024	3	81.4 in 1947	3	18.62 in 1915	3	2.96 in 1941
4	85.7 in 2013	4	81.5 in 1953	4	17.93 in 1967	4	3.21 in 1998
5	85.4 in 2017	5	81.6 in 1957	5	17.75 in 1995	5	3.33 in 1951
6	85.3 in 2014	6	81.8 in 1995	6	16.65 in 1971	6	3.37 in 1919
	85.3 in 1941		81.8 in 1994	7	16.53 in 1945	7	3.40 in 1933
8	85.2 in 2007		81.8 in 1974	8	16.04 in 1922	8	3.66 in 2005
9	85.0 in 2010		81.8 in 1917	9	15.49 in 2016	9	3.67 in 1996
	85.0 in 1980	10	81.9 in 2016	10	15.33 in 1947	10	4.30 in 1914
			81.9 in 1967				
			81.9 in 1949				

Average Temperature for August 2025 = Four days missing Normal Temp August at SPG =  $84.0^{\circ}$ 

Total Rainfall for August 2025 = \*11.16 inches Normal August Rain at SPG = 8.39 in.

<sup>\*</sup> Rainfall was missing on August  $19^{\rm th}-21^{\rm st}$  due to equipment failure. Radar estimates and local rain gauges indicate that an additional 0.50 inch of rain may have fallen on these days.


Wa	rmest	Sur	mmers	Co	olest	Sur	mmers		Wet	ttest S	Sumr	ners		Dri	Lest Si	ımme	ers
1	86.3	in	2024	1	80.9	in	1922		1	47.62	in	1945		1	10.52	in	1931
2	85.7	in	2005	2	81.1	in	1974		2	45.31	in	1939		2	11.17	in	1984
3	85.6	in	2010		81.1	in	1955		3	40.99	in	1995		3	11.48	in	1970
4	85.1	in	2023	4	81.2	in	1947		4	38.08	in	1943		4	12.32	in	1930
5	84.6	in	1987	5	81.4	in	1920		5	36.66	in	1947		5	12.39	in	1916
6	84.5	in	2020	6	81.6	in	1995		6	35.03	in	2016		6	13.10	in	1996
	84.5	in	2017		81.6	in	1923		7	35.00	in	1922		7	13.14	in	1993
	84.5	in	1998		81.6	in	1919		8	34.49	in	1974		8	14.18	in	1941
9	84.3	in	2022	9	81.7	in	1968		9	33.26	in	1959		9	14.31	in	1966
	84.3	in	2013		81.7	in	1965	1	10	32.62	in	1971	1	LO	14.99	in	1951
	84.3	in	1980		81.7	in	1956										
					81.7	in	1953										
					81.7	in	1917										

Average Temperature for Summer 2025 = 83.2° Normal Summer Temp at SPG = 83.5°

Total Rainfall for Summer 2025 = \*30.90 in. Normal Summer Rain at SPG = 22.67 in.

\_\_\_\_\_

<sup>\*</sup> Rainfall was missing on August  $19^{\rm th}-21^{\rm st}$  due to equipment failure. Radar estimates and local rain gauges indicate that an additional 0.50 inch of rain may have fallen on these days.

Warmest Monthly	Warmest Monthly	Warmest Monthly
Avg Temp	Avg Max Temps	Avg Min Temps
1 87.5 in Aug 2005	1 93.7 in Aug 2005	1 81.4 in Aug 2023
2 87.0 in Jul 2024	2 93.5 in Jul 1932	2 81.3 in Aug 2005
3 86.8 in Aug 2023	3 93.1 in Jul 2024	3 80.9 in Jul 2024
4 86.7 in Jul 2005	4 92.9 in Jun 2010	4 80.8 in Aug 2024
5 86.5 in Jun 2010	5 92.8 in Jul 1987	5 80.7 in Jul 2005
6 86.2 in Aug 2024	92.8 in Aug 1941	6 80.2 in Jul 2023
7 85.7 in Sep 2024	92.8 in Jul 1931	7 80.1 in Aug 2010
85.7 in Aug 2013	8 92.7 in Jul 2005	80.1 in Jun 2010
85.7 in Sep 2005	9 92.5 in Aug 1980	9 80.0 in Sep 2024
85.7 in Jul 1932	92.5 in Jun 1977	80.0 in Sep 2005

Average Temperature for August 2025 = Four days missing Average Max Temperature for August 2025 = Four days missing Average Min Temperature for August 2025 = Four days missing

\_\_\_\_\_

**PLANT CITY** (Temperature records began in September 1892 and Rainfall records began in February 1893):

Wa	rmest	Aug	gust's	Cod	olest	Aug	gust's	Wet	test A	Augı	ıst's	Dri	.est Aı	ıgus	st's
1	87.8	in	2023	1	78.7	in	1930	1	17.79	in	2004	1	1.87	in	1902
2	86.6	in	2024	2	79.1	in	1907	2	17.48	in	1953	2	2.44	in	1960
	86.6	in	2022	3	79.6	in	1939	3	17.17	in	1949	3	3.62	in	1912
4	85.6	in	2025		79.6	in	1906	4	16.43	in	2019	4	3.88	in	2021
	85.6	in	2017	5	79.7	in	1931	5	15.69	in	1906	5	3.98	in	1996
6	85.4	in	2021	6	79.9	in	1905	6	15.06	in	1898	6	4.08	in	1954
	85.4	in	2020	7	80.1	in	2000	7	14.96	in	1939	7	4.29	in	1991
8	84.6	in	2018	8	80.2	in	1933	8	14.15	in	2024	8	4.58	in	1997
9	84.3	in	2011		80.2	in	1911	9	14.04	in	1967	9	4.76	in	1914
10	84.1	in	2019	10	80.3	in	1973	10	13.95	in	1979	10	4.80	in	1934
					80.3	in	1967	11	13.92	in	1908				
					80.3	in	1904	12	13.70	in	1969				
								13	13.48	in	1905				
								14	13.46	in	2025				

Normal Temp August at PLCF1 =  $83.6^{\circ}$ Normal Rain August at PLCF1 = 8.85 in.

\_\_\_\_\_

Warmest Summers		Cod	olest	Summers		Wet	Wettest Summers			Driest Summers					
_	0.6 5		0004				1010	-	44 50		1010	-	1.4.60		1056
Τ	86.5	ın	2024	Τ	79.7	ın	1919	Τ	41.73	ın	1943	1	14.60	ın	1956
	86.5	in	2023	2	79.8	in	1923	2	40.04	in	1910	2	14.98	in	1915
3	85.6	in	2022	3	79.9	in	1921	3	39.69	in	1945	3	15.23	in	1989
4	85.1	in	2025		79.9	in	1920	4	39.40	in	2004	4	15.34	in	1993
	85.1	in	2020	5	80.2	in	1967	5	38.91	in	2019	5	15.36	in	1961
6	84.6	in	2021		80.2	in	1947	6	38.77	in	2017	6	15.52	in	1952
	84.6	in	2017		80.2	in	1930	7	37.53	in	1939	7	16.01	in	1951
8	84.5	in	2019	8	80.3	in	1966	8	36.18	in	1925	8	17.02	in	1970
9	84.1	in	2018		80.3	in	1965	9	36.08	in	1906	9	17.30	in	1988
10	84.0	in	2016	10	80.4	in	1974	10	35.94	in	1905	10	17.39	in	1987
					80.4	in	1968								
					80.4	in	1929	48	26.67	in	2025	77	26.67	in	2025

Normal Summer Temp at PLCF1 = 83.2° Normal Summer Rain at PLCF1 = 27.21 in.

\_\_\_\_\_

	Warme Av		Mont Cemp	chly		Warmest Monthly Avg Max Temps							Mont n Ten	_
1	87.8	in	Aua	2023	1	99.3	in	Aug	2023	1	76.7	in	Jul	2024
	87.5					99.2		_		2	76.4	in	Aug	2025
3	87.3	in	Jul	2024	3	97.8	in	Jul	2024		76.4	in	Aug	2024
4	86.6	in	Aug	2024	4	97.6	in	Aug	2022	4	76.3	in	Aug	2023
	86.6	in	Aug	2022	5	96.9	in	Aug	2024	5	76.1	in	Jul	2025
6	86.2	in	Sep	2024	6	96.7	in	Jun	2024	6	75.9	in	Sep	2024
7	85.9	in	Jul	2022	7	96.6	in	Sep	2024		75.9	in	Aug	2021
8	85.7	in	Jul	2025	8	96.5	in	Jul	2022		75.9	in	Aug	2020
	85.7	in	Jun	2024		96.5	in	Jun	1911		75.9	in	Jul	2020
10	85.6	in	Aug	2025	10	96.4	in	May	2024	10	75.8	in	Jul	2023
	85.6	in	Aug	2017		96.4	in	Jun	2023		75.8	in	Aug	2011
					26	94.7	in	Aug	2025					
						94.7	in	Jul	2019					
						94.7	in	Jul	2017					

Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

#### **LAKELAND** (records began in January 1915):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 86.0 in 2023	1 80.0 in 1967	1 15.57 in 1948	1 3.40 in 1942
2 85.1 in 1987	2 80.5 in 1973	2 15.19 in 2010	2 3.58 in 1921
3 85.0 in 2025	80.5 in 1949	3 14.15 in 1935	3 3.65 in 1947
4 84.8 in 2022	4 80.6 in 1939	4 13.49 in 1915	4 3.73 in 1930
5 84.6 in 2024	80.6 in 1923	5 12.63 in 2019	5 3.89 in 1950
84.6 in 1995	80.6 in 1920	6 12.52 in 2004	6 3.98 in 1960
7 84.4 in 2021	7 80.8 in 1969	7 12.23 in 2015	7 4.22 in 2021
84.4 in 1989	80.8 in 1957	8 11.97 in 1928	8 4.56 in 1982
9 84.3 in 2020	9 80.9 in 1959	9 11.93 in 1949	9 4.61 in 1934
84.3 in 2011	10 81.0 in 1953	10 11.37 in 2016	10 4.68 in 1970
84.3 in 2010	81.0 in 1922	• • •	
		34 8.88 in 2025	78 8.88 in 2025

Normal Temp August at LLDF1 = 83.3° Normal Rain August at LLDF1 = 9.08 in.

-----

Wa	rmest Summers	Coolest	Summers	Wettest Summers	Driest Summers
1	84.8 in 2024	1 79.7	in 1919	1 43.60 in 2017	1 13.76 in 1958
2	84.6 in 2023	2 79.8	in 1923	2 36.50 in 2015	2 13.88 in 1998
	84.6 in 2010	3 79.9	in 1921	3 34.42 in 2019	3 13.96 in 1918
4	84.4 in 2025	79.9	in 1920	4 33.76 in 2013	4 14.67 in 1972
	84.4 in 1987	5 80.2	in 1967	5 33.29 in 1994	5 15.35 in 1936
6	84.1 in 2022	80.2	in 1947	6 32.40 in 2005	6 15.51 in 1931
7	84.0 in 2016	80.2	in 1930	7 32.12 in 1968	7 16.05 in 1950
8	83.8 in 2020	8 80.3	in 1966	8 31.87 in 2001	8 16.71 in 1942
	83.8 in 1998	80.3	in 1965	9 31.78 in 1948	9 16.92 in 1954
	83.8 in 1989	10 80.4	in 1974	10 31.59 in 1995	10 16.95 in 1921
		80.4	in 1968		
		80.4	in 1929	60 22.13 in 2025	52 22.13 in 2025

Normal Summer Temp at LLDF1 =  $82.8^{\circ}$ Normal Summer Rain at LLDF1 = 26.62 in.

\_\_\_\_\_

	Warmest Monthly Avg Temp					Warme Avg	_		Warmest Monthly Avg Min Temps					
1	86.0	in	Aug	2023	1	96.5	in	Aug	1987	1	77.4	in	Aug	2023
2	85.5	in	Jul	2024	2	96.3	in	Jul	1992	2	76.6	in	Jul	2023
	85.5	in	Jul	2023	3	96.0	in	Jun	1998	3	76.4	in	Jul	2024
4	85.1	in	Jul	2025		96.0	in	Jul	1987	4	76.3	in	Aug	2024
	85.1	in	Jul	2016	5	95.6	in	Aug	1989	5	76.2	in	Aug	2025
	85.1	in	Aug	1987	6	95.4	in	Jul	1993		76.2	in	Aug	2010
7	85.0	in	Aug	2025	7	95.0	in	Jul	1989	7	76.1	in	Aug	2021
8	84.9	in	Jul	1992	8	94.9	in	Jun	2010	8	76.0	in	Aug	2020
9	84.8	in	Aug	2022		94.9	in	Jun	1985	9	75.9	in	Jul	2025
	84.8	in	Jun	2010		94.9	in	Jul	1981	10	75.8	in	Aug	2019
	84.8	in	Jul	1987		•					75.8	in	Jul	2016
					34	93.7	in	Aug	2025		75.8	in	Aug	2011
						93.7	in	Jul	2022					
						93.7	in	Jul	1983					

\_\_\_\_\_

### WINTER HAVEN AREA (records began in March 1941):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 85.6 in 1989 2 85.5 in 2023 3 85.3 in 2005	1 80.0 in 1972 2 80.4 in 1971 80.4 in 1967	1 14.59 in 1949 2 12.76 in 1977 3 12.42 in 2022	1 1.78 in 1960 2 1.88 in 1998 3 2.04 in 1980
4 85.0 in 2020 5 84.9 in 2025	4 80.6 in 1957 5 80.8 in 1969	4 12.21 in 1952 5 11.94 in 1992	4 2.63 in 1942 5 2.80 in 2005
84.9 in 2024	80.8 in 1959	6 11.78 in 1995	6 3.09 in 1954
84.9 in 2022	7 80.9 in 1968	7 11.39 in 1981	7 3.65 in 1970
84.9 in 2019	8 81.0 in 1982	11.39 in 1957	8 3.73 in 1955
84.9 in 2007	81.0 in 1962	9 11.25 in 1948	9 3.88 in 2021
84.9 in 1941	10 81.1 in 2008	10 11.22 in 2011	10 3.96 in 1945
	81.1 in 1990		11 4.05 in 1999
			12 4.16 in 2025

Normal Temp August at GIF =  $84.1^{\circ}$ Normal Rain August at GIF = 6.52 in.

\_\_\_\_\_

Warmest Summers Coo		olest Summers			Wet	Wettest Summers				Driest Summers					
1	85.1 in	2024	1	79.4	in	1968	1	34.98	in	1949		1	9.33	in	1999
2	84.8 in	1989	2	79.7	in	1972	2	34.87	in	1945		2	12.07	in	1980
3	84.7 in	2022		79.7	in	1971	3	32.95	in	1992		3	12.14	in	1998
	84.7 in	2019	4	80.0	in	1974	4	32.77	in	1995		4	13.53	in	2025
	84.7 in	2010	5	80.4	in	1967	5	30.66	in	1981		5	14.37	in	1963
	84.7 in	1998	6	80.7	in	1963	6	30.57	in	2015		6	14.62	in	1997
7	84.6 in	2025		80.7	in	1962	7	30.08	in	1948		7	14.88	in	1972
8	84.4 in	2016	8	80.8	in	1965	8	29.77	in	1974		8	14.98	in	2009
9	84.3 in	2020	9	80.9	in	1959	9	29.75	in	2019		9	15.10	in	1979
10	84.0 in	2023	10	81.0	in	1966	10	28.69	in	1965	1	0	16.02	in	1964

Normal Summer Temp at GIF = 83.8° Normal Summer Rain at GIF = 21.32 in.

\_\_\_\_\_

			Mont Cemp	_		Warmest Monthly Avg Max Temps						Warmest Monthly Avg Min Temps			
2	86.1 85.6 85.6 85.5	in in in	Jul Aug Aug	2022 1989 2023	2	96.2 95.8 95.5 95.5	in in in	Jun Jul Aug	1998 2024 1989	2	77.1 76.8 76.7 76.6	in in in	Sep Jul Aug	2018 2024 2023	
7	85.5 85.4 85.3 85.0	in in in in	Jul Aug Aug Sep	2025 2005 2020 2018	6 7 9	94.9	in in in in	Aug Jul Aug Aug	1941 2016 1951 1942		76.6 76.5 76.5 76.4	in in in in	Jul Aug Aug Jul	2005 2024 2010 2022	
11	85.0 84.9 84.9 84.9 84.9 84.9	<pre>in in in in in in in</pre>	Aug Aug Aug Aug Jun Aug	2025 2024 2022 2019 2010 2007	• •		in	Aug	2022 1987 <b>2025*</b>		76.2	in in in in in	Jul Aug Aug <b>Aug</b> Sep	2020 2011 2005 <b>2025</b> 2024	

\*Last of Multiple Occurrences

\_\_\_\_\_\_

Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

#### BARTOW (records began in June 1892):

Wa	rmest	Aug	gust's	Coc	olest	Aug	gust's	Wet	ttest A	Augı	ıst's	Dri	est Aı	ıgus	st's
1	87.4	in	2014	1	79.7	in	1913	1	14.62	in	1905	1	1.60	in	2014
2	86.1	in	2013	2	79.9	in	1894	2	14.39	in	1949	2	2.45	in	1912
3	84.6	in	2023	3	80.3	in	1898	3	14.38	in	1909	3	2.60	in	1987
	84.6	in	1987	4	80.5	in	1967	4	13.38	in	2003	4	2.98	in	1936
	84.6	in	1951	5	80.6	in	1975		13.38	in	2002	5	3.02	in	1950
6	84.4	in	1998		80.6	in	1947	6	13.01	in	1981	6	3.18	in	1938
7	84.2	in	2011		80.6	in	1916	7	12.83	in	1928	7	3.57	in	1930
8	84.1	in	1941	8	80.7	in	1911	8	12.65	in	1992	8	3.74	in	1996
	84.1	in	1924		80.7	in	1892	9	12.57	in	2012	9	4.08	in	2010
10	83.9	in	2025	10	80.8	in	1901	10	12.39	in	1901	10	4.22	in	2021
	83.9	in	2010												
	83.9	in	2005					75	6.70	in	2025	58	6.70	in	2025
	83.9	in	1999												
	83.9	in	1997												

Normal Temp August at BARF1 = 82.3° Normal Rain August at BARF1 = 7.78 in.

\_\_\_\_\_

Wa	rmest	Summers	Cod	olest	Sur	nmers	Wet	test S	Sumn	mers	Dr	iest Sı	ımm∈	ers
1	85.6	in 2014	1	79.0	in	1894	1	36.81	in	2003	1	13.22	in	1964
2	84.8	in 1998	2	79.4	in	1913	2	36.13	in	1909	2	13.28	in	1950
3	84.5	in 2013	3	79.8	in	1892	3	35.84	in	2012	3	14.92	in	1931
4	83.9	in 2010	4	79.9	in	1947	4	35.15	in	1924	4	15.39	in	1996
5	83.7	in 1987	5	80.3	in	1936	5	35.01	in	1939	5	15.47	in	1979
6	83.6	in 2024		80.3	in	1916	6	34.85	in	1949	6	15.56	in	1902
7	83.5	in 2023	7	80.4	in	1976	7	34.31	in	2005	7	15.67	in	1987
8	83.3	in 2016		80.4	in	1974	8	34.14	in	1945	8	15.97	in	2007
	83.3	in 1969		80.4	in	1972	9	33.82	in	1934	9	16.40	in	2014
10	83.2	in 2025		80.4	in	1935	10	33.42	in	1928	10	16.42	in	1936
	83.2	in 1981												
	83.2	in 1958					103	19.48	in	2025	30	19.48	in	2025

Normal Summer Temp at BARF1 =  $81.9^{\circ}$ Normal Summer Rain at BARF1 = 23.62 in.

\_\_\_\_\_

	Warmest Monthly					Warme	Mont	chly		Warmest Monthly				
	rΑ	7g ]	[emp			Avg	Max	k Ten	nps		Avg	Mir	n Ten	nps
1	87.4	in	Aug	2014	1	96.8	in	Jul	1932	1	78.9	in	Aug	2014
2	86.1	in	Aug	2013	2	96.0	in	Jun	1998	2	78.0	in	Aug	2013
3	85.9	in	Jun	1998	3	95.9	in	Aug	2014	3	77.0	in	Jun	2015
4	85.7	in	Jun	2015		95.9	in	Jun	1927		77.0	in	Jul	2014
5	85.4	in	Jul	2014	5	95.6	in	Aug	1924	5	76.6	in	Jul	2013
6	84.7	in	Jul	1932	6	95.4	in	Jun	1981	6	75.7	in	Jun	1998
7	84.6	in	Aug	2023		95.4	in	Jun	1898		75.7	in	Aug	1995
	84.6	in	Aug	1987	8	95.3	in	Aug	1951	8	75.6	in	Sep	2014
	84.6	in	Aug	1951	9	95.0	in	Jun	1950	9	75.4	in	Aug	1998
10	84.5		_		10	94.9	in	Jul	1981	10	75.2	in	Aug	2023
											75.2		_	
22	83.9	in	Aug	2025*	75	93.3	in	Aug	2025*		75.2	in	Aug	1903
										27	74 6	in	<b>Δ11</b> α	2025*

27 74.6 in Aug 2025\*

#### SARASOTA-BRADENTON (records began in January 1911):

Wa	rmest August's	Coolest August's	Wettest August's	Driest August's
1	85.9 in 2023	1 79.6 in 1911	1 24.42 in 1981	1 2.51 in 1938
2	85.2 in 2020	2 79.9 in 1947	2 *23.55 in 2024	2 2.52 in 1930
3	85.0 in 2014	79.9 in 1922	3 20.97 in 2017	3 3.09 in 1944
4	84.7 in 2016	4 80.0 in 1939	4 19.97 in 1959	4 3.10 in 1952
5	84.5 in 2011	5 80.3 in 1967	5 19.73 in 1949	5 3.11 in 2001
6	84.2 in 2007	80.3 in 1931	6 19.35 in 1922	6 3.20 in 1996
7	83.9 in 1995	80.3 in 1927	7 18.14 in 1928	7 3.91 in 2008
8	83.8 in 2005	8 80.4 in 1930	8 17.79 in 2003	8 3.93 in 1963
9	83.7 in 2024	80.4 in 1916	9 17.63 in 1999	9 3.96 in 1984
	83.7 in 1990	10 80.5 in 1934	10 17.04 in 1939	10 3.97 in 2014
	83.7 in 1987	80.5 in 1929		
		• • •	25 12.78 in 2025	
26	83.0 in 2025	84 83.0 in 2025		
	83.0 in 1983	83.0 in 1983		
	83.0 in 1951	83.0 in 1951		

\* Rainfall was missing on August 5, 2024 due to equipment failure. Radar estimates and local rain gauges indicate that 3 to 4 inches of rain fell on this day which would have made this the Wettest August on record.

```
Normal Temp August at SRQ = 83.4°
Normal Rain August at SRQ = 9.11 in.
```

<sup>\*</sup>Last of Multiple Occurrences

Wai	rmest	Sur	nmers	Сос	olest	Sur	mmers	W∈	ettest S	Sumr	ners		Dr	iest Sı	ımm∈	ers
1	85.0	in	2023	1	78.9	in	1947	1	*47.32	in	2024		1	11.09	in	1930
2	84.6	in	2020		78.9	in	1913	2	45.69	in	1943		2	11.20	in	1998
3	84.5	in	2016	3	79.4	in	1911	3	41.23	in	2017		3	11.94	in	1944
4	83.9	in	1998	4	79.5	in	1930	4	41.08	in	1912		4	12.48	in	1951
5	83.7	in	2024	5	79.7	in	1976	5	39.63	in	1992		5	12.60	in	2023
6	83.6	in	2014		79.7	in	1916	6	38.29	in	1922		6	12.75	in	1952
7	83.4	in	2010	7	79.8	in	1929	7	38.23	in	1945		7	13.10	in	2014
8	83.2	in	2019	8	79.9	in	1974	8	37.73	in	1939		8	13.12	in	1948
9	83.0	in	2011		79.9	in	1931	9	35.21	in	1959		9	14.67	in	2009
10	82.9	in	2022	10	80.0	in	1922	10	35.12	in	1981	1	0	14.80	in	1914
	82.9	in	2021					11	33.86	in	1928					
								12	33.47	in	1949					
19	82.5	in	2025	87	82.5	in	2025	13	33.08	in	1960					
	82.5	in	2013		82.5	in	2013	14	32.52	in	2025					
	82.5	in	2005		82.5	in	2005									

Normal Summer Temp at SRQ =  $82.8^{\circ}$ Normal Summer Rain at SRQ = 23.55 in.

\_\_\_\_\_

	Warmest Monthly					Warmest Monthly					Warmest Monthly				
	γA	vg :	Гетр			Avg	Max	x Ter	nps		Avg	Mir	n Ter	nps	
1	86.2	in	Jul	2023		94.5				1	78.8	in	Jul	2023	
2	85.9	in	Aug	2023	2	94.2	in	Jul	1998		78.8	in	Jul	2020	
3	85.8	in	Jul	2020	3	94.1	in	Aug	1998	3	78.0	in	Aug	2023	
4	85.4	in	Jul	2016	4	94.0	in	Aug	1938	4	77.8	in	Aug	2011	
5	85.2	in	Aug	2020	5	93.8	in	Aug	2023	5	77.5	in	Aug	2020	
6	85.0	in	Aug	2014		93.8	in	Jul	2016	6	77.2	in	Jul	2024	
7	84.8	in	Sep	2019	7	93.7	in	Aug	1990	7	77.1	in	Jul	2016	
8	84.7	in	Aug	2016	8	93.6	in	Jul	2023	8	76.9	in	Aug	2019	
9	84.5	in	Aug	2011		93.6	in	Aug	1989		76.9	in	Aug	2016	
10	84.3	in	Jul	2024	10	93.5	in	Aug	2014	10	76.8	in	Aug	2024	
	•					•				11	76.6	in	Jul	2025	
50	83.0	in	Aug	2025*	319	89.5	in	Aug	2025*		76.6	in	Sep	2019	
			_					_			76.6	in	Aug	2005	
										14	76.5	in	Aug	2025	
											76.5	in	Sep	2016	
													_	2014	
													_	2010	

\*Last of Multiple Occurrences

\_\_\_\_\_\_

<sup>\*</sup> Rainfall was missing on August 5, 2024 due to equipment failure. Radar estimates and local rain gauges indicate that 3 to 4 inches of rain fell on this day which would have increased the summer rainfall to over 50 inches.

#### **VENICE** (records began in May 1955):

Wa	rmest Augus	st's Co	's Coolest August's		gust's	Wettest August's			ıst's	Driest August's			
1	061 :- 06	100	00 E	٠	1075	1	21 06	·	2024	1	2 00	٠	2007
Τ	86.1 in 20	123 1	80.5	111	19/5	Τ	21.96	$T\Pi$	2024	Τ	2.96	ΤΠ	2007
2	86.0 in 20	10	80.5	in	1967	2	20.18	in	2017	2	3.00	in	2005
3	85.4 in 20	)11 3	80.6	in	1968	3	16.77	in	1981	3	3.04	in	1955
	85.4 in 20	009 4	80.9	in	1976	4	16.47	in	1967	4	3.10	in	2014
5	85.1 in 20	)24 5	81.0	in	1959	5	15.76	in	1999	5	3.21	in	1997
6	84.8 in 20	)12 6	81.1	in	1969	6	13.69	in	1974	6	3.25	in	1990
7	84.7 in 19	98 7	81.2	in	1974	7	13.41	in	1971	7	3.28	in	1958
8	84.5 in 19	88	81.2	in	1957	8	13.11	in	1970	8	3.49	in	1984
9	84.4 in 20	)19 9	81.4	in	1958	9	12.94	in	2016	9	3.51	in	1956
10	84.2 in 19	997 10	81.5	in	1977	10	12.56	in	1959	10	4.06	in	1963
17	83.5 in 20	25				42	6.97	in	2025	30	6.97	in	2025

Normal Temp August at VNCF1 = 83.1° Normal Rain August at VNCF1 = 8.34 in.

\_\_\_\_\_\_

Wa	rmest Summers	Со	olest Summers	We	ttest Summers	Dr	iest Summe	rs
1	86.2 in 2010	1	80.3 in 1975	1	38.01 in 1995	1	11.65 in 2	2014
2	85.2 in 2023	2	80.4 in 1974	2	37.89 in 2017	2	12.14 in 3	1990
3	85.1 in 1998	3	80.5 in 1967	3	37.79 in 1992	3	12.88 in 3	1997
4	84.9 in 2024	4	80.7 in 1984	4	37.69 in 2024	4	13.54 in 3	1956
5	84.7 in 2011		80.7 in 1966	5	36.76 in 1974	5	13.56 in 3	1979
6	84.0 in 2019	6	80.8 in 1956	6	36.72 in 2003	6	13.72 in 2	2007
7	83.9 in 2012	7	80.9 in 1978	7	32.82 in 1999	7	13.77 in 3	1955
8	83.8 in 2020	8	81.0 in 2008	8	32.69 in 2012	8	14.13 in 2	2009
9	83.7 in 2025		81.0 in 1972	9	30.31 in 2005	9	14.26 in 3	1985
10	83.5 in 1997		81.0 in 1959	10	29.35 in 1987		14.26 in 3	1980
				28	22.15 in 2025	41	22.15 in 2	2025

Normal Summer Temp at VNCF1 = 82.5° Normal Summer Rain at VNCF1 = 23.54 in.

\_\_\_\_\_

	Warmest Monthly					Warmest Monthly						Warmest Monthly				
	PΛ	7g :	Γemp			Avg	Max	k Ter	nps		Avg	Mir	n Ter	nps		
1	88.1		202	1000	1	95.5	-i -n	202	1000	1	80.5		202	1 0 0 0		
			_					_					_			
2	86.6	in	Jul	1989	2	95.4	in	Jun	2010	2	79.7	in	Jul	1989		
3	86.4	in	Jun	2010	3	95.3	in	Jun	1998	3	78.8	in	Aug	2010		
4	86.3	in	Jul	2023	4	95.1	in	Jun	2004	4	78.6	in	Sep	1989		
5	86.2	in	Jul	2010	5	94.9	in	Aug	2023	5	78.5	in	Jul	2010		
6	86.1	in	Aug	2023	6	94.8	in	Aug	1998	6	78.1	in	Jul	2023		
7	86.0	in	Aug	2010	7	94.5	in	Jul	2023		78.1	in	Aug	2011		
8	85.7	in	Jun	1998	8	94.2	in	Jul	1998	8	77.7	in	Aug	2024		
9	85.4	in	Aug	2011	9	93.9	in	Jul	1997	9	77.5	in	Jul	2025		
	85.4	in	Aug	2009	10	93.8	in	Jul	2010		77.5	in	Jul	2024		
	85.4	in	Sep	1989		93.8	in	Aug	2009							
	•					93.8	in	Aug	1997	25	76.2	in	Aug	2025		
46	83.5	in	Aug	2025*		93.8	in	Jul	1996		76.2	in	Jun	2024		
						93.8	in	Jul	1993							
								_	00054							

112 90.8 in Aug 2025\*

\_\_\_\_\_

# MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

Wa	Warmest August's		oolest August's	We	ettest August's	Driest August's				
1	86.7 in 1993	1	80.4 in 1962	1	19.85 in 1981	1	2.81 in 2005			
2	85.0 in 1998	2	80.5 in 1959	2	18.61 in 1971	2	3.44 in 1991			
3	84.8 in 2017		80.5 in 1957	3	18.45 in 2003	3	3.94 in 2001			
4	84.3 in 2005	4	80.9 in 2002	4	17.90 in 2024	4	5.05 in 1974			
	84.3 in 1999		80.9 in 1972	5	17.18 in 2016	5	5.11 in 2022			
6	84.1 in 2011		80.9 in 1971	6	16.85 in 2018	6	5.17 in 1976			
7	84.0 in 2019	7	81.1 in 1985	7	16.60 in 1949	7	5.32 in 1996			
	84.0 in 2016	8	81.3 in 2001	8	15.99 in 1980	8	5.33 in 1944			
	84.0 in 2010		81.3 in 1969	9	15.66 in 1999	9	5.35 in 1956			
10	83.9 in 1997		81.3 in 1963	10	15.62 in 1988	10	5.48 in 1948			

Average Temperature for August 2025 = Not Available Yet Normal Temp August at MKCF1 =  $83.1^{\circ}$ 

Total Rainfall for August 2025 = Not Available Yet Normal Rain August at MKCF1 = 10.12 in.

\_\_\_\_\_

Date: 9/03/2025

<sup>\*</sup>Last of Multiple Occurrences

Warmest Summers	Coolest Summers	Wettest Summers	Driest Summers
1 85.0 in 1998	1 79.8 in 1962	1 47.18 in 2003	1 13.38 in 1956
2 84.0 in 2010	2 80.1 in 1959	2 46.76 in 2017	2 16.52 in 1996
3 83.5 in 2017	3 80.3 in 1984	3 46.32 in 1995	3 17.03 in 1948
4 83.4 in 2016	80.3 in 1974	4 43.79 in 1981	4 17.41 in 1961
5 83.3 in 2019	5 80.5 in 1972	5 41.67 in 1965	5 17.42 in 2009
83.3 in 1999	80.5 in 1963	6 40.81 in 2012	6 18.65 in 1952
7 83.2 in 2018	7 80.6 in 2002	7 40.58 in 1982	7 19.68 in 1944
83.2 in 1993	80.6 in 1986	8 40.14 in 1992	8 20.18 in 1986
9 83.1 in 2005	80.6 in 1971	9 38.00 in 2024	9 20.32 in 1954
83.1 in 1997	80.6 in 1960	10 37.94 in 1968	10 20.37 in 1964

Average Temperature for Summer 2025 = Not Available Yet Normal Summer Temp at MKCF1 =  $82.3^{\circ}$ 

Total Rainfall for Summer 2025 = Not Available Yet Normal Summer Rain at MKCF1 = 29.88 in.

\_\_\_\_\_

	Warmest Monthly Avg Temp						Warmest Monthly Avg Max Temps							Warmest Monthly Avg Min Temps					
1	86.7	in	Aug	1993	1	1	97.1	in	Jun	1998		1	77.5	in	Aug	1993			
2	85.2	in	Jun	1998	2	2	96.3	in	Aug	1998		2	75.8	in	Aug	2024			
3	85.0	in	Aug	1998	3	3	95.8	in	Aug	1993		3	75.6	in	Sep	2024			
	85.0	in	Jul	1998	4	4	95.7	in	Jun	2010			75.6	in	Aug	2019			
5	84.8	in	Aug	2017		5	95.6	in	Jul	1998			75.6	in	Sep	1993			
6	84.4	in	Jun	2010			95.6	in	Jul	1996		6	75.3	in	Aug	2017			
7	84.3	in	Aug	2005			95.6	in	Jun	1985			75.3	in	Aug	2010			
	84.3	in	Aug	1999	8	3	95.4	in	Jul	1993		8	75.2	in	Jul	2005			
9	84.2	in	Jul	2016	9	9	95.2	in	Aug	1999		9	75.1	in	Jul	2025			
10	84.1	in	Aug	2011			95.2	in	Sep	1991		10	75.0	in	Jul	2024			
	84.1	in	Jul	2005															

Average Temperature for August 2025 = Not Available Yet Average Max Temperature for August 2025 = Not Available Yet Average Min Temperature for August 2025 = Not Available Yet

\_\_\_\_\_\_

# WAUCHULA (records began in January 1933):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 85.4 in 2009	1 77.7 in 1950	1 15.53 in 1949	1 2.66 in 1982
2 85.2 in 2007	2 80.1 in 1953	2 14.17 in 2010	2 2.97 in 1938
3 84.3 in 2023	3 80.3 in 2000	3 14.04 in 2015	3 3.30 in 1958
4 84.2 in 1941	4 80.4 in 1939	4 13.68 in 1939	4 3.67 in 2005
5 83.6 in 2025	5 80.5 in 1967	5 12.76 in 1992	5 3.75 in 1957
83.6 in 2024	6 80.7 in 2003	6 12.54 in 1943	6 4.17 in 1965
83.6 in 1993	80.7 in 1996	7 12.46 in 1953	7 4.24 in 1970
8 83.5 in 1989	80.7 in 1949	8 12.28 in 2003	8 4.48 in 2009
83.5 in 1987	9 80.8 in 1959	9 12.11 in 1956	9 4.52 in 1933
10 83.4 in 2005	80.8 in 1947	10 11.45 in 2016	10 4.59 in 1941
			 27 5.90 in 2025

Normal Temp August at WAUF1 = 82.3° Normal Rain August at WAUF1 = 8.46 in.

-----

Wa	rmest	Summers	Cod	olest	Sun	Summers		Wet	test S	Sumn	ners		Dri	.est Sı	ımme	ers
1	84.6	in 2009	1	78.3	in	1950		1	43.85	in	1939		1	14.24	in	1999
2	83.5	in 2024	2	79.9	in	2012		2	39.39	in	1943		2	14.30	in	1964
3	83.2	in 2008		79.9	in	1955		3	38.22	in	1949		3	14.60	in	2000
	83.2	in 1993	4	80.0	in	1947		4	37.38	in	1953		4	14.65	in	1958
5	82.9	in 1998	5	80.1	in	1996		5	35.80	in	2017		5	15.13	in	1952
	82.9	in 1987		80.1	in	1956		6	34.17	in	1959		6	16.05	in	1998
7	82.8	in 2025	7	80.2	in	2013		7	34.14	in	1945		7	16.30	in	2018
8	82.7	in 2016		80.2	in	2000		8	32.94	in	1974		8	16.51	in	1996
	82.7	in 2007		80.2	in	1953		9	32.53	in	1968		9	16.97	in	1957
10	82.6	in 1942		80.3	in	1976	1	. 0	30.58	in	2013	1	. 0	17.21	in	1981
				80.3	in	1965										
							4	5	24.75	in	2025	4	17	24.75	in	2025

Normal Summer Temp at WAUF1 =  $81.6^{\circ}$ Normal Summer Rain at WAUF1 = 24.61 in.

\_\_\_\_\_

	Warmest Monthly					Warme	est	Mont	chly		Warmest Monthly				
	Avg Temp					Avg	Max	k Ter	nps		Avg Min Temps				
1	85.4	in	Aug	2009	1	95.0	in	Aug	2007	1	76.7	in	Aug	2009	
2	85.2	in	Aug	2007		95.0	in	Aug	1989	2	76.0	in	Sep	2009	
3	84.5	in	Sep	2009	3	94.8	in	Jun	1998	3	75.6	in	Jul	2009	
	84.5	in	Jul	2009	4	94.7	in	May	2024	4	75.4	in	Aug	2007	
5	84.3	in	Jul	2024		94.7	in	Aug	2023	5	75.1	in	Aug	2008	
	84.3	in	Aug	2023	6	94.6	in	Jul	1981	6	75.0	in	Sep	2024	
7	84.2	in	Aug	1941	7	94.5	in	Jul	2024	7	74.9	in	Sep	2008	
8	83.9	in	Jun	2009		94.5	in	Aug	1987	8	74.5	in	Jul	2008	
	83.9	in	Jul	1992		94.5	in	Jul	1942	9	74.3	in	Aug	2024	
10	83.8	in	Jul	1942		94.5	in	Aug	1941	10	74.2	in	Jul	2024	
11	83.7	in	Sep	2024		•					74.2	in	Jun	2009	
12	83.6	in	Aug	2025	32	93.5	in	Aug	2025*						
	83.6	in	Aug	2024						19	73.7	in	Aug	2025	
	83.6	in	Jul	2007											
	83.6	in	Aug	1993											

\_\_\_\_\_\_

# ARCHBOLD BIO STN (records began in January 1969):

Wa	rmest August's	Со	olest August's	₩e	ettest August's	Driest August's			
1	83.9 in 2023	1	79.7 in 1994	1	20.05 in 2006	1	1.94 in 2000		
2	83.6 in 2016	2	79.9 in 1971	2	17.88 in 2004	2	2.71 in 1984		
3	83.4 in 2020	3	80.0 in 1984	3	14.31 in 1999	3	2.75 in 2009		
4	83.3 in 2010	4	80.1 in 1974	4	13.70 in 2010	4	3.14 in 2007		
5	83.1 in 2024	5	80.2 in 1973	5	12.76 in 1979	5	3.50 in 1987		
	83.1 in 2022	6	80.3 in 1976	6	12.33 in 2008	6	4.24 in 1970		
7	83.0 in 2025		80.3 in 1972	7	12.12 in 1992	7	4.28 in 1993		
8	82.9 in 2017	8	80.4 in 2003	8	11.55 in 2023	8	4.40 in 1997		
9	82.8 in 2014		80.4 in 2000	9	11.35 in 2015	9	4.50 in 2020		
10	82.7 in 2015	10	80.6 in 2002	10	11.22 in 2012	10	4.55 in 2014		
	82.7 in 2011			11	11.16 in 2025				

Normal Temp August at ACHF1 =  $82.1^{\circ}$ Normal Rain August at ACHF1 = 8.49 in.

-----

Wa	rmest	Summers	Cod	olest	Sun	nmers		Wettest Summers					Dri	est Si	ımm∈	ers
1	83.3	in 2010	1	78.8	in	1984		1	41.24	in	1974		1	10.76	in	2000
2	82.9	in 2016	2	79.3	in	1976		2	40.51	in	2002		2	11.29	in	1987
3	82.8	in 2024		79.3	in	1974		3	39.46	in	2013		3	13.75	in	1980
4	82.6	in 2023	4	79.4	in	1971		4	34.39	in	2023		4	14.20	in	1998
5	82.5	in 2017	5	79.8	in	1973		5	34.04	in	2006		5	17.45	in	1997
6	82.3	in 2025		79.8	in	1972		6	34.02	in	2008		6	18.50	in	2009
7	82.2	in 2022	7	79.9	in	2008		7	33.94	in	2001		7	18.57	in	2007
8	82.1	in 2020		79.9	in	1994		8	33.72	in	2004		8	19.23	in	1985
	82.1	in 1998	9	80.0	in	2002		9	33.57	in	2025		9	19.49	in	1983
10	82.0	in 2015		80.0	in	1970	1	10	32.56	in	1992	1	. 0	19.78	in	1972

Normal Summer Temp at ACHF1 = 81.4° Normal Summer Rain at ACHF1 = 25.68 in.

\_\_\_\_\_

	Warmest Monthly Avg Temp					Warme Avg	Mont K Ter	Warmest Monthly Avg Min Temps						
1	83.9	in	Aug	2023	1	96.4	in	Jun	1998	1	73.5	in	Aug	2024
2	83.6	in	Aug	2016	2	96.1	in	Jun	2010		73.5	in	Aug	2023
3	83.5	in	Jul	2024	3	95.5	in	Jul	2016	3	73.4	in	Sep	2024
	83.5	in	Jul	2016	4	95.4	in	Aug	2022	4	73.3	in	Aug	2025
	83.5	in	Jun	2010		95.4	in	Jul	1981	5	73.1	in	Aug	2010
6	83.4	in	Jul	2023	6	95.2	in	Jul	1998	6	73.0	in	Aug	2016
	83.4	in	Aug	2020	7	95.1	in	Jul	2022	7	72.7	in	Jul	2024
8	83.3	in	Jul	2022	8	95.0	in	May	2024	8	72.4	in	Jul	2025
	83.3	in	Aug	2010	9	94.9	in	Aug	2014	9	72.3	in	Jul	2023
10	83.2	in	Jul	2010		94.9	in	Aug	1987	10	72.2	in	Aug	2019
11	83.1	in	Aug	2024		•								
	83.1	in	Aug	2022	88	92.7	in	Aug	2025*					
13	83.0	in	Aug	2025										
	83.0	in	Sep	2024										

\*Last of Multiple Occurrences

\_\_\_\_\_\_

Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

#### PUNTA GORDA AREA (records began in May 1914):

Wa	rmest August's	Coolest	August's	Wet	ttest Au	gust's	Driest August's			
1	86.3 in 2023	1 79.8	in 1939	1	19.56 i	n 1928	1	1.86 in 1927		
2	86.0 in 2024	2 80.3	in 1922	2	15.60 i	n 1995	2	2.07 in 1938		
3	85.1 in 1951	3 80.6	in 1969	3	14.01 i	n 1922	3	2.78 in 1936		
4	84.7 in 2014	4 80.8	in 1949	4	13.75 i	n 2009	4	3.36 in 1976		
5	84.5 in 2020	5 80.9	in 1967	5	13.47 i:	n 2017	5	3.41 in 1997		
	84.5 in 1987	80.9	in 1930	6	13.42 i	n 1949	6	3.50 in 1984		
7	84.4 in 2011	7 81.0	in 1955	7	13.03 i	n 1959	7	3.55 in 1952		
8	84.3 in 2005	81.0	in 1929	8	12.75 i	n 2024	8	3.82 in 1978		
9	84.2 in 2018	81.0	in 1928	9	12.45 i	n 1967	9	3.93 in 1955		
	84.2 in 2007	81.0	in 1926	10	12.37 i	n 2018	10	4.02 in 1943		
11	84.1 in 2025							4.02 in 1921		
	84.1 in 2021									
				36	8.89 i	n 2025	74	8.89 in 2025		

Normal Temp August at PGD =  $83.5^{\circ}$ Normal Rain August at PGD = 9.11 in.

-----

Warmest Summers		Coc	Coolest		Summers		Wettest Summers			Driest Summers					
1	85.7	in	2024	1	79.8	in	1929	1	47.45	in	1943	1	9.88	in	1921
2	84.7	in	2023	2	80.3	in	1939	2	43.12	in	2017	2	13.96	in	1932
3	84.2	in	2020	3	80.4	in	1955	3	41.80	in	1912	3	14.17	in	1920
4	84.0	in	2018		80.4	in	1949	4	38.16	in	1992	4	14.88	in	1927
5	83.9	in	1951	5	80.5	in	1971	5	37.93	in	1922	5	15.05	in	1955
6	83.8	in	2025		80.5	in	1938	6	37.24	in	1945	6	15.12	in	1979
7	83.7	in	2010	7	80.6	in	1930	7	34.55	in	2021	7	15.24	in	1956
8	83.6	in	2016		80.6	in	1925	8	33.90	in	1939	8	15.43	in	1952
9	83.5	in	1980		80.6	in	1922	9	33.81	in	1959	9	15.75	in	1990
10	83.4	in	2022	10	80.8	in	1974	10	33.24	in	1981	10	15.94	in	2007
	83.4	in	2014		80.8	in	1967								
	83.4	in	2011		80.8	in	1928	51	23.68	in	2025	56	23.68	in	2025

Normal Summer Temp at PGD = 82.8° Normal Summer Rain at PGD = 26.41 in.

\_\_\_\_\_

	Warmest Monthly Avg Temp					Warme Avg	Mont k Ter	Warmest Monthly Avg Min Temps						
-1	06.7		- 1	0004	1	05 0		- 1	0004	4	<b>70</b> 1		_	0004
	86.7					95.8					78.1		_	
2	86.3	in	Aug	2023	2	95.5	in	Jul	2023	2	77.6	in	Sep	2024
3	86.0	in	Aug	2024	3	95.3	in	Aug	2023		77.6	in	Jul	2024
4	85.8	in	Jul	2023	4	94.9	in	May	2024	4	77.2	in	Aug	2023
5	85.6	in	Sep	2024		94.9	in	Aug	1952	5	76.5	in	Aug	2011
6	85.1	in	Aug	1951	6	94.5	in	Aug	1951	6	76.1	in	Jul	2023
7	84.7	in	Jul	2020	7	94.4	in	Jun	2010	7	76.0	in	Aug	2010
	84.7	in	Sep	2014		94.4	in	Jun	1981		76.0	in	Aug	2008
9	84.6	in	Jul	2025		94.4	in	Sep	1952	9	75.9	in	Aug	2020
	84.6	in	Sep	2018	10	94.2	in	Jul	1981		75.9	in	Sep	2018
						94.2	in	Jul	1963		75.9	in	Jul	2005
21	84.1	in	Aug	2025*						12	75.8	in	Aug	2025
					90	92.4	in	Aug	2025*		75.8	in	Aug	2021
											75.8	in	Aug	2019
											75.8	in	Aug	2005

\*Last of Multiple Occurrences

\_\_\_\_\_

### FORT MYERS AREA (records began in January 1902):

Wa	rmest August's	Сс	oolest August'	s We	ettest Aug	gust's	Drie	Driest August's			
1	85.9 in 2023	1	79.6 in 1906	1	17.64 ir	n 1932	1	3.12	in	1919	
2	85.2 in 2022		79.6 in 1904	2	16.95 ir	n 2017	2	3.14	in	1927	
3	84.8 in 2025	3	79.7 in 1910	3	16.82 ir	n 2004	3	3.55	in	1934	
	84.8 in 2024	4	79.8 in 1908	4	16.80 ir	n 2003	4	3.97	in	1902	
	84.8 in 1987	5	80.0 in 1913	5	16.73 ir	n 1981	5	3.98	in	1963	
6	84.4 in 2014	6	80.4 in 1911	6	16.22 ir	n 1972	6	4.07	in	1996	
	84.4 in 2005		80.4 in 1909	7	15.86 ir	n 1967	7	4.12	in	1958	
	84.4 in 1985	8	80.5 in 1917	8	14.97 ir	n 1990	8	4.26	in	1964	
9	84.3 in 1995	9	80.6 in 1922	9	14.81 ir	n 1926	9	4.29	in	1955	
	84.3 in 1981		80.6 in 1907	10	14.79 ir	n 1979	10	4.32	in	1953	
	84.3 in 1979							4.32	in	1924	
				57	9.11 ir	n 2025	68	9.11	in	2025	

Normal Temp August at FMY =  $83.4^{\circ}$ Normal Rain August at FMY = 10.43 in.

\_\_\_\_\_

Date: 9/03/2025

Warmest Summers	Coolest Summers	Wettest Summers	Driest Summers			
1 85.3 in 1981	1 79.1 in 1904	1 43.87 in 2024	1 11.12 in 1964			
2 85.2 in 2023	2 79.2 in 1910	2 42.27 in 1974	2 14.71 in 1944			
3 84.6 in 2010	3 79.7 in 1908	3 42.24 in 2004	3 15.74 in 1963			
4 84.5 in 2024	4 79.8 in 1906	4 41.55 in 1912	4 16.67 in 1956			
84.5 in 2022	5 80.0 in 1913	5 40.57 in 2017	5 17.03 in 1970			
6 84.3 in 2025	6 80.1 in 1917	6 40.01 in 1995	6 17.20 in 1902			
7 84.2 in 1979	7 80.2 in 1903	7 38.76 in 2005	7 17.56 in 1931			
8 84.0 in 1998	80.2 in 1907	8 37.58 in 2006	8 17.60 in 1950			
9 83.9 in 1987	80.2 in 1909	9 36.90 in 1982	9 17.80 in 1980			
83.9 in 1980	10 80.4 in 1918	10 36.89 in 1943	10 17.90 in 2014			
			 24 21 26 in 2025			

Normal Summer Temp at FMY =  $83.0^{\circ}$ Normal Summer Rain at FMY = 29.47 in.

\_\_\_\_\_

	Warmest Monthly Avg Temp					Warme Avg		Mont « Ter	Warmest Monthly Avg Min Temps					
1	86.1	in	Jul	2023	1	95.9	in	Jun	1981	1	78.2	in	Aug	2023
2	85.9	in	Aug	2023	2	94.9	in	Jun	2010		78.2	in	Juĺ	2023
	85.9	in	Jun	1981		94.9	in	Jul	1942	3	77.5	in	Jul	1981
4	85.7	in	Jul	1981	4	94.6	in	Jul	1979	4	77.3	in	Aug	2024
	85.7	in	Jul	1979	5	94.4	in	Aug	1942	5	77.1	in	Jul	2024
6	85.3	in	Jul	2022	6	94.2	in	Jun	1944		77.1	in	Aug	2008
	85.3	in	Jun	2010	7	94.1	in	Jul	2023		77.1	in	Aug	1995
8	85.2	in	Jul	2024		94.1	in	Aug	1987	8	77.0	in	Aug	2025
	85.2	in	Aug	2022	9	94.0	in	Jul	1997		77.0	in	Jul	2022
10	84.8	in	Aug	2025	10	93.9	in	Jul	1992		77.0	in	Aug	1981
	84.8	in	Aug	2024		93.9	in	Jul	1981					
	84.8	in	Jul	1997										
	84.8	in	Jul	1996	49	92.7	in	Aug	2025					
	84.8	in	Aug	1987										

-----

For more Climate information visit our web site at the following link: https://www.weather.gov/tampabay and then rollover the Climate and Past Weather drop down menu above the graphical forecast images.