



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


August and Summer 2026 Weather Summary for West Central and Southwest Florida

For August and for the Summer (June/July/August) temperatures across West Central and Southwest Florida averaged from near normal to about 2.5 degrees above normal, with several sites ending up in the Top Ten Warmest for August and the Summer (June/July/August), and a few in the Top Ten Warmest Month overall.


AUGUST TEMPERATURE RANKINGS (°F) :

Location	August 2026 Ranking	Avg Temp	Normal Aug Temp	Dep fm Normal	Records Began
Lakeland Area	2nd Warmest	85.5°	83.3°	+2.2°	Jan 1915
Plant City	8th Warmest	85.3°	83.6°	+1.7°	Sep 1892
Fort Myers Area	3rd Warmest	85.1°	83.4°	+1.7°	Jan 1902
Winter Haven Area	4th Warmest (tie)	85.1°	84.1°	+1.0°	Mar 1941
Venice	8th Warmest	84.6°	83.1°	+1.5°	May 1955
St. Petersburg Area	16th Warmest (tie)	84.6°	83.5°	+1.1°	Aug 1914
Sarasota-Bradenton Area	5th Warmest (tie)	84.5°	83.4°	+1.1°	Jan 1911
Bartow	8th Warmest (tie)	84.1°	82.3°	+1.8°	Jun 1892
Punta Gorda Area	13th Warmest (tie)	84.0°	83.5°	+0.5°	May 1914
Tampa Area	16th Warmest	84.0°	84.0°	0.0°	Apr 1890
Tarpon Springs	20th Warmest	83.7°	83.3°	+0.4°	Jan 1892
Archbold Bio Stn	4th Warmest (tie)	83.3°	82.1°	+1.2°	Jan 1969
Wauchula	11th Warmest (tie)	83.3°	82.3°	+1.0°	Jan 1933
Brooksville Area	20th Warmest (tie)	82.5°	81.5°	+1.0°	Jan 1892
Inverness 3 SE	36th Warmest (tie)	81.8°	80.7°	+1.1°	Jul 1948

Temperature (F)
8/1/2026 – 8/31/2026



Departure from Normal Temperature (F)
8/1/2026 – 8/31/2026




* Last of Multiple Occurrences


SUMMER TEMPERATURE RANKINGS (°F) :

Location	Summer 2026 Ranking	Avg Temp	Normal Sum Temp	Dep fm Normal	Records Began
Lakeland Area	1st Warmest	85.3°	82.8°	+2.5°	Jan 1915
Plant City	6th Warmest	85.0°	83.2°	+1.8°	Sep 1892
Sarasota-Bradenton Area	2nd Warmest	84.7°	82.8°	+1.9°	Jan 1911
Fort Myers Area	3rd Warmest	84.7°	83.0°	+1.7°	Jan 1902
Winter Haven Area	3rd Warmest (tie)	84.7°	83.8°	+0.9°	Mar 1941
St. Petersburg Area	5th Warmest	84.7°	83.5°	+1.2°	Aug 1914
Tampa Area	8th Warmest (tie)	84.4°	83.6°	+0.8°	Apr 1890
Bartow	4th Warmest	84.0°	81.9°	+2.1°	Jun 1892
Tarpon Springs	5th Warmest (tie)	84.0°	82.8°	+1.2°	Jan 1892
Venice	6th Warmest (tie)	84.0°	82.5°	+1.5°	May 1955
Punta Gorda Area	5th Warmest (tie)	83.9°	82.8°	+1.1°	May 1914
Wauchula	5th Warmest (tie)	82.9°	81.6°	+1.3°	Jan 1933
Brooksville Area	4th Warmest	82.8°	80.9°	+1.9°	Jan 1892
Archbold Bio Stn	4th Warmest	82.7°	81.4°	+1.3°	Jan 1969
Inverness 3 SE	24th Warmest (tie)	81.7°	80.4°	+1.3°	Jul 1948

Temperature (F)
6/1/2026 – 8/31/2026



Departure from Normal Temperature (F)
6/1/2026 – 8/31/2026



Graphics Source: NOAA Regional Climate Centers

** Last of Multiple Occurrences*

The table below list how August 2026 ranked versus any other month since records began at each location. A few sites ended up in the Top Ten for the Warmest Month since records began.

WARMEST MONTH TEMPERATURE RANKINGS (°F) :


Location	August 2026 Ranking	Avg Temp	Record Month and Year	Records Began
Lakeland Area	5th Warmest	85.3°	86.0° in Aug 2023	Jan 1915
Plant City	15th Warmest (tie)	85.3°	87.8° in Aug 2023	Sep 1892
Winter Haven Area	8th Warmest (tie)	85.1°	86.1° in Jul 2024	Mar 1941
Fort Myers Area	10th Warmest	85.1°	86.1° in Jul 2023	Jan 1902
Venice	20th Warmest (tie)	84.6°	88.1° in Sep 1988	May 1955
St Petersburg Area	38th Warmest (tie)	84.6°	87.5° in Aug 2005	Aug 1914
Sarasota-Bradenton Area	11th Warmest (tie)	84.5°	86.2° in Jul 2023	Jan 1911
Bartow	17th Warmest (tie)	84.1°	87.4° in Aug 2014	Jun 1892
Punta Gorda Area	27th Warmest (tie)	84.0°	86.7° in Jul 2024	May 1914
Tampa Area	37th Warmest (tie)	84.0°	86.9° in Aug 2023	Apr 1890
Tarpon Springs	45th Warmest (tie)	83.7°	85.2° in Aug 2020*	Jan 1892
Archbold Bio Stn	8th Warmest (tie)	83.3°	83.9° in Aug 2023	Jan 1969
Wauchula	25th Warmest (tie)	83.3°	85.4° in Aug 2009	Jan 1933
Brooksville Area	42nd Warmest (tie)	82.5°	84.6° in Jul 2024*	Jan 1892
Inverness 3 SE	100th Warmest (tie)	81.8°	84.6° in Jul 2016	Jul 1948

** Last of Multiple Occurrences*


As for rainfall it was highly variable across the region with amounts ranging from a little over 2 inches to about 14.5 inches for this August, while for the summer (June/July/August) totals ranged from as little as 11 inches to over 25 inches.

AUGUST RAINFALL RANKINGS (inches):

Location	August Rank	2026 Rain Total	Normal Aug Rain	Dep fm Normal	Records Began
Brooksville Area	8th Wettest	14.46	8.12	+6.34	Jan 1892
Tampa Area	30th Wettest	10.46	9.03	+1.43	Apr 1890
Inverness 3 SE	27th Wettest	9.71	8.69	+1.02	Jul 1948
St. Petersburg Area	46th Wettest	9.09	8.39	+0.70	Aug 1914
Plant City	61st Driest	8.24	8.85	-0.61	Feb 1893
Sarasota-Bradenton Area	53rd Driest	7.82	9.11	-1.29	Jan 1911
Venice	37th Driest	7.58	8.34	-0.76	May 1955
Archbold Bio Stn	27th Driest	7.56	8.49	-0.93	Jan 1969
Fort Myers Area	42nd Driest	7.47	10.43	-2.96	Jan 1902
Winter Haven Area	35th Wettest	7.38	6.52	+0.86	Mar 1941
Tarpon Springs	52nd Driest	7.38	9.66	-2.28	Jan 1892
St. Leo	61st Driest	7.31	8.28	-0.97	Apr 1895
Wauchula	49th Driest	7.30	8.46	-1.16	Jan 1933
Lakeland Area	32nd Driest	6.09	9.08	-2.99	Jan 1915
Bartow	2nd Driest	2.21	7.78	-5.57	Jun 1892



August 2026 Rainfall




Percent of Normal


** Last of Multiple Occurrences*

SUMMER RAINFALL RANKINGS (inches) :

Location	Summer Rank	2026 Rain Total	Normal Sum Rain	Dep fm Normal	Records Began
Brooksville Area	62nd Wettest	25.76	25.44	+0.32	Jan 1892
Winter Haven Area	26th Wettest	24.41	21.32	+2.99	Mar 1941
Lakeland Area	59th Driest	23.35	26.62	-3.27	Jan 1915
Plant City	44th Driest	22.31	27.21	-4.90	Feb 1893
Tampa Area	62nd Driest	21.39	24.15	-2.76	Apr 1890
Inverness 3 SE	22nd Driest	21.08	24.62	-3.54	Jul 1948
Fort Myers Area	23rd Driest	20.97	29.47	-8.50	Jan 1902
Sarasota-Bradenton Area	38th Driest	20.71	23.55	-2.84	Jan 1911
St. Petersburg Area	42nd Driest	19.29	22.67	-3.38	Aug 1914
Venice	26th Driest	18.05	23.54	-5.49	May 1955
Wauchula	12th Driest	17.40	24.61	-7.21	Jan 1933
Archbold Bio Stn	5th Driest	16.95	25.68	-8.73	Jan 1969
St. Leo	4th Driest	15.72	24.72	-9.00	Apr 1895
Tarpon Springs	7th Driest	14.58	25.77	-11.19	Jan 1892
Bartow	1st Driest	11.30	23.62	-12.32	Jun 1892



Total Rainfall
Summer 2026



Percent of Normal
Summer 2026

* Last of Multiple Occurrences

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest August's and Summers at some official NWS locations, which includes the average/total for this August and Summer where available, as well as the 1991-2020 Normal (average) temperature and rainfall for these time periods. Also included are tables listing the Top Ten Warmest Average Monthly Temperatures, Warmest Monthly Average Maximum Temperatures, and the Warmest Monthly Average Minimum Temperatures.

CHIEFLAND 5 ESE (records began in July 1956):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.5 in 2023	1	78.3 in 1969	1	20.44 in 1971	1	3.17 in 1980
2	83.4 in 1980	2	78.9 in 1967	2	17.10 in 1986	2	3.71 in 1973
3	82.9 in 2020	3	79.0 in 1994	3	16.59 in 1985	3	3.84 in 2023
4	82.9 in 2018	4	79.3 in 2008	4	16.44 in 2015	4	3.97 in 2000
5	82.8 in 1999	5	79.4 in 1996	5	14.61 in 1988	5	4.06 in 1956
6	82.7 in 2024	6	79.5 in 2003	6	14.55 in 1961	6	5.28 in 2014
	82.7 in 2022		79.5 in 2002	7	14.43 in 1979	7	5.36 in 2009
	82.7 in 2016		79.5 in 1979	8	14.33 in 2010	8	5.50 in 1963
9	82.6 in 2015	9	79.7 in 2004		14.33 in 1966	9	5.51 in 1976
10	82.5 in 2025		79.7 in 1966	10	14.23 in 1968	10	5.72 in 1987
	82.5 in 2011						
	82.5 in 1987						

Average Temperature for August 2026 = Several Days Missing
Normal August Temp at CHIF1 = 80.8°

Total Rainfall for August 2026 = Several Days Missing
Normal August Rain at CHIF1 = 9.87 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	82.9 in 2016	1	79.0 in 1965	1	37.95 in 2012	1	15.28 in 1973
2	82.7 in 2024	2	79.1 in 1974	2	36.55 in 2019	2	15.58 in 2014
3	82.6 in 1998		79.1 in 1966	3	36.38 in 2001	3	18.48 in 1969
4	82.5 in 2015	4	79.2 in 1969	4	35.41 in 1965	4	18.49 in 1972
5	82.4 in 2023	5	79.4 in 2008	5	34.90 in 2018	5	18.54 in 2006
6	82.3 in 2022		79.4 in 2002	6	34.89 in 1964	6	18.76 in 1998
7	82.0 in 2018		79.4 in 1994	7	34.88 in 2003	7	19.05 in 2011
8	81.9 in 2017		79.4 in 1972	8	34.30 in 2013	8	19.17 in 1977
9	81.8 in 2025	9	79.5 in 1979	9	34.21 in 1974	9	19.48 in 1993
	81.8 in 2020		79.5 in 1963	10	33.23 in 1988	10	19.57 in 2007

Average Temperature for Summer 2026 = Several Days Missing
Normal Summer Temp at CHIF1 = 80.2°

Total Rainfall for Summer 2026 = Several Days Missing
Normal Summer Rain at CHIF1 = 26.22 in.

** Last of Multiple Occurrences*

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 84.5 in Aug 2023	1 95.4 in Jun 1989	1 74.9 in Aug 2021
2 83.8 in Jul 2016	2 94.6 in Jul 1983	2 74.5 in Aug 2023
3 83.5 in Jul 2023	94.6 in Jun 1977	3 74.4 in Aug 2015
4 83.4 in Aug 1980	4 94.5 in Aug 2023	4 74.3 in Aug 2019
5 83.2 in Sep 2018	94.5 in Jun 1998	5 74.2 in Jul 2023
6 83.1 in Jul 2024	94.5 in Jul 1981	6 74.1 in Aug 2024
83.1 in Jul 1983	7 94.3 in Aug 1980	7 73.9 in Aug 2020
8 83.0 in Jul 1998	8 94.2 in Jul 1987	73.9 in Sep 2018
83.0 in Jul 1987	9 94.1 in Jun 1985	73.9 in Aug 2018
10 82.9 in Aug 2020	10 94.0 in Jul 2016	10 73.8 in Jul 2024
82.9 in Aug 2018		73.8 in Aug 2016
		73.8 in Aug 2010
		73.8 in Aug 1999
		73.8 in Jul 1998

INVERNESS 3 SE (records began in July 1948):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 84.4 in 2011	1 78.1 in 1994	1 16.70 in 1949	1 1.77 in 1963
2 84.0 in 2010	2 78.5 in 2004	2 16.58 in 2008	2 2.43 in 1993
3 83.7 in 1954	3 79.8 in 1997	3 16.19 in 1961	3 3.08 in 2013
4 83.4 in 1956	4 79.9 in 1976	4 15.87 in 1953	4 3.27 in 1999
5 83.3 in 2022	5 80.0 in 1992	5 15.03 in 1992	5 3.86 in 1989
83.3 in 2016	6 80.2 in 2003	6 13.35 in 1985	6 3.88 in 1997
7 83.2 in 2020	7 80.4 in 2002	7 13.15 in 1970	7 4.18 in 2014
83.2 in 1955	80.4 in 1996	8 12.97 in 1965	8 4.48 in 1987
9 83.0 in 1983	9 80.7 in 1986	9 12.63 in 2019	9 4.50 in 1973
83.0 in 1963	80.7 in 1949	10 12.43 in 1968	10 4.57 in 2001
...	80.7 in 1948	...	...
36 81.8 in 2026	37 81.8 in 2026	27 9.71 in 2026	51 9.71 in 2026
81.8 in 1989	81.8 in 1989		
81.8 in 1974	81.8 in 1974		
81.8 in 1950	81.8 in 1950		

Normal August Temp at INVf1 = 80.7°
Normal August Rain at INVf1 = 8.69 in.

** Last of Multiple Occurrences*

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 83.9 in 2010	1 78.4 in 1994	1 37.83 in 1965	1 14.38 in 1993
2 83.4 in 2016	2 79.6 in 2003	2 36.34 in 2003	2 14.48 in 1952
3 83.2 in 2022	79.6 in 1995	3 35.38 in 1985	3 14.73 in 1998
83.2 in 2011	4 79.9 in 1997	4 35.23 in 1949	4 15.10 in 1997
5 83.0 in 1998	5 80.0 in 2004	5 35.17 in 1953	5 16.47 in 1979
6 82.9 in 2020	6 80.1 in 2018	6 34.33 in 1960	6 16.76 in 2025
82.9 in 2019	7 80.2 in 1991	7 34.30 in 1982	7 17.02 in 1999
8 82.6 in 1981	8 80.3 in 2001	8 34.06 in 2002	8 17.32 in 1987
82.6 in 1969	80.3 in 1996	9 33.99 in 2012	9 17.39 in 1972
82.6 in 1954	80.3 in 1986	10 32.74 in 2008	10 17.84 in 2006
82.6 in 1952		...	...
...		50 21.08 in 2026	22 21.08 in 2026
24 81.7 in 2026			
81.7 in 2013			
81.7 in 1970			
81.7 in 1959			

Normal Summer Temp at INVFl = 80.4°

Normal Summer Rain at INVFl = 24.62 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 84.6 in Jul 2016	1 96.8 in Jul 2016	1 75.1 in Jul 2023
2 84.4 in Aug 2011	2 95.9 in Jun 1998	2 74.7 in Jul 2024
3 84.3 in Jul 2024	3 95.8 in Jun 2010	3 74.5 in Aug 2024
4 84.2 in Jul 2023	4 95.7 in Jun 2011	74.5 in Aug 2021
5 84.0 in Aug 2010	5 95.1 in Jun 2015	74.5 in Aug 2010
84.0 in Jul 2010	95.1 in Jun 1981	6 74.3 in Aug 2019
7 83.8 in Jul 1969	7 95.0 in Aug 1956	74.3 in Aug 2011
8 83.7 in Aug 1954	8 94.7 in Jul 2010	8 74.2 in Aug 2020
9 83.6 in Jun 1981	94.7 in Jun 1950	9 74.1 in Jul 1969
10 83.5 in Jul 2020	10 94.5 in Jun 1977	10 74.0 in Aug 2022
83.5 in Jun 2010	94.5 in Aug 1955	74.0 in Aug 1983
83.5 in Jul 1979	...	...
...	109 91.8 in Aug 2026*	102 71.9 in Aug 2026*
100 81.8 in Aug 2026*		

** Last of Multiple Occurrences*

BROOKSVILLE AREA (records began in January 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	84.6 in 2023	1	79.1 in 1922	1	23.95 in 1949	1	2.61 in 1955
2	83.9 in 1926		79.1 in 1894	2	20.91 in 1945	2	2.65 in 1958
3	83.8 in 2011	3	79.2 in 1994	3	17.47 in 1905	3	2.68 in 2002
4	83.5 in 2017	4	79.3 in 1932	4	17.13 in 1928	4	2.76 in 1963
5	83.3 in 2024		79.3 in 1892	5	16.34 in 1901	5	3.45 in 1919
6	83.2 in 1928	6	79.5 in 1949	6	14.84 in 1965	6	3.68 in 2009
7	83.1 in 1927		79.5 in 1920		14.84 in 1957	7	3.76 in 1916
8	83.0 in 2022		79.5 in 1898	8	14.46 in 2026	8	3.88 in 1951
9	82.9 in 2013	9	79.6 in 1904	9	14.19 in 1995	9	4.12 in 1976
	82.9 in 1963	10	79.7 in 1901	10	13.74 in 1910	10	4.15 in 1997
	82.9 in 1941						
	82.9 in 1933						
...							
20	82.5 in 2026						
	82.5 in 2007						

Normal August Temp at BKV = 81.5°

Normal August Rain at BKV = 8.12 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	83.6 in 1927	1	78.4 in 1894	1	57.08 in 1945	1	13.03 in 1996
2	83.5 in 2024	2	78.8 in 1920	2	41.37 in 2003	2	13.05 in 1997
3	83.0 in 2023	3	79.0 in 1922	3	41.33 in 1949	3	14.06 in 1979
4	82.8 in 2026	4	79.1 in 1921	4	39.60 in 1943	4	14.34 in 1958
5	82.6 in 2011	5	79.3 in 1904	5	38.64 in 1928	5	14.97 in 1931
6	82.5 in 2022	6	79.4 in 1947	6	38.55 in 1906	6	14.99 in 1954
7	82.4 in 2025		79.4 in 1946	7	37.96 in 2013	7	15.06 in 1902
	82.4 in 1928	8	79.5 in 1965	8	37.46 in 1905	8	15.56 in 1973
9	82.3 in 2017		79.5 in 1949	9	36.81 in 2012	9	15.84 in 1955
	82.3 in 1981		79.5 in 1919	10	34.93 in 2015	10	15.90 in 1916
	82.6 in 1952			...		...	
				62	25.76 in 2026	70	25.76 in 2026

Normal Summer Temp at BKV = 80.9°

Normal Summer Rain at BKV = 25.44 in

** Last of Multiple Occurrences*

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 84.6 in Jul 2024	1 97.0 in Jun 1927	1 75.1 in Aug 2011
84.6 in Aug 2023	2 95.5 in Jul 1930	2 74.9 in Aug 1941
3 84.2 in Jun 1927	3 95.2 in Jul 1931	3 74.8 in Aug 1899
4 83.9 in Aug 1926	95.2 in Jul 1927	4 74.7 in Jul 2024
5 83.8 in Jul 2023	5 95.1 in May 1927	5 74.6 in Aug 1995
83.8 in Aug 2011	6 94.9 in Aug 1926	6 74.5 in Aug 2023
7 83.6 in Jul 2026	7 94.8 in Aug 2023	7 74.4 in Jul 1942
83.6 in Jul 1930	94.8 in Jun 1998	8 74.3 in Aug 2017
83.6 in Jul 1927	9 94.6 in Jul 2024	9 74.2 in Aug 2010
10 83.5 in Aug 2017	10 94.3 in Jun 1935	74.2 in Aug 1909
83.5 in Jul 1931	...	...
...	79 92.0 in Aug 2026*	49 73.1 in Aug 2026*
42 82.5 in Aug 2026*		

ST LEO (records began in April 1895):

Warmest August's	Coollest August's	Wettest August's	Driest August's
1 84.8 in 2007	1 77.5 in 1922	1 20.16 in 1898	1 2.16 in 1930
2 84.7 in 2005	2 79.4 in 1920	2 19.75 in 1901	2 2.72 in 1980
3 84.2 in 2023	79.4 in 1913	3 17.60 in 1945	3 2.97 in 1921
4 84.1 in 1900	4 79.5 in 1930	4 16.99 in 1979	4 3.05 in 1915
5 84.0 in 1987	79.5 in 1919	5 16.26 in 1905	5 3.78 in 1938
6 83.9 in 1941	79.5 in 1904	6 16.08 in 1965	6 3.90 in 1941
7 83.7 in 1924	7 79.7 in 1992	7 14.97 in 1967	7 4.03 in 1996
8 83.6 in 2006	8 79.8 in 1917	8 14.56 in 1917	4.03 in 1976
83.6 in 1983	9 80.1 in 1923	9 14.20 in 1942	9 4.17 in 1924
83.6 in 1951	80.1 in 1911	10 13.79 in 2024	10 4.25 in 2005
83.6 in 1899		...	...
		71 7.31 in 2026	61 7.31 in 2026

Average Temperature for August 2026 = Several Days Missing

Normal August Temp at STLFL = 81.4°

Normal August Rain at STLFL = 8.28 in.

** Last of Multiple Occurrences*

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 84.6 in 1998	1 78.2 in 1922	1 53.02 in 1945	1 12.71 in 1930
2 83.4 in 2005	2 78.5 in 1919	2 43.25 in 1901	2 14.51 in 1958
3 83.2 in 1987	3 78.6 in 1920	3 40.38 in 1934	3 15.09 in 1951
83.2 in 1900	4 78.8 in 1930	4 37.52 in 2012	4 15.72 in 2026
5 83.0 in 2024	5 78.9 in 1923	5 36.13 in 1898	5 15.97 in 1987
83.0 in 2006	6 79.2 in 1904	6 35.05 in 1965	6 15.98 in 1915
7 82.9 in 1981	7 79.3 in 1921	7 35.02 in 1943	7 16.10 in 1980
82.9 in 1896	8 79.5 in 1918	8 34.48 in 2002	8 16.10 in 1902
9 82.8 in 2025	79.5 in 1910	9 33.33 in 2003	9 16.20 in 1921
82.8 in 2023	10 79.6 in 1935	10 32.26 in 1906	10 16.94 in 1997
82.8 in 2007	79.6 in 1917		
82.8 in 1924	79.6 in 1913		

Average Temperature for Summer 2026 = Several Days Missing

Normal Summer Temp at STLf1 = 81.0°

Normal Summer Rain at STLf1 = 24.72 in

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.4 in Jun 1998	1 96.7 in Jun 1998	1 76.1 in Jun 1998
2 84.8 in Aug 2007	2 95.4 in Jun 1898	2 75.8 in Aug 2023
3 84.7 in Aug 2005	3 95.0 in Jun 1981	3 75.2 in Aug 2024
4 84.3 in Jul 2005	95.0 in Jul 1896	4 75.1 in Jul 2023
84.3 in Jul 1998	5 94.8 in Aug 2007	75.1 in Aug 2005
6 84.2 in Aug 2023	6 94.7 in Aug 1987	6 75.0 in Aug 2025
7 84.1 in Aug 1900	94.7 in Aug 1900	75.0 in Jul 2025
8 84.0 in Aug 1987	94.7 in Jun 1899	8 74.9 in Aug 1995
9 83.9 in Jul 1942	94.7 in Jun 1897	9 74.7 in Aug 2007
83.9 in Aug 1941	10 94.5 in Jul 1942	74.7 in Jul 2005

** Last of Multiple Occurrences*

TARPON SPRINGS (records began in January 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.2 in 2020	1	79.5 in 1905	1	23.60 in 1949	1	1.96 in 1930
2	84.9 in 1995		79.5 in 1904	2	20.99 in 1906	2	2.02 in 1899
3	84.4 in 2025	3	79.6 in 1969	3	18.97 in 2017	3	2.39 in 1963
4	84.3 in 1993		79.6 in 1900	4	18.52 in 1969	4	2.57 in 2001
5	84.2 in 2014	5	80.1 in 1967	5	17.77 in 1957	5	2.84 in 1964
	84.2 in 2007		80.1 in 1892	6	17.06 in 1928	6	2.90 in 1934
	84.2 in 1999	7	80.2 in 1894	7	16.99 in 2010	7	3.70 in 2006
	84.2 in 1997	8	80.4 in 1911	8	16.80 in 1905	8	3.72 in 1921
9	84.1 in 2019		80.4 in 1910	9	16.67 in 1939	9	4.33 in 1916
	84.1 in 2017		80.4 in 1907	10	16.05 in 1898	10	4.39 in 1936
...		...		...		...	
20	83.7 in 2026			82	7.38 in 2026	52	7.38 in 2026

Normal August Temp at TRPF1 = 83.3°
Normal August Rain at TRPF1 = 9.66 in

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.5 in 2020	1	79.0 in 1904	1	45.10 in 1909	1	11.64 in 1952
2	84.4 in 2004		79.0 in 1900	2	44.25 in 2012	2	12.65 in 1956
3	84.3 in 2024	3	79.1 in 1894	3	41.21 in 1906	3	12.87 in 1970
4	84.1 in 1998	4	79.4 in 1907	4	37.71 in 1957	4	13.49 in 1916
5	84.0 in 2026	5	79.5 in 1895	5	37.51 in 2015	5	13.64 in 1914
	84.0 in 2025	6	79.6 in 1974	6	37.28 in 2019	6	14.17 in 1980
7	83.9 in 1993		79.6 in 1939	7	36.54 in 1943	7	14.58 in 2026
8	83.8 in 2019		79.6 in 1910	8	36.47 in 1939	8	14.80 in 1976
	83.8 in 2016	9	79.7 in 1908	9	36.17 in 1928	9	14.90 in 1902
	83.8 in 2005	10	79.8 in 1892	10	36.10 in 1945	10	15.07 in 1988

Normal Summer Temp at TRPF1 = 82.8°
Normal Summer Rain at TRPF1 = 25.77 in

** Last of Multiple Occurrences*

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 85.2 in Aug 2020	1 95.0 in Jul 1993	1 78.4 in Aug 2020
85.2 in Jul 1932	2 94.9 in Jun 1998	78.4 in Jul 2020
3 85.1 in Jul 2020	3 94.6 in Jul 1932	3 78.2 in Jun 2005
4 85.0 in Jul 2024	4 94.5 in Sep 1925	4 78.1 in Aug 2004
85.0 in Jul 1993	5 94.4 in Jul 1997	5 77.9 in Jul 2004
6 84.9 in Aug 1995	6 94.3 in Aug 1997	6 77.8 in Jun 2004
7 84.8 in Jul 1942	94.3 in Jul 1942	7 77.6 in Aug 2019
8 84.7 in Jul 2016	8 94.0 in Aug 1998	8 77.5 in Jun 2026
84.7 in Jul 1997	94.0 in Jul 1992	77.5 in Jul 2007
10 84.6 in Jul 2025	10 93.7 in Sep 1997	10 77.4 in Aug 2007
84.6 in Jul 2004	93.7 in Aug 1995	77.4 in Aug 2005
84.6 in Jun 2004	...	...
...	167 90.8 in Aug 2026*	29 76.5 in Aug 2026*
45 83.7 in Aug 2026*		

TAMPA AREA (records began in April 1890):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 86.9 in 2023	1 80.2 in 1905	1 18.59 in 1949	1 0.78 in 1938
2 85.6 in 2022	2 80.3 in 1967	2 17.83 in 1898	2 2.35 in 1952
3 85.3 in 2025	80.3 in 1913	3 17.78 in 2024	3 2.38 in 1921
4 85.1 in 2011	4 80.4 in 1922	4 16.47 in 2015	4 2.83 in 2001
85.1 in 1941	5 80.5 in 1901	5 15.17 in 1932	5 3.27 in 1990
6 85.0 in 2021	6 80.6 in 1904	6 14.90 in 2003	6 3.47 in 1924
85.0 in 2017	80.6 in 1890	7 14.66 in 1905	7 3.52 in 2009
8 84.9 in 2007	8 80.7 in 1939	8 14.60 in 2018	8 3.63 in 1919
9 84.8 in 2020	80.7 in 1911	9 14.29 in 1939	9 3.75 in 1907
10 84.7 in 2024	10 80.8 in 1969	10 14.03 in 2004	10 3.87 in 1941
84.7 in 2005	80.8 in 1957	...	
12 84.6 in 2019	80.8 in 1898	30 10.46 in 2026	
13 84.4 in 1951			
14 84.3 in 2014			
84.3 in 2010			
16 84.0 in 2026			

Normal August Temp at TPA = 84.0°
Normal August Rain at TPA = 9.03 in

** Last of Multiple Occurrences*

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.7 in 2022	1	80.1 in 1910	1	43.03 in 1945	1	11.16 in 1993
2	85.6 in 2023	2	80.2 in 1955	2	38.52 in 2024	2	13.15 in 1956
3	84.8 in 2025		80.2 in 1913	3	36.13 in 2012	3	13.25 in 1970
	84.8 in 2020		80.2 in 1904	4	34.79 in 1909	4	13.85 in 1978
5	84.6 in 2024	5	80.3 in 1967	5	34.67 in 1960	5	14.00 in 1977
	84.6 in 2021	6	80.4 in 1965	6	34.54 in 2015	6	14.25 in 1918
7	84.5 in 2010	7	80.5 in 1968	7	33.71 in 1925	7	15.05 in 1931
8	84.4 in 2026		80.5 in 1890	8	33.68 in 1896	8	15.65 in 2001
	84.4 in 2011	9	80.6 in 1907	9	33.66 in 1995	9	15.73 in 1944
10	84.2 in 1998		80.6 in 1899	10	33.46 in 1957	10	15.88 in 1952
			80.6 in 1894	...		...	
				76	21.39 in 2026	62	21.39 in 2026

Normal Summer Temp at TPA = 83.6°

Normal Summer Rain at TPA = 24.15 in

Warmest Monthly Avg Temp		Warmest Monthly Avg Max Temps		Warmest Monthly Avg Min Temps	
1	86.9 in Aug 2023	1	94.3 in Aug 2023	1	79.7 in Jul 2023
2	86.5 in Jul 2023	2	93.5 in Aug 1951	2	79.5 in Aug 2023
3	86.3 in Jul 2022	3	93.4 in Jul 2022	3	79.2 in Jul 2022
4	85.8 in Sep 2018	4	93.3 in Jul 2023	4	79.0 in Jul 2025
5	85.6 in Jul 2025	5	93.0 in Sep 2018	5	78.8 in Aug 2025
	85.6 in Aug 2022		93.0 in Jun 1998		78.8 in Aug 2011
	85.6 in Jun 1998	7	92.9 in Jul 1942	7	78.6 in Aug 2022
8	85.5 in Jul 2020	8	92.8 in Jun 1952	8	78.5 in Sep 2018
9	85.3 in Aug 2025	9	92.7 in Jul 1992	9	78.3 in Aug 2021
10	85.2 in Jun 2022		92.7 in Aug 1990		78.3 in Jul 2020
...		...			78.3 in Aug 2017
37	84.0 in Aug 2026*	119	90.8 in Aug 2026*	...	
				31	77.3 in Aug 2026*

* Last of Multiple Occurrences

ST PETERSBURG (records began in August 1914):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	87.5 in 2005	1	80.8 in 1922	1	21.85 in 1939	1	0.82 in 1938
2	86.8 in 2023	2	81.3 in 1939	2	19.57 in 1949	2	2.91 in 1984
3	86.2 in 2024	3	81.4 in 1947	3	18.62 in 1915	3	2.96 in 1941
4	85.7 in 2013	4	81.5 in 1953	4	17.93 in 1967	4	3.21 in 1998
5	85.4 in 2017	5	81.6 in 1957	5	17.75 in 1995	5	3.33 in 1951
6	85.3 in 2014	6	81.8 in 1995	6	16.65 in 1971	6	3.37 in 1919
	85.3 in 1941		81.8 in 1994	7	16.53 in 1945	7	3.40 in 1933
8	85.2 in 2007		81.8 in 1974	8	16.04 in 1922	8	3.66 in 2005
9	85.0 in 2010		81.8 in 1917	9	15.49 in 2016	9	3.67 in 1996
	85.0 in 1980	10	81.9 in 2016	10	15.33 in 1947	10	4.30 in 1914
11	84.8 in 2021		81.9 in 1967	...		...	
	84.8 in 2020		81.9 in 1949	46	9.09 in 2026	67	9.09 in 2026
	84.8 in 1987						
14	84.7 in 2011						
	84.7 in 1986						
16	84.6 in 2026						
	84.6 in 2022						
	84.6 in 2006						
	84.6 in 1998						
	84.6 in 1924						

Normal Temp August at SPG = 84.0°

Normal August Rain at SPG = 8.39 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	86.3 in 2024	1	80.9 in 1922	1	47.62 in 1945	1	10.52 in 1931
2	85.7 in 2005	2	81.1 in 1974	2	45.31 in 1939	2	11.17 in 1984
3	85.6 in 2010		81.1 in 1955	3	40.99 in 1995	3	11.48 in 1970
4	85.1 in 2023	4	81.2 in 1947	4	38.08 in 1943	4	12.32 in 1930
5	84.7 in 2026	5	81.4 in 1920	5	36.66 in 1947	5	12.39 in 1916
6	84.6 in 1987	6	81.6 in 1995	6	35.03 in 2016	6	13.10 in 1996
7	84.5 in 2020		81.6 in 1923	7	35.00 in 1922	7	13.14 in 1993
	84.5 in 2017		81.6 in 1919	8	34.49 in 1974	8	14.18 in 1941
	84.5 in 1998	9	81.7 in 1968	9	33.26 in 1959	9	14.31 in 1966
10	84.3 in 2022		81.7 in 1965	10	32.62 in 1971	10	14.99 in 1951
	84.3 in 2013		81.7 in 1956	...		...	
	84.3 in 1980		81.7 in 1953	70	19.29 in 2026	42	19.29 in 2026
			81.7 in 1917				

Normal Summer Temp at SPG = 83.5°

Normal Summer Rain at SPG = 22.67 in.

* Last of Multiple Occurrences

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 87.5 in Aug 2005	1 93.7 in Aug 2005	1 81.4 in Aug 2023
2 87.0 in Jul 2024	2 93.5 in Jul 1932	2 81.3 in Aug 2005
3 86.8 in Aug 2023	3 93.1 in Jul 2024	3 80.9 in Jul 2024
4 86.7 in Jul 2005	4 92.9 in Jun 2010	4 80.8 in Aug 2024
5 86.5 in Jun 2010	5 92.8 in Jul 1987	5 80.7 in Jul 2005
6 86.2 in Aug 2024	92.8 in Aug 1941	6 80.2 in Jul 2023
7 85.7 in Sep 2024	92.8 in Jul 1931	7 80.1 in Aug 2010
85.7 in Aug 2013	8 92.7 in Jul 2005	80.1 in Jun 2010
85.7 in Sep 2005	9 92.5 in Aug 1980	9 80.0 in Sep 2024
85.7 in Jul 1932	92.5 in Jun 1977	80.0 in Sep 2005
...	...	...
38 84.6 in Aug 2026*	129 90.4 in Aug 2026*	30 78.8 in Aug 2026*

PLANT CITY (Temperature records began in September 1892 and
Rainfall records began in February 1893):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 87.8 in 2023	1 78.7 in 1930	1 17.79 in 2004	1 1.87 in 1902
2 86.6 in 2024	2 79.1 in 1907	2 17.48 in 1953	2 2.44 in 1960
86.6 in 2022	3 79.6 in 1939	3 17.17 in 1949	3 3.62 in 1912
4 85.6 in 2025	79.6 in 1906	4 16.43 in 2019	4 3.88 in 2021
85.6 in 2017	5 79.7 in 1931	5 15.69 in 1906	5 3.98 in 1996
6 85.4 in 2021	6 79.9 in 1905	6 15.06 in 1898	6 4.08 in 1954
85.4 in 2020	7 80.1 in 2000	7 14.96 in 1939	7 4.29 in 1991
8 85.3 in 2026	8 80.2 in 1933	8 14.15 in 2024	8 4.58 in 1997
9 84.6 in 2018	80.2 in 1911	9 14.04 in 1967	9 4.76 in 1914
10 84.3 in 2011	10 80.3 in 1973	10 13.95 in 1979	10 4.80 in 1934
	80.3 in 1967	...	...
	80.3 in 1904	66 8.24 in 2026	61 8.24 in 2026

Normal Temp August at PLCF1 = 83.6°
Normal Rain August at PLCF1 = 8.85 in.

** Last of Multiple Occurrences*

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	86.5 in 2024	1	79.7 in 1919	1	41.73 in 1943	1	14.60 in 1956
	86.5 in 2023	2	79.8 in 1923	2	40.04 in 1910	2	14.98 in 1915
3	85.6 in 2022	3	79.9 in 1921	3	39.69 in 1945	3	15.23 in 1989
4	85.1 in 2025		79.9 in 1920	4	39.40 in 2004	4	15.34 in 1993
	85.1 in 2020	5	80.2 in 1967	5	38.91 in 2019	5	15.36 in 1961
6	85.0 in 2026		80.2 in 1947	6	38.77 in 2017	6	15.52 in 1952
7	84.6 in 2021		80.2 in 1930	7	37.53 in 1939	7	16.01 in 1951
	84.6 in 2017	8	80.3 in 1966	8	36.18 in 1925	8	17.02 in 1970
9	84.5 in 2019		80.3 in 1965	9	36.08 in 1906	9	17.30 in 1988
10	84.1 in 2018	10	80.4 in 1974	10	35.94 in 1905	10	17.39 in 1987
			80.4 in 1968	...		...	
			80.4 in 1929	82	22.31 in 2026	44	22.31 in 2026

Normal Summer Temp at PLCF1 = 83.2°

Normal Summer Rain at PLCF1 = 27.21 in.

Warmest Monthly Avg Temp		Warmest Monthly Avg Max Temps		Warmest Monthly Avg Min Temps	
1	87.8 in Aug 2023	1	99.3 in Aug 2023	1	76.7 in Jul 2024
2	87.5 in Jul 2023	2	99.2 in Jul 2023	2	76.4 in Aug 2025
3	87.2 in Jul 2024	3	97.8 in Jul 2024		76.4 in Aug 2024
4	86.6 in Aug 2024	4	97.6 in Aug 2022	4	76.3 in Aug 2023
	86.6 in Aug 2022	5	96.9 in Aug 2024	5	76.1 in Jul 2025
6	86.2 in Sep 2024	6	96.7 in Jun 2024	6	75.9 in Sep 2024
7	85.9 in Jul 2022	7	96.6 in Sep 2024		75.9 in Aug 2021
8	85.7 in Jul 2025	8	96.5 in Jul 2022		75.9 in Aug 2020
	85.7 in Jun 2024		96.5 in Jun 1911		75.9 in Jul 2020
10	85.6 in Aug 2017	10	96.4 in May 2024	10	75.8 in Jul 2023
..			96.4 in Jun 2023		75.8 in Aug 2011
15	85.3 in Aug 2026*	...		...	
		18	95.1 in Aug 2026*	15	75.5 in Aug 2026*

** Last of Multiple Occurrences*

LAKELAND (records began in January 1915):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.0 in 2023	1	80.0 in 1967	1	15.57 in 1948	1	3.40 in 1942
2	85.5 in 2026	2	80.5 in 1973	2	15.19 in 2010	2	3.58 in 1921
3	85.1 in 1987		80.5 in 1949	3	14.15 in 1935	3	3.65 in 1947
4	85.0 in 2025	4	80.6 in 1939	4	13.49 in 1915	4	3.73 in 1930
5	84.8 in 2022		80.6 in 1923	5	12.63 in 2019	5	3.89 in 1950
6	84.6 in 2024		80.6 in 1920	6	12.52 in 2004	6	3.98 in 1960
	84.6 in 1995	7	80.8 in 1969	7	12.23 in 2015	7	4.22 in 2021
8	84.4 in 2021		80.8 in 1957	8	11.97 in 1928	8	4.56 in 1982
	84.4 in 1989	9	80.9 in 1959	9	11.93 in 1949	9	4.61 in 1934
10	84.3 in 2020	10	81.0 in 1953	10	11.37 in 2016	10	4.68 in 1970
	84.3 in 2011		81.0 in 1922			...	
	84.3 in 2010					32	6.09 in 2026

Normal Temp August at LLDF1 = 83.3°

Normal Rain August at LLDF1 = 9.08 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.3 in 2026	1	79.7 in 1919	1	43.60 in 2017	1	13.76 in 1958
2	84.8 in 2024	2	79.8 in 1923	2	36.50 in 2015	2	13.88 in 1998
3	84.6 in 2023	3	79.9 in 1921	3	34.42 in 2019	3	13.96 in 1918
	84.6 in 2010		79.9 in 1920	4	33.76 in 2013	4	14.67 in 1972
5	84.4 in 2025	5	80.2 in 1967	5	33.29 in 1994	5	15.35 in 1936
	84.4 in 1987		80.2 in 1947	6	32.40 in 2005	6	15.51 in 1931
7	84.1 in 2022		80.2 in 1930	7	32.12 in 1968	7	16.05 in 1950
8	84.0 in 2016	8	80.3 in 1966	8	31.87 in 2001	8	16.71 in 1942
9	83.8 in 2020		80.3 in 1965	9	31.78 in 1948	9	16.92 in 1954
	83.8 in 1998	10	80.4 in 1974	10	31.59 in 1995	10	16.95 in 1921
	83.8 in 1989		80.4 in 1968	...		...	
			80.4 in 1929	54	23.35 in 2026	59	23.35 in 2026

Normal Summer Temp at LLDF1 = 82.8°

Normal Summer Rain at LLDF1 = 26.62 in.

** Last of Multiple Occurrences*

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.0 in Aug 2023	1 96.5 in Aug 1987	1 77.4 in Aug 2023
2 85.5 in Jul 2026	2 96.3 in Jul 1992	2 76.6 in Jul 2023
85.5 in Jul 2024	3 96.0 in Jun 1998	3 76.4 in Jul 2024
85.5 in Jul 2023	96.0 in Jul 1987	4 76.3 in Jul 2026
5 85.3 in Aug 2026	5 95.6 in Aug 1989	76.3 in Aug 2024
6 85.1 in Jul 2025	6 95.4 in Jul 1993	6 76.2 in Aug 2026
85.1 in Jul 2016	7 95.0 in Jul 1989	76.2 in Aug 2025
85.1 in Aug 1987	8 94.9 in Jun 2010	76.2 in Aug 2010
9 85.0 in Jun 2026	94.9 in Jun 1985	9 76.1 in Aug 2021
85.0 in Aug 2025	94.9 in Jul 1981	10 76.0 in Aug 2020
	11 94.8 in Aug 2026	
	94.8 in Jun 2026	

WINTER HAVEN AREA (records began in March 1941):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 85.6 in 1989	1 80.0 in 1972	1 14.59 in 1949	1 1.78 in 1960
2 85.5 in 2023	2 80.4 in 1971	2 12.76 in 1977	2 1.88 in 1998
3 85.3 in 2005	80.4 in 1967	3 12.42 in 2022	3 2.04 in 1980
4 85.1 in 2026	4 80.6 in 1957	4 12.21 in 1952	4 2.63 in 1942
5 85.0 in 2020	5 80.8 in 1969	5 11.94 in 1992	5 2.80 in 2005
6 84.9 in 2025	80.8 in 1959	6 11.78 in 1995	6 3.09 in 1954
84.9 in 2024	7 80.9 in 1968	7 11.39 in 1981	7 3.65 in 1970
84.9 in 2022	8 81.0 in 1982	11.39 in 1957	8 3.73 in 1955
84.9 in 2019	81.0 in 1962	9 11.25 in 1948	9 3.88 in 2021
84.9 in 2007	10 81.1 in 2008	10 11.22 in 2011	10 3.96 in 1945
84.9 in 1941	81.1 in 1990	...	...
		35 7.38 in 2026	49 7.38 in 2026

Normal Temp August at GIF = 84.1°
Normal Rain August at GIF = 6.52 in.

** Last of Multiple Occurrences*

Warmest Summers			Coolest Summers			Wettest Summers			Driest Summers		
1	85.1	in 2024	1	79.4	in 1968	1	34.98	in 1949	1	9.33	in 1999
2	84.8	in 1989	2	79.7	in 1972	2	34.87	in 1945	2	12.07	in 1980
3	84.7	in 2026		79.7	in 1971	3	32.95	in 1992	3	12.14	in 1998
	84.7	in 2022	4	80.0	in 1974	4	32.77	in 1995	4	13.53	in 2025
	84.7	in 2019	5	80.4	in 1967	5	30.66	in 1981	5	14.37	in 1963
	84.7	in 2010	6	80.7	in 1963	6	30.57	in 2015	6	14.62	in 1997
	84.7	in 1998		80.7	in 1962	7	30.08	in 1948	7	14.88	in 1972
8	84.6	in 2025	8	80.8	in 1965	8	29.77	in 1974	8	14.98	in 2009
9	84.4	in 2016	9	80.9	in 1959	9	29.75	in 2019	9	15.10	in 1979
10	84.3	in 2020	10	81.0	in 1966	10	28.69	in 1965	10	16.02	in 1964

...

26 24.41 in 2026

Normal Summer Temp at GIF = 83.8°

Normal Summer Rain at GIF = 21.32 in.

457

Warmest Monthly Avg Temp			Warmest Monthly Avg Max Temps			Warmest Monthly Avg Min Temps		
1	86.1	in Jul 2024	1	96.2	in Jun 1985	1	77.1	in Aug 2019
2	85.6	in Jul 2022	2	95.8	in Jun 1998	2	76.8	in Sep 2018
	85.6	in Aug 1989	3	95.5	in Jul 2024	3	76.7	in Jul 2024
4	85.5	in Aug 2023		95.5	in Aug 1989	4	76.6	in Aug 2023
	85.5	in Jul 2016	5	95.4	in Jul 1942		76.6	in Aug 2020
6	85.4	in Jul 2025	6	95.3	in Aug 1941		76.6	in Jul 2005
7	85.3	in Aug 2005	7	95.0	in Jul 2016	7	76.5	in Aug 2024
8	85.1	in Aug 2026		95.0	in Aug 1951		76.5	in Aug 2010
	85.1	in Jul 2026	9	94.9	in Aug 1942	9	76.4	in Jul 2022
10	85.0	in Aug 2020	10	94.8	in Jul 2022		76.4	in Jul 2010
	85.0	in Sep 2018		94.8	in Aug 1987	...		
	85.0	in Jul 2005	...			15	76.2	in Aug 2026*
			22	94.1	in Aug 2026*			

** Last of Multiple Occurrences*

BARTOW (records began in June 1892):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	87.4 in 2014	1	79.7 in 1913	1	14.62 in 1905	1	1.60 in 2014
2	86.1 in 2013	2	79.9 in 1894	2	14.39 in 1949	2	2.21 in 2026
3	84.6 in 2023	3	80.3 in 1898	3	14.38 in 1909	3	2.45 in 1912
	84.6 in 1987	4	80.5 in 1967	4	13.38 in 2003	4	2.60 in 1987
	84.6 in 1951	5	80.6 in 1975		13.38 in 2002	5	2.98 in 1936
6	84.4 in 1998		80.6 in 1947	6	13.01 in 1981	6	3.02 in 1950
7	84.2 in 2011		80.6 in 1916	7	12.83 in 1928	7	3.18 in 1938
8	84.1 in 2026	8	80.7 in 1911	8	12.65 in 1992	8	3.57 in 1930
	84.1 in 1941		80.7 in 1892	9	12.57 in 2012	9	3.74 in 1996
	84.1 in 1924	10	80.8 in 1901	10	12.39 in 1901	10	4.08 in 2010

Normal Temp August at BARF1 = 82.3°

Normal Rain August at BARF1 = 7.78 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.6 in 2014	1	79.0 in 1894	1	36.81 in 2003	1	11.30 in 2026
2	84.8 in 1998	2	79.4 in 1913	2	36.13 in 1909	2	13.22 in 1964
3	84.5 in 2013	3	79.8 in 1892	3	35.84 in 2012	3	13.28 in 1950
4	84.0 in 2026	4	79.9 in 1947	4	35.15 in 1924	4	14.92 in 1931
5	83.9 in 2010	5	80.3 in 1936	5	35.01 in 1939	5	15.39 in 1996
6	83.7 in 1987		80.3 in 1916	6	34.85 in 1949	6	15.47 in 1979
7	83.6 in 2024	7	80.4 in 1976	7	34.31 in 2005	7	15.56 in 1902
8	83.5 in 2023		80.4 in 1974	8	34.14 in 1945	8	15.67 in 1987
9	83.3 in 2016		80.4 in 1972	9	33.82 in 1934	9	15.97 in 2007
	83.3 in 1969		80.4 in 1935	10	33.42 in 1928	10	16.40 in 2014

Normal Summer Temp at BARF1 = 81.9°

Normal Summer Rain at BARF1 = 23.62 in.

** Last of Multiple Occurrences*

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 87.4 in Aug 2014	1 96.8 in Jul 1932	1 78.9 in Aug 2014
2 86.1 in Aug 2013	2 96.0 in Jun 1998	2 78.0 in Aug 2013
3 85.9 in Jun 1998	3 95.9 in Aug 2014	3 77.0 in Jun 2015
4 85.7 in Jun 2015	95.9 in Jun 1927	77.0 in Jul 2014
5 85.4 in Jul 2014	5 95.6 in Aug 1924	5 76.6 in Jul 2013
6 84.7 in Jul 1932	6 95.4 in Jun 1981	6 75.7 in Jun 1998
7 84.6 in Aug 2023	95.4 in Jun 1898	75.7 in Aug 1995
84.6 in Aug 1987	8 95.3 in Aug 1951	8 75.6 in Sep 2014
84.6 in Aug 1951	9 95.0 in Jun 1950	9 75.4 in Aug 1998
10 84.5 in Jul 1969	10 94.9 in Jul 1981	10 75.2 in Aug 2023
...	...	75.2 in Aug 2010
17 84.1 in Aug 2026*	24 94.2 in Aug 2026*	75.2 in Aug 1903
		...
		48 74.1 in Aug 2026*

SARASOTA-BRADENTON (records began in January 1911):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 85.9 in 2023	1 79.6 in 1911	1 24.42 in 1981	1 2.51 in 1938
2 85.2 in 2020	2 79.9 in 1947	2 23.55 in 2024*	2 2.52 in 1930
3 85.0 in 2014	79.9 in 1922	3 20.97 in 2017	3 3.09 in 1944
4 84.7 in 2016	4 80.0 in 1939	4 19.97 in 1959	4 3.10 in 1952
5 84.5 in 2026	5 80.3 in 1967	5 19.73 in 1949	5 3.11 in 2001
84.5 in 2011	80.3 in 1931	6 19.35 in 1922	6 3.20 in 1996
7 84.2 in 2007	80.3 in 1927	7 18.14 in 1928	7 3.91 in 2008
8 83.9 in 1995	8 80.4 in 1930	8 17.79 in 2003	8 3.93 in 1963
9 83.8 in 2005	80.4 in 1916	9 17.63 in 1999	9 3.96 in 1984
10 83.7 in 2024	10 80.5 in 1934	10 17.04 in 1939	10 3.97 in 2014
83.7 in 1990	80.5 in 1929	...	...
83.7 in 1987		64 7.82 in 2026	53 7.82 in 2026

Normal Temp August at SRQ = 83.4°
Normal Rain August at SRQ = 9.11 in.

* Rainfall was missing on August 5, 2024 due to equipment failure. Radar estimates and local rain gauges indicate that 3 to 4 inches of rain fell on this day which would have made this the Wettest August on record.

* Last of Multiple Occurrences

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 85.0 in 2023	1 78.9 in 1947	1 47.32 in 2024*	1 11.09 in 1930
2 84.7 in 2026	78.9 in 1913	2 45.69 in 1943	2 11.20 in 1998
3 84.9 in 2020	3 79.4 in 1911	3 41.23 in 2017	3 11.94 in 1944
4 84.5 in 2016	4 79.5 in 1930	4 41.08 in 1912	4 12.48 in 1951
5 83.9 in 1998	5 79.7 in 1976	5 39.63 in 1992	5 12.60 in 2023
6 83.7 in 2024	79.7 in 1916	6 38.29 in 1922	6 12.75 in 1952
7 83.6 in 2014	7 79.8 in 1929	7 38.23 in 1945	7 13.10 in 2014
8 83.4 in 2010	8 79.9 in 1974	8 37.73 in 1939	8 13.12 in 1948
9 83.2 in 2019	79.9 in 1931	9 35.21 in 1959	9 14.67 in 2009
10 83.0 in 2011	10 80.0 in 1922	10 35.12 in 1981	10 14.80 in 1914

...

78 20.71 in 2026

...

38 20.71 in 2026

Normal Summer Temp at SRQ = 82.8°

Normal Summer Rain at SRQ = 23.55 in.

** Rainfall was missing on August 5, 2024 due to equipment failure. Radar estimates and local rain gauges indicate that 3 to 4 inches of rain fell on this day which would have increased the summer rainfall to over 50 inches.*

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.2 in Jul 2023	1 94.5 in Jun 1998	1 78.8 in Jul 2023
2 85.9 in Aug 2023	2 94.2 in Jul 1998	78.8 in Jul 2020
3 85.8 in Jul 2020	3 94.1 in Aug 1998	3 78.0 in Aug 2023
4 85.4 in Jul 2016	4 94.0 in Aug 1938	4 77.9 in Jun 2026
5 85.2 in Aug 2020	5 93.8 in Aug 2023	5 77.8 in Aug 2026
6 85.0 in Aug 2014	93.8 in Jul 2016	6 77.8 in Aug 2011
7 84.9 in Jun 2026	7 93.7 in Aug 1990	7 77.5 in Aug 2020
8 84.8 in Sep 2019	8 93.6 in Jul 2023	8 77.4 in Jul 2026
9 84.7 in Aug 2016	93.6 in Aug 1989	9 77.2 in Jul 2024
10 84.6 in Jul 2026	10 93.5 in Aug 2014	10 77.1 in Jul 2016
11 84.5 in Aug 2026	...	
84.5 in Aug 2011	106 91.3 in Aug 2026*	

** Last of Multiple Occurrences*

VENICE (records began in May 1955):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.1 in 2023	1	80.5 in 1975	1	21.96 in 2024	1	2.96 in 2007
2	86.0 in 2010		80.5 in 1967	2	20.18 in 2017	2	3.00 in 2005
3	85.4 in 2011	3	80.6 in 1968	3	16.77 in 1981	3	3.04 in 1955
	85.4 in 2009	4	80.9 in 1976	4	16.47 in 1967	4	3.10 in 2014
5	85.1 in 2024	5	81.0 in 1959	5	15.76 in 1999	5	3.21 in 1997
6	84.8 in 2012	6	81.1 in 1969	6	13.69 in 1974	6	3.25 in 1990
7	84.7 in 1998	7	81.2 in 1974	7	13.41 in 1971	7	3.28 in 1958
8	84.6 in 2026		81.2 in 1957	8	13.11 in 1970	8	3.49 in 1984
9	84.5 in 1988	9	81.4 in 1958	9	12.94 in 2016	9	3.51 in 1956
10	84.4 in 2019	10	81.5 in 1977	10	12.56 in 1959	10	4.06 in 1963
				...		...	
				36	7.58 in 2026	37	7.58 in 2026

Normal Temp August at VNCF1 = 83.1°

Normal Rain August at VNCF1 = 8.34 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	86.2 in 2010	1	80.3 in 1975	1	38.01 in 1995	1	11.65 in 2014
2	85.2 in 2023	2	80.4 in 1974	2	37.89 in 2017	2	12.14 in 1990
3	85.1 in 1998	3	80.5 in 1967	3	37.79 in 1992	3	12.88 in 1997
4	84.9 in 2024	4	80.7 in 1984	4	37.69 in 2024	4	13.54 in 1956
5	84.7 in 2011		80.7 in 1966	5	36.76 in 1974	5	13.56 in 1979
6	84.0 in 2026	6	80.8 in 1956	6	36.72 in 2003	6	13.72 in 2007
	84.0 in 2019	7	80.9 in 1978	7	32.82 in 1999	7	13.77 in 1955
8	83.9 in 2012	8	81.0 in 2008	8	32.69 in 2012	8	14.13 in 2009
9	83.8 in 2020		81.0 in 1972	9	30.31 in 2005	9	14.26 in 1985
10	83.7 in 2025		81.0 in 1959	10	29.35 in 1987		14.26 in 1980
				...		...	
				44	18.05 in 2026	26	18.05 in 2026

Normal Summer Temp at VNCF1 = 82.5°

Normal Summer Rain at VNCF1 = 23.54 in.

** Last of Multiple Occurrences*

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 88.1 in Sep 1988	1 95.5 in Sep 1988	1 80.5 in Sep 1988
2 86.6 in Jul 1989	2 95.4 in Jun 2010	2 79.7 in Jul 1989
3 86.4 in Jun 2010	3 95.3 in Jun 1998	3 78.8 in Aug 2010
4 86.3 in Jul 2023	4 95.1 in Jun 2004	4 78.6 in Sep 1989
5 86.2 in Jul 2010	5 94.9 in Aug 2023	5 78.5 in Jul 2010
6 86.1 in Aug 2023	6 94.8 in Aug 1998	6 78.1 in Jul 2023
7 86.0 in Aug 2010	7 94.5 in Jul 2023	78.1 in Aug 2011
8 85.7 in Jun 1998	8 94.2 in Jul 1998	8 77.7 in Aug 2024
9 85.4 in Aug 2011	9 93.9 in Jul 1997	9 77.5 in Jul 2025
85.4 in Aug 2009	10 93.8 in Jul 2010	77.5 in Jul 2024
85.4 in Sep 1989	93.8 in Aug 2009	...
...	93.8 in Aug 1997	20 76.5 in Aug 2026*
20 84.6 in Aug 2026*	93.8 in Jul 1996	
	93.8 in Jul 1993	
	...	
	28 92.7 in Aug 2026*	

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 86.7 in 1993	1 80.4 in 1962	1 19.85 in 1981	1 2.81 in 2005
2 85.0 in 1998	2 80.5 in 1959	2 18.61 in 1971	2 3.44 in 1991
3 84.8 in 2017	80.5 in 1957	3 18.45 in 2003	3 3.94 in 2001
4 84.3 in 2005	4 80.9 in 2002	4 17.90 in 2024	4 5.05 in 1974
84.3 in 1999	80.9 in 1972	5 17.18 in 2016	5 5.11 in 2022
6 84.1 in 2011	80.9 in 1971	6 16.85 in 2018	6 5.17 in 1976
7 84.0 in 2019	7 81.1 in 1985	7 16.60 in 1949	7 5.32 in 1996
84.0 in 2016	8 81.3 in 2001	8 15.99 in 1980	8 5.33 in 1944
84.0 in 2010	81.3 in 1969	9 15.66 in 1999	9 5.35 in 1956
10 83.9 in 1997	81.3 in 1963	10 15.62 in 1988	10 5.48 in 1948

Average Temperature for August 2026 = Not Available Yet
Normal Temp August at MKCF1 = 83.1°

Total Rainfall for August 2026 = Not Available Yet
Normal Rain August at MKCF1 = 10.12 in.

** Last of Multiple Occurrences*

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 85.0 in 1998	1 79.8 in 1962	1 47.18 in 2003	1 13.38 in 1956
2 84.0 in 2010	2 80.1 in 1959	2 46.76 in 2017	2 16.52 in 1996
3 83.5 in 2017	3 80.3 in 1984	3 46.32 in 1995	3 17.03 in 1948
4 83.4 in 2016	80.3 in 1974	4 43.79 in 1981	4 17.41 in 1961
5 83.3 in 2019	5 80.5 in 1972	5 41.67 in 1965	5 17.42 in 2009
83.3 in 1999	80.5 in 1963	6 40.81 in 2012	6 18.65 in 1952
7 83.2 in 2018	7 80.6 in 2002	7 40.58 in 1982	7 19.68 in 1944
83.2 in 1993	80.6 in 1986	8 40.14 in 1992	8 20.18 in 1986
9 83.1 in 2005	80.6 in 1971	9 38.00 in 2024	9 20.32 in 1954
83.1 in 1997	80.6 in 1960	10 37.94 in 1968	10 20.37 in 1964

Average Temperature for Summer 2026 = Not Available Yet
Normal Summer Temp at MKCF1 = 82.3°

Total Rainfall for Summer 2026 = Not Available Yet
Normal Summer Rain at MKCF1 = 29.88 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.7 in Aug 1993	1 97.1 in Jun 1998	1 77.5 in Aug 1993
2 85.2 in Jun 1998	2 96.3 in Aug 1998	2 75.8 in Aug 2024
3 85.0 in Aug 1998	3 95.8 in Aug 1993	3 75.6 in Sep 2024
85.0 in Jul 1998	4 95.7 in Jun 2010	75.6 in Aug 2019
5 84.8 in Aug 2017	5 95.6 in Jul 1998	75.6 in Sep 1993
6 84.4 in Jun 2010	95.6 in Jul 1996	6 75.3 in Aug 2017
7 84.3 in Aug 2005	95.6 in Jun 1985	75.3 in Aug 2010
84.3 in Aug 1999	8 95.4 in Jul 1993	8 75.2 in Jul 2005
9 84.2 in Jul 2016	9 95.2 in Aug 1999	9 75.1 in Jul 2025
10 84.1 in Aug 2011	95.2 in Sep 1991	10 75.0 in Aug 2025
84.1 in Jul 2005		75.0 in Jul 2024

** Last of Multiple Occurrences*

WAUCHULA (records began in January 1933):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	85.4 in 2009	1	77.7 in 1950	1	15.53 in 1949	1	2.66 in 1982
2	85.2 in 2007	2	80.1 in 1953	2	14.17 in 2010	2	2.97 in 1938
3	84.3 in 2023	3	80.3 in 2000	3	14.04 in 2015	3	3.30 in 1958
4	84.2 in 1941	4	80.4 in 1939	4	13.68 in 1939	4	3.67 in 2005
5	83.6 in 2025	5	80.5 in 1967	5	12.76 in 1992	5	3.75 in 1957
	83.6 in 2024	6	80.7 in 2003	6	12.54 in 1943	6	4.17 in 1965
	83.6 in 1993		80.7 in 1996	7	12.46 in 1953	7	4.24 in 1970
8	83.5 in 1989		80.7 in 1949	8	12.28 in 2003	8	4.48 in 2009
	83.5 in 1987	9	80.8 in 1959	9	12.11 in 1956	9	4.52 in 1933
10	83.4 in 2005		80.8 in 1947	10	11.45 in 2016	10	4.59 in 1941
11	83.3 in 2026			...		...	
	83.3 in 2016			45	7.30 in 2026	49	7.30 in 2026
	83.3 in 1983						

Normal Temp August at WAUF1 = 82.3°

Normal Rain August at WAUF1 = 8.46 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	84.6 in 2009	1	78.3 in 1950	1	43.85 in 1939	1	14.24 in 1999
2	83.5 in 2024	2	79.9 in 2012	2	39.39 in 1943	2	14.30 in 1964
3	83.2 in 2008		79.9 in 1955	3	38.22 in 1949	3	14.60 in 2000
	83.2 in 1993	4	80.0 in 1947	4	37.38 in 1953	4	14.65 in 1958
5	82.9 in 2026	5	80.1 in 1996	5	35.80 in 2017	5	15.13 in 1952
	82.9 in 1987		80.1 in 1956	6	34.17 in 1959	6	16.05 in 1998
7	82.8 in 2025	7	80.2 in 2013	7	34.14 in 1945	7	16.30 in 2018
8	82.7 in 2016		80.2 in 2000	8	32.94 in 1974	8	16.51 in 1996
	82.7 in 2007		80.2 in 1953	9	32.53 in 1968	9	16.97 in 1957
10	82.6 in 1942		80.3 in 1976	10	30.58 in 2013	10	17.21 in 1981
			80.3 in 1965	...		11	17.28 in 1989
						12	17.40 in 2026

Normal Summer Temp at WAUF1 = 81.6°

Normal Summer Rain at WAUF1 = 24.61 in.

** Last of Multiple Occurrences*

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 85.4 in Aug 2009	1 95.0 in Aug 2007	1 76.7 in Aug 2009
2 85.2 in Aug 2007	95.0 in Aug 1989	2 76.0 in Sep 2009
3 84.5 in Sep 2009	3 94.8 in Jun 1998	3 75.6 in Jul 2009
84.5 in Jul 2009	4 94.7 in May 2024	4 75.4 in Aug 2007
5 84.3 in Jul 2024	94.7 in Aug 2023	5 75.1 in Aug 2008
84.3 in Aug 2023	6 94.6 in Jul 1981	6 75.0 in Sep 2024
7 84.2 in Aug 1941	7 94.5 in Jul 2024	7 74.9 in Sep 2008
8 83.9 in Jun 2009	94.5 in Aug 1987	8 74.5 in Jul 2008
83.9 in Jul 1992	94.5 in Jul 1942	9 74.3 in Aug 2024
10 83.8 in Jul 1942	94.5 in Aug 1941	10 74.2 in Jul 2024
...	...	74.2 in Jun 2009
25 83.3 in Aug 2026*	23 93.8 in Aug 2026*	...
		49 72.8 in Aug 2026*

ARCHBOLD BIO STN (records began in January 1969):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 83.9 in 2023	1 79.7 in 1994	1 20.05 in 2006	1 1.94 in 2000
2 83.6 in 2016	2 79.9 in 1971	2 17.88 in 2004	2 2.71 in 1984
3 83.4 in 2020	3 80.0 in 1984	3 14.31 in 1999	3 2.75 in 2009
4 83.3 in 2026	4 80.1 in 1974	4 13.70 in 2010	4 3.14 in 2007
83.3 in 2010	5 80.2 in 1973	5 12.76 in 1979	5 3.50 in 1987
6 83.1 in 2024	6 80.3 in 1976	6 12.33 in 2008	6 4.24 in 1970
83.1 in 2022	80.3 in 1972	7 12.12 in 1992	7 4.28 in 1993
8 83.0 in 2025	8 80.4 in 2003	8 11.55 in 2023	8 4.40 in 1997
9 82.9 in 2017	80.4 in 2000	9 11.35 in 2015	9 4.50 in 2020
10 82.8 in 2014	10 80.6 in 2002	10 11.22 in 2012	10 4.55 in 2014
		...	...
		32 7.56 in 2026	27 7.56 in 2026

Normal Temp August at ACHF1 = 82.1°
Normal Rain August at ACHF1 = 8.49 in.

** Last of Multiple Occurrences*

Warmest Summers	Coollest Summers	Wettest Summers	Driest Summers
1 83.3 in 2010	1 78.8 in 1984	1 41.24 in 1974	1 10.76 in 2000
2 82.9 in 2016	2 79.3 in 1976	2 40.51 in 2002	2 11.29 in 1987
3 82.8 in 2024	79.3 in 1974	3 39.46 in 2013	3 13.75 in 1980
4 82.7 in 2026	4 79.4 in 1971	4 34.39 in 2023	4 14.20 in 1998
5 82.6 in 2023	5 79.8 in 1973	5 34.04 in 2006	5 16.95 in 2026
6 82.5 in 2017	79.8 in 1972	6 34.02 in 2008	6 17.45 in 1997
7 82.3 in 2025	7 79.9 in 2008	7 33.94 in 2001	7 18.50 in 2009
8 82.3 in 2022	79.9 in 1994	8 33.72 in 2004	8 18.57 in 2007
9 82.1 in 2020	9 80.0 in 2002	9 33.57 in 2025	9 19.23 in 1985
82.1 in 1998	80.0 in 1970	10 32.56 in 1992	10 19.49 in 1983

Normal Summer Temp at ACHF1 = 81.4°

Normal Summer Rain at ACHF1 = 25.68 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 83.9 in Aug 2023	1 96.4 in Jun 1998	1 73.5 in Aug 2024
2 83.6 in Aug 2016	2 96.1 in Jun 2010	73.5 in Aug 2023
3 83.5 in Jul 2024	3 95.5 in Jul 2016	3 73.4 in Sep 2024
83.5 in Jul 2016	4 95.4 in Aug 2022	4 73.3 in Aug 2025
83.5 in Jun 2010	95.4 in Jul 1981	5 73.1 in Aug 2010
6 83.4 in Jul 2023	6 95.2 in Jul 1998	6 73.0 in Aug 2016
83.4 in Aug 2020	7 95.1 in Aug 2026	7 72.7 in Jul 2024
8 83.3 in Aug 2026	95.1 in Jul 2022	8 72.4 in Jul 2025
83.3 in Jul 2022	9 95.0 in May 2024	9 72.3 in Jul 2023
83.3 in Aug 2010	10 94.9 in Aug 2014	10 72.2 in Jul 2026
	94.9 in Aug 1987	72.2 in Aug 2019
		...
		21 71.5 in Aug 2026*

** Last of Multiple Occurrences*

PUNTA GORDA AREA (records began in May 1914):

Warmest August's		Coolest August's		Wettest August's		Driest August's	
1	86.3 in 2023	1	79.8 in 1939	1	19.56 in 1928	1	1.86 in 1927
2	86.0 in 2024	2	80.3 in 1922	2	15.60 in 1995	2	2.07 in 1938
3	85.1 in 1951	3	80.6 in 1969	3	14.01 in 1922	3	2.78 in 1936
4	84.7 in 2014	4	80.8 in 1949	4	13.75 in 2009	4	3.36 in 1976
5	84.5 in 2020	5	80.9 in 1967	5	13.47 in 2017	5	3.41 in 1997
	84.5 in 1987		80.9 in 1930	6	13.42 in 1949	6	3.50 in 1984
7	84.4 in 2011	7	81.0 in 1955	7	13.03 in 1959	7	3.55 in 1952
8	84.3 in 2005		81.0 in 1929	8	12.75 in 2024	8	3.82 in 1978
9	84.2 in 2018		81.0 in 1928	9	12.45 in 1967	9	3.93 in 1955
	84.2 in 2007		81.0 in 1926	10	12.37 in 2018	10	4.02 in 1943
11	84.1 in 2025						4.02 in 1921
	84.1 in 2021						
13	84.0 in 2026						
	84.0 in 2022						

Normal Temp August at PGD = 83.5°

Total Rainfall for August 2026 = Rainfall missing on 4 days
Normal Rain August at PGD = 9.11 in.

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers	
1	85.7 in 2024	1	79.8 in 1929	1	47.45 in 1943	1	9.88 in 1921
2	84.7 in 2023	2	80.3 in 1939	2	43.12 in 2017	2	13.96 in 1932
3	84.2 in 2020	3	80.4 in 1955	3	41.80 in 1912	3	14.17 in 1920
4	84.0 in 2018		80.4 in 1949	4	38.16 in 1992	4	14.88 in 1927
5	83.9 in 2026	5	80.5 in 1971	5	37.93 in 1922	5	15.05 in 1955
	83.9 in 1951		80.5 in 1938	6	37.24 in 1945	6	15.12 in 1979
7	83.8 in 2025	7	80.6 in 1930	7	34.55 in 2021	7	15.24 in 1956
8	83.7 in 2010		80.6 in 1925	8	33.90 in 1939	8	15.43 in 1952
9	83.6 in 2016		80.6 in 1922	9	33.81 in 1959	9	15.75 in 1990
10	83.5 in 1980	10	80.8 in 1974	10	33.24 in 1981	10	15.94 in 2007
			80.8 in 1967				
			80.8 in 1928				

Normal Summer Temp at PGD = 82.8°

Total Rainfall for Summer 2026 = Rainfall missing on 4 days in Aug
Normal Summer Rain at PGD = 26.41 in.

** Last of Multiple Occurrences*

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.7 in Jul 2024	1 95.8 in Jul 2024	1 78.1 in Aug 2024
2 86.3 in Aug 2023	2 95.5 in Jul 2023	2 77.6 in Sep 2024
3 86.0 in Aug 2024	3 95.3 in Aug 2023	77.6 in Jul 2024
4 85.8 in Jul 2023	4 94.9 in May 2024	4 77.2 in Aug 2023
5 85.6 in Sep 2024	94.9 in Aug 1952	5 76.5 in Aug 2011
6 85.1 in Aug 1951	6 94.5 in Aug 1951	6 76.1 in Jul 2023
7 84.7 in Jul 2020	7 94.4 in Jun 2010	7 76.0 in Aug 2010
84.7 in Sep 2014	94.4 in Jun 1981	76.0 in Aug 2008
9 84.6 in Jul 2025	94.4 in Sep 1952	9 75.9 in Aug 2020
84.6 in Sep 2018	10 94.2 in Jul 1981	75.9 in Sep 2018
...	94.2 in Jul 1963	75.9 in Jul 2005
27 84.0 in Aug 2026*	...	...
	57 92.9 in Aug 2026*	28 75.2 in Aug 2026*

FORT MYERS AREA (records began in January 1902):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 85.9 in 2023	1 79.6 in 1906	1 17.64 in 1932	1 3.12 in 1919
2 85.2 in 2022	79.6 in 1904	2 16.95 in 2017	2 3.14 in 1927
3 85.1 in 2026	3 79.7 in 1910	3 16.82 in 2004	3 3.55 in 1934
4 84.8 in 2025	4 79.8 in 1908	4 16.80 in 2003	4 3.97 in 1902
84.8 in 2024	5 80.0 in 1913	5 16.73 in 1981	5 3.98 in 1963
84.8 in 1987	6 80.4 in 1911	6 16.22 in 1972	6 4.07 in 1996
7 84.4 in 2014	80.4 in 1909	7 15.86 in 1967	7 4.12 in 1958
84.4 in 2005	8 80.5 in 1917	8 14.97 in 1990	8 4.26 in 1964
84.4 in 1985	9 80.6 in 1922	9 14.81 in 1926	9 4.29 in 1955
10 84.3 in 1995	80.6 in 1907	10 14.79 in 1979	10 4.32 in 1953
84.3 in 1981		...	4.32 in 1924
84.3 in 1979		84 7.47 in 2026	...
			42 7.47 in 2026

Normal Temp August at FMY = 83.4°
Normal Rain August at FMY = 10.43 in.

** Last of Multiple Occurrences*

Warmest Summers		Coolest Summers		Wettest Summers		Driest Summers
1 85.3 in 1981		1 79.1 in 1904		1 43.87 in 2024		1 11.12 in 1964
2 85.2 in 2023		2 79.2 in 1910		2 42.27 in 1974		2 14.71 in 1944
3 84.7 in 2026		3 79.7 in 1908		3 42.24 in 2004		3 15.74 in 1963
4 84.6 in 2010		4 79.8 in 1906		4 41.55 in 1912		4 16.67 in 1956
5 84.5 in 2024		5 80.0 in 1913		5 40.57 in 2017		5 17.03 in 1970
84.5 in 2022		6 80.1 in 1917		6 40.01 in 1995		6 17.20 in 1902
7 84.3 in 2025		7 80.2 in 1903		7 38.76 in 2005		7 17.56 in 1931
8 84.2 in 1979		80.2 in 1907		8 37.58 in 2006		8 17.60 in 1950
9 84.0 in 1998		80.2 in 1909		9 36.90 in 1982		9 17.80 in 1980
10 83.9 in 1987	10 80.4 in 1918			10 36.89 in 1943		10 17.90 in 2014
83.9 in 1980						...
						23 20.97 in 2026

Normal Summer Temp at FMY = 83.0°

Normal Summer Rain at FMY = 29.47 in.

Warmest Monthly Avg Temp	Warmest Monthly Avg Max Temps	Warmest Monthly Avg Min Temps
1 86.1 in Jul 2023	1 95.9 in Jun 1981	1 78.2 in Aug 2023
2 85.9 in Aug 2023	2 94.9 in Jun 2010	78.2 in Jul 2023
85.9 in Jun 1981	94.9 in Jul 1942	3 77.5 in Jul 1981
4 85.7 in Jul 1981	4 94.6 in Jul 1979	4 77.3 in Aug 2024
85.7 in Jul 1979	5 94.4 in Aug 1942	5 77.1 in Jul 2024
6 85.3 in Jul 2022	6 94.2 in Jun 1944	77.1 in Aug 2008
85.3 in Jun 2010	7 94.1 in Jul 2023	77.1 in Aug 1995
8 85.2 in Jul 2024	94.1 in Aug 1987	8 77.0 in Jul 2026
85.2 in Aug 2022	9 94.0 in Jul 1997	77.0 in Aug 2025
10 85.1 in Aug 2026	10 93.9 in Jul 1992	77.0 in Jul 2022
	93.9 in Jul 1981	77.0 in Aug 1981
	...	...
	21 93.3 in Aug 2026*	13 76.8 in Aug 2026*

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then rollover the Climate and Past
Weather drop down menu above the graphical forecast images.

** Last of Multiple Occurrences*