



NOAA - National Weather Service

Tampa Bay Area


2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>

February 2026 and Winter 2025-26 Summary

The ENSO (El Niño Southern Oscillation) was in a weak La Niña phase this past winter which usually means we'll see overall temperatures slightly above normal for the season while rainfall will be below normal. This pattern was accurate as far as precipitation, but as for temperatures they ended mostly below normal. There were large swings in temperatures during the winter with some very cold days where temperatures were 20 to 30 degrees below normal while others were 10 to 15 degrees above normal. For this February temperatures averaged about 1 to 5 degrees below normal, with a few sites ending up in the Top 15 Coolest. Meanwhile for the winter (Dec/Jan/Feb) temperatures averaged from near normal to almost 2 degrees below normal. The exception to this was at St. Petersburg which thanks to the influence from Tampa Bay saw warmer low temperatures and ended up averaging almost 2 degrees above normal.

The various ups and downs in the temperatures this past winter can be seen in the observed daily maximum and minimum temperatures for Tampa in the graphic below. The orange areas are the days with well above normal temperatures while the blue are days with well below normal temperatures.



Below are temperature tables for February 2026 and the Winter 2025-26 (Dec/Jan/Feb) from sites across the region.

FEBRUARY TEMPERATURE RANKINGS (°F)


Location	February 2026		Normal Feb Temp	Dep fm Normal	Records Began
	Rank	Avg Temp			
St Petersburg Area	49th Coolest	64.2°	64.9°	-0.7°	Aug 1914
Fort Myers Area	36th Coolest	63.9°	67.3°	-3.4°	Jan 1902
Plant City	54th Coolest	62.3°	65.3°	-3.0°	Sep 1892
Lakeland Area	40th Coolest	62.4°	65.0°	-2.6°	Jan 1915
St. Leo	57th Coolest (tie)	61.8°	62.6°	-0.8°	Apr 1895
Sarasota-Bradenton Area	39th Coolest (tie)	61.7°	64.8°	-3.1°	Jan 1911
Winter Haven Area	23rd Coolest (tie)	61.6°	65.1°	-3.5°	Mar 1941
Tampa Area	48th Coolest (tie)	61.4°	64.7°	-3.3°	Apr 1890
Punta Gorda Area	16th Coolest	61.0°	65.5°	-4.5°	Jul 1914
Venice	15th Coolest	60.8°	64.6°	-3.8°	May 1955
Tarpon Springs	28th Coolest (tie)	59.2°	62.9°	-3.7°	Jan 1892
Bartow	14th Coolest	58.9°	64.0°	-5.1°	Jun 1892
Myakka River State Pk	6th Coolest	57.7°	65.0°	-7.3°	Mar 1956
Wauchula	6th Coolest	57.6°	62.9°	-5.2°	Jan 1933
Brooksville Area	14th Coolest (tie)	56.8°	60.6°	-3.8°	Jan 1892
Chiefland 5 ESE	18th Coolest	55.8°	58.5°	-2.7°	Jul 1956
Inverness 3 SE	14th Coolest (tie)	55.7°	58.9°	-1.2°	Jul 1948

WINTER (DEC/JAN/FEB) TEMPERATURE RANKINGS (°F) :


Location	Winter 2025-26		Normal Temp	Dep fm Normal	Records Began
	Rank	Avg Temp			
Fort Myers Area	75th Coolest (tie)	66.1°	66.4°	-0.3°	Jan 1902
St Petersburg Area	20th Warmest	66.0°	64.1°	+1.9°	Aug 1914
Sarasota-Bradenton Area	40th Warmest (tie)	64.1°	64.1°	0.0°	Jan 1911
Plant City	83rd Coolest (tie)	63.9°	64.2°	-0.3°	Sep 1892
Lakeland Area	63rd Coolest	63.7°	64.0°	-0.3°	Jan 1915
Punta Gorda Area	27th Coolest (tie)	63.3°	64.8°	-1.5°	Jul 1914
Tampa Area	90th Coolest	63.2°	63.9°	-0.7°	Apr 1890
Venice	27th Coolest	63.0°	63.8°	-0.8°	May 1955
Winter Haven Area	27th Coolest (tie)	62.9°	64.0°	-1.1°	Mar 1941
Bartow	26th Coolest	61.5°	63.0°	-1.5°	Jun 1892
St. Leo	54th Coolest (tie)	61.4°	61.5°	-0.1°	Apr 1895
Tarpon Springs	49th Coolest (tie)	60.7°	61.8°	-1.1°	Jan 1892
Myakka River State Pk	9th Coolest	60.6°	64.0°	-3.4°	Mar 1956
Wauchula	17th Coolest	60.6°	62.0°	-1.4°	Jan 1933
Brooksville Area	25th Coolest (tie)	58.5°	59.5°	-1.0°	Jan 1892
Inverness 3 SE	19th Coolest	57.5°	58.0°	-0.5°	Jul 1948
Chiefland 5 ESE	20th Coolest (tie)	55.5°	57.1°	-1.6°	Jul 1956

Below are graphics that depict the monthly average temperature and departure from normal temperature (based on the 1991-2020 Normals) across the area.

Temperature (F)
12/1/2025 - 12/31/2025




Departure from Normal Temperature (F)
12/1/2025 - 12/31/2025




December 2025

Temperature (F)
1/1/2026 - 1/31/2026




Departure from Normal Temperature (F)
1/1/2026 - 1/31/2026




January 2026

Graphics Source: High Plains Regional Climate Center (HPRCC)

Temperature (F)
2/1/2026 - 2/28/2026




Departure from Normal Temperature (F)
2/1/2026 - 2/28/2026




February 2026

Temperature (F)
12/1/2025 - 2/28/2026



Departure from Normal Temperature (F)
12/1/2025 - 2/28/2026



Winter 2025-2026

Graphics Source: High Plains Regional Climate Center (HPRCC)

As for rainfall this February, most of the area saw below normal amounts, but there are some parts of the Nature Coast and interior that ended up a little above normal. Meanwhile, for the Winter 2025-2026, we saw below normal rainfall across most of the region with some locations ending up in the Top 15 Driest Winters.


FEBRUARY RAINFALL (inches):

Location	February 2026 Rank	Rain Total	Normal Feb Rain	Dep fm Normal	Records Began
Inverness 3 SE	34th Driest (tie)	2.52	2.69	-0.17	Jul 1948
Winter Haven Area	34th Wettest	2.51	2.44	+0.07	Mar 1941
Sarasota-Bradenton Area	58th Wettest	2.16	1.92	+0.24	Jan 1911
Plant City	57th Driest	2.08	2.33	-0.25	Sep 1892
Tampa Area	64th Driest	2.04	2.62	-0.58	Apr 1890
Chiefland 5 ESE	17th Driest	1.73	3.25	-1.52	Jul 1956
Venice	31st Driest	1.69	2.00	-0.31	May 1955
Brooksville Area	42nd Driest (tie)	1.64	2.57	-0.93	Jan 1892
Myakka River State Pk	29th Driest	1.52	2.44	-0.92	Sep 1943
St. Petersburg Area	30th Driest (tie)	1.48	2.02	-0.54	Aug 1914
Wauchula	27th Driest	1.29	2.18	-0.89	Jan 1933
Lakeland Area	31st Driest	1.23	2.33	-1.10	Jan 1915
Punta Gorda Area	39th Driest	1.20	2.47	-1.27	May 1914
Tarpon Springs	24th Driest	1.10	2.51	-1.41	Jan 1892
Bartow	27th Driest	0.91	2.10	-1.19	Jun 1892
St. Leo	17th Driest	0.81	2.38	-1.57	Apr 1895
Fort Myers Area	20th Driest	0.47	1.78	-1.31	Jan 1902


WINTER (DEC/JAN/FEB) RAINFALL (inches):

Location	Winter 2025-26 Rank	Rain Total	Normal Rain	Dep fm Normal	Records Began
St. Leo	54th Driest	6.55	7.97	-1.42	Apr 1895
Tampa Area	59th Driest	5.91	7.83	-1.92	Apr 1890
Tarpon Springs	41st Driest	5.82	8.28	-2.46	Jan 1892
Sarasota-Bradenton Area	44th Driest	5.41	7.04	-1.63	Jan 1911
Chiefland 5 ESE	8th Driest	5.38	10.11	-4.73	Jul 1956
Plant City	36th Driest	5.25	7.87	-2.62	Sep 1892
Winter Haven Area	29th Driest	5.20	7.61	-2.41	Mar 1941
Lakeland Area	26th Driest	4.47	7.93	-3.46	Jan 1915
Inverness 3 SE	12th Driest	4.04	8.14	-4.10	Jul 1948
Brooksville Area	11th Driest	3.40	8.14	-4.74	Jan 1892
Myakka River State Pk	11th Driest	3.32	7.80	-4.48	Sep 1943
Bartow	20th Driest	3.28	6.92	-3.64	Jun 1892
Venice	10th Driest (tie)	3.25	6.99	-3.74	May 1955
Punta Gorda Area	22nd Driest	3.01	6.78	-3.77	May 1914
St. Petersburg Area	13th Driest	2.83	6.93	-4.10	Aug 1914
Wauchula	13th Driest	2.73	6.60	-3.87	Jan 1933
Fort Myers Area	11th Driest	1.62	6.11	-4.49	Jan 1902


Below are graphics that depict the monthly/season total rainfall and percent of normal rainfall (based on the 1991-2020 Normals).




Rainfall December 2025




Percent of Normal




Rainfall January 2026




Percent of Normal




Rainfall February 2026



Percent of Normal



Rainfall Winter 2025-26



Percent of Normal

Below are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Februarys and Winters (December/January/February) at some official NWS locations, which include the average/total for this month/season where available, and the 1991-2020 Normal (average) temperature and rainfall.

CHIEFLAND 5 ESE (records began in July 1956):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 68.8 in 2018	1 48.4 in 1958	1 15.20 in 1998	1 0.12 in 1962
2 65.3 in 2019	2 49.3 in 2010	2 9.06 in 2004	2 0.72 in 1994
3 64.7 in 2023	49.3 in 1968	3 8.73 in 1970	3 0.77 in 1980
4 64.2 in 1990	4 50.0 in 1978	4 7.75 in 1964	4 0.78 in 1989
5 64.1 in 1959	5 52.3 in 1963	5 7.42 in 1966	5 0.82 in 1997
6 64.0 in 2017	6 52.4 in 1964	6 7.05 in 1965	6 0.98 in 2022
64.0 in 1982	7 53.0 in 1969	7 6.55 in 1993	0.98 in 1996
8 63.3 in 1975	8 53.1 in 1980	8 6.26 in 1967	8 1.04 in 1991
63.3 in 1957	9 53.3 in 1977	9 6.10 in 1963	9 1.06 in 2000
10 63.1 in 2001	10 53.5 in 2009	10 6.01 in 1978	10 1.21 in 2017

	18 55.8 in 2026		17 1.73 in 2026

Normal Temperature for February at CHIF1 = 58.5°

Normal Rainfall for February at CHIF1 = 3.25 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 62.0 in 1956-57	1 50.8 in 1957-58	1 30.55 in 1997-98	1 2.18 in 1956-57
2 61.7 in 1971-72	2 51.7 in 1977-78	2 26.40 in 1963-64	2 3.82 in 2021-22
3 61.5 in 1998-99	51.7 in 1963-64	3 20.46 in 1969-70	3 3.86 in 2000-01
4 61.1 in 1990-91	4 52.0 in 1976-77	4 19.65 in 1964-65	4 4.21 in 1961-62
5 60.9 in 2019-20	5 52.1 in 2009-10	5 17.59 in 1977-78	5 5.19 in 2016-17
6 60.8 in 1973-74	6 52.7 in 2010-11	6 17.58 in 1978-79	5.19 in 1980-81
7 60.5 in 2022-23	52.7 in 1980-81	7 16.42 in 1965-66	7 5.26 in 2011-12
8 60.2 in 2017-18	8 52.9 in 1969-70	8 16.37 in 2018-19	8 5.38 in 2025-26
60.2 in 1974-75	9 53.2 in 1968-69	9 16.27 in 2005-06	9 5.42 in 2004-05
10 59.6 in 1988-89	10 53.7 in 2002-03	10 15.89 in 2013-14	10 5.49 in 1984-85
59.6 in 1964-65	53.7 in 1962-63		
	...		
	20 55.5 in 2025-26		
	55.5 in 1983-84		
	55.5 in 1979-80		

Normal Temperature for Winter (Dec/Jan/Feb) at CHIF1 = 57.1°

Normal Rainfall for Winter (Dec/Jan/Feb) at CHIF1 = 10.11 in.

INVERNESS 3 SE (records began in July 1948):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	69.4 in 1949	1	49.7 in 2010	1	10.21 in 1952	1	0.46 in 1999
2	68.9 in 2018	2	50.6 in 1978	2	6.62 in 1998	2	0.52 in 1985
3	68.1 in 1959	3	51.1 in 1958	3	6.45 in 1960	3	0.58 in 1976
4	66.9 in 1957	4	54.0 in 1977	4	6.25 in 1983	4	0.73 in 1950
5	66.1 in 2019	5	54.3 in 1980	5	6.16 in 1978	5	0.75 in 1989
6	65.9 in 1956	6	54.7 in 1968	6	5.64 in 2006	6	0.82 in 2009
7	65.8 in 2023	7	54.8 in 1988	7	5.56 in 1971	7	0.90 in 2025
	65.8 in 1982	8	54.9 in 2015	8	5.43 in 1964	8	0.95 in 1949
9	65.7 in 2025	9	55.1 in 2009	9	5.35 in 2003	9	0.99 in 2022
	65.7 in 1975	10	55.3 in 2006	10	5.34 in 1970		0.99 in 2005
			55.3 in 1979				0.99 in 1995
			55.3 in 1973				0.99 in 1956
		13	55.6 in 1995	
		14	55.7 in 2026	43	2.52 in 2026	34	2.52 in 2026
			55.7 in 2007		2.52 in 1968		2.52 in 1968

Normal Temperature for February at INVF1 = 58.9°

Normal Rainfall for February at INVF1 = 2.69 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	67.0 in 1948-49	1	52.5 in 2002-03	1	22.52 in 1997-98	1	1.98 in 1949-50
2	66.0 in 1949-50	2	53.1 in 1977-78	2	17.06 in 1977-78	2	2.49 in 2004-05
3	65.3 in 1956-57		53.1 in 1976-77	3	16.66 in 2018-19	3	2.59 in 1984-85
4	64.1 in 2016-17	4	53.2 in 2009-10	4	14.69 in 1969-70	4	2.98 in 2012-13
5	63.0 in 1971-72	5	53.5 in 1957-58	5	14.46 in 1963-64	5	3.20 in 1956-57
6	62.5 in 1951-52	6	54.1 in 2010-11	6	14.06 in 2002-03	6	3.48 in 2024-25
7	62.3 in 1974-75	7	55.6 in 1987-88	7	13.93 in 1951-52	7	3.52 in 1948-49
	62.3 in 1964-65	8	55.9 in 1995-96	8	12.79 in 1978-79	8	3.56 in 2021-22
9	62.2 in 1973-74	9	56.1 in 1963-64	9	12.70 in 1993-94	9	3.81 in 1975-76
	62.2 in 1953-54	10	56.3 in 2005-06	10	12.35 in 2023-24	10	3.90 in 2011-12
		...				11	4.02 in 1955-56
		19	57.5 in 2025-26			12	4.04 in 2025-26

Normal Temperature for Winter (Dec/Jan/Feb) at INVF1 = 58.0°

Normal Rainfall for Winter (Dec/Jan/Feb) at INVF1 = 8.14 in.

BROOKSVILLE AREA (records began in January 1892):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 70.6 in 2018	1 50.4 in 2010	1 10.15 in 1998	1 0.10 in 1911
2 69.9 in 1927	2 52.1 in 1895	2 9.59 in 1952	2 0.11 in 2017
3 69.1 in 1932	3 52.8 in 1902	3 8.84 in 1899	3 0.14 in 2000
4 69.0 in 1949	4 52.9 in 1978	4 8.72 in 2004	4 0.48 in 2023
5 68.8 in 1944	5 54.8 in 1947	5 7.37 in 1936	5 0.50 in 1948
6 68.6 in 2019	54.8 in 1920	6 7.19 in 1983	6 0.52 in 1938
68.6 in 1939	7 55.2 in 1901	7 7.04 in 1903	7 0.53 in 2009
8 68.4 in 1918	8 55.9 in 2009	8 6.83 in 1971	0.53 in 1939
9 68.1 in 1959	9 56.0 in 1963	9 6.78 in 1981	9 0.54 in 1999
10 66.9 in 1975	56.0 in 1942	10 6.52 in 1946	10 0.57 in 2001
66.9 in 1945	11 56.2 in 1924		0.57 in 1943
	12 56.4 in 1969
	13 56.6 in 2007	90 1.64 in 2026	42 1.64 in 2026
	14 56.8 in 2026	1.64 in 1922	1.64 in 1922
	56.8 in 2015		
	56.8 in 1970		
	56.8 in 1896		

Normal Temperature for February at BKV = 60.6°
 Normal Rainfall for February at BKV = 2.57 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 68.2 in 1931-32	1 53.8 in 1901-02	1 22.83 in 1997-98	1 1.09 in 1910-11
2 67.5 in 1948-49	2 54.0 in 2009-10	2 17.83 in 1898-99	2 1.57 in 1906-07
3 66.9 in 1949-50	3 54.5 in 2010-11	3 17.22 in 1935-36	3 1.89 in 2011-12
4 66.1 in 1926-27	4 55.0 in 2002-03	4 16.98 in 1911-12	4 2.44 in 1949-50
5 65.8 in 1912-13	5 55.7 in 1976-77	5 16.44 in 1969-70	5 2.63 in 1938-39
6 65.4 in 1936-37	6 56.2 in 1969-70	6 16.21 in 1902-03	6 2.81 in 1999-00
65.4 in 1932-33	7 56.4 in 2003-04	7 15.51 in 1963-64	7 2.87 in 2008-09
8 65.2 in 1971-72	8 56.7 in 1963-64	8 14.93 in 1913-14	8 3.02 in 1908-09
9 64.3 in 1973-74	9 56.8 in 1939-40	9 14.80 in 2003-04	9 3.26 in 1942-43
10 64.1 in 1974-75	56.8 in 1894-95	10 14.79 in 1977-78	10 3.31 in 2024-25
	...		11 3.40 in 2025-26
	25 58.5 in 2025-26		
	58.5 in 1954-55		

Normal Temperature for Winter (Dec/Jan/Feb) at BKV = 59.5°
 Normal Rainfall for Winter (Dec/Jan/Feb) at BKV = 8.14 in.

ST LEO (records began in April 1895):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	71.2 in 2018	1	52.7 in 1958	1	11.04 in 1998	1	0.01 in 1911
2	70.2 in 1932	2	53.3 in 2010	2	9.71 in 1899	2	0.14 in 1999
3	69.5 in 1949	3	53.9 in 1978	3	9.48 in 1983	3	0.24 in 2023
4	69.4 in 2019	4	54.4 in 1947	4	8.69 in 1937	4	0.25 in 1950
5	69.1 in 1982	5	54.9 in 1968	5	8.09 in 1936	5	0.32 in 1945
6	69.0 in 1990	6	55.9 in 1912	6	7.22 in 1915	6	0.40 in 1989
7	68.9 in 1959	7	56.0 in 1942	7	6.92 in 1897	7	0.42 in 1948
8	68.7 in 1939	8	56.5 in 1902	8	6.35 in 1971	8	0.44 in 1916
9	68.2 in 1944	9	56.7 in 1964		6.35 in 1952	9	0.48 in 1938
10	68.1 in 1962	10	57.1 in 1970	10	6.31 in 1963	10	0.51 in 1922
			57.1 in 1941			11	0.54 in 2000
			57.1 in 1920			12	0.65 in 2022
...		...					0.65 in 1962
70	61.8 in 2026	57	61.8 in 2026			14	0.67 in 1976
	61.8 in 1995		61.8 in 1995			15	0.73 in 1939
	61.8 in 1987		61.8 in 1987			16	0.80 in 2001
						17	0.81 in 2026

Normal Temperature for February at STLF1 = 62.6°
 Normal Rainfall for February at STLF1 = 2.38 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	68.7 in 1931-32	1	54.7 in 1930-31	1	28.97 in 1997-98	1	1.56 in 1906-07
2	68.0 in 1948-49	2	55.5 in 1957-58	2	23.03 in 1898-99	2	1.72 in 1910-11
3	66.6 in 1949-50	3	56.3 in 1977-78	3	18.02 in 1981-82	3	2.07 in 1949-50
4	66.4 in 1936-37	4	56.4 in 1939-40	4	17.89 in 2002-03	4	2.23 in 1938-39
5	66.1 in 1956-57	5	56.5 in 2009-10	5	16.87 in 1969-70	5	2.62 in 2011-12
6	65.8 in 1971-72		56.5 in 1976-77	6	16.34 in 1935-36	6	2.71 in 1975-76
7	65.7 in 1912-13	7	56.9 in 1969-70	7	15.61 in 1913-14	7	2.81 in 1937-38
8	65.5 in 1998-99	8	57.1 in 2010-11	8	14.90 in 1940-41	8	2.93 in 2021-22
9	65.2 in 2007-08	9	57.3 in 1927-28	9	14.55 in 1902-03	9	3.48 in 1915-16
10	65.1 in 2016-17	10	57.5 in 1935-36	10	14.40 in 1977-78	10	3.54 in 2016-17
	65.1 in 1990-91						
...		
67	61.4 in 2025-26	54	61.4 in 2025-26	74	6.55 in 2025-26	54	6.55 in 2025-26
	61.4 in 2023-24		61.4 in 2023-24				
	61.4 in 2005-06		61.4 in 2005-06				
	61.4 in 2000-01		61.4 in 2000-01				
	61.4 in 1929-30		61.4 in 1929-30				

Normal Temperature for Winter (Dec/Jan/Feb) at STLF1 = 61.5°
 Normal Rainfall for Winter (Dec/Jan/Feb) at STLF1 = 7.97 in.

TARPON SPRINGS (records began in January 1892):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 71.2 in 2018	1 51.8 in 1958	1 10.91 in 1998	1 0.06 in 1911
2 70.7 in 1932	2 52.0 in 1895	2 9.79 in 1899	2 0.17 in 2009
3 69.6 in 2019	3 53.0 in 1978	3 8.90 in 1936	3 0.26 in 1918
69.6 in 1949	4 54.6 in 2010	4 8.56 in 1937	4 0.32 in 1999
5 69.3 in 1990	5 55.0 in 1968	5 8.45 in 1983	5 0.38 in 1997
6 68.9 in 1944	6 55.2 in 1902	6 7.36 in 1971	6 0.40 in 1950
68.9 in 1939	7 55.4 in 1964	7 6.52 in 1903	7 0.41 in 1989
8 68.7 in 1927	55.4 in 1947	8 6.49 in 1963	8 0.44 in 1945
9 68.6 in 1997	9 55.5 in 1980	9 6.31 in 2004	9 0.52 in 1938
10 68.1 in 1982	10 55.7 in 1963	10 6.24 in 1970	10 0.59 in 1944

	28 59.2 in 2026		24 1.10 in 2026
	59.2 in 1988		
	59.2 in 1979		

Normal Temperature for February at TRPF1 = 62.9°

Normal Rainfall for February at TRPF1 = 2.51 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 70.5 in 1931-32	1 54.2 in 1957-58	1 29.65 in 1997-98	1 0.97 in 1949-50
2 67.3 in 1949-50	2 55.0 in 1963-64	2 20.41 in 1935-36	2 2.06 in 1910-11
3 66.0 in 1932-33	3 55.8 in 1977-78	3 19.40 in 1898-99	3 2.08 in 1938-39
4 65.9 in 2016-17	4 56.3 in 1980-81	4 18.08 in 1969-70	4 2.14 in 1906-07
5 65.6 in 1990-91	5 56.5 in 1962-63	5 17.47 in 1983-84	5 2.37 in 2000-01
6 65.5 in 1936-37	56.5 in 1939-40	6 17.41 in 2002-03	6 2.67 in 2008-09
7 65.3 in 2019-20	7 56.6 in 2010-11	7 16.44 in 2018-19	7 3.02 in 1975-76
65.3 in 1996-97	56.6 in 1901-02	8 15.17 in 1902-03	8 3.11 in 1934-35
65.3 in 1926-27	9 56.8 in 2009-10	9 14.89 in 1963-64	9 3.41 in 2021-22
65.3 in 1912-13	56.8 in 1976-77	10 14.33 in 1985-86	10 3.54 in 1968-69
	56.8 in 1969-70
...		90 5.82 in 2025-26	41 5.82 in 2025-26
71 60.7 in 2025-26	49 60.7 in 2025-26		
60.7 in 1911-12	60.7 in 1911-12		

Normal Temperature for Winter (Dec/Jan/Feb) at TRPF1 = 61.8°

Normal Rainfall for Winter (Dec/Jan/Feb) at TRPF1 = 8.28 in.

TAMPA AREA (records began in April 1890):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 74.2 in 2018	1 52.9 in 1958	1 10.92 in 1937	1 0.05 in 1911
2 70.9 in 2019	2 53.2 in 1978	2 10.82 in 1998	2 0.08 in 1918
3 70.8 in 1932	3 54.3 in 1968	3 9.09 in 2006	3 0.21 in 1950
4 70.3 in 2023	4 54.8 in 1947	4 7.95 in 1963	4 0.25 in 1932
5 70.1 in 1949	54.8 in 1895	5 7.43 in 1936	5 0.29 in 1999
6 69.1 in 1990	6 55.0 in 2010	6 7.35 in 1983	6 0.30 in 2000
69.1 in 1891	7 55.8 in 1969	7 6.55 in 2015	7 0.34 in 1949
8 68.9 in 1959	8 56.2 in 1912	8 6.27 in 1899	8 0.41 in 1991
68.9 in 1927	56.2 in 1902	9 6.06 in 1903	0.41 in 1989
10 68.8 in 2017	10 56.6 in 1980	10 5.98 in 1919	10 0.43 in 1994
...
87 61.4 in 2026	48 61.4 in 2026	73 2.04 in 2026	64 2.04 in 2026
61.4 in 1995	61.4 in 1995		
61.4 in 1981	61.4 in 1981		

Normal Temperature for February at TPA = 64.7°

Normal Rainfall for February at TPA = 2.62 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 70.3 in 1931-32	1 55.2 in 1957-58	1 31.03 in 1997-98	1 0.51 in 1949-50
2 68.4 in 2016-17	2 55.7 in 1977-78	2 17.11 in 2002-03	2 1.41 in 1906-07
68.4 in 1948-49	3 56.0 in 1976-77	3 15.81 in 2018-19	3 1.71 in 1931-32
4 67.6 in 2021-22	4 56.2 in 1980-81	4 15.59 in 1898-99	4 1.76 in 1975-76
5 67.0 in 1949-50	5 56.5 in 1969-70	5 14.86 in 1936-37	5 1.86 in 1910-11
6 66.8 in 2017-18	6 56.8 in 1963-64	6 14.53 in 1914-15	6 2.15 in 1948-49
7 66.7 in 1936-37	7 57.2 in 1939-40	7 13.78 in 1902-03	7 2.54 in 1938-39
8 66.5 in 2019-20	8 57.3 in 1968-69	8 13.77 in 1941-42	8 2.67 in 2021-22
9 66.4 in 2022-23	9 57.4 in 1901-02	9 13.74 in 1935-36	9 2.76 in 1943-44
10 66.1 in 2011-12	10 57.7 in 2009-10	10 12.76 in 1963-64	10 2.85 in 1934-35
66.1 in 1912-13	
...	...	78 5.91 in 2025-26	59 5.91 in 2025-26
47 63.2 in 2025-26	90 63.2 in 2025-26		

Normal Temperature for Winter (Dec/Jan/Feb) at TPA = 63.9°

Normal Rainfall for Winter (Dec/Jan/Feb) at TPA = 7.83 in.

ST PETERSBURG - ALBERT WHITTED (records began in August 1914):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	72.6 in 2018	1	55.7 in 1978	1	12.71 in 1998	1	0.12 in 1918
2	72.3 in 1932	2	55.9 in 2010	2	10.93 in 1937	2	0.18 in 2001
3	71.1 in 1949	3	57.3 in 1964	3	9.06 in 1983	3	0.19 in 2023
4	70.4 in 2023		57.3 in 1947	4	8.26 in 1963	4	0.24 in 1976
5	70.1 in 2019	5	58.3 in 1940	5	7.96 in 1936	5	0.25 in 1999
6	70.0 in 1959	6	58.8 in 1963	6	6.69 in 1946	6	0.29 in 2012
7	69.9 in 1927	7	58.9 in 1980	7	6.37 in 1972	7	0.34 in 1949
8	69.6 in 1957	8	59.0 in 1968	8	5.97 in 1964	8	0.43 in 1989
9	69.4 in 1944	9	59.3 in 1941	9	5.67 in 1958	9	0.44 in 1944
10	69.3 in 1982	10	59.5 in 1977	10	5.57 in 1919	10	0.45 in 1950
	69.3 in 1939		59.5 in 1942	
...		...		71	1.48 in 2026	30	1.48 in 2026
61	64.2 in 2026	49	64.2 in 2026		1.48 in 2020		1.48 in 2020

Normal Temperature for February at SPG = 64.9°

Normal Rainfall for February at SPG = 2.02 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	72.1 in 1931-32	1	58.1 in 1939-40	1	32.36 in 1997-98	1	0.59 in 1949-50
2	69.4 in 1948-49	2	58.2 in 1963-64	2	20.23 in 2002-03	2	1.49 in 2016-17
3	68.3 in 1971-72	3	58.5 in 2009-10	3	17.14 in 1963-64	3	1.51 in 2000-01
4	68.1 in 1936-37		58.5 in 1976-77	4	16.95 in 1914-15	4	1.54 in 1975-76
5	67.8 in 1949-50	5	58.7 in 1977-78	5	15.15 in 1935-36	5	1.92 in 2011-12
6	67.7 in 2016-17	6	59.2 in 1980-81	6	13.63 in 1947-48	6	2.06 in 1938-39
	67.7 in 2012-13	7	59.3 in 1962-63	7	13.50 in 1969-70	7	2.11 in 1955-56
8	67.6 in 1956-57	8	59.8 in 1969-70	8	13.37 in 1936-37	8	2.21 in 1934-35
9	67.5 in 1932-33	9	60.1 in 1930-31	9	13.14 in 1957-58	9	2.23 in 2021-22
10	67.1 in 2021-22	10	60.5 in 2002-03	10	12.64 in 1945-46	10	2.35 in 1948-49
	67.1 in 1926-27					11	2.43 in 1943-44
...						12	2.56 in 1931-32
20	66.0 in 2025-26					13	2.83 in 2025-26
	66.0 in 2011-12						

Normal Temperature for Winter (Dec/Jan/Feb) at SPG = 64.1°

Normal Rainfall for Winter (Dec/Jan/Feb) at SPG = 6.93 in.

PLANT CITY (records began in September 1892):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	73.2 in 2018	1	54.6 in 1958	1	9.04 in 1936	1	0.00 in 1911
2	71.9 in 2019	2	54.9 in 2010	2	8.87 in 1899	2	Trace in 1918
3	71.4 in 2023	3	55.9 in 1978	3	8.57 in 1983	3	0.05 in 1989
4	70.6 in 2025	4	56.0 in 1902	4	8.49 in 1998	4	0.09 in 1976
	70.6 in 1949	5	56.2 in 1947	5	7.97 in 1937	5	0.25 in 1950
6	70.1 in 1959	6	56.7 in 1968	6	7.56 in 1963	6	0.28 in 1932
7	69.6 in 1918		56.7 in 1942	7	6.77 in 1919	7	0.31 in 2000
8	69.0 in 2017		56.7 in 1941	8	6.13 in 1972	8	0.36 in 1945
9	68.9 in 1982	9	56.9 in 1931	9	5.98 in 2015	9	0.37 in 1949
10	68.8 in 2021	10	57.1 in 1912	10	5.73 in 1992		0.37 in 1944
	68.8 in 1939			
...		...		72	2.08 in 2026	57	2.08 in 2026
67	62.3 in 2026	54	62.3 in 2026				

Normal Temperature for February at PLCF1 = 65.3°
 Normal Rainfall for February at PLCF1 = 2.33 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	68.7 in 1948-49	1	55.2 in 1930-31	1	26.68 in 1997-98	1	1.03 in 1906-07
2	67.3 in 2019-20	2	56.5 in 1935-36	2	17.28 in 1898-99	2	1.06 in 1975-76
3	67.2 in 1971-72	3	56.6 in 1939-40	3	17.16 in 1935-36	3	2.04 in 1910-11
4	67.0 in 2022-23		56.6 in 1901-02	4	16.72 in 2002-03	4	2.15 in 1938-39
5	66.8 in 1956-57	5	56.7 in 1957-58	5	14.99 in 2018-19	5	2.19 in 1908-09
6	66.2 in 1949-50	6	57.2 in 1980-81	6	14.70 in 1914-15	6	2.39 in 2011-12
7	66.1 in 2012-13	7	57.5 in 1976-77	7	14.27 in 1905-06	7	2.68 in 1917-18
8	66.0 in 2018-19	8	57.9 in 2009-10	8	14.09 in 1978-79	8	2.71 in 2021-22
9	65.8 in 2015-16	9	58.2 in 1963-64	9	13.94 in 1963-64	9	2.75 in 1942-43
10	65.7 in 2021-22	10	58.3 in 1969-70	10	13.57 in 1925-26	10	2.89 in 1904-05
			58.3 in 1895-96	
...		...		90	5.25 in 2025-26	36	5.25 in 2025-26
29	63.9 in 2025-26	83	63.9 in 2025-26				
	63.9 in 1926-27		63.9 in 1926-27				

Normal Temperature for Winter (Dec/Jan/Feb) at PLCF1 = 64.2°
 Normal Rainfall for Winter (Dec/Jan/Feb) at PLCF1 = 7.87 in.

LAKELAND AREA (records began in January 1915):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 72.8 in 2018	1 52.8 in 1958	1 9.60 in 1983	1 Trace in 1918
2 71.6 in 1932	2 54.7 in 1947	2 8.40 in 1936	2 0.14 in 1989
3 71.1 in 2019	3 55.0 in 1978	3 8.25 in 1998	3 0.17 in 1945
4 70.7 in 2023	4 55.8 in 1968	4 7.21 in 1937	4 0.20 in 1916
5 70.4 in 1918	5 55.9 in 2010	5 6.59 in 1963	5 0.25 in 1932
6 70.1 in 1990	6 56.7 in 1941	6 5.89 in 1915	6 0.26 in 1949
70.1 in 1949	7 56.8 in 1942	7 5.65 in 2015	0.26 in 1935
8 69.8 in 1982	8 57.3 in 1964	8 5.55 in 1919	8 0.27 in 1976
9 69.7 in 2025	57.3 in 1963	9 5.36 in 1972	9 0.46 in 2023
10 69.6 in 1927	10 57.9 in 1973	10 5.11 in 1992	10 0.48 in 1999
...	57.9 in 1970		0.48 in 1944
70 62.4 in 2026	40 62.4 in 2026	82 1.23 in 2026	31 1.23 in 2026

Normal Temperature for February at LLDF1 = 65.0°
 Normal Rainfall for February at LLDF1 = 2.33 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 70.9 in 1931-32	1 55.2 in 1957-58	1 23.72 in 1997-98	1 1.49 in 1934-35
2 68.1 in 1948-49	2 56.6 in 1976-77	2 19.49 in 2002-03	2 1.64 in 1975-76
3 68.0 in 2016-17	3 56.8 in 1977-78	3 16.60 in 1935-36	3 1.82 in 1938-39
4 66.9 in 1949-50	4 57.1 in 1969-70	4 15.22 in 2018-19	4 2.04 in 1927-28
5 66.7 in 1936-37	5 57.4 in 1963-64	5 12.94 in 1978-79	5 2.10 in 1943-44
66.7 in 1932-33	57.4 in 1939-40	6 12.66 in 1982-83	6 2.21 in 1931-32
7 66.6 in 2022-23	7 58.2 in 1980-81	7 11.97 in 1925-26	7 2.44 in 2021-22
66.6 in 2019-20	8 58.6 in 1962-63	8 11.96 in 1963-64	8 2.47 in 1948-49
9 66.4 in 1956-57	9 58.7 in 2009-10	9 11.81 in 1965-66	9 2.56 in 2011-12
10 66.3 in 1971-72	10 59.0 in 1968-69	10 11.58 in 1992-93	10 2.71 in 2000-01
...
41 63.7 in 2025-26	63 63.7 in 2025-26	86 4.47 in 2025-26	26 4.47 in 2025-26
63.7 in 2024-25	63.7 in 2024-25		
63.7 in 2023-24	63.7 in 2023-24		

Normal Temperature for Winter (Dec/Jan/Feb) at LLDF1 = 64.0°
 Normal Rainfall for Winter (Dec/Jan/Feb) at LLDF1 = 7.93 in.

BARTOW (records began in June 1892):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	71.6 in 2018	1	54.1 in 1895	1	9.15 in 1998	1	0.00 in 1911
2	71.0 in 1949	2	54.8 in 1958	2	9.12 in 1936	2	0.03 in 1932
3	70.1 in 1959	3	54.9 in 1912	3	8.33 in 1983	3	0.07 in 2001
4	69.7 in 2023	4	56.2 in 1968	4	8.11 in 1963	4	0.14 in 1916
	69.7 in 2014	5	56.3 in 2010	5	7.30 in 1899	5	0.21 in 2000
6	69.6 in 2019	6	56.4 in 1947	6	6.41 in 1937	6	0.24 in 1989
	69.6 in 1990	7	57.8 in 1901	7	6.33 in 1913	7	0.26 in 1945
	69.6 in 1982	8	57.9 in 1980	8	6.23 in 1960	8	0.32 in 2023
9	69.5 in 2001	9	58.0 in 1977	9	6.16 in 1972	9	0.33 in 1950
	69.5 in 1903	10	58.1 in 1964	10	5.76 in 1924	10	0.37 in 2009
		11	58.2 in 1896			...	
		12	58.6 in 1973			27	0.91 in 2026
			58.6 in 1902				
		14	58.9 in 2026				

Normal Temperature for February at BARF1 = 64.0°

Normal Rainfall for February at BARF1 = 2.10 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	68.9 in 1948-49	1	56.7 in 1957-58	1	24.41 in 1997-98	1	1.57 in 1938-39
2	67.5 in 2013-14	2	57.8 in 1909-10	2	19.39 in 2002-03	2	1.65 in 1943-44
3	66.8 in 1949-50	3	58.0 in 1980-81	3	18.87 in 1935-36	3	1.72 in 1934-35
4	66.7 in 2016-17	4	58.5 in 1969-70	4	16.42 in 1983-84	4	1.77 in 2011-12
5	66.3 in 1998-99	5	58.7 in 1963-64	5	16.18 in 1914-15	5	1.83 in 1984-85
	66.3 in 1956-57	6	59.4 in 2010-11	6	16.06 in 1905-06	6	1.89 in 1910-11
7	66.2 in 1971-72	7	59.5 in 1962-63	7	15.37 in 1898-99	7	2.03 in 2000-01
8	65.8 in 1988-89	8	59.7 in 1903-04	8	15.02 in 1925-26	8	2.15 in 1915-16
	65.8 in 1974-75	9	59.8 in 1911-12	9	13.59 in 1957-58	9	2.16 in 1949-50
	65.8 in 1912-13	10	59.9 in 1968-69	10	13.23 in 1965-66	10	2.22 in 1904-05
			59.9 in 1954-55			...	
		...				20	3.28 in 2025-26
		26	61.5 in 2025-26				

Normal Temperature for Winter (Dec/Jan/Feb) at BARF1 = 63.0°

Normal Rainfall for Winter (Dec/Jan/Feb) at BARF1 = 6.92 in.

WINTER HAVEN AREA (records began in March 1941):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 72.8 in 2019	1 54.0 in 1958	1 10.61 in 1998	1 0.20 in 1945
2 72.7 in 2018	2 55.0 in 2010	2 7.82 in 1983	2 0.32 in 1989
3 71.5 in 1949	3 55.5 in 1978	3 6.57 in 1960	3 0.33 in 1944
4 70.1 in 1990	4 56.4 in 1968	4 6.03 in 1963	4 0.41 in 2011
5 70.0 in 1975	5 56.8 in 1969	5 5.86 in 2021	5 0.44 in 1950
6 69.7 in 2025	6 57.0 in 1947	5.86 in 2015	6 0.54 in 2009
69.7 in 2023	7 57.9 in 1964	7 5.49 in 1957	7 0.56 in 2000
8 69.4 in 1982	8 58.5 in 1980	8 5.08 in 2002	8 0.57 in 2023
69.4 in 1959	9 58.9 in 1977	9 5.05 in 1972	9 0.58 in 1949
10 69.0 in 1997	10 59.0 in 1963	10 4.73 in 1971	10 0.60 in 1954

	23 61.6 in 2026	34 2.51 in 2026	50 2.51 in 2026
	61.6 in 1960		

Normal Temperature for February at GIF = 65.1°

Normal Rainfall for February at GIF = 2.44 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 69.4 in 1948-49	1 56.6 in 1957-58	1 24.22 in 1997-98	1 1.75 in 1984-85
2 67.8 in 1949-50	2 56.9 in 1976-77	2 16.55 in 2002-03	2 1.83 in 1943-44
3 67.5 in 1971-72	3 57.7 in 1963-64	3 12.78 in 1965-66	3 2.00 in 2011-12
4 67.4 in 2016-17	4 58.0 in 2009-10	4 12.35 in 1963-64	4 2.28 in 1975-76
67.4 in 1990-91	5 58.1 in 1977-78	5 12.17 in 1957-58	5 2.79 in 1948-49
67.4 in 1988-89	6 58.6 in 1968-69	6 12.10 in 1947-48	6 3.00 in 2012-13
7 66.7 in 2022-23	7 58.7 in 2010-11	7 11.84 in 2018-19	7 3.09 in 2000-01
66.7 in 2019-20	8 59.1 in 1969-70	8 11.75 in 1983-84	8 3.25 in 2021-22
9 66.4 in 1956-57	9 59.6 in 1962-63	9 11.72 in 1978-79	9 3.53 in 2017-18
10 66.3 in 2021-22	10 60.6 in 1975-76	10 10.68 in 1977-78	10 3.54 in 1949-50
...
34 62.9 in 2025-26	27 62.9 in 2025-26	53 5.20 in 2025-26	29 5.20 in 2025-26
62.9 in 2023-24	62.9 in 2023-24		

Normal Temperature for Winter (Dec/Jan/Feb) at GIF = 64.0°

Normal Rainfall for Winter (Dec/Jan/Feb) at GIF = 7.61 in.

SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	71.9 in 2018	1	54.4 in 1958	1	10.16 in 1983	1	Trace in 1911
2	71.1 in 2019	2	54.8 in 1978	2	9.29 in 1963	2	0.05 in 2001
3	70.5 in 1959	3	55.7 in 2010	3	7.34 in 1915	3	0.11 in 1950
4	69.7 in 1949	4	56.3 in 1977	4	7.13 in 1992	4	0.13 in 1989
5	69.4 in 2023	5	57.3 in 1980	5	6.65 in 1936	5	0.15 in 2023
	69.4 in 1990		57.3 in 1912	6	6.04 in 1937		0.15 in 1932
7	69.3 in 2025	7	57.7 in 1968	7	5.92 in 1942	7	0.20 in 1918
8	69.1 in 1932	8	58.2 in 1942	8	5.91 in 1998	8	0.21 in 1949
9	68.4 in 1982	9	58.4 in 1969	9	5.80 in 1964	9	0.25 in 1945
10	68.3 in 1939	10	58.5 in 1941	10	5.73 in 1947	10	0.27 in 1944
...		
74	61.7 in 2026	39	61.7 in 2026	58	2.16 in 2026	59	2.16 in 2026
	61.7 in 1914		61.7 in 1914				

Normal Temperature for February at SRQ = 64.8°

Normal Rainfall for February at SRQ = 1.92 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	69.1 in 1931-32	1	55.8 in 1976-77	1	28.11 in 1997-98	1	0.14 in 1949-50
2	67.9 in 1949-50	2	56.9 in 1977-78	2	19.08 in 1914-15	2	1.26 in 2000-01
	67.9 in 1948-49	3	57.1 in 1980-81	3	14.94 in 1935-36	3	1.35 in 1975-76
4	67.3 in 2019-20	4	57.3 in 1957-58	4	14.44 in 2002-03	4	1.69 in 1948-49
5	67.0 in 2016-17	5	57.6 in 1939-40	5	14.38 in 1977-78	5	1.88 in 1931-32
6	66.9 in 1936-37	6	58.0 in 1930-31	6	13.92 in 1913-14	6	1.90 in 2011-12
7	66.4 in 1956-57	7	58.2 in 2010-11	7	13.71 in 1992-93	7	2.00 in 1934-35
8	66.3 in 2018-19	8	58.6 in 2009-10	8	13.61 in 1963-64	8	2.07 in 2021-22
9	66.2 in 2022-23	9	59.0 in 1963-64	9	13.36 in 1982-83	9	2.14 in 1938-39
10	66.1 in 2007-08	10	59.5 in 1969-70	10	12.99 in 1957-58	10	2.86 in 1961-62
			59.5 in 1935-36	
...		...		72	5.41 in 2025-26	44	5.41 in 2025-26
40	64.1 in 2025-26	66	64.1 in 2025-26				
	64.1 in 1991-92		64.1 in 1991-92				

Normal Temperature for Winter (Dec/Jan/Feb) at SRQ = 64.1°

Normal Rainfall for Winter (Dec/Jan/Feb) at SRQ = 7.04 in.

VENICE (records began in May 1955):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	72.5 in 2018	1	54.2 in 1958	1	6.36 in 1957	1	0.00 in 2001
2	70.7 in 2019	2	55.0 in 1978	2	5.63 in 1998	2	0.10 in 1999
3	70.5 in 2023	3	57.2 in 1980	3	5.62 in 1978	3	0.15 in 1989
4	70.1 in 1959	4	58.1 in 1977	4	5.51 in 1963	4	0.16 in 2023
5	69.8 in 2012	5	58.3 in 1973	5	5.47 in 1972	5	0.29 in 1988
	69.8 in 2001	6	58.8 in 1968	6	4.92 in 2002	6	0.30 in 1997
7	69.5 in 1997	7	58.9 in 2010		4.92 in 1964	7	0.36 in 1962
8	69.2 in 2025	8	59.0 in 1964	8	4.57 in 2015	8	0.39 in 2011
9	68.2 in 2021	9	59.7 in 1969	9	4.37 in 1992	9	0.41 in 1994
	68.2 in 1994	10	60.3 in 2015	10	4.26 in 1960	10	0.60 in 2000
			60.3 in 1963	
		12	60.5 in 1970	39	1.69 in 2026	31	1.69 in 2026
		13	60.7 in 2009				
			60.7 in 2007				
		15	60.8 in 2026				

Normal Temperature for February at VNCF1 = 64.6°

Normal Rainfall for February at VNCF1 = 2.00 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	68.3 in 1988-89	1	57.0 in 1976-77	1	19.42 in 1997-98	1	1.94 in 2011-12
2	68.1 in 1971-72	2	57.2 in 1957-58	2	14.71 in 1957-58	2	1.99 in 2021-22
3	67.9 in 2016-17	3	57.5 in 1977-78	3	12.68 in 2015-16		1.99 in 2000-01
	67.9 in 2012-13	4	59.2 in 1975-76	4	12.65 in 1977-78	4	2.18 in 2016-17
5	67.5 in 2011-12	5	59.6 in 1963-64	5	12.35 in 2018-19	5	2.21 in 1975-76
6	67.1 in 2022-23	6	59.7 in 1969-70	6	12.01 in 1972-73	6	2.48 in 2022-23
7	67.0 in 1998-99	7	60.5 in 1962-63	7	11.45 in 1963-64	7	2.61 in 1961-62
8	66.6 in 2019-20	8	60.6 in 2010-11	8	11.34 in 1965-66	8	2.70 in 1984-85
9	66.2 in 1996-97	9	60.7 in 1979-80	9	11.20 in 2009-10	9	3.19 in 2012-13
10	65.9 in 2017-18	10	60.9 in 2002-03	10	11.18 in 2023-24	10	3.25 in 2025-26
			60.9 in 1968-69				3.25 in 1996-97
...		...					3.25 in 1973-74
34	63.0 in 2025-26	27	63.0 in 2025-26				

Normal Temperature for Winter (Dec/Jan/Feb) at VNCF1 = 63.8°

Normal Rainfall for Winter (Dec/Jan/Feb) at VNCF1 = 6.99 in.

MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and
Rainfall records began in September 1943):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 72.3 in 2018	1 52.7 in 1958	1 11.28 in 1998	1 Trace in 2001
2 71.7 in 2019	2 54.9 in 1968	2 9.55 in 1983	2 0.01 in 1950
3 70.3 in 1982	3 56.7 in 1963	3 6.01 in 1963	3 0.02 in 1999
4 70.0 in 1997	4 56.9 in 2010	4 5.88 in 1981	4 0.23 in 1989
5 69.7 in 1992	5 57.0 in 1978	5 5.49 in 1978	5 0.28 in 1944
6 69.4 in 1959	6 57.7 in 2026	6 5.41 in 1957	6 0.30 in 2023
7 69.1 in 2001	7 57.9 in 1973	7 5.33 in 2015	7 0.32 in 2011
8 68.9 in 2012	8 58.6 in 1980	8 5.21 in 2002	8 0.34 in 1949
68.9 in 1994	9 58.9 in 1977	9 4.97 in 1961	9 0.41 in 1945
10 68.7 in 1990	10 60.5 in 2009	10 4.62 in 1972	10 0.44 in 1948
			...
			29 1.52 in 2026

Normal Temperature for February at MKCF1 = 65.0°
Normal Rainfall for February at MKCF1 = 2.44 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 68.4 in 2016-17	1 57.2 in 1962-63	1 27.20 in 1997-98	1 0.04 in 1949-50
2 66.7 in 1971-72	2 58.2 in 1976-77	2 16.36 in 1977-78	2 1.64 in 1943-44
3 66.6 in 1998-99	3 58.5 in 1980-81	3 14.36 in 2015-16	3 1.68 in 2000-01
4 66.5 in 1992-93	4 58.9 in 1977-78	4 14.27 in 1978-79	4 1.77 in 1948-49
5 66.4 in 1991-92	5 59.4 in 2002-03	5 13.83 in 1992-93	5 2.08 in 2011-12
6 66.3 in 2012-13	6 59.6 in 2009-10	6 13.60 in 1972-73	6 2.14 in 1984-85
7 66.1 in 2018-19	7 59.7 in 2010-11	7 13.28 in 1982-83	7 2.26 in 1944-45
66.1 in 2013-14	59.7 in 1960-61	8 12.66 in 1957-58	8 2.49 in 2021-22
66.1 in 1990-91	9 60.6 in 2025-26	9 12.60 in 2018-19	9 2.50 in 2022-23
10 66.0 in 2011-12	10 61.3 in 1975-76	10 12.09 in 2003-04	10 2.51 in 1975-76
66.0 in 1974-75			11 3.32 in 2025-26

Normal Temperature for Winter (Dec/Jan/Feb) at MKCF1 = 64.0°
Normal Rainfall for Winter (Dec/Jan/Feb) at MKCF1 = 7.80 in.

WAUCHULA (records began in January 1933):

Warmest Februarys		Coolest Februarys		Wettest Februarys		Driest Februarys	
1	71.1 in 1949	1	46.7 in 2010	1	8.92 in 1936	1	0.00 in 2001
2	70.8 in 2018	2	54.4 in 1958	2	8.82 in 1998		0.00 in 2000
3	70.7 in 1939	3	56.3 in 1978	3	7.99 in 1983	3	0.19 in 1945
4	70.1 in 1959	4	57.1 in 1947	4	7.37 in 1963	4	0.22 in 1989
5	69.8 in 1933	5	57.3 in 1968	5	6.29 in 1992	5	0.30 in 1997
6	69.5 in 1982	6	57.6 in 2026	6	6.03 in 2002	6	0.33 in 1950
7	69.4 in 1990	7	58.3 in 2015	7	5.46 in 1960	7	0.45 in 2009
8	69.3 in 1975	8	58.5 in 2007	8	5.34 in 1942		0.45 in 1949
9	69.1 in 2019		58.5 in 1942	9	5.26 in 1937	9	0.46 in 2023
10	69.0 in 2023	10	58.7 in 1980	10	5.24 in 1952	10	0.52 in 2018
						...	
						27	1.29 in 2026

Normal Temperature for February at WAUF1 = 62.9°
 Normal Rainfall for February at WAUF1 = 2.18 in.

Warmest Winters		Coolest Winters		Wettest Winters		Driest Winters	
1	68.8 in 1948-49	1	49.6 in 2009-10	1	21.20 in 1997-98	1	0.72 in 1949-50
2	68.5 in 1936-37	2	56.5 in 2010-11	2	16.61 in 1935-36	2	1.45 in 2000-01
3	67.4 in 1971-72	3	58.0 in 1977-78	3	14.21 in 1965-66	3	1.90 in 2011-12
4	67.3 in 2007-08	4	58.1 in 1980-81	4	14.16 in 1957-58	4	2.00 in 1948-49
5	66.4 in 1974-75	5	58.4 in 2002-03	5	13.26 in 1982-83	5	2.11 in 1938-39
6	66.2 in 1990-91	6	58.6 in 1969-70	6	12.58 in 1972-73	6	2.13 in 1934-35
7	66.0 in 2016-17	7	58.7 in 1976-77	7	12.15 in 1978-79	7	2.33 in 1975-76
8	65.9 in 1988-89		58.7 in 1939-40	8	11.65 in 2009-10	8	2.34 in 1984-85
9	65.8 in 1956-57	9	58.8 in 2003-04	9	11.53 in 2018-19	9	2.40 in 1999-00
10	65.7 in 1961-62	10	59.0 in 1963-64	10	11.48 in 2015-16	10	2.42 in 1943-44
		...				11	2.64 in 2021-22
		17	60.6 in 2025-26			12	2.70 in 2012-13
						13	2.73 in 2025-26

Normal Temperature for Winter (Dec/Jan/Feb) at WAUF1 = 62.0°
 Normal Rainfall for Winter (Dec/Jan/Feb) at WAUF1 = 6.60 in.

ARCHBOLD BIO STATION (records began in January 1969):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 71.3 in 2018	1 55.2 in 1978	1 10.85 in 1983	1 0.00 in 2001
2 69.8 in 2019	2 55.4 in 2010	2 8.28 in 1998	2 0.22 in 2011
3 69.3 in 2001	3 56.8 in 1980	3 5.00 in 2004	3 0.27 in 1999
4 69.1 in 2025	4 57.8 in 1969	4 4.73 in 1992	4 0.33 in 1989
5 68.9 in 1990	5 58.1 in 1973	5 4.32 in 2020	5 0.37 in 2000
6 68.9 in 1982	6 58.2 in 1970	6 3.86 in 2002	6 0.38 in 2009
7 68.6 in 1975	7 58.9 in 2026	7 3.57 in 1970	7 0.49 in 1975
8 68.5 in 2023	8 59.2 in 1988	8 3.51 in 2016	8 0.53 in 1977
9 68.2 in 2021	9 59.3 in 2009	9 3.46 in 1981	9 0.54 in 2023
10 68.1 in 1997	10 59.8 in 2006	10 3.31 in 2006	0.54 in 2018
	59.8 in 1977		...
			20 1.17 in 2026

Normal Temperature for February at ACHF1 = 64.2°
 Normal Rainfall for February at ACHF1 = 2.25 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 67.4 in 2016-17	1 57.0 in 1980-81	1 21.53 in 1997-98	1 0.64 in 2000-01
2 66.2 in 1971-72	2 57.4 in 1969-70	2 16.19 in 2015-16	2 1.44 in 1975-76
3 65.9 in 2019-20	3 58.1 in 1976-77	3 15.77 in 1982-83	3 1.77 in 1984-85
4 65.7 in 1974-75	4 58.2 in 1977-78	4 13.16 in 1978-79	4 2.04 in 2016-17
5 65.4 in 2022-23	5 58.5 in 2010-11	5 11.18 in 1969-70	5 2.22 in 2022-23
6 65.4 in 1990-91	6 58.6 in 2009-10	6 10.16 in 2003-04	6 2.24 in 2021-22
7 65.1 in 2015-16	7 60.0 in 2002-03	7 9.94 in 1972-73	7 2.42 in 2025-26
8 65.0 in 2017-18	8 60.0 in 1995-96	8 9.71 in 1994-95	8 2.43 in 2011-12
9 65.0 in 2007-08	9 60.2 in 1979-80	9 9.12 in 2018-19	9 2.64 in 2008-09
10 64.8 in 2018-19	10 60.4 in 2003-04	10 9.09 in 1977-78	10 2.68 in 1970-71
64.8 in 2012-13	60.4 in 1987-88		
...	...		
34 62.0 in 2025-26	24 62.0 in 2025-26		

Normal Temperature for Winter (Dec/Jan/Feb) at ACHF1 = 63.4°
 Normal Rainfall for Winter (Dec/Jan/Feb) at ACHF1 = 6.46 in.

PUNTA GORDA AREA (Temperature records began in July 1914
and Rainfall records began in May 1914):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 74.4 in 1949	1 57.3 in 1958	1 12.11 in 1936	1 0.00 in 1950
2 73.2 in 2018	2 57.5 in 2010	2 11.05 in 1983	2 0.01 in 2001
3 71.2 in 1959	57.5 in 1978	3 5.68 in 1963	3 0.04 in 1938
71.2 in 1932	4 58.6 in 1968	4 5.61 in 1982	0.04 in 1932
5 70.8 in 2025	5 58.9 in 1980	5 5.59 in 1937	5 0.09 in 1929
70.8 in 2023	6 59.3 in 1942	6 5.26 in 1998	6 0.13 in 1999
70.8 in 2019	7 59.5 in 1969	7 4.88 in 1924	7 0.16 in 2023
8 70.7 in 1918	8 59.8 in 1973	8 4.62 in 1964	8 0.18 in 1974
9 70.6 in 1982	9 60.1 in 1920	9 4.50 in 1952	9 0.25 in 1918
70.6 in 1962	10 60.2 in 1970	10 4.41 in 1940	10 0.26 in 1945
	60.2 in 1947
	12 60.5 in 1964	70 1.20 in 2026	39 1.20 in 2026
	13 60.7 in 1977		
	14 60.8 in 2009		
	15 60.9 in 2015		
	16 61.0 in 2026		

Normal Temperature for February at PGD = 65.5°
Normal Rainfall for February at PGD = 2.47 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 72.0 in 1948-49	1 59.1 in 1977-78	1 16.32 in 1935-36	1 0.58 in 1949-50
2 70.7 in 1931-32	2 59.3 in 1976-77	2 15.66 in 2015-16	2 0.62 in 2000-01
3 70.2 in 1949-50	59.3 in 1969-70	3 15.45 in 1997-98	3 1.24 in 1938-39
4 69.2 in 1932-33	4 59.7 in 2010-11	4 15.16 in 1982-83	4 1.55 in 1948-49
5 68.5 in 1956-57	5 59.9 in 1957-58	5 12.66 in 1925-26	5 1.67 in 2011-12
6 68.3 in 1961-62	6 60.0 in 1980-81	6 12.65 in 1940-41	6 1.87 in 1927-28
7 68.0 in 1971-72	60.0 in 1963-64	7 11.76 in 1977-78	7 2.08 in 1973-74
8 67.9 in 1936-37	8 60.5 in 1939-40	8 11.71 in 1930-31	8 2.13 in 1932-33
9 67.5 in 2022-23	9 60.6 in 1975-76	9 11.51 in 1978-79	9 2.20 in 1961-62
10 67.4 in 2016-17	60.6 in 1968-69	10 11.42 in 1958-59	10 2.26 in 2016-17
67.4 in 1946-47
	27 63.3 in 2025-26		22 3.01 in 2025-26
	63.3 in 2004-05		

Normal Temperature for Winter (Dec/Jan/Feb) at PGD = 64.8°
Normal Rainfall for Winter (Dec/Jan/Feb) at PGD = 6.78 in.

FORT MYERS AREA (records began in January 1902):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 74.9 in 2018	1 55.5 in 1958	1 10.82 in 1983	1 Trace in 2001
2 73.6 in 2023	2 57.2 in 1978	2 7.12 in 1998	Trace in 1944
3 72.9 in 2019	3 58.8 in 1947	3 6.79 in 1902	Trace in 1911
4 72.3 in 1997	4 59.2 in 1902	4 5.93 in 1934	4 0.06 in 1948
5 72.2 in 1982	5 59.4 in 2010	5 5.50 in 1936	5 0.07 in 2023
6 72.1 in 2025	59.4 in 1942	6 5.13 in 1913	0.07 in 1949
7 71.8 in 1949	7 59.9 in 1968	7 4.65 in 1963	7 0.08 in 1950
8 71.4 in 2017	8 60.0 in 1912	8 4.34 in 1952	0.08 in 1929
71.4 in 2001	9 60.1 in 1970	9 4.00 in 1940	9 0.10 in 1908
10 71.3 in 1990	10 60.4 in 1941	10 3.89 in 1992	10 0.11 in 2000
...	...		0.11 in 1943
89 63.9 in 2026	36 63.9 in 2026		...
			20 0.47 in 2026

Normal Temperature for February at FMY = 67.3°
 Normal Rainfall for February at FMY = 1.78 in.

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 70.9 in 2016-17	1 58.2 in 1957-58	1 18.71 in 2015-16	1 0.45 in 2000-01
2 70.7 in 1931-32	2 59.7 in 1969-70	2 15.59 in 1982-83	2 0.71 in 1948-49
3 70.3 in 2022-23	3 59.8 in 1976-77	3 15.19 in 1997-98	3 0.80 in 1910-11
4 70.1 in 1948-49	4 60.0 in 1977-78	4 13.74 in 1978-79	4 1.14 in 1984-85
5 69.8 in 1971-72	5 61.3 in 1980-81	5 12.26 in 1940-41	5 1.21 in 1926-27
6 69.7 in 2021-22	61.3 in 1939-40	6 12.02 in 1925-26	6 1.42 in 1974-75
7 69.6 in 2019-20	7 61.5 in 1963-64	7 11.65 in 2023-24	7 1.43 in 1904-05
8 69.4 in 1990-91	61.5 in 1950-51	8 11.51 in 2003-04	8 1.47 in 1928-29
9 69.1 in 1936-37	61.5 in 1903-04	9 11.06 in 1902-03	9 1.50 in 1961-62
10 69.0 in 2007-08	10 61.6 in 1930-31	10 10.85 in 1957-58	10 1.53 in 1938-39
...	...		11 1.62 in 2025-26
49 66.1 in 2025-26	75 66.1 in 2025-26		
66.1 in 1946-47	66.1 in 1946-47		

Normal Temperature for Winter (Dec/Jan/Feb) at FMY = 66.4°
 Normal Rainfall for Winter (Dec/Jan/Feb) at FMY = 6.11 in.

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past
 Weather drop down menu above the graphical forecast images.