



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


June 2025 Weather Summary for West Central and Southwest Florida

Temperatures this June averaged from about 1.0 degree below normal to 1.5 degrees above normal across the region with a few of the official climate locations ending up in the Top Ten Warmest for June.


JUNE TEMPERATURE RANKINGS (°F) :

| Location | Rank | June 2025 Avg Temp | Normal June Temp | Dep fm Normal | Records Began |
|-------------------------|--------------------|-----------------------|---------------------|------------------|------------------|
| Plant City | 6th Warmest | 83.9° | 82.4° | +1.5° | Sep 1892 |
| Winter Haven Area | 11th Warmest | 83.5° | 83.0° | +0.5° | Mar 1941 |
| Fort Myers Area | 9th Warmest (tie) | 83.4° | 82.3° | +1.1° | Jan 1902 |
| Tampa Area | 12th Warmest | 83.4° | 82.9° | +0.5° | Apr 1890 |
| Lakeland Area | 9th Warmest | 83.2° | 81.8° | +1.4° | Jan 1915 |
| Tarpon Springs | 12th Warmest | 83.0° | 82.0° | +1.0° | Jan 1892 |
| Punta Gorda Area | 12th Warmest (tie) | 82.7° | 81.7° | +1.0° | May 1914 |
| Venice | 13th Warmest (tie) | 82.5° | 81.4° | +1.1° | May 1955 |
| Wauchula | 11th Warmest (tie) | 81.9° | 80.5° | +1.4° | Jan 1933 |
| Bartow | 35th Warmest (tie) | 81.8° | 81.1° | +0.7° | Jun 1892 |
| St. Leo | 24th Warmest (tie) | 81.8° | 80.2° | +1.6° | Apr 1895 |
| St Petersburg Area | 41st Coolest (tie) | 81.8° | 82.8° | -1.0° | Aug 1914 |
| Brooksville Area | 14th Warmest (tie) | 81.5° | 80.1° | +1.4° | Jan 1892 |
| Myakka River St. Pk | 19th Warmest (tie) | 81.3° | 81.2° | +0.1° | Mar 1956 |
| Sarasota-Bradenton Area | 85th Coolest (tie) | 81.3° | 81.8° | -0.5° | Jan 1911 |
| Archbold Bio Stn | 8th Warmest (tie) | 81.2° | 80.5° | +0.7° | Jan 1969 |
| Inverness 3 SE | 29th Warmest (tie) | 81.0° | 79.7° | +1.3° | Jul 1948 |
| Chiefland 5 ESE | 16th Warmest (tie) | 80.6° | 79.3° | +1.3° | Jul 1956 |

Temperature (F)
6/1/2025 – 6/30/2025



Departure from Normal Temperature (F)
6/1/2025 – 6/30/2025




Graphics Source: NOAA Regional Climate Centers


Our rainy season got underway with the high-pressure ridge axis varying from north of the region to south, but it did spend many days north of our area giving us our late afternoon and evening thunderstorms. Overall, for the month some areas from around Tampa Bay south near the coast were above normal (green/blue areas on Percent of Normal map on next page), while much of the Nature Coast and interior was below normal (yellow/orange areas on Percent of Normal map on the next page).

JUNE RAINFALL RANKINGS (°F) :

| Location | Rank | June 2025 Rain Total | Normal June Rain | Dep fm Normal | Records Began |
|-------------------------|-------------------|-------------------------|---------------------|------------------|------------------|
| Sarasota-Bradenton Area | 6th Wettest | 13.53 | 7.05 | +6.48 | Jan 1911 |
| Venice | 9th Wettest | 11.44 | 7.81 | +3.63 | May 1955 |
| St. Petersburg Area | 10th Wettest | 11.26 | 6.79 | +4.47 | Aug 1914 |
| Myakka River St. Pk. | 23rd Wettest | 10.65 | 9.95 | +0.70 | Sep 1943 |
| Wauchula | 44th Wettest | 8.82 | 8.46 | +0.36 | Jan 1933 |
| Punta Gorda Area | 62nd Driest(tie) | 8.33 | 9.24 | -0.91 | May 1914 |
| Archbold Bio Stn | 26th Driest | 7.90 | 8.85 | -0.95 | Jan 1969 |
| Tarpon Springs | 41st Wettest(tie) | 7.41 | 7.06 | +0.35 | Jan 1892 |
| Fort Myers Area | 40th Driest | 7.15 | 9.66 | -2.51 | Jan 1902 |
| Bartow | 55th Driest | 6.82 | 8.28 | -1.46 | Jun 1892 |
| Plant City | 48th Driest | 6.70 | 9.71 | -3.01 | Feb 1893 |
| St. Leo | 48th Driest | 6.32 | 8.34 | -2.02 | Apr 1895 |
| Tampa Area | 57th Driest | 6.21 | 7.37 | -1.16 | Apr 1890 |
| Lakeland Area | 43rd Driest | 5.99 | 8.69 | -2.70 | Jan 1915 |
| Inverness 3 SE | 22nd Driest | 5.03 | 8.13 | -3.10 | Jul 1948 |
| Chiefland 5 ESE | 17th Driest(tie) | 4.80 | 8.03 | -3.23 | Jul 1956 |
| Winter Haven Area | 12th Driest | 3.89 | 7.36 | -3.47 | Mar 1941 |
| Brooksville Area | 9th Driest | 3.49 | 7.91 | -4.42 | Jan 1892 |



June 2025 Rainfall



Percent of Normal

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest and Driest Junes at some official NWS locations, which include the average/total for this June where available, and the 1991-2020 Normal (average) temperature and rainfall for the month of June.

Chiefland 5 ESE (records began July 1956):

| Warmest Junes | Coolest Junes | Wettest Junes | Driest Junes |
|------------------------|-----------------|------------------|------------------------|
| 1 82.6 in 1998 | 1 77.0 in 1965 | 1 15.10 in 2023 | 1 1.00 in 1998 |
| 2 82.3 in 2016 | 2 77.1 in 1974 | 2 15.06 in 2003 | 2 1.27 in 1977 |
| 3 82.1 in 2024 | 77.1 in 1966 | 3 14.12 in 2012 | 3 1.97 in 1971 |
| 82.1 in 2022 | 4 77.4 in 1963 | 4 13.11 in 1974 | 4 2.33 in 1991 |
| 82.1 in 2015 | 5 77.7 in 1997 | 5 12.90 in 1965 | 5 2.62 in 2022 |
| 6 81.7 in 1989 | 77.7 in 1984 | 6 12.03 in 2018 | 6 3.10 in 1963 |
| 7 81.3 in 1985 | 7 77.9 in 2006 | 7 11.98 in 2002 | 7 3.21 in 2024 |
| 8 81.2 in 2018 | 77.9 in 1962 | 8 11.84 in 2009 | 8 3.27 in 1979 |
| 9 81.0 in 2019 | 9 78.0 in 1995 | 9 11.64 in 1983 | 9 3.48 in 1968 |
| 81.0 in 2011 | 10 78.1 in 1961 | 10 11.49 in 2016 | 10 3.51 in 2008 |
| 81.0 in 1977 | | | ... |
| ... | | | 17 4.80 in 2025 |
| 16 80.6 in 2025 | | | 4.80 in 2020 |
| 80.6 in 2025 | | | |
| 80.6 in 1964 | | | |

Normal Temperature for June Temp at CHIF1 = 79.3°

Normal Rainfall for June at CHIF1 = 8.03 in.

Inverness 3 SE (records began July 1948):

| Warmest Junes | Coolest Junes | Wettest Junes | Driest Junes |
|------------------------|------------------------|------------------|------------------------|
| 1 83.6 in 1981 | 1 77.7 in 1995 | 1 21.84 in 2003 | 1 1.69 in 1977 |
| 2 83.5 in 2010 | 2 78.1 in 1976 | 2 17.44 in 1974 | 2 1.95 in 1981 |
| 3 83.4 in 1998 | 3 78.2 in 1997 | 3 15.45 in 1982 | 3 2.07 in 1998 |
| 4 83.2 in 2024 | 4 78.4 in 2003 | 4 14.88 in 2012 | 4 2.55 in 2022 |
| 83.2 in 2019 | 5 78.6 in 1966 | 5 13.29 in 2021 | 5 2.73 in 1954 |
| 6 82.9 in 1969 | 6 78.9 in 1991 | 6 13.13 in 1989 | 6 2.93 in 2010 |
| 82.9 in 1952 | 78.9 in 1955 | 7 12.19 in 1985 | 7 3.14 in 1964 |
| 8 82.7 in 1950 | 8 79.0 in 2012 | 8 12.06 in 1960 | 8 3.31 in 2015 |
| 9 82.5 in 2016 | 9 79.0 in 1994 | 9 12.04 in 1965 | 9 3.70 in 1963 |
| 82.5 in 1958 | 10 79.2 in 2017 | 10 11.66 in 2009 | 10 3.80 in 1987 |
| ... | ... | | ... |
| 29 81.0 in 2025 | 44 81.0 in 2025 | | 22 5.03 in 2025 |
| 81.0 in 1985 | 81.0 in 1985 | | |

Normal Temperature for June at INVF1 = 79.7°

Normal Rainfall for June at INVF1 = 8.13 in.

Brooksville Area (records began January 1892) :

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|------------------------|----------------|------------------|-----------------------|
| 1 84.2 in 1927 | 1 76.6 in 1917 | 1 21.68 in 2012 | 1 0.67 in 1998 |
| 2 82.7 in 1998 | 2 77.1 in 1920 | 2 20.81 in 1945 | 2 0.91 in 1979 |
| 3 82.6 in 2024 | 77.1 in 1894 | 3 19.29 in 2003 | 3 2.27 in 1977 |
| 4 82.2 in 1909 | 4 77.6 in 1966 | 4 14.64 in 2013 | 4 2.56 in 1956 |
| 82.2 in 1899 | 5 77.9 in 1910 | 5 14.37 in 1974 | 5 2.68 in 1988 |
| 6 82.1 in 1964 | 6 78.1 in 1946 | 6 14.29 in 1982 | 2.68 in 1931 |
| 82.1 in 1914 | 78.1 in 1930 | 7 14.19 in 1893 | 7 3.05 in 1933 |
| 8 81.9 in 2010 | 8 78.3 in 1976 | 8 13.94 in 1912 | 8 3.11 in 1954 |
| 81.9 in 1935 | 78.3 in 1965 | 9 13.89 in 1934 | 9 3.49 in 2025 |
| 10 81.7 in 2022 | 78.3 in 1919 | 10 13.69 in 1929 | 10 3.63 in 1918 |
| 81.7 in 1950 | | | |
| 81.7 in 1944 | | | |
| 13 81.6 in 2019 | | | |
| 14 81.5 in 2025 | | | |
| 81.5 in 1952 | | | |

Normal Temperature for June at BKV = 80.1°

Normal Rainfall for June at BKV = 7.91 in.

St. Leo (records began April 1895) :

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|------------------------|----------------|------------------------|------------------------|
| 1 86.4 in 1998 | 1 75.9 in 1930 | 1 24.26 in 1934 | 1 0.08 in 1998 |
| 2 83.3 in 1981 | 2 77.1 in 1920 | 2 20.30 in 2012 | 2 1.60 in 1973 |
| 3 83.1 in 1952 | 3 77.3 in 1919 | 3 19.08 in 1974 | 3 2.14 in 1979 |
| 4 82.9 in 1897 | 4 77.7 in 1966 | 4 18.00 in 1896 | 4 2.33 in 1967 |
| 5 82.8 in 1948 | 77.7 in 1923 | 5 17.25 in 1943 | 5 2.68 in 1948 |
| 6 82.7 in 1899 | 6 78.1 in 2012 | 6 16.90 in 1945 | 6 2.95 in 1951 |
| 7 82.6 in 2009 | 78.1 in 1933 | 7 16.31 in 2005 | 7 3.02 in 1958 |
| 82.6 in 2004 | 8 78.3 in 1922 | 8 14.70 in 1999 | 8 3.16 in 1895 |
| 82.6 in 1898 | 78.3 in 1916 | 9 14.35 in 2002 | 9 3.28 in 1980 |
| 10 82.4 in 1985 | 78.3 in 1903 | 10 13.91 in 1910 | 10 3.62 in 1915 |
| 82.4 in 1950 | | ... | ... |
| ... | | 84 6.32 in 2025 | 48 6.32 in 2025 |
| 24 81.8 in 2025 | | | |
| 81.8 in 1989 | | | |
| 81.8 in 1902 | | | |

Normal Temperature for June at STLF1 = 80.2°

Normal Rainfall for June at STLF1 = 8.34 in.

Tarpon Springs (records began January 1892):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|------------------------|----------------|------------------------|------------------------|
| 1 84.6 in 2004 | 1 77.2 in 1894 | 1 21.73 in 2012 | 1 0.62 in 1991 |
| 2 84.2 in 1998 | 2 77.9 in 1907 | 2 18.29 in 1974 | 2 0.72 in 1998 |
| 3 84.0 in 2019 | 77.9 in 1900 | 3 18.10 in 1909 | 3 1.17 in 1935 |
| 4 83.9 in 2010 | 4 78.1 in 1939 | 4 14.08 in 1934 | 4 1.47 in 1955 |
| 5 83.8 in 2024 | 78.1 in 1908 | 5 13.47 in 1900 | 5 1.49 in 1950 |
| 6 83.6 in 2005 | 6 78.3 in 1892 | 6 13.21 in 1912 | 6 1.56 in 1947 |
| 7 83.3 in 2018 | 7 78.4 in 1974 | 7 12.71 in 1943 | 7 1.63 in 1980 |
| 83.3 in 1994 | 78.4 in 1955 | 8 12.12 in 1957 | 8 1.70 in 1931 |
| 9 83.2 in 2020 | 78.4 in 1910 | 9 11.69 in 2001 | 9 1.73 in 1979 |
| 83.2 in 2016 | 78.4 in 1895 | 10 11.60 in 2019 | 10 1.83 in 1971 |
| 83.2 in 1927 | | | 1.83 in 1921 |
| 12 83.1 in 1952 | | ... | ... |
| 13 83.0 in 2025 | | 41 7.41 in 2025 | 91 7.41 in 2025 |
| | | 7.41 in 1962 | 7.41 in 1962 |

Normal Temperature for June at TRPF1 = 82.0°

Normal Rainfall for June at TRPF1 = 7.06 in.

Tampa Area (records began April 1890):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|------------------------|-----------------|------------------------|------------------------|
| 1 85.6 in 1998 | 1 78.5 in 1930 | 1 18.66 in 2012 | 1 1.26 in 1918 |
| 2 85.2 in 2022 | 2 78.6 in 1955 | 2 18.52 in 1945 | 2 1.46 in 1997 |
| 3 84.8 in 2010 | 3 78.9 in 1976 | 3 15.92 in 1934 | 3 1.47 in 1931 |
| 4 84.1 in 2024 | 78.9 in 1913 | 4 13.75 in 1974 | 4 1.77 in 2014 |
| 5 84.0 in 2020 | 78.9 in 1892 | 5 13.47 in 1912 | 5 1.86 in 1951 |
| 6 83.8 in 2021 | 6 79.1 in 1966 | 6 13.42 in 1896 | 6 2.03 in 1978 |
| 83.8 in 2019 | 7 79.2 in 1923 | 7 13.19 in 2003 | 7 2.05 in 1970 |
| 7 83.7 in 1985 | 79.2 in 1910 | 8 12.60 in 2021 | 8 2.07 in 1979 |
| 83.7 in 1977 | 79.2 in 1903 | 9 12.54 in 1943 | 9 2.41 in 1922 |
| 10 83.6 in 2018 | 10 79.3 in 1916 | 10 12.41 in 1892 | 10 2.54 in 1971 |
| 83.6 in 2011 | 79.3 in 1908 | ... | ... |
| 12 83.4 in 2025 | 79.3 in 1894 | 80 6.21 in 2025 | 57 6.21 in 2025 |

Normal Temperature for June at TPA = 82.9°

Normal Rainfall for June at TPA = 7.37 in.

St Petersburg (records began August 1914):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|------------------------|------------------------|-------------------------|-----------------|
| 1 86.5 in 2010 | 1 79.1 in 1955 | 1 23.00 in 1974 | 1 0.90 in 1979 |
| 2 85.6 in 2024 | 2 79.6 in 1930 | 2 16.88 in 1943 | 2 1.03 in 1948 |
| 3 84.9 in 1998 | 3 80.0 in 1974 | 3 16.60 in 1995 | 3 1.26 in 1931 |
| 4 84.6 in 2004 | 4 80.3 in 1923 | 4 14.80 in 2016 | 4 2.05 in 1973 |
| 5 84.5 in 1977 | 80.3 in 1920 | 5 12.99 in 2003 | 5 2.21 in 1993 |
| 6 84.3 in 1973 | 6 80.4 in 1976 | 6 12.95 in 2012 | 6 2.35 in 1949 |
| 7 84.2 in 1969 | 80.4 in 1922 | 7 12.29 in 1939 | 7 2.36 in 2004 |
| 8 84.1 in 1987 | 80.4 in 1916 | 8 12.12 in 1945 | 8 2.56 in 1977 |
| 84.1 in 1981 | 9 80.5 in 1995 | 9 11.63 in 1968 | 9 2.63 in 1980 |
| 10 84.0 in 1944 | 80.5 in 1968 | 10 11.26 in 2025 | 10 2.73 in 1916 |
| | 80.5 in 1966 | | |
| | 80.5 in 1956 | | |
| | 80.5 in 1949 | | |
| ... | ... | | |
| 65 81.8 in 2025 | 41 81.8 in 2025 | | |
| 81.8 in 1988 | 81.8 in 1988 | | |
| 81.8 in 1942 | 81.8 in 1942 | | |
| 81.8 in 1939 | 81.8 in 1939 | | |

Normal Temperature for June at SPG = 82.8°

Normal Rainfall for June at SPG = 6.79 in.

Plant City (records began September 1892):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|-----------------------|-----------------|------------------------|------------------------|
| 1 85.7 in 2024 | 1 76.4 in 1933 | 1 17.08 in 1968 | 1 0.56 in 1979 |
| 2 84.5 in 2019 | 2 76.5 in 1930 | 2 17.01 in 2017 | 2 1.09 in 1948 |
| 3 84.3 in 2023 | 3 77.1 in 1931 | 3 16.48 in 1943 | 3 1.50 in 1961 |
| 84.3 in 2020 | 4 77.6 in 1976 | 4 16.44 in 1896 | 4 1.72 in 1931 |
| 5 84.1 in 2022 | 5 77.9 in 1936 | 5 16.37 in 1945 | 5 1.95 in 1998 |
| 6 83.9 in 2025 | 6 78.0 in 1966 | 6 16.24 in 1986 | 6 2.50 in 1993 |
| 7 83.8 in 1998 | 7 78.1 in 1938 | 7 15.44 in 2013 | 7 2.65 in 1956 |
| 8 83.5 in 2021 | 78.1 in 1932 | 8 15.34 in 1992 | 8 3.08 in 1898 |
| 9 83.4 in 2010 | 78.1 in 1925 | 9 14.98 in 2012 | 9 3.44 in 1950 |
| 10 83.2 in 2017 | 10 78.2 in 1929 | 10 14.93 in 1934 | 10 3.53 in 1973 |
| 83.2 in 2016 | 78.2 in 1907 | | 3.53 in 1895 |
| 83.2 in 1981 | | ... | ... |
| | | 79 6.70 in 2025 | 48 6.70 in 2025 |

Normal Temperature for June at PLCF1 = 82.4°

Normal Rainfall for June at PLCF1 = 9.71 in.

Lakeland (records began January 1915):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|-----------------|-----------------|------------------|-----------------|
| 1 84.8 in 2010 | 1 76.8 in 1930 | 1 15.55 in 2012 | 1 1.86 in 1998 |
| 2 84.5 in 1998 | 2 77.8 in 1966 | 2 14.86 in 1968 | 2 1.87 in 1948 |
| 3 84.4 in 2024 | 77.8 in 1929 | 3 14.63 in 1934 | 3 2.22 in 1915 |
| 4 83.5 in 1985 | 4 78.2 in 1919 | 4 14.48 in 2005 | 4 2.54 in 1931 |
| 5 83.4 in 2015 | 5 78.3 in 2007 | 5 14.06 in 2023 | 5 2.97 in 1971 |
| 6 83.3 in 1987 | 78.3 in 1920 | 6 14.00 in 1939 | 6 3.06 in 1979 |
| 83.3 in 1981 | 7 78.4 in 1968 | 7 13.22 in 1974 | 7 3.18 in 2010 |
| 83.3 in 1977 | 8 78.5 in 1965 | 8 13.12 in 1930 | 8 3.31 in 1970 |
| 9 83.2 in 2025 | 9 79.0 in 1976 | 9 13.10 in 2013 | 9 3.37 in 1952 |
| 10 83.1 in 2019 | 10 79.2 in 1974 | 10 13.09 in 1992 | 10 3.47 in 1955 |
| 83.1 in 2016 | 79.2 in 1923 | | 3.47 in 1918 |
| | 79.2 in 1921 | ... | ... |
| | | 69 6.30 in 2025 | 43 6.30 in 2025 |

Normal Temperature for June at LLDF1 = 81.8°

Normal Rainfall for June at LLDF1 = 8.69 in.

Winter Haven Area (records began March 1941):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|-----------------|-----------------|------------------|-----------------|
| 1 85.5 in 1998 | 1 77.6 in 1968 | 1 16.44 in 1992 | 1 0.66 in 1998 |
| 2 84.9 in 2010 | 2 78.5 in 1976 | 2 15.04 in 1968 | 2 2.49 in 1993 |
| 3 84.5 in 2019 | 3 78.6 in 1974 | 3 14.46 in 1945 | 3 2.62 in 1973 |
| 4 84.4 in 2024 | 78.6 in 1971 | 4 13.75 in 2015 | 4 2.72 in 1957 |
| 5 84.2 in 1985 | 5 78.9 in 1972 | 5 13.67 in 2012 | 5 3.38 in 2000 |
| 6 84.0 in 1949 | 6 79.0 in 1966 | 6 13.07 in 1974 | 6 3.41 in 1963 |
| 7 83.7 in 2004 | 7 79.2 in 1980 | 7 12.50 in 2005 | 7 3.50 in 2007 |
| 8 83.6 in 2022 | 79.2 in 1965 | 8 12.08 in 2013 | 8 3.52 in 1979 |
| 83.6 in 2015 | 9 79.4 in 1960 | 9 11.87 in 1994 | 9 3.58 in 1952 |
| 83.6 in 1952 | 10 79.5 in 1967 | 10 11.25 in 2017 | 10 3.70 in 1970 |
| 11 83.5 in 2025 | 79.5 in 1962 | | 11 3.85 in 1999 |
| | | | 12 3.89 in 2025 |

Normal Temperature for June at GIF = 83.0°

Normal Rainfall for June at GIF = 7.36 in.

Bartow (records began June 1892):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|------------------------|------------------------|------------------------|------------------------|
| 1 85.9 in 1998 | 1 77.4 in 1894 | 1 21.62 in 1912 | 1 0.73 in 1964 |
| 2 85.7 in 2015 | 2 77.7 in 1913 | 2 17.76 in 1934 | 2 0.79 in 1998 |
| 3 84.0 in 2014 | 3 77.9 in 1936 | 3 16.97 in 2005 | 3 1.41 in 1948 |
| 4 83.9 in 2010 | 4 78.1 in 1892 | 4 16.32 in 2003 | 4 2.12 in 1931 |
| 5 83.7 in 1927 | 5 78.4 in 1930 | 5 15.78 in 1939 | 5 2.41 in 1973 |
| 6 83.4 in 1969 | 6 78.6 in 1966 | 6 15.03 in 1945 | 6 2.59 in 1905 |
| 83.4 in 1944 | 7 78.7 in 1938 | 7 15.00 in 1949 | 7 3.09 in 1993 |
| 8 83.3 in 2013 | 8 78.8 in 1919 | 8 14.39 in 1894 | 8 3.22 in 1950 |
| 9 83.2 in 2024 | 78.8 in 1912 | 9 14.35 in 1942 | 9 3.52 in 1980 |
| 83.2 in 1981 | 10 79.0 in 1972 | 10 13.74 in 1953 | 10 3.64 in 1911 |
| ... | 79.0 in 1916 | ... | ... |
| 35 81.8 in 2025 | 93 81.8 in 2025 | 79 6.82 in 2025 | 55 6.82 in 2025 |
| 81.8 in 2022 | 81.8 in 2022 | 6.82 in 2008 | 55 6.82 in 2008 |
| 81.8 in 1994 | 81.8 in 1994 | | |
| 81.8 in 1993 | 81.8 in 1993 | | |

Normal Temperature for June at BARF1 = 81.1°

Normal Rainfall for June at BARF1 = 8.28 in.

Sarasota-Bradenton Area (records began January 1911):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|------------------------|------------------------|------------------------|-----------------|
| 1 83.9 in 1998 | 1 76.4 in 1913 | 1 25.60 in 1912 | 1 0.64 in 1998 |
| 2 83.5 in 2010 | 2 77.5 in 1930 | 2 23.30 in 1943 | 2 1.20 in 2011 |
| 3 83.4 in 2019 | 3 77.8 in 1976 | 3 22.34 in 1992 | 3 1.28 in 1918 |
| 83.4 in 2016 | 4 78.0 in 1916 | 4 16.88 in 2024 | 4 1.30 in 2007 |
| 5 83.1 in 2024 | 5 78.1 in 1955 | 5 15.45 in 2012 | 5 1.46 in 1956 |
| 6 82.9 in 2023 | 6 78.2 in 1933 | 6 13.53 in 2025 | 6 1.58 in 1951 |
| 7 82.8 in 2020 | 7 78.3 in 1956 | 7 13.49 in 1945 | 7 1.68 in 1926 |
| 8 82.6 in 2021 | 78.3 in 1931 | 8 13.39 in 1968 | 8 1.69 in 1948 |
| 9 82.2 in 2022 | 9 78.5 in 1947 | 9 12.40 in 1974 | 9 2.38 in 2023 |
| 82.2 in 2018 | 78.5 in 1920 | 10 12.27 in 1976 | 10 2.44 in 1931 |
| ... | ... | | |
| 27 81.3 in 2025 | 85 81.3 in 2025 | | |
| 81.3 in 1992 | 81.3 in 1992 | | |

Normal Temperature for June at SRQ = 81.8°

Normal Rainfall for June at SRQ = 7.05 in.

Myakka River State Park (Temperature records began March 1956/
Rainfall records began September 1943):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|------------------------|----------------|-------------------------|-----------------|
| 1 85.2 in 1998 | 1 78.1 in 1962 | 1 26.16 in 1992 | 1 1.75 in 2007 |
| 2 84.4 in 2010 | 2 78.4 in 1968 | 2 22.74 in 2003 | 2 1.76 in 2011 |
| 3 83.0 in 2019 | 3 78.5 in 1976 | 3 20.94 in 2017 | 3 2.25 in 2018 |
| 83.0 in 2018 | 4 78.6 in 1984 | 4 20.03 in 1974 | 4 2.49 in 1980 |
| 5 82.5 in 1994 | 78.6 in 1960 | 5 19.92 in 2012 | 5 2.87 in 1984 |
| 6 82.3 in 1981 | 6 78.9 in 1974 | 6 17.03 in 1995 | 2.87 in 1948 |
| 7 82.1 in 2015 | 7 79.2 in 1961 | 7 16.60 in 1968 | 7 3.07 in 1979 |
| 82.1 in 1985 | 79.2 in 1959 | 8 16.53 in 2005 | 8 3.20 in 1988 |
| 9 82.0 in 2011 | 9 79.4 in 1986 | 9 15.84 in 2013 | 9 3.53 in 1955 |
| 10 81.9 in 2016 | 79.4 in 1963 | 10 15.77 in 1981 | 10 3.55 in 1956 |
| ... | | ... | |
| 19 81.3 in 2025 | | 23 10.65 in 2025 | |
| 81.3 in 1969 | | | |

Normal Temperature for June at MKCF1 = 81.2°
Normal Rainfall for June at MKCF1 = 9.95 in.

Venice (records began May 1955):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|------------------------|----------------|------------------------|-----------------|
| 1 86.4 in 2010 | 1 78.6 in 1955 | 1 25.91 in 1992 | 1 1.04 in 1980 |
| 2 85.7 in 1998 | 2 78.7 in 1966 | 2 19.31 in 2003 | 1.04 in 1979 |
| 3 84.2 in 2024 | 3 79.0 in 1988 | 3 19.18 in 2005 | 3 1.06 in 1988 |
| 4 84.0 in 2019 | 79.0 in 1984 | 4 16.78 in 2012 | 4 1.33 in 1990 |
| 5 83.9 in 2004 | 5 79.3 in 1974 | 5 14.16 in 1995 | 5 1.38 in 1960 |
| 6 83.7 in 2011 | 79.3 in 1961 | 6 12.59 in 1962 | 6 1.57 in 2011 |
| 7 83.1 in 2023 | 79.3 in 1960 | 7 11.93 in 1974 | 7 1.69 in 2018 |
| 8 83.0 in 2009 | 8 79.6 in 1975 | 8 11.50 in 1982 | 8 2.01 in 1961 |
| 9 82.8 in 2020 | 79.6 in 1967 | 9 11.44 in 2025 | 9 2.43 in 1985 |
| 82.8 in 2018 | 79.6 in 1956 | 10 11.17 in 1968 | 10 2.45 in 1955 |
| 82.8 in 2013 | | | |
| 12 82.6 in 1994 | | | |
| 13 82.5 in 2025 | | | |
| 82.5 in 2003 | | | |

Normal Temperature for June at VNCF1 = 81.4°
Normal Rainfall for June at VNCF1 = 7.81 in.

Wauchula (records began January 1933):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|------------------------|-----------------|------------------------|------------------------|
| 1 83.9 in 2009 | 1 78.0 in 1955 | 1 19.40 in 1939 | 1 1.69 in 1998 |
| 2 83.4 in 1998 | 2 78.1 in 2012 | 2 17.61 in 2017 | 2 2.40 in 1952 |
| 3 82.9 in 2008 | 78.1 in 1996 | 3 16.20 in 2005 | 3 3.02 in 1948 |
| 4 82.7 in 2024 | 78.1 in 1976 | 4 16.03 in 1952 | 4 3.17 in 2018 |
| 5 82.6 in 1993 | 5 78.2 in 1994 | 5 15.96 in 1982 | 5 3.18 in 2000 |
| 82.6 in 1985 | 6 78.9 in 1999 | 6 15.85 in 1968 | 6 3.26 in 1964 |
| 82.6 in 1969 | 78.9 in 1966 | 7 15.24 in 1945 | 7 3.48 in 1958 |
| 8 82.2 in 1987 | 78.9 in 1956 | 8 15.11 in 1913 | 8 3.53 in 2010 |
| 82.2 in 1981 | 9 79.0 in 1965 | 9 14.97 in 1974 | 9 3.69 in 1956 |
| 10 82.1 in 2010 | 10 79.1 in 2014 | 10 14.77 in 1962 | 10 3.72 in 1960 |
| 11 81.9 in 2025 | 79.1 in 2007 | ... | ... |
| 81.9 in 2019 | | 44 8.82 in 2025 | 49 8.82 in 2025 |
| 81.9 in 1990 | | | |

Normal Temperature for June at WAUF1 = 80.5°

Normal Rainfall for June at WAUF1 = 8.46 in.

Archbold Bio Stn (records began January 1969):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|-----------------------|----------------|------------------------|------------------------|
| 1 83.5 in 2010 | 1 77.1 in 1984 | 1 18.66 in 2002 | 1 0.90 in 1998 |
| 2 82.2 in 1998 | 2 77.4 in 1976 | 2 17.33 in 2013 | 2 1.70 in 1979 |
| 3 81.9 in 2017 | 3 78.1 in 1999 | 3 15.85 in 1986 | 3 2.40 in 1980 |
| 4 81.8 in 2024 | 4 78.2 in 2007 | 4 15.77 in 1992 | 4 2.79 in 2010 |
| 5 81.6 in 2016 | 78.2 in 1971 | 5 15.25 in 2023 | 5 3.01 in 1988 |
| 6 81.4 in 2019 | 6 78.4 in 1970 | 6 14.12 in 1974 | 6 3.27 in 1987 |
| 81.4 in 1981 | 7 78.5 in 1996 | 7 13.89 in 2005 | 7 3.76 in 2000 |
| 8 81.2 in 2025 | 8 78.7 in 1974 | 8 12.73 in 2015 | 8 4.64 in 2006 |
| 81.2 in 1985 | 9 78.8 in 1983 | 9 12.21 in 1969 | 9 4.79 in 1989 |
| 10 81.1 in 2015 | 78.8 in 1973 | 10 11.35 in 1994 | 10 4.89 in 2014 |
| | | ... | ... |
| | | 32 7.90 in 2025 | 26 7.90 in 2025 |

Normal Temperature for June at ACHF1 = 80.5°

Normal Rainfall for June at ACHF1 = 8.85 in.

Punta Gorda Area (records began May 1914):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|------------------------|----------------|------------------------|------------------------|
| 1 84.5 in 2024 | 1 78.3 in 1930 | 1 23.99 in 1974 | 1 2.00 in 1979 |
| 2 84.1 in 1998 | 2 78.9 in 1938 | 2 20.29 in 1939 | 2 2.16 in 1960 |
| 3 83.8 in 2010 | 3 79.1 in 1976 | 3 19.75 in 1992 | 3 2.30 in 1920 |
| 4 83.6 in 2018 | 79.1 in 1929 | 4 17.63 in 1995 | 4 3.06 in 1924 |
| 5 83.3 in 2020 | 5 79.2 in 1936 | 5 16.66 in 2003 | 5 3.08 in 1927 |
| 83.3 in 1948 | 6 79.3 in 1971 | 6 16.51 in 1999 | 6 3.37 in 1964 |
| 7 83.1 in 1985 | 79.3 in 1955 | 7 15.93 in 1943 | 7 3.48 in 2007 |
| 83.1 in 1951 | 8 79.5 in 1968 | 8 15.92 in 1949 | 3.48 in 1977 |
| 9 83.0 in 2016 | 79.5 in 1967 | 9 15.39 in 1946 | 3.48 in 1916 |
| 83.0 in 1945 | 79.5 in 1923 | 10 14.81 in 2017 | 10 3.80 in 2023 |
| 11 82.9 in 1994 | | ... | ... |
| 12 82.7 in 2025 | | 46 8.33 in 2025 | 62 8.33 in 2025 |
| 82.7 in 1982 | | 8.33 in 1972 | 8.33 in 1972 |
| 82.7 in 1981 | | | |

Normal Temperature for June at PNTF1 = 81.7°

Normal Rainfall for June at PNTF1 = 9.24 in.

Fort Myers Area (records began January 1902):

| Warmest Junes | Coollest Junes | Wettest Junes | Driest Junes |
|-----------------------|-----------------|------------------------|------------------------|
| 1 85.9 in 1981 | 1 78.5 in 1908 | 1 27.61 in 1912 | 1 1.99 in 1980 |
| 2 85.3 in 2010 | 2 78.6 in 1904 | 2 22.28 in 2024 | 2 2.48 in 2014 |
| 3 84.5 in 1998 | 3 78.7 in 1930 | 3 20.25 in 1936 | 3 3.59 in 1932 |
| 4 84.0 in 1997 | 78.7 in 1910 | 4 20.10 in 1974 | 4 3.73 in 1944 |
| 5 83.8 in 1994 | 5 78.8 in 1976 | 5 18.73 in 1992 | 5 3.76 in 1985 |
| 6 83.7 in 1985 | 6 78.9 in 1955 | 6 18.42 in 2005 | 3.76 in 1913 |
| 83.7 in 1982 | 7 79.0 in 1912 | 7 17.92 in 1983 | 7 3.96 in 1931 |
| 8 83.6 in 2024 | 79.0 in 1903 | 8 16.43 in 1939 | 8 3.99 in 1973 |
| 9 83.4 in 2025 | 9 79.2 in 1917 | 9 16.10 in 1959 | 9 4.52 in 2001 |
| 83.4 in 2023 | 10 79.3 in 1918 | 10 16.06 in 1943 | 10 4.58 in 1964 |
| 83.4 in 1980 | 79.3 in 1913 | ... | ... |
| | | 85 7.15 in 2025 | 40 7.15 in 2025 |

Normal Temperature for June at FMY = 82.3°

Normal Rainfall for June at FMY = 9.66 in.

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past Weather link above the graphical forecast images.