



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


September 2022 Climate Summary for West Central and Southwest Florida

Temperatures in September 2022 averaged from about 1 degree below normal to 1 degree above normal. A couple of the warmer than normal sites did end up in the Top Ten Warmest for September.


SEPTEMBER TEMPERATURE (°F) :

Location	September 2022 Rank	Avg Temp	Normal Sep Temp	Dep fm Normal	Records Began
Plant City	5th Warmest	83.3°	82.2°	+1.1°	Sep 1892
Fort Myers Area	9th Warmest	83.3°	82.2°	+1.1°	Jan 1902
Tampa Area	21st Warmest (tie)	82.4°	82.7°	-0.3°	Apr 1890
Punta Gorda Area	29th Warmest (tie)	82.1°	82.1°	0.0°	May 1914
Venice	26th Warmest	81.5°	81.6°	-0.1°	May 1955
Lakeland Area	28th Warmest (tie)	81.5°	81.7°	-0.2°	Jan 1915
St Petersburg Area	31st Coolest (tie)	81.4°	82.5°	-1.1°	Aug 1914
Bartow	53rd Warmest (tie)	80.9°	80.7°	+0.2°	Jun 1892
Archbold Bio Stn	12th Warmest (tie)	80.7°	80.7°	0.0°	Jan 1969
Wauchula 2 N	45th Coolest (tie)	80.7°	80.8°	-0.1°	Jan 1933
Myakka River State Pk	14th Coolest (tie)	80.6°	81.4°	-0.8°	Mar 1956
Brooksville Area	31st Warmest (tie)	80.5°	79.8°	+0.7°	Jan 1892
Sarasota-Bradenton Area	41st Coolest (tie)	80.4°	82.2°	-1.8°	Jan 1911
Inverness 3 SE	29th Warmest (tie)	80.3°	78.9°	+1.4°	Jul 1948
Chiefland 5 ESE	20th Warmest (tie)	79.5°	78.5°	+1.0°	Jul 1956
St. Leo	19th Coolest (tie)	78.8°	79.8°	-1.0°	Apr 1895

Temperature (F)
9/1/2022 - 9/30/2022




Departure from Normal Temperature (F)
9/1/2022 - 9/30/2022




Graphics Source: NOAA Regional Climate Centers

As for rainfall it was mostly well above normal, especially thanks to Hurricane Ian which moved across the region dropping heavy rainfall from Sarasota and western Charlotte counties northeast across Manatee, Hardee, Desoto and Polk counties. This placed several locations in the Top Ten Wettest for September. The exception to this was across the northern Nature Coast which did not receive much rainfall from Ian and ended up being less than 75 percent of normal (orange areas on right image below) for the month.



Rainfall September 2022



Percent of Normal

SEPTEMBER RAINFALL (inches):

Location	September 2022 Rank	September 2022 Rain Total	Normal Sep Rain	Dep fm Normal	Records Began
Myakka River State Pk	1st Wettest	30.78	8.45	+22.33	Sep 1943
Wauchula 2 N	1st Wettest	29.07	6.32	+22.75	Jan 1933
Bartow	1st Wettest	25.59	7.31	+18.08	Jun 1892
Fort Myers Area	4th Wettest	16.45	9.00	+7.45	Jan 1902
Punta Gorda Area	4th Wettest	16.42	6.87	+9.55	May 1914
Archbold Bio Stn	1st Wettest	16.38	7.17	+9.21	Jan 1969
Plant City	6th Wettest	15.18	6.99	+8.19	Feb 1893
Sarasota-Bradenton Area	9th Wettest	14.54	6.00	+8.54	Jan 1911
Lakeland Area	5th Wettest	14.03	7.62	+6.41	Jan 1915
St. Petersburg Area	7th Wettest	13.16	6.66	+6.50	Aug 1914
Tampa Area	9th Wettest	12.29	6.09	+6.20	Apr 1890
Venice	18th Wettest	9.52	7.16	+2.36	May 1955
Inverness 3 SE	15th Wettest	8.50	5.81	+2.69	Jul 1948
Tarpon Springs	45th Wettest	8.49	7.03	+1.46	Jan 1892
St. Leo	50th Wettest	7.33	6.63	+0.70	Apr 1895
Chiefland 5 ESE	19th Driest	3.71	5.82	-2.11	Jul 1956

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Septembers at some official NWS locations, which includes the average/total for this September where available and the 1991-2020 Normal (average) temperature and rainfall for the month of September.

CHIEFLAND 5 ESE (records began in July 1956):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 83.2 in 2018	1 75.8 in 1967	1 21.39 in 2004	1 0.43 in 2019
2 81.6 in 2019	2 76.1 in 1969	2 20.12 in 1988	2 0.86 in 1972
3 81.0 in 2016	76.1 in 1956	3 16.04 in 1964	3 1.06 in 1968
81.0 in 1970	4 76.3 in 2001	4 14.77 in 1998	4 1.10 in 2008
5 80.8 in 1986	5 76.7 in 2006	5 13.65 in 1983	5 1.23 in 1978
80.8 in 1980	6 76.9 in 1985	6 10.49 in 1979	6 1.74 in 1997
7 80.5 in 2020	7 77.0 in 1994	7 10.18 in 2017	7 1.97 in 1967
80.5 in 1988	77.0 in 1966	8 10.16 in 1989	8 1.99 in 2003
9 80.4 in 1998	9 77.6 in 2008	9 10.11 in 2000	9 2.15 in 1961
80.4 in 1959	77.6 in 1982	10 10.03 in 1966	10 2.20 in 1958
...			...
20 79.5 in 2022			19 3.71 in 2022
79.5 in 1957			

Normal Temperature for September at CHIF1 = 78.5°
 Normal Rainfall for September at CHIF1 = 5.82 in.

INVERNESS 3 SE (records began in July 1948):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 82.3 in 1954	1 76.8 in 1994	1 16.73 in 2016	1 0.76 in 1961
2 82.2 in 1958	2 77.0 in 2001	2 16.54 in 1950	2 1.07 in 2008
3 82.0 in 1970	3 77.1 in 1997	3 16.49 in 2017	3 1.21 in 1967
4 81.9 in 2019	4 77.3 in 1956	4 16.27 in 2004	4 1.25 in 1972
5 81.8 in 2020	5 77.7 in 1976	5 15.67 in 2001	5 1.74 in 1954
81.8 in 1974	6 77.9 in 1984	6 15.24 in 1960	6 1.76 in 2012
7 81.7 in 2010	7 78.0 in 1981	7 14.14 in 2021	7 1.80 in 1990
8 81.4 in 2009	8 78.1 in 2006	8 13.15 in 1979	8 1.82 in 2019
9 81.2 in 2018	78.1 in 1983	9 12.23 in 1982	9 1.96 in 1996
81.2 in 1977	10 78.4 in 1996	10 11.92 in 1964	10 2.04 in 2005
...	...	11 10.89 in 1988	
29 80.3 in 2022	38 80.3 in 2022	12 9.09 in 1973	
80.3 in 1998	80.3 in 1998	13 8.86 in 1963	
80.3 in 1992	80.3 in 1992	14 8.79 in 1997	
80.3 in 1991	80.3 in 1991	15 8.50 in 2022	
80.3 in 1962	80.3 in 1962		

Normal Temperature for September at INVF1 = 78.9°
 Normal Rainfall for September at INVF1 = 5.81 in.

BROOKSVILLE AREA (records began in January 1892):

Warmest Sep	Coollest Sep	Wettest Sep	Driest Sep
1 82.8 in 2018	1 77.2 in 2001	1 22.34 in 1950	1 0.48 in 1972
2 82.5 in 1926	2 77.5 in 1894	2 17.32 in 1979	2 0.90 in 2008
3 81.9 in 1906	3 77.6 in 1956	3 15.87 in 1894	3 1.39 in 1910
4 81.8 in 1958	4 77.7 in 1940	4 15.53 in 1912	4 1.69 in 1991
81.8 in 1925	5 77.8 in 1892	5 15.16 in 1935	5 1.74 in 1990
6 81.7 in 1930	6 77.9 in 1953	6 14.12 in 1988	6 1.90 in 1958
7 81.6 in 1911	7 78.0 in 1983	7 13.88 in 1947	7 2.02 in 1961
8 81.5 in 2019	8 78.1 in 1994	8 13.77 in 1938	8 2.07 in 2019
81.5 in 2002	78.1 in 1897	9 13.33 in 2016	9 2.09 in 1909
81.5 in 1991	10 78.2 in 2003	10 12.84 in 1960	10 2.29 in 2007
	78.2 in 1967		
	78.2 in 1893		
...	...		
31 80.5 in 2022	83 80.5 in 2022		
80.5 in 1979	80.5 in 1979		
80.5 in 1977	80.5 in 1977		
80.5 in 1955	80.5 in 1955		
80.5 in 1951	80.5 in 1951		

Normal Temperature for September at BKV = 79.8°

Total Rainfall for September 2022 = Not available, several days missing

Normal Rainfall for September at BKV = 5.79 in.

ST LEO (records began in April 1895):

Warmest Sep	Coollest Sep	Wettest Sep	Driest Sep
1 83.5 in 1925	1 76.3 in 1922	1 17.44 in 2004	1 0.75 in 1990
2 82.5 in 2002	2 77.1 in 1935	2 17.38 in 1929	2 1.17 in 1972
3 82.3 in 1900	77.1 in 1918	3 17.03 in 1950	3 1.21 in 1978
4 82.2 in 2009	4 77.4 in 1903	4 16.81 in 1912	4 1.76 in 1995
5 82.1 in 2018	5 77.9 in 1927	5 16.52 in 1960	5 1.97 in 2008
6 82.0 in 1944	77.9 in 1917	6 15.07 in 1935	6 2.05 in 1991
7 81.9 in 2008	77.9 in 1914	7 15.01 in 1933	7 2.10 in 1910
81.9 in 2007	8 78.0 in 1940	8 14.93 in 1949	8 2.23 in 2018
9 81.8 in 2005	9 78.1 in 1897	9 14.70 in 1953	9 2.24 in 1911
81.8 in 1958	10 78.3 in 1956	10 13.33 in 1982	10 2.41 in 2010
81.8 in 1951	78.3 in 1920
	...	50 7.33 in 2022	78 7.33 in 2022
	19 78.8 in 2022		
	78.8 in 1934		
	78.8 in 1929		
	78.8 in 1908		

Normal Temperature for September at STLF1 = 79.8°

Normal Rainfall for September at STLF1 = 6.63 in.

TARPON SPRINGS (records began in January 1892):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 84.2 in 2018	1 78.2 in 1894	1 18.13 in 1988	1 0.44 in 2005
2 84.0 in 1925	2 78.4 in 1967	2 15.80 in 2006	2 0.58 in 1972
3 83.5 in 1933	78.4 in 1899	3 15.54 in 1971	3 0.82 in 2008
4 83.2 in 1996	4 78.5 in 1956	4 15.39 in 1935	0.82 in 1921
5 83.0 in 1921	5 78.6 in 1940	5 15.28 in 2014	5 1.97 in 1910
6 82.9 in 1944	78.6 in 1916	6 14.27 in 1911	6 2.05 in 1967
7 82.7 in 2019	7 78.7 in 1900	7 13.21 in 1959	7 2.16 in 2007
82.7 in 1997	78.7 in 1896	8 13.12 in 1898	2.16 in 1952
9 82.6 in 1926	78.7 in 1895	9 12.79 in 1983	9 2.65 in 1919
10 82.3 in 1951	10 78.8 in 1983	10 12.70 in 1960	10 2.69 in 1978
82.3 in 1930	78.8 in 1918
	78.8 in 1903	45 8.49 in 2022	87 8.49 in 2022

Average Temperature for September 2022 = Several Days Missing/Unrepresentative
Normal Temperature for September at TRPF1 = 81.3°
Normal Rainfall for September at TRPF1 = 7.03 in.

TAMPA AREA (records began in April 1890):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 85.8 in 2018	1 77.5 in 1897	1 18.93 in 1912	1 0.79 in 2005
2 84.0 in 2019	2 78.4 in 1914	2 17.28 in 1894	0.79 in 1910
3 83.8 in 2016	3 78.5 in 1956	3 13.98 in 1979	3 1.05 in 1937
4 83.4 in 2017	4 78.6 in 1981	4 13.56 in 1988	4 1.13 in 2010
5 83.2 in 2010	78.6 in 1940	5 13.29 in 1929	5 1.28 in 1972
83.2 in 1925	6 78.8 in 1903	6 13.04 in 1947	6 1.46 in 2019
7 83.1 in 2021	7 78.9 in 1922	7 12.84 in 1997	7 1.58 in 1921
83.1 in 1944	8 79.1 in 1913	8 12.40 in 2006	8 1.68 in 1904
9 82.9 in 2020	79.1 in 1894	9 12.29 in 2022	9 1.90 in 1927
82.9 in 2005	10 79.2 in 2001	10 11.76 in 2001	10 2.08 in 1915
82.9 in 1958	79.2 in 1967		
...	79.2 in 1899		
21 82.4 in 2022			
82.4 in 1989			
82.4 in 1951			

Normal Temperature for September at TPA = 82.7°
Normal Rainfall for September at TPA = 6.09 in.

ST PETERSBURG (records began in August 1914):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 85.7 in 2005	1 79.0 in 1956	1 25.51 in 1988	1 1.09 in 2019
2 84.8 in 1925	2 79.6 in 1953	2 18.60 in 1953	1.09 in 2008
3 84.4 in 2018	3 79.7 in 2001	3 16.39 in 2001	3 1.40 in 1967
84.4 in 2010	79.7 in 1950	4 14.40 in 1929	4 1.48 in 1972
5 84.3 in 2019	79.7 in 1940	5 14.03 in 1962	5 1.61 in 2010
84.3 in 1933	6 80.0 in 1994	6 13.39 in 1928	6 1.84 in 1990
7 83.8 in 2017	80.0 in 1914	7 13.16 in 2022	7 1.90 in 2005
83.8 in 1970	8 80.2 in 1983	8 13.07 in 1933	8 2.13 in 1915
9 83.7 in 2008	9 80.4 in 1918	9 12.63 in 1997	9 2.30 in 1944
10 83.6 in 1986	10 80.5 in 1947	10 12.46 in 2004	10 2.35 in 1925
83.6 in 1944	80.5 in 1917		
83.6 in 1941			
...	...		
50 81.4 in 2022	31 81.4 in 2022		
81.4 in 1967	81.4 in 1967		
81.4 in 1967	81.4 in 1967		
81.4 in 1919	81.4 in 1919		

Normal Temperature for September at SPG = 82.5°

Normal Rainfall for September at SPG = 6.66 in.

PLANT CITY (records began in September 1892):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 84.9 in 2018	1 77.7 in 1940	1 18.43 in 1894	1 0.71 in 1972
2 83.8 in 2020	2 77.9 in 1907	2 18.21 in 2004	2 0.75 in 1909
83.8 in 2019	3 78.0 in 1932	3 17.09 in 1947	3 0.92 in 2019
4 83.4 in 2017	78.0 in 1918	4 16.77 in 1998	4 0.97 in 1915
5 83.3 in 2022	5 78.4 in 1953	5 15.42 in 1988	5 1.12 in 1991
6 83.0 in 2021	78.4 in 1931	6 15.18 in 2022	6 1.26 in 1961
7 82.9 in 2016	7 78.6 in 1910	7 15.12 in 1960	7 1.27 in 1937
8 81.8 in 1958	78.6 in 1909	8 14.75 in 1933	8 1.50 in 1911
81.8 in 1951	9 78.7 in 1956	9 14.20 in 1979	9 1.64 in 1990
10 81.7 in 1974	78.7 in 1913	10 13.38 in 1912	10 2.15 in 1978
81.7 in 1970			2.15 in 1967

Normal Temperature for September at PLCF1 = 82.2°

Normal Rainfall for September at PLCF1 = 6.99 in.

LAKELAND AREA (records began in January 1915):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 83.8 in 2018	1 78.0 in 1940	1 19.67 in 2004	1 0.31 in 1921
2 83.0 in 1987	2 78.6 in 2001	2 15.52 in 1929	2 0.81 in 1972
3 82.9 in 2016	78.6 in 1947	3 15.47 in 1998	3 0.85 in 2019
82.9 in 1989	4 78.7 in 1967	4 15.18 in 1989	4 1.26 in 1944
5 82.8 in 1998	78.7 in 1956	5 14.03 in 2022	5 1.45 in 2008
6 82.7 in 2020	6 79.0 in 1953	6 13.75 in 1933	6 1.55 in 1961
82.7 in 2019	7 79.1 in 1928	7 13.67 in 2001	7 2.42 in 1927
82.7 in 2010	79.1 in 1918	8 12.99 in 2014	8 2.57 in 1925
82.7 in 1990	9 79.2 in 2006	9 12.33 in 1979	9 2.59 in 1937
10 82.6 in 1986	79.2 in 1950	10 12.16 in 2017	10 2.68 in 1991
...	...		
28 81.5 in 2022	78 81.5 in 2022		
81.5 in 1974	81.5 in 1974		

Normal Temperature for September at LLDF1 = 81.7°

Normal Rainfall for September at LLDF1 = 7.62 in.

WINTER HAVEN AREA (records began in March 1941):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 85.0 in 2018	1 79.2 in 1976	1 17.26 in 1960	1 1.08 in 2008
2 84.3 in 2019	79.2 in 1968	2 14.79 in 2001	2 1.10 in 1972
3 84.0 in 1989	79.2 in 1956	3 13.46 in 1948	3 1.22 in 1961
4 83.2 in 1991	4 79.4 in 1981	4 12.84 in 2014	4 1.61 in 2005
5 83.1 in 2020	79.4 in 1962	5 12.83 in 1947	5 1.96 in 2015
6 82.9 in 2016	6 79.6 in 2001	6 12.47 in 1979	1.96 in 1952
7 82.6 in 2002	7 79.7 in 1983	7 11.32 in 1987	7 2.16 in 1990
82.6 in 1951	79.7 in 1959	8 10.54 in 2020	8 2.33 in 2009
9 82.5 in 2010	9 79.8 in 1967	9 10.51 in 1998	9 2.35 in 2006
82.5 in 2007	79.8 in 1964	10.51 in 1920	10 2.47 in 1944
82.5 in 1995	79.8 in 1947		

Average Temperature for September 2022 = Not Available, Many Days Missing

Normal Temperature for September at GIF = 82.5°

Total Rainfall for September 2022 = Not Available, Many Days Missing

Normal Rainfall for September at GIF = 5.31 in.

BARTOW (records began in June 1892):

Warmest Sep	Coollest Sep	Wettest Sep	Driest Sep
1 83.5 in 2014	1 77.0 in 1894	1 25.59 in 2022	1 1.04 in 1972
2 83.3 in 1925	2 77.7 in 1913	2 17.24 in 2004	2 1.73 in 2005
3 83.2 in 1988	3 77.8 in 1914	3 16.91 in 1894	3 1.76 in 1904
4 82.8 in 2018	4 78.1 in 1918	4 16.61 in 1928	4 2.35 in 1942
82.8 in 2002	5 78.5 in 1940	5 15.96 in 1998	5 2.41 in 1961
6 82.7 in 1987	78.5 in 1916	6 15.77 in 1933	6 2.47 in 1937
7 82.6 in 1951	7 78.6 in 1895	7 15.59 in 1960	7 2.51 in 1991
82.6 in 1949	78.6 in 1893	8 15.06 in 1979	8 2.52 in 1910
9 82.5 in 1958	9 78.9 in 1922	9 14.64 in 1982	9 2.57 in 1990
82.5 in 1944	10 79.0 in 1975	10 14.25 in 1947	10 2.87 in 2019
	79.0 in 1967		
	79.0 in 1897		
	79.0 in 1892		
...	...		
53 80.9 in 2022	62 80.9 in 2022		
80.9 in 1978	80.9 in 1978		
80.9 in 1954	80.9 in 1954		
80.9 in 1920	80.9 in 1920		
80.9 in 1911	80.9 in 1911		
80.9 in 1900	80.9 in 1900		
80.9 in 1898	80.9 in 1898		

Normal Temperature for September at BARF1 = 80.7°

Normal Rainfall for September at BARF1 = 7.31 in.

SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Sep	Coollest Sep	Wettest Sep	Driest Sep
1 84.8 in 2019	1 78.2 in 1927	1 21.16 in 1962	1 1.07 in 2005
2 83.9 in 2016	2 78.4 in 1931	2 19.14 in 1953	2 1.17 in 2010
3 83.2 in 2020	3 78.6 in 1916	3 17.31 in 1928	3 1.94 in 2012
4 82.7 in 2007	4 78.7 in 1940	4 16.92 in 1929	4 1.99 in 2019
5 82.6 in 2018	5 78.9 in 1956	5 16.65 in 1912	5 2.02 in 1945
6 82.5 in 1951	6 79.0 in 2001	6 15.86 in 1926	6 2.27 in 1921
82.5 in 1925	79.0 in 1984	7 15.65 in 1960	7 2.33 in 1984
8 82.3 in 2010	79.0 in 1922	8 15.57 in 1988	8 2.37 in 1944
82.3 in 2009	9 79.1 in 1976	9 14.54 in 2022	9 2.41 in 1972
82.3 in 2005	79.1 in 1935	10 14.50 in 1979	10 2.74 in 1991
82.3 in 1989			
...	...		
65 80.4 in 2022	41 80.4 in 2022		
80.4 in 2003	80.4 in 2003		
80.4 in 1978	80.4 in 1978		
80.4 in 1949	80.4 in 1949		

Normal Temperature for September at SRQ = 82.2°

Normal Rainfall for September at SRQ = 6.00 in.

VENICE (records began in May 1955):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 85.4 in 1989	1 78.1 in 1968	1 16.20 in 1960	1 1.39 in 2019
2 84.5 in 2009	2 78.7 in 1956	2 14.77 in 1962	2 1.72 in 1961
3 84.1 in 2010	3 78.9 in 1976	3 14.23 in 1983	3 1.84 in 1981
4 83.6 in 2011	4 79.8 in 1967	4 13.10 in 2013	4 1.93 in 2005
5 83.4 in 2019	5 79.9 in 2001	5 12.49 in 2003	5 2.22 in 1993
6 83.2 in 2012	79.9 in 1984	6 12.31 in 1968	6 2.61 in 1986
7 83.1 in 2018	7 80.1 in 1987	7 12.22 in 2014	7 3.25 in 2011
8 83.0 in 1998	8 80.2 in 1961	8 11.96 in 1994	8 3.43 in 1958
9 82.9 in 2002	80.2 in 1960	9 11.95 in 1995	9 3.69 in 1965
10 82.5 in 1995	10 80.3 in 1985	10 11.44 in 1975	10 3.71 in 2021
...	80.3 in 1983	...	
26 81.5 in 2022		18 9.52 in 2022	

Normal Temperature for September at VNCF1 = 81.6°

Normal Rainfall for September at VNCF1 = 7.16 in.

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 83.8 in 2018	1 78.9 in 2001	1 30.78 in 2022	1 1.48 in 2005
2 82.8 in 2016	78.9 in 1959	2 22.49 in 1962	2 1.66 in 2019
3 82.6 in 2019	3 79.4 in 1962	3 21.08 in 1979	3 2.29 in 1972
82.6 in 2009	4 79.7 in 1976	4 18.10 in 2001	4 2.36 in 1961
5 82.5 in 2010	79.7 in 1963	5 14.65 in 2014	5 2.40 in 1986
82.5 in 1991	6 80.1 in 1994	6 14.04 in 1960	6 2.65 in 2008
7 82.3 in 2015	80.1 in 1971	7 12.82 in 1957	7 2.74 in 1990
82.3 in 1998	80.1 in 1968	8 12.47 in 2018	8 3.76 in 1991
82.3 in 1990	9 80.3 in 1984	9 12.12 in 1995	9 4.19 in 1984
10 82.2 in 2002	80.3 in 1972	10 11.98 in 1982	10 4.24 in 1966
82.2 in 1996	80.3 in 1969		
82.2 in 1993	12 80.5 in 2021		
	80.5 in 1960		
	14 80.6 in 2022		
	80.6 in 2003		
	80.6 in 1985		
	80.6 in 1982		

Normal Temperature for September at MKCF1 = 81.4°

Normal Rainfall for September at MKCF1 = 8.45 in.

WAUCHULA 2 N (records began in January 1933):

Warmest Sep	Coollest Sep	Wettest Sep	Driest Sep
1 84.5 in 2009	1 78.1 in 1956	1 29.07 in 2022	1 1.19 in 1961
2 83.4 in 2008	2 78.4 in 2001	2 18.06 in 1947	2 1.44 in 1972
3 82.6 in 2018	78.4 in 1953	3 14.38 in 1953	3 1.54 in 2019
4 82.5 in 2007	4 78.7 in 1940	4 13.91 in 1948	4 1.61 in 1933
5 82.4 in 1989	5 78.8 in 2012	5 13.83 in 1960	5 1.91 in 2008
6 82.2 in 1988	6 78.9 in 2013	6 11.77 in 2017	6 2.00 in 1980
82.2 in 1933	7 79.1 in 1984	7 11.56 in 1979	7 2.21 in 1991
8 82.0 in 2017	8 79.2 in 1982	8 11.41 in 1962	8 2.70 in 1978
82.0 in 1974	79.2 in 1947	9 11.33 in 2015	9 3.26 in 1976
10 81.9 in 2016	10 79.3 in 1981	10 10.95 in 1982	10 3.35 in 1987
	79.3 in 1968		
...	...		
36 80.7 in 2022	45 80.7 in 2022		
80.7 in 1978	80.7 in 1978		
80.7 in 1972	80.7 in 1972		
80.7 in 1965	80.7 in 1965		
80.7 in 1951	80.7 in 1951		
80.7 in 1944	80.7 in 1944		

Normal Temperature for September at WAUF1 = 80.8°

Normal Rainfall for September at WAUF1 = 6.32 in.

ARCHBOLD BIO STN (records began in January 1969):

Warmest Sep	Coollest Sep	Wettest Sep	Driest Sep
1 82.3 in 2016	1 78.3 in 1994	1 16.38 in 2022	1 0.70 in 1996
2 82.0 in 2017	2 78.5 in 2001	2 14.54 in 2017	2 2.04 in 2019
3 81.8 in 2015	78.5 in 1984	3 14.15 in 1979	3 2.37 in 1983
4 81.7 in 2018	4 78.6 in 1982	4 12.78 in 2016	4 2.41 in 1988
5 81.3 in 2020	5 79.0 in 1976	5 12.54 in 2004	5 2.92 in 1980
6 81.2 in 1974	6 79.3 in 2012	6 11.55 in 2001	6 3.22 in 2008
7 81.1 in 2019	79.3 in 1999	7 11.47 in 2014	7 3.30 in 2005
81.1 in 2002	79.3 in 1997	8 10.69 in 2012	8 3.58 in 2011
9 80.9 in 2010	79.3 in 1985	9 10.65 in 1982	9 3.67 in 2018
80.9 in 2009	79.3 in 1981	10 9.97 in 1973	10 3.79 in 2006
80.9 in 1989	79.3 in 1971		
12 80.7 in 2022			
80.7 in 1990			

Normal Temperature for September at ACHF1 = 80.7°

Normal Rainfall for September at ACHF1 = 7.17 in.

PUNTA GORDA AREA (records began in May 1914):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 84.6 in 2018	1 78.5 in 1940	1 17.09 in 1959	1 0.93 in 2019
2 84.2 in 1951	2 78.8 in 2001	2 16.54 in 1929	2 1.23 in 1978
3 83.0 in 1988	3 79.1 in 1969	3 16.47 in 1962	3 2.94 in 1952
4 82.9 in 2009	4 79.2 in 1922	4 16.42 in 2022	4 3.33 in 1990
5 82.8 in 2020	5 79.4 in 1917	5 16.13 in 1947	5 3.36 in 1991
82.8 in 1986	79.4 in 1914	6 14.86 in 1935	6 3.44 in 1987
7 82.7 in 2017	7 79.5 in 1956	7 14.17 in 2001	7 3.71 in 1972
82.7 in 1933	79.5 in 1929	8 14.15 in 1928	8 3.74 in 1986
9 82.6 in 2011	9 79.9 in 1938	9 14.03 in 1979	9 3.76 in 1965
82.6 in 1989	79.9 in 1928	10 13.77 in 1926	10 3.81 in 1927
...			
29 82.1 in 2022			
82.1 in 1948			

Normal Temperature for September at PGD = 82.1°
Normal Rainfall for September at PGD = 6.87 in.

FORT MYERS AREA (records began in January 1902):

Warmest Sep	Coolest Sep	Wettest Sep	Driest Sep
1 84.7 in 1980	1 78.5 in 1917	1 17.35 in 1922	1 1.93 in 1988
2 84.0 in 1996	2 78.7 in 1908	2 17.21 in 2003	2 2.33 in 1972
3 83.7 in 1988	78.7 in 1903	3 16.60 in 1969	3 2.80 in 1961
4 83.6 in 2019	4 78.9 in 1922	4 16.45 in 2022	4 2.86 in 2019
83.6 in 1997	78.9 in 1909	5 16.32 in 1947	5 3.04 in 1937
6 83.5 in 1986	6 79.0 in 1913	6 15.58 in 1953	6 3.07 in 1904
83.5 in 1979	7 79.1 in 1902	7 15.44 in 1929	7 3.24 in 1925
8 83.4 in 1990	8 79.2 in 1910	8 14.86 in 2008	8 3.39 in 1906
9 83.3 in 2022	9 79.3 in 1976	9 14.54 in 1962	9 3.48 in 1954
83.3 in 2021	79.3 in 1918	10 14.49 in 1935	10 3.56 in 1944
	79.3 in 1904		3.56 in 1936

Normal Temperature for September at FMY = 82.2°
Normal Rainfall for September at FMY = 9.00 in.

For more Climate information visit our web site at the following link:
<https://www.weather.gov/tampabay> and then go to the Climate and Past
Weather drop down menu above the graphical forecast images.